Informe breve del proyecto

1. Presentación

`Veterinaria Asier` es una aplicación web pequeña orientada a una clínica veterinaria con tres áreas funcionales:

- venta de artículos
- adopción de mascotas
- servicios veterinarios

El objetivo del proyecto ha sido construir una base mínima, clara y defendible, cumpliendo los requisitos académicos de autenticación, autorización, integración con Supabase, despliegue reproducible y análisis de seguridad.

2. Qué hace la aplicación

La aplicación permite:

- iniciar sesión mediante OAuth 2 con GitHub y Supabase
- diferenciar accesos por rol: `admin`, `client`, `vet`, `sales`
- mostrar ofertas exclusivas solo a clientes que hayan adoptado una mascota
- asignar roles y registrar adopciones desde un panel admin mínimo

La regla principal de negocio es esta:

- un cliente con adopción registrada puede acceder a ofertas exclusivas

3. Dónde está cada parte

Frontend

- carpeta: frontend
- tecnología: Vue 3 + Vite + TypeScript
- login: frontend/src/views/LoginView.vue
- dashboard: frontend/src/views/DashboardView.vue
- catálogo: frontend/src/views/CatalogView.vue
- panel admin: frontend/src/views/AdminView.vue

Backend

- carpeta: backend
- tecnología: Node.js + Express + TypeScript
- rutas: backend/src/routes/index.ts
- autenticación: backend/src/middlewares/authentication.ts
- autorización RBAC: backend/src/security/rbac.ts
- autorización ABAC: backend/src/security/abac.ts

Supabase

- esquema SQL: supabase/schema.sql
- uso principal:
  - OAuth 2 con GitHub
  - base de datos PostgreSQL
  - tablas `profiles`, `pets`, `adoptions`, `offers`

Docker y despliegue

- compose: docker-compose.yml
- frontend Docker: frontend/Dockerfile
- backend Docker: backend/Dockerfile

4. Requisitos cumplidos

Autenticación OAuth 2

Cumplido con `Supabase Auth + GitHub`.

Evidencias:


GitHub
GitHub enabled
Client ID
Ov23liD
Client Secret
Reveal
Allow users without an email
Allows the user to successfully authenticate when the provider does not return an email address.
Callback URL (for OAuth)
https://nditnkjbbpbpgaqvzrln.supabase.co/auth/v1/ca
Copy


Sign in to GitHub
to continue to PPS Veterinaria
Username or email address
Password
Forgot password?
Sign in
or
Continue with Google
Continue with Apple
New to GitHub? Create an account
Sign in with a passkey



Autorización RBAC

Cumplido con los roles `admin`, `client`, `vet` y `sales`.

Aplicación:

- `admin` gestiona roles y adopciones
- `sales` puede gestionar ofertas de tienda
- `vet` puede gestionar ofertas de servicio
- `client` accede a su información y al catálogo permitido

Evidencias:





Autorización ABAC

Cumplido con la regla:

- un cliente solo puede ver ofertas exclusivas si tiene una adopción registrada

Esta condición no depende solo del rol, sino también de un atributo de negocio derivado de la relación entre `profiles` y `adoptions`.

Evidencias:









Integración con Supabase

Cumplido para autenticación y persistencia de datos.

Evidencias:





Gestión de secretos

Cumplido con variables de entorno, archivos `.env.example` y exclusión de secretos del repositorio.

Evidencias:


backend
dist
src
.env
.env.example
Dockerfile
package.json
tsconfig.json
docker
docs
evidencias
frontend
dist
.env
.env.example
Dockerfile
index.html
VITE_SUPABASE_URL=http
VITE_SUPABASE_ANON_KEY
VITE_API_BASE_URL=http


PPS - FINAL - VUE
backend
dist
.env
.env.example
Dockerfile
package.json
backend > .env
PORT=3000
CORS_ORIGIN=http://
SUPABASE_URL=https:
SUPABASE_ANON_KEY=s
SUPABASE_SERVICE_RO
BOOTSTRAP_ADMIN_EMA

.gitignore

```
# Dependencies
node_modules/

# Build outputs
dist/
coverage/
.vite/

# Environment files
.env
.env.*
!.env.example
frontend/.env
frontend/.env.*
!frontend/.env.example
backend/.env
backend/.env.*
!backend/.env.example

# Logs and reports
logs/
*.log
npm-debug.log*
yarn-debug.log*
yarn-error.log*
pnpm-debug.log*
.scannerwork/
.sonarqube/
.sonar/

# OS and editor files
.DS_Store
Thumbs.db

# Docker local overrides
docker-compose.override.yml

# Security tool outputs
dependency-check-report.*
zap-report.*
```

Despliegue reproducible y cloud

Cumplido con Docker Compose en local y Render en cloud.

Evidencias:

SERVICE NAME 2	STATUS	RUNTIME	REGION	UPDATED ↓	
veterinaria-asier	✓ Deployed	Static	Global	31min	···
veterinaria-asier-backend	✓ Deployed	Docker	Frankfurt	40min	···

Análisis de seguridad

Cumplido con herramientas separadas:

- SAST: SonarQube
- DAST: OWASP ZAP
- análisis de dependencias: OWASP Dependency-Check

Evidencias:


alhost:9000/dashboard
SonarQube community
Projects
Issues
Rules
Quality profiles
Quality gates
Administration
More
To benefit from more of SonarQube Community Build's features, set up analysis in your favorite CI.
PPS Final Vue / Overview
Overview
1.5k Lines of Code • Version 0.1.0 • Last analysis 40 seconds ago
Set as homepage
Quality Gate
Passed
New Code
Overall Code
Security
0 Open issues
A
Reliability
0 Open issues
A
Maintainability
9 Open issues
A
Accepted issues
0
Valid issues that were not fixed
Coverage
0.0%
On 300 lines to cover.
Duplications
0.0%
On 1.9k lines.
Security Hotspots
0
A
Activity
Graph type
Issues
There isn't enough data to generate an activity graph.
April 21, 2026 at 9:34 PM
0.1.0
Quality Gate: Passed
First analysis: 9 Issues • 0.0% Coverage • 0.0% Duplications
See full history of analyses

```
PS C:\Users\asier\Documents\Ciberseguridad\PPS\PPS - Final - Vue> sonar -D sonar.host.url
=http://localhost:9000 -D sonar.token=sqp_[redacted]e -D son
ar.projectKey [redacted]
[INFO]  Bootstrapper: Retrieving info from "package.json" file
[INFO]  Bootstrapper: Platform: win32 x64
[INFO]  Bootstrapper: Server URL: http://localhost:9000
[INFO]  Bootstrapper: Version: 4.3.6
[INFO]  Bootstrapper: SonarQube server version: 26.4.0
[INFO]  Bootstrapper: JRE provisioning is supported
[INFO]  Bootstrapper: No Cache found for JRE
[INFO]  Bootstrapper: Download starting...
[INFO]  Bootstrapper: Download complete
[INFO]  Bootstrapper: Downloaded JRE to C:\Users\asier\.sonar\cache\39c5e23f3ce4d420663af
ba8ffde28034b72e2b3e240943dc2321bc1f912eef9\OpenJDK21U-jre_x64_windows_hotspot_21.0.9_10.
zip
[INFO]  Bootstrapper: No Cache found for SonarScanner Engine
[INFO]  Bootstrapper: Download starting...
[INFO]  Bootstrapper: Download complete
[INFO]  Bootstrapper: Downloaded SonarScanner Engine to C:\Users\asier\.sonar\cache\39dee
3273a4ff432de0b3b588cc75bf40c7c30b03cbe8409728ead765f5f2d9b\sonar-scanner-engine-shaded-2
6.4.0.121862-all.jar
```

```
PS C:\Users\asier\Documents\Ciberseguridad\PPS\PPS - Final - Vue> npm run security:zap

> pps-final-vue@0.1.0 security:zap
> docker compose --profile security run --rm zap

[+] Creating 2/2
 ✓ Container pps-final-vue-backend-1   Running                                    0.0s
 ✓ Container pps-final-vue-frontend-1  Running                                    0.0s
Using the Automation Framework
Total of 6 URLs
PASS: Vulnerable JS Library (Powered by Retire.js) [10003]
PASS: In Page Banner Information Leak [10009]
PASS: Cookie No HttpOnly Flag [10010]
PASS: Cookie Without Secure Flag [10011]
PASS: Re-examine Cache-control Directives [10015]
PASS: Cross-Domain JavaScript Source File Inclusion [10017]
PASS: Content-Type Header Missing [10019]
PASS: Information Disclosure - Debug Error Messages [10023]
PASS: Information Disclosure - Sensitive Information in URL [10024]
PASS: Information Disclosure - Sensitive Information in HTTP Referrer Header [10025]
PASS: HTTP Parameter Override [10026]
PASS: Information Disclosure - Suspicious Comments [10027]
PASS: Off-site Redirect [10028]
PASS: Cookie Poisoning [10029]
PASS: User Controllable Charset [10030]
PASS: User Controllable HTML Element Attribute (Potential XSS) [10031]
PASS: Viewstate [10032]
PASS: Directory Browsing [10033]
PASS: Heartbleed OpenSSL Vulnerability (Indicative) [10034]
PASS: Strict-Transport-Security Header [10035]
PASS: Server Leaks Information via "X-Powered-By" HTTP Response Header Field(s) [10037]
PASS: X-Backend-Server Header Information Leak [10039]
PASS: Secure Pages Include Mixed Content [10040]
PASS: HTTP to HTTPS Insecure Transition in Form Post [10041]
PASS: HTTPS to HTTP Insecure Transition in Form Post [10042]
PASS: User Controllable JavaScript Event (XSS) [10043]
PASS: Big Redirect Detected (Potential Sensitive Information Leak) [10044]
```

```
PS C:\Users\asier\Documents\Ciberseguridad\PPS\PPS - Final - Vue> npm run security:dependency-check

 > pps-final-vue@0.1.0 security:dependency-check
 > docker compose --profile security run --rm dependency-check

 [+] Creating 1/1
  ✓ Volume pps-final-vue_dependency-check-data  Crea...                                    0.0s
 [INFO] Checking for updates
 [WARN] An NVD API Key was not provided - it is highly recommended to use an NVD API key as the update can
  take a VERY long time without an API Key
 [INFO] NVD API has 345,548 records in this update
 [INFO] Downloaded 10,000/345,548 (3%)
 [INFO] Downloaded 20,000/345,548 (6%)
 [INFO] Downloaded 30,000/345,548 (9%)
 [INFO] Downloaded 40,000/345,548 (12%)
 [INFO] Downloaded 50,000/345,548 (14%)
 [INFO] Downloaded 60,000/345,548 (17%)
```

5. Resumen de navegación

Para revisar rápidamente la aplicación:

1. `Login`: acceso mediante GitHub.
2. `Resumen`: estado del usuario, rol y adopciones.
3. `Catálogo`: ofertas visibles para el usuario.
4. `Admin`: gestión de roles y adopciones, solo para `admin`.

6. Conclusión

El proyecto cumple los requisitos obligatorios con una arquitectura pequeña, clara y reproducible. La aplicación demuestra autenticación OAuth 2, RBAC, ABAC, integración con Supabase, despliegue en Render, uso de Docker y controles básicos de seguridad, todo ello sin sobreingeniería y con una estructura fácil de explicar.

7. Documentación adicional

- README.md
- docs/guia.md
- docs/Arquitectura.md
- docs/Seguridad.md