SOFTWARE DOCUMENTATION | VERSION 1.0

SINGLE-FILE WEB APP - WORKS OFFLINE

Plagiarism Spot-Checker

A web-search-based originality spot-checker for abstracts, paragraphs and manuscript sections - built as one HTML file that runs in any browser, with no installation, no account and no upload.

Creator: Dr. Asif Ahmad

Document: User documentation, technical guide and full source code

Tool version: 1.0 | **File:** `Plagiarism-Spot-Checker.html`

File size: 13,240 bytes (about 13 KB) | **Lines of code:** 269

> **What this document gives you.** How the tool works step by step, what it can and cannot do, why it is different from subscription checkers, how to copy and run it on any other computer, and how to use it on Windows, macOS, Linux, ChromeOS, Android and iOS. The complete source code is reproduced in Appendix A, so the tool can be rebuilt, checked or modified from this document alone.

Contents

1. About the tool
2. How it works - the workflow
3. Features
4. What makes it unique
5. Benefits
6. Limitations - read before relying on it
7. Technical method
8. Deploying it on other machines
9. Running it on Windows and other operating systems
10. User guide - a complete worked check
11. Understanding the report
12. Privacy, security and responsible use
13. Troubleshooting and frequently asked questions

Appendix A - Full source code (v1.0) | Appendix B - File facts, requirements and version history

1 About the tool

Plagiarism Spot-Checker is a small, purpose-built utility for one job: before a piece of writing is submitted - a journal abstract, a thesis paragraph, a conference paper section, a grant summary - it helps the author check, passage by passage, whether the same wording already exists somewhere on the public web.


It does this in the simplest reliable way available without a commercial database. It splits the text into short, checkable passages, then lets the user run an **exact-phrase search** for each passage on Google or Bing - the passage enclosed in quotation marks, so the search engine returns only pages that contain those words in that order. If a page turns up with the same wording, the passage is flagged and the source can be recorded. If nothing matching turns up, the passage is marked clear. At the end, the tool produces a written report of what was checked and what was flagged.

The tool was designed in the same spirit as the creator's DPI Studio: one self-contained HTML file, no server, no database, no sign-up, no subscription, and nothing installed. Double-click the file and it opens, ready to use, in the computer's web browser.

> **Who it is for.** Researchers, postgraduate students, teachers and editors who want a fast, free, private first check of their own writing before submission - and a clear record of the check they performed.

2 How it works - the workflow

The whole check follows six steps. Steps 1, 2, 3 and 6 happen entirely inside the browser on the user's own machine. Only step 4 leaves the machine, and only with the single passage the user has chosen to search for.



1 Add the text

Paste the writing into the large text box, or use the file picker to load a plain-text (.txt) file. The file is read locally by the browser; it is not sent anywhere.

2 Choose how to split it

Sentences is the natural choice for finished prose: each sentence becomes one checkable passage. The splitter is abbreviation-aware, so "Dr.", "Prof.", "e.g.", "i.e." and "Ph.D." do not break a sentence in the wrong place. **10-word phrases** cuts the text into fixed ten-word blocks instead, which is useful for text with unreliable punctuation, such as text copied from a PDF.

3 Filter out passages that are too short

Very short fragments - headings, "Materials and methods", a four-word phrase - match thousands of pages and prove nothing. The **minimum words per check** setting (default 8, adjustable from 4 to 30) drops anything shorter, so the user's time is spent only on passages long enough for a match to mean something. Pressing **Analyze text** creates the passage list.

2 How it works - steps 4 to 6

The first three steps prepared the passages. The remaining three steps do the checking itself and turn the result into a record.

4 Search each passage exactly as written

Each passage card has a **Google** button and a **Bing** button. Clicking one opens a new browser tab with the passage wrapped in quotation marks - an exact-phrase search. Using two engines matters because Google and Bing index the web differently; a page missed by one is often found by the other.

5 Judge the result and record it

The user reads the search results and decides. **Clear** means no page carries the same wording. **Flag match** means a matching page was found; a box appears for pasting that page's address, so the report shows exactly where the match lives. Cards change colour - green for clear, red for flagged - and the progress bar and counters update after every decision.

6 Generate the report

Generate report produces a plain-text summary: how many passages there were, how many were checked, cleared and flagged, and the full text of every flagged passage with its source. The report can be downloaded as a .txt file, printed, or copied to the clipboard.

Reading the search results

An exact-phrase search usually ends in one of three ways. **No results, or results about something else entirely:** the passage is clear. **One result carrying the same wording:** open it, confirm the wording really runs on in the same order, and flag the passage with that page's address. **Many results:** the passage is probably standard wording for the field - a method description, a definition, a regulation - so look at two or three of them, then decide whether it needs a citation rather than a rewrite.

Searching both engines is worth the extra click. Indexing differs, regional editions differ, and a page that ranks nowhere on one engine can be the first result on the other.

3 Features

Feature	What it does
Two splitting modes	Sentences (abbreviation-aware) or fixed 10-word phrases, chosen before each check.
Adjustable minimum length	Passages shorter than the chosen word count (default 8) are excluded automatically.
Dual search engines	One-click exact-phrase search of every passage on both Google and Bing, each opening in a new tab.
Clear / Flag workflow	Every passage is explicitly marked, colour-coded green or red, with an optional source address recorded for each flag.
Live progress tracking	Progress bar plus counters for total, checked, clear and flagged passages, updated as the user works.
Plain-text file input	Loads a .txt file directly into the checker, read locally in the browser.
Four-way reporting	Report can be viewed on screen, downloaded as .txt, printed, or copied to the clipboard.
Print-friendly output	A dedicated print style hides the controls and prints the report cleanly on paper or to PDF.
Guided interface	Three numbered cards - add text, check passages, report - with an on-screen explanation of the method, so a first-time user needs no training.
Safe reset	Reset asks for confirmation before clearing the text and all results.
Zero dependencies	No libraries, frameworks, fonts or images are loaded from the internet. The file is complete on its own.

4 What makes it unique

Your text is never uploaded. Commercial checkers work by sending the document to a remote server and comparing it against a proprietary database. This tool has no server. The document is split and tracked inside the browser tab, and the only information that ever leaves the machine is one short passage at a time - and only when the user clicks a search button for that passage. Close the tab and everything is gone; nothing is stored, logged or retained.

It is one file, and that file is the whole product. At about 13 KB - smaller than a typical email attachment - the tool can live on a USB stick, in an email, or in a shared folder, and it will still be working in ten years, because it depends on nothing outside a web browser. There is no licence to expire, no account to lock, and no company that can shut it down.

The judgement stays with the author. The tool deliberately produces no similarity percentage and no automatic verdict. Search engines find candidate matches; the human decides whether a match is copied text, a standard technical phrase, a properly quoted passage, or the author's own earlier publication. That design makes the result more honest, not less: a percentage from a black box is easy to misread, while a list of flagged passages with their sources can be inspected, discussed with a supervisor, and acted on.

It leaves evidence of the check itself. The dated report records how many passages were checked and what was found - a small but real audit trail that authors can keep with their submission records.

Side by side with a subscription checker

	Plagiarism Spot-Checker	Typical subscription checker
Cost	Free; one file, copy it freely	Per-user, per-document or institutional licence
Your document	Never uploaded; stays in your browser	Uploaded to the provider's servers
Compared against	The public web, via Google and Bing	Public web plus paywalled and student-paper databases
Result	Passages marked Clear or Flag, with sources	Similarity percentage plus a match report
Account and setup	None; double-click and use	Account, login, often institutional administration
Works offline	Yes, except the searches themselves	No
Best used for	A fast private spot check before submission	Formal screening an institution requires

5 Benefits

For the author

- Catches copied or too-closely-borrowed wording *before* a reviewer, examiner or editor finds it.
- Surfaces forgotten borrowings - a sentence pasted from notes months earlier reads as original until it is searched.
- Makes self-plagiarism visible: the author's own published wording also appears in search results.
- Costs nothing, forever: no subscription, no per-document fee, no word limit.
- Takes minutes for an abstract or a section - the scale at which a spot check is most useful.

For privacy and control

- Unpublished manuscripts are not handed to a third-party database, where some services retain submitted documents.
- No personal data, no account, no email address is collected at any point.
- Works on an aeroplane, in a laboratory, or anywhere with no internet connection - everything except the web search itself.

For teaching and supervision

- Shows students *how* originality checking works, passage by passage, instead of handing them a single unexplained score.
- Gives supervisors a concrete list of passages to discuss, each with its matching source.
- Runs on whatever computer a classroom or office already has.

For institutions

- Free to copy to every machine in a department - there is no licence to manage.
- Nothing to install means nothing for IT support to approve, patch or maintain.
- The dated report provides a simple record that a pre-submission check was performed.

6 Limitations - read before relying on it

This is a spot-checker, not an institutional originality screen. It does not replace Turnitin, iThenticate or any system an institution, publisher or funder requires. Where such a check is mandatory, it must still be done. Every report the tool generates carries this disclaimer.

Limitation	What it means in practice
Verbatim copy only	It finds wording copied word-for-word. Paraphrased, restructured or summarised borrowing changes the words, so an exact-phrase search will not find it.
Public web only	Google and Bing can only return pages they have indexed. Paywalled journals, subscription databases, books, and documents behind logins are largely invisible to it.
No student-paper corpus	It has no access to the submitted-thesis and student-paper collections that institutional systems compare against - a major source of matches in formal screening.
Translated copying is missed	Text translated from another language will not match the original wording.
Standard phrases will match	Common technical and methodological wording ("samples were analysed in triplicate and results expressed as mean") legitimately appears on many pages. A flag is a prompt to look, not a finding of misconduct.
Manual and passage-by-passage	Each passage needs a click and a judgement. That is right for an abstract or a section, and slow for a whole thesis.
No similarity score	By design there is no percentage. Users who need a formal similarity index need an institutional system.
Depends on the search engines	Results vary by engine, region and date, engines may throttle very rapid searching, and a search with no result today is not a guarantee for tomorrow.
Not an AI-text detector	The tool says nothing about whether text was written by a person or generated by AI. It checks for matching web wording only.

7 Technical method

The tool is written in the three standard languages of the web and nothing else: **HTML** for the page structure, **CSS** for the design, and **JavaScript** for all behaviour. There is no back end, no database, no framework and no build step. The complete code is in Appendix A.

How the text is split

In sentence mode, the text is first normalised - repeated spaces and line breaks are collapsed - and a small table of common abbreviations (`e.g.` , `i.e.` , `etc.` , `vs.` , `Dr.` , `Prof.` , `Mr.` , `Mrs.` , `Ph.D.`) is temporarily replaced with placeholder tokens so their full stops are not mistaken for sentence endings. A pattern then extracts each sentence, the placeholders are restored, and empty results are discarded. In phrase mode, the text is simply cut into consecutive blocks of ten words.

How passages are filtered and tracked

Each resulting passage is stored in an in-memory list with four fields: its text, its word count, its status (`todo` , `clear` or `flag`) and its source address. Passages below the minimum word count are removed. Nothing in this list is written to disk, to browser storage, or to any server - it exists only while the tab is open.

How the search is built

Clicking a search button wraps the passage in double quotation marks, encodes it safely for a web address with `encodeURIComponent` , and opens one of two addresses in a new tab:

```
Google:  https://www.google.com/search?q="<exact passage>"
Bing:    https://www.bing.com/search?q="<exact passage>"
```

The quotation marks are the method. Without them, a search engine returns pages containing the same *words* in any order - useless for this purpose. With them, it returns only pages containing the same *wording*, which is what copied text looks like.

7 Technical method - the report and what it needs

How the report is produced

The report is assembled from the in-memory list at the moment it is requested: totals for passages, checked, clear and flagged; then every flagged passage in full, with the source address the user recorded, or a note that none was recorded. If some passages are still unchecked, the report says so rather than implying a clean result. Downloading uses the browser's standard file mechanism to save the text as `plagiarism-spotcheck-report.txt`; printing uses a print stylesheet that hides the controls and shows only the report.

Requirements

Requirement	Detail
Software	Any modern web browser (Chrome, Edge, Firefox, Safari, Opera, Brave). No other software, plug-in or runtime.
Internet	Needed only for the Google/Bing searches. Splitting, tracking and reporting work fully offline.
Disk space	About 13 KB for the tool itself.
Permissions	None. It requests no camera, microphone, location or account access. Pop-ups must be allowed for the site so search tabs can open.
Input format	Pasted text of any length, or a plain-text (.txt) file. For Word documents, copy and paste the text, or save a copy as plain text first.

8 Deploying it on other machines

Deployment is a file copy. There is nothing to install, compile, configure or register.

Method 1 - Copy the file (simplest)

1. Copy `Plagiarism-Spot-Checker.html` by USB stick, external drive, email attachment, WhatsApp or a shared folder such as Google Drive or OneDrive.
2. Save it somewhere easy to find - the Desktop or the Documents folder.
3. Double-click it. It opens in the default browser, ready to use.

Method 2 - Put a shortcut on the desktop

On Windows, right-click the file, choose **Send to > Desktop (create shortcut)**. On macOS, right-click and choose **Make Alias**, then move the alias to the desktop. The tool now behaves like an installed program from the user's point of view.

Method 3 - Share it from one place on a network

Place the file in a shared departmental folder, an intranet page, or a learning-management system as a downloadable attachment. Every user downloads their own copy, and each copy runs independently in its own browser - no licences, no concurrent-user limits, no server load.

Method 4 - Publish it on a website

Upload the file to any static web host - a university web page, GitHub Pages, Netlify, Vercel, or ordinary web hosting - and link to it. No server-side code is needed, so the cheapest static hosting is sufficient. Publishing it this way changes nothing about privacy: the page is still only a file delivered to the browser, and the text a visitor checks is still never sent back.

Method 5 - Use it on a phone or tablet

Send the file to the device (email, Drive, Files), open it in the mobile browser, then use the browser menu's **Add to Home screen** option. It gets its own icon and opens full-screen like an app, on both Android and iPhone.

> **Updating to a new version.** Replace the old file with the new one - same name, same place. There are no settings, saved documents or user data inside the file, so nothing is lost by overwriting it.

Before distributing it further

- Send the file itself, not a screenshot or a printed copy - only the file runs.
- Do not rename the internal title or remove the creator credit in the header and footer.
- If the file arrives by email and the recipient's system renames it (for example, adding ".txt"), rename it back so it ends in `.html`.

9 Running it on Windows and other operating systems

The tool does not know or care which operating system it is on: it runs inside the browser, and the browser is the only requirement. Behaviour, layout and reports are identical everywhere. The only differences are how a file is opened and where "Add to Home screen" lives in a menu.

System	How to open it	Notes
Windows 10 / 11	Double-click the file in File Explorer; it opens in Edge, Chrome or the chosen default browser. Or right-click > Open with > Chrome / Edge / Firefox.	Works identically in Edge, Chrome and Firefox. If Windows asks which app to use, pick a browser and tick "Always". SmartScreen does not block plain HTML files.
macOS	Double-click in Finder (opens in Safari by default), or right-click > Open With > Chrome / Firefox.	Safari, Chrome and Firefox all run it fully, including file upload, download and printing.
Linux (Ubuntu and others)	Double-click in the file manager, or open a terminal in the file's folder and run `xdg-open Plagiarism-Spot-Checker.html`	Firefox and Chromium/Chrome are standard on most distributions; no packages need installing.
ChromeOS (Chromebooks)	Find the file in the Files app and double-click; it opens in Chrome.	A good fit for Chromebooks, since nothing needs installing - useful in schools.
Android	Open the file from Files or Downloads in Chrome; optionally Chrome menu > Add to Home screen.	Search tabs open in the same browser. Long passages are easier to review on a tablet or in landscape.
iOS (iPhone / iPad)	Save the file in the Files app, tap it to preview, then open it in Safari; Share > Add to Home Screen for an app icon.	If the file was received by email, save the attachment to Files first rather than opening the mail preview.

Browser notes

- **Pop-ups:** the search buttons open new tabs. If a click appears to do nothing, allow pop-ups for the page and try again.
- **Private / incognito windows:** the tool works there too, and closing the window erases the session, as it does in a normal window.
- **Very old browsers:** any browser from roughly the last ten years runs the tool. If a departmental machine is locked to an obsolete browser, opening the file in a portable browser from a USB stick is a workable alternative.
- **Offline use:** open the file once and keep the tab open; splitting, marking and reporting continue to work with the internet disconnected. Only the Google and Bing buttons need a connection.

10 User guide - a complete worked check

A realistic routine for checking a journal abstract of about 200 words. It takes roughly ten minutes.

1. **Open the tool** and paste the abstract into the text box.
2. **Leave the settings at their defaults** - split into *Sentences*, minimum 8 words - and press **Analyze text**. An abstract of 200 words typically produces 8 to 12 passages; single short sentences such as "The aim was to evaluate the extract." are dropped by the length filter, which is correct, because a match on them would mean nothing.
3. **Work down the list, one passage at a time.** Click **Google**. Read the first page of results. Then click **Bing** and do the same. The passage is a match only if a result shows the same wording running on, not merely the same technical terms.
4. **Mark each passage before moving on.** No matching page: **Clear**. Matching page: **Flag match**, then paste that page's address into the box that appears.
5. **Watch the progress bar.** The check is finished only when *Checked* equals *Total*. A report generated early will say how many passages remain unchecked.
6. **Deal with each flag on its merits:**
   - Your own earlier publication - decide whether the reuse is acceptable, whether it needs a citation, and whether the journal's policy allows it.
   - A standard method or instrument description - usually acceptable, but consider citing the source of the protocol.
   - Another author's wording - rewrite the passage in your own words, or quote it exactly and cite it.
   - A phrase so common it belongs to no one - note it and move on.
7. **Re-check anything you rewrote.** Reset, paste the revised text, and run the same routine on the changed passages only.
8. **Generate and file the report.** Download the .txt report and keep it with the manuscript's submission records, named with the manuscript and the date.

> **Practical tips.** Check the abstract, introduction and discussion most carefully - those are where an author's own voice should be, and where borrowed wording is hardest to defend. Methods sections naturally contain standard phrasing. For a long document, check it section by section rather than all at once, and use 10-word phrases mode for text copied out of a PDF, where line breaks and punctuation are often damaged.

11 Understanding the report

```
PLAGIARISM SPOT-CHECK REPORT
Generated: 19/10/2026, 17:42
Tool: Plagiarism Spot-Checker v1.0 (web-search-based, by Prof. Dr. Asif Ahmad)

Total chunks : 11
Checked      : 11
Clear        : 10
Flagged      : 1

FLAGGED PASSAGES (review and rewrite in your own words):

4. "The extract was concentrated under reduced pressure at 40 degrees
    Celsius until a constant weight was obtained."
   Matching source: (address of the page the user recorded)

Disclaimer: web-search spot checks catch verbatim copies; they do not
replace institutional originality screening (e.g. Turnitin/iThenticate).
```

The report is deliberately plain. It states what was checked, when, with which tool, and exactly which passages were flagged and where they matched. If nothing is flagged and everything was checked, it says so in one line. If passages remain unchecked, it says that instead - a partial check is never presented as a complete one.

12 Privacy, security and responsible use

Privacy

- The tool contains no analytics, advertising, tracking code, cookies or external requests of any kind. This can be verified by reading the code in Appendix A: the only web addresses in it are Google and Bing search addresses, built only when a button is clicked.
- Nothing the user types is saved. There is no history, no autosave and no browser storage. Refreshing or closing the tab discards the text, the marks and the report.
- The one exception to "nothing leaves the machine" is the search itself: clicking Google or Bing sends that single passage to that search engine, under the search engine's own privacy terms - exactly as if the user had typed it into the search box themselves.

Security

- Passages are displayed as text, never executed as code, so pasting untrusted text into the checker is safe.
- Because the tool is a single readable file, anyone can inspect it before use. If a copy arrives from an unknown source, compare it with the code in Appendix A before running it.

Responsible use

- Use it to make writing more original: to find passages that need rewriting, quoting or citing.
- Do not use a clean spot-check as proof of originality to an institution, publisher or funder. It is evidence that a check was done, not a certificate.
- Where an institution requires a similarity report from a named system, that requirement stands, and this tool is a preparation step before it - not a substitute for it.
- A flag is not an accusation. Matches have innocent explanations, and each one deserves a look before any conclusion is drawn.

13 Troubleshooting and frequently asked questions

Problem or question	Answer
"No chunks reached the minimum word count"	The text is short, or its sentences are short. Lower *Min words per check* to 5 or 6, or switch to 10-word phrases mode.
Clicking Google or Bing does nothing	The browser blocked the new tab as a pop-up. Allow pop-ups for the page, then click again.
My Word document will not upload	The file picker accepts plain text (.txt) only. In Word, use *Save As* > *Plain Text*, or simply copy the text and paste it into the box.
Every passage is flagged	Usually standard terminology, the author's own published work, or quoted material. Read the matched pages - the flag only means the wording exists elsewhere.
Nothing is flagged. Is my text original?	It means no verbatim match was found on the public web today, using these two engines. Paraphrase, paywalled sources and offline sources are outside the check (see Section 6).
The report will not download	Check the browser's download settings and pop-up blocker. As a fallback, use **Copy to clipboard** and paste the report into any document.
Printing shows the whole page, not just the report	Press **Generate report** first, then **Print**. The print layout is designed to show the report on its own.
I closed the tab and lost my work	That is by design - nothing is stored. Keep a downloaded report before closing, and re-run the check if the marks themselves are needed.
Does it work without the internet?	Yes, except for the searches. Splitting, marking and reporting all work offline.
Does it detect AI-written text?	No. It checks for matching web wording only, and makes no claim about how a text was written.
Can I change the colours, title or wording?	Yes. The file is plain HTML, CSS and JavaScript (Appendix A). Edit it in any text editor, save, and reopen it in the browser.

Appendix A Full source code - version 1.0

The complete code of Plagiarism Spot-Checker v1.0 follows, reproduced exactly as it appears in the file `Plagiarism-Spot-Checker.html` (269 lines, 13,240 bytes), with line numbers added for reference. The line numbers are not part of the program.

Rebuilding the tool from this appendix

1. Open any plain-text editor - Notepad on Windows, TextEdit in plain-text mode on macOS, or gedit / Text Editor on Linux.
2. Type or paste the code below, without the line numbers.
3. Save the file as `Plagiarism-Spot-Checker.html`, making sure the editor does not add `.txt` to the end of the name.
4. Open the saved file in a web browser. The tool is complete and ready to use.

How the code is organised

Part of the file	Lines	What it contains
Head and styles	1-52	Page title, character set, and all CSS: the emerald and gold design, cards, buttons, passage states, progress bar, report panel and print rules.
Page structure	53-104	The header with the creator credit, the three numbered cards (add text, check passages, report) and the footer.
Script - setup and splitting	105-132	The in-memory passage list, word counting, the abbreviation-aware sentence splitter and the 10-word phrase splitter.
Script - analysis and display	133-179	Building the passage list, applying the minimum-length filter, and drawing each passage card with its Google, Bing, Clear and Flag controls.
Script - search and progress	180-197	Building the exact-phrase search address for Google or Bing, and updating the counters and progress bar.
Script - report and controls	198-269	Assembling the report text with its disclaimer, and the handlers for reset, file upload, download, print and copy.

> **Reading the code.** The whole program is one self-contained script with no external libraries. Anyone with basic HTML and JavaScript knowledge can audit it end to end in a few minutes - which is itself part of the tool's privacy guarantee: there is nowhere in 269 lines for a hidden upload to hide.

Appendix A - Source code, lines 1-52 of 269

```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content="width=device-width, initial-scale=1.0">
<title>Plagiarism Spot-Checker — by Dr. Asif Ahmad</title>
<style>
  :root{
    --green:#0B4F3A; --emerald:#087F66; --gold:#C9A227;
    --ink:#1F2937; --muted:#6B7280; --bg:#F7F9F7; --card:#FFFFFF;
    --ok:#15803d; --flag:#b91c1c; --line:#E5E7EB;
  }
  *{box-sizing:border-box}
  body{margin:0;font-family:"Segoe UI",Roboto,Arial,sans-serif;background:var(--bg);color:var(--ink)}
  header{background:linear-gradient(135deg,var(--green),var(--emerald));color:#fff;padding:26px 20px;text-align:center}
  header h1{margin:0 0 6px;font-size:1.5rem}
  header p{margin:0;opacity:.9;font-size:.9rem}
  main{max-width:960px;margin:0 auto;padding:20px}
  .card{background:var(--card);border:1px solid var(--line);border-radius:12px;padding:18px;margin-bottom:18px;box-shadow:0 1px 3px rgba(0,0,0,.05)}
  .card h2{margin:0 0 12px;font-size:1.05rem;color:var(--green)}
  textarea{width:100%;min-height:170px;border:1px solid var(--line);border-radius:8px;padding:12px;font-size:.95rem;resize:vertical}
  .row{display:flex;flex-wrap:wrap;gap:10px;align-items:center;margin-top:12px}
  label{font-size:.85rem;color:var(--muted)}
  select,input[type=number]{border:1px solid var(--line);border-radius:8px;padding:8px 10px;font-size:.9rem}
  button{border:0;border-radius:8px;padding:10px 18px;font-size:.92rem;cursor:pointer;font-weight:600}
  .btn-go{background:var(--emerald);color:#fff}
  .btn-go:hover{background:var(--green)}
  .btn-ghost{background:#fff;color:var(--green);border:1px solid var(--emerald)}
  .btn-search{background:#1a73e8;color:#fff;padding:7px 12px;font-size:.82rem}
  .btn-bing{background:#0f7a0f;color:#fff;padding:7px 12px;font-size:.82rem}
  .btn-clear{background:#e8f5e9;color:var(--ok);padding:7px 12px;font-size:.82rem}
  .btn-flag{background:#fdecea;color:var(--flag);padding:7px 12px;font-size:.82rem}
  .btn-report{background:var(--gold);color:#3d2f00}
  .progress{height:12px;background:var(--line);border-radius:8px;overflow:hidden;margin:8px 0}
  .progress>div{height:100%;background:var(--emerald);width:0%;transition:width .3s}
  .stats{display:flex;gap:16px;flex-wrap:wrap;font-size:.88rem;color:var(--muted)}
  .stats b{color:var(--ink)}
  .chunk{border:1px solid var(--line);border-radius:10px;padding:12px;margin:10px 0;background:#fff}
  .chunk.checked-clear{border-left:5px solid var(--ok);background:#f6fdf7}
  .chunk.checked-flag{border-left:5px solid var(--flag);background:#fff7f7}
  .chunk p{margin:0 0 8px;font-size:.92rem;line-height:1.5}
  .chunk .meta{font-size:.75rem;color:var(--muted);margin-bottom:8px}
  .chunk .actions{display:flex;gap:8px;flex-wrap:wrap}
  .src{width:100%;margin-top:8px;border:1px solid var(--line);border-radius:8px;padding:8px;font-size:.85rem;display:none}
  .hint{font-size:.82rem;color:var(--muted);background:#fffbe8;border:1px solid #f0e2a8;border-radius:8px;padding:10px 12px;margin-top:12px}
  footer{text-align:center;color:var(--muted);font-size:.8rem;padding:18px}
  #reportOut{white-space:pre-wrap;font-family:Consolas,monospace;font-size:.82rem;background:#0f172a;color:#e2e8f0;border-radius:10px;padding:14px;max-height:380px;overflow:auto;display:none}
  @media print{ header,.no-print{display:none} #reportOut{display:block!important;max-height:none;background:#fff;color:#000} }
</style>
</head>
<body>
<header>
```

Appendix A - Source code, lines 53-104 of 269

```
 53    <h1>🔍 Plagiarism Spot-Checker</h1>
 54    <p>Web-search-based originality spot check  •  Developed by Prof. Dr. Asif Ahmad
</p>
 55  </header>
 56  <main>
 57
 58    <div class="card">
 59      <h2>1  ·  Paste your text</h2>
 60      <textarea id="input" placeholder="Paste the text you want to check here (e.g. an abstrac
t, a paragraph, a section)…"></textarea>
 61      <div class="row">
 62        <label>…or upload a .txt file:</label>
 63        <input type="file" id="fileUp" accept=".txt">
 64      </div>
 65      <div class="row">
 66        <label>Split into:</label>
 67        <select id="mode">
 68          <option value="sentences">Sentences</option>
 69          <option value="phrases">10-word phrases</option>
 70        </select>
 71        <label>Min words per check:</label>
 72        <input type="number" id="minWords" value="8" min="4" max="30" style="width:70px">
 73        <button class="btn-go" id="analyzeBtn">Analyze text</button>
 74        <button class="btn-ghost" id="resetBtn">Reset</button>
 75      </div>
 76      <div class="hint">💡 <b>How it works:</b> your text is split into checkable chunks. Click
<b>Google</b> or <b>Bing</b> on any chunk to run an <i>exact-phrase</i> web search for it. If the
search returns the same wording on another page, mark it <b>🚩 Flag</b> (paste the matching URL);
otherwise mark it <b>✅ Clear</b>. Nothing is uploaded anywhere — everything runs in your browser.
</div>
 77    </div>
 78
 79    <div class="card" id="progressCard" style="display:none">
 80      <h2>2  ·  Check each passage</h2>
 81      <div class="stats">
 82        <span>Total chunks: <b id="stTotal">0</b></span>
 83        <span>Checked: <b id="stChecked">0</b></span>
 84        <span style="color:var(--ok)">Clear: <b id="stClear">0</b></span>
 85        <span style="color:var(--flag)">Flagged: <b id="stFlag">0</b></span>
 86      </div>
 87      <div class="progress"><div id="bar"></div></div>
 88      <div id="chunks"></div>
 89    </div>
 90
 91    <div class="card no-print" id="reportCard" style="display:none">
 92      <h2>3  ·  Report</h2>
 93      <div class="row">
 94        <button class="btn-report" id="reportBtn">Generate report</button>
 95        <button class="btn-ghost" id="dlBtn">Download .txt</button>
 96        <button class="btn-ghost" id="printBtn">Print</button>
 97        <button class="btn-ghost" id="copyBtn">Copy to clipboard</button>
 98      </div>
 99      <div id="reportOut" style="margin-top:12px"></div>
100    </div>
101
102  </main>
103  <footer>Plagiarism Spot-Checker  •  Developed by Prof. Dr. Asif Ahmad  • 
v1.0 — runs fully offline; web searches open in your browser</footer>
104
```

Appendix A - Source code, lines 105-156 of 269

```
<script>
(function(){
  "use strict";
  var chunks = []; // {text, words, status: 'todo'|'clear'|'flag', src}

  function el(id){ return document.getElementById(id); }

  function wordsOf(s){ return s.trim().split(/\s+/).filter(Boolean); }

  function splitSentences(text){
    // normalize whitespace, protect common abbreviations
    var t = text.replace(/\s+/g,' ').trim();
    var abbr = { "e.g.":"EGX", "i.e.":"IEX", "etc.":"ETCX", "vs.":"VSX", "Dr.":"DRX", "Pro
f.":"PROFX", "Mr.":"MRX", "Mrs.":"MRSX", "Ph.D.":"PHDX" };
    Object.keys(abbr).forEach(function(k){ t = t.split(k).join(abbr[k]); });
    var raw = t.match(/[^.!?]+[.!?]+["']?|\S[^.!?]+$/g) || [];
    var rev = {}; Object.keys(abbr).forEach(function(k){ rev[abbr[k]] = k; });
    return raw.map(function(s){
      Object.keys(rev).forEach(function(k){ s = s.split(k).join(rev[k]); });
      return s.trim();
    }).filter(Boolean);
  }

  function splitPhrases(text, n){
    var w = wordsOf(text), out = [];
    for(var i=0;i<w.length;i+=n){ out.push(w.slice(i,i+n).join(' ')); }
    return out;
  }

  function analyze(){
    var text = el('input').value.trim();
    if(!text){ alert('Please paste some text first.'); return; }
    var mode = el('mode').value, minW = parseInt(el('minWords').value,10)||8;
    var parts = (mode==='sentences') ? splitSentences(text) : splitPhrases(text,10);
    chunks = parts.map(function(p){
      return { text:p, words:wordsOf(p).length, status:'todo', src:'' };
    }).filter(function(c){ return c.words >= minW; });
    if(!chunks.length){ alert('No chunks reached the minimum word count. Lower it or add more
text.'); return; }
    render();
    el('progressCard').style.display='block';
    el('reportCard').style.display='block';
    el('reportOut').style.display='none';
    el('progressCard').scrollIntoView({behavior:'smooth'});
  }

  function render(){
    var box = el('chunks'); box.innerHTML='';
    chunks.forEach(function(c,i){
      var d = document.createElement('div');
      d.className = 'chunk' + (c.status==='clear' ? ' checked-clear' : c.status==='flag' ? '
checked-flag' : '');
      var p = document.createElement('p'); p.textContent = '\u201C'+c.text+'\u201D'; d.append
Child(p);
      var m = document.createElement('div'); m.className='meta';
      m.textContent = 'Chunk '+(i+1)+' of '+chunks.length+' · '+c.words+' words · '+
```

Appendix A - Source code, lines 157-208 of 269

```
157         (c.status==='todo'?'not checked yet':c.status==='clear'?'marked CLEAR':'marked FLAGGE
D');
158       d.appendChild(m);
159       var a = document.createElement('div'); a.className='actions';
160       var g = document.createElement('button'); g.className='btn-search'; g.textContent='🔍 G
oogle';
161       g.onclick=function(){ openSearch('google',c.text); };
162       var b = document.createElement('button'); b.className='btn-bing'; b.textContent='🔍 Bin
g';
163       b.onclick=function(){ openSearch('bing',c.text); };
164       var ok = document.createElement('button'); ok.className='btn-clear'; ok.textContent='✅
Clear';
165       ok.onclick=function(){ c.status='clear'; c.src=''; render(); };
166       var fl = document.createElement('button'); fl.className='btn-flag'; fl.textContent='🚩
Flag match';
167       fl.onclick=function(){ c.status='flag'; render(); var inp=document.getElementById('src-
'+i); if(inp){inp.style.display='block'; inp.focus();} };
168       a.appendChild(g); a.appendChild(b); a.appendChild(ok); a.appendChild(fl);
169       d.appendChild(a);
170       var src = document.createElement('input');
171       src.className='src'; src.id='src-'+i; src.placeholder='Paste the matching page URL here
(optional)…';
172       src.value=c.src||'';
173       src.oninput=function(){ c.src=this.value; };
174       if(c.status==='flag'){ src.style.display='block'; }
175       d.appendChild(src);
176       box.appendChild(d);
177     });
178     updateStats();
179   }
180
181   function openSearch(engine, phrase){
182     var q = encodeURIComponent('"'+phrase+'"');
183     var url = engine==='google'
184       ? 'https://www.google.com/search?q='+q
185       : 'https://www.bing.com/search?q='+q;
186     window.open(url,'_blank','noopener');
187   }
188
189   function updateStats(){
190     var done=0,clr=0,flg=0;
191     chunks.forEach(function(c){ if(c.status!=='todo')done++; if(c.status==='clear')clr++; if
(c.status==='flag')flg++; });
192     el('stTotal').textContent=chunks.length;
193     el('stChecked').textContent=done;
194     el('stClear').textContent=clr;
195     el('stFlag').textContent=flg;
196     el('bar').style.width=(chunks.length?Math.round(done/chunks.length*100):0)+'%';
197   }
198
199   function reportText(){
200     var done=0,clr=0,flg=0,flagged=[];
201     chunks.forEach(function(c,i){
202       if(c.status!=='todo')done++;
203       if(c.status==='clear')clr++;
204       if(c.status==='flag'){flg++; flagged.push({i:i+1,c:c});}
205     });
206     var L=[];
207     L.push('PLAGIARISM SPOT-CHECK REPORT');
208     L.push('Generated: '+new Date().toLocaleString());
```

Appendix A - Source code, lines 209-260 of 269

```
209       L.push('Tool: Plagiarism Spot-Checker v1.0 (web-search-based, by Prof. Dr. Asif Ahmad)');
210       L.push('');
211       L.push('Total chunks : '+chunks.length);
212       L.push('Checked      : '+done);
213       L.push('Clear        : '+clr);
214       L.push('Flagged      : '+flg);
215       L.push('');
216       if(flagged.length){
217         L.push('FLAGGED PASSAGES (review and rewrite in your own words):');
218         flagged.forEach(function(f){
219           L.push('');
220           L.push(f.i+'. "'+f.c.text+'"');
221           L.push('   Matching source: '+(f.c.src||'(URL not recorded)'));
222         });
223       } else if(done===chunks.length){
224         L.push('RESULT: No matches flagged. All checked passages appear original.');
225       } else {
226         L.push('NOTE: '+(chunks.length-done)+' chunk(s) still unchecked.');
227       }
228       L.push('');
229       L.push('Disclaimer: web-search spot checks catch verbatim copies; they do not replace');
230       L.push('institutional originality screening (e.g. Turnitin/iThenticate).');
231       return L.join('\n');
232     }
233
234     el('analyzeBtn').onclick=analyze;
235     el('resetBtn').onclick=function(){
236       if(!confirm('Clear the text and all results?'))return;
237       el('input').value=''; chunks=[]; el('chunks').innerHTML='';
238       el('progressCard').style.display='none'; el('reportCard').style.display='none';
239       el('reportOut').style.display='none';
240     };
241     el('fileUp').onchange=function(e){
242       var f=e.target.files[0]; if(!f)return;
243       var r=new FileReader();
244       r.onload=function(){ el('input').value=r.result; };
245       r.readAsText(f);
246     };
247     el('reportBtn').onclick=function(){
248       var t=reportText(), out=el('reportOut');
249       out.textContent=t; out.style.display='block';
250       out.scrollIntoView({behavior:'smooth'});
251     };
252     el('dlBtn').onclick=function(){
253       var blob=new Blob([reportText()],{type:'text/plain'});
254       var a=document.createElement('a');
255       a.href=URL.createObjectURL(blob); a.download='plagiarism-spotcheck-report.txt';
256       document.body.appendChild(a); a.click();
257       setTimeout(function(){URL.revokeObjectURL(a.href); a.remove();},500);
258     };
259     el('printBtn').onclick=function(){ el('reportBtn').click(); setTimeout(function(){window.pr
int();},300); };
260     el('copyBtn').onclick=function(){
```

Appendix A - Source code, lines 261-269 of 269

```
261      var t=reportText();
262      if(navigator.clipboard&&navigator.clipboard.writeText){
263        navigator.clipboard.writeText(t).then(function(){alert('Report copied to clipboar
d.');});
264      } else { alert('Clipboard not available in this browser. Use Download instead.'); }
265    };
266  })();
267  </script>
268  </body>
269  </html>
```

Appendix B File facts, requirements and version history

Item	Detail
Product name	Plagiarism Spot-Checker
Creator	Dr. Asif Ahmad
Version	1.0
File name	Plagiarism-Spot-Checker.html
File size / length	13,240 bytes (about 13 KB) / 269 lines
File type	Single self-contained HTML file (HTML + CSS + JavaScript)
Dependencies	None. No libraries, frameworks, fonts, images, server or database.
Software required	Any modern web browser
Operating systems	Windows, macOS, Linux, ChromeOS, Android, iOS - anywhere a browser runs
Internet required	Only for the Google and Bing exact-phrase searches
Data collected	None. No accounts, cookies, tracking, storage or uploads.
Input	Pasted text, or a plain-text (.txt) file
Output	On-screen result, downloadable .txt report, printed report, clipboard copy
Cost and licence	Free to use and to copy to other machines, with the creator credit retained

Version history

Version	Summary
1.0	First release. Sentence and 10-word phrase splitting with an adjustable minimum length, exact-phrase search on Google and Bing, Clear / Flag marking with source capture, live progress tracking, and a downloadable, printable report.

Appendix B - enhancements and keeping the package together

Possible future enhancements

- Import of .docx files directly, without converting to plain text first.
- An optional third search engine, and searching a passage on Google Scholar.
- Saving an in-progress check to a file so it can be resumed later - as an explicit user action, preserving the no-storage-by-default design.
- Excluding the author's own domains and earlier publications from flagging.
- A side-by-side view of a flagged passage and its matched source.

> **Creator credit.** Plagiarism Spot-Checker was created by **Dr. Asif Ahmad**, Professor of Food Science and Technology. The tool, this documentation and the source code in Appendix A form a single package: the documentation explains the tool, and the code lets any reader verify the explanation.