Table 1
Comparison with published methods under LFTO attacks.

Method	Normal flows harmed (%)	Attacker's share of the table (%)	Attackers blocked	Innocent hosts blocked	New connections succeeding (%)	First packets lost (%)	Decision time (ms)	Extra memory (MB)
No defense	10.29	63.3	0 / 18	0	25.7	28.1	31	-
FTMaster	4.31	46.2	0 / 18	0	23.5	27.9	77	9
DMS-BTT	1.75	41.2	0 / 18	0	23.3	32.6	64	26
rDefender	1.83	45.0	0 / 18	0	20.8	36.4	26	31
FEVER	**0.02**	**11.1**	18 / 18	0	**33.0**	**9.9**	**10**	88

Table 2
Results under each attack.

Method	Normal flows harmed (%)			Attacker's share of the flow table (%)		
	A2	A4	E9P	A2	A4	E9P
No defense	10.33	5.07	15.46	58.4	58.1	73.5
FTMaster	0.01	3.86	9.07	9.0	56.3	73.1
DMS-BTT	**0.00**	2.56	2.69	19.4	47.6	56.5
rDefender	2.82	1.86	0.82	38.6	44.7	51.8
FEVER	0.02	**0.02**	**0.00**	**5.9**	**14.2**	**13.3**

Table 3
Accuracy, precision, recall and F1 score (%) of the detectors.

Detector	Attacks seen in training				Attacks seen only by another controller				New attack seen by no controller			
	Acc.	Prec.	Rec.	F1	Acc.	Prec.	Rec.	F1	Acc.	Prec.	Rec.	F1
FTOP	96.94	99.79	92.02	95.02	92.59	84.33	79.43	81.16	81.18	35.50	9.49	14.74
FTMaster	97.07	99.79	92.37	95.30	93.34	84.41	81.29	82.20	82.37	35.64	15.00	20.65
FloRa	99.01	**99.82**	97.50	98.62	93.65	84.30	82.19	82.68	84.51	35.48	24.90	28.46
DMS-BTT	97.03	99.78	92.27	95.22	93.45	84.29	81.62	82.38	82.21	35.36	14.28	19.94
FEVER	**99.61**	99.75	**99.19**	**99.46**	**99.43**	**99.75**	**98.60**	**99.15**	**89.48**	**98.99**	**50.98**	**66.81**

Table 4
Contribution of each part of FEVER.

Variant	Normal flows harmed (%)			Attacker's share of the flow table (%)	Attackers blocked	Time to block under A2 (s)	Innocent hosts blocked
	A2	A4	E9P				
FEVER	**0.02**	**0.02**	**0.00**	**11.1**	18 / 18	72	0
FEVER with a 60 s block	0.61	0.05	0.16	21.0	18 / 18	**71**	0
60 s block, without volume block	0.05	1.11	3.89	43.4	6 / 18	**71**	0
60 s block, without ML	0.84	0.07	**0.00**	33.7	16 / 18	130	0