

## STUDENT REPORT

AILS BRANCHOSO SARAN SAR DETAILS Nam

## **EXPERIMENT**

Title 086

CANDIES

### Description

Let's consider a scenario where there are K candies to be distributed among N children, each uniquely numbered from 1 to N. The distribution commences with Child A, followed by a sequential allocation to the subsequent children in the order: A, A+1, A+2,..., N. The query at hand is to identify which child will be the last recipient of a candy.

,586 3BR23CA086 3BR23C In more explicit terms, after Child x (where  $1 \le x \le N$ ) receives a candy, the subsequent candy is granted to Child x+1. Upon Child N receiving a candy, the distribution cycle restarts. and Child 1 becomes the next recipient. The primary objective is to ascertain the identity of the child who will receive the last candy in this cyclic distribution.

Note: Each child receives only 1 candy.

#### **Input Format:**

The first line of input contains 3 space seperated integers N, K and A.

#### **Output Format:**

Print the friend who will be the final recipient of the candy.

( 1086 384°

aR23

CROS

#### **Constraints:**

#### 1<=N<=K<=10^8

Sample Input:

#### 5 2 1

Sample Output:

# ,638R23CA086 RESULT

6 / 6 Test Cases Passed | 100 % ~8°°3° -8E23

**Roll Number** 

3BR23CA086

Source Code:

```
def last_candy_recipient(N, K, A):
last child = (A - 1 + K - 1) \% N + 1
return last_child
```

# Example usage:

(,P08)

26 38°