
Task 1

```
#include<iostream>
using namespace std;
int main()
{
   int age = 72;
   if(age > 60){
      if(age > 100){
         cout<<"Wow, you are a centenarian!";
      }else{
         cout<<"Enjoy your retirement";
      }
   }else{
      cout<<'Time to find a job";
   }
   return 0;
}
```

Output

Enjoy your retirement



5:50 AM
new*
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main() {
int marks = 55;
if(marks >= 80){
cout << "U are 1st class !!";
}
else{
if(marks >= 60){
cout << "U are 2nd class !!";
}
else{
if(marks >= 40){
cout << "U are 3rd class !!";
}
else{
cout << "U are fail !!";
}
}
}
return 0;
}
Tab
{
}
:
;

Task 2 Nested if else

```
#include<iostream>
using namespace std;
int main()
{
    int marks = 72;
    if(marks >= 80){
       cout<<"You got First Division!";
    }else{
       if(marks >= 60){
          cout<<"You got Second Division!";
       }else{
          if(marks >= 40){
             cout<<"You got Third Division!";
          }else{
             cout<<"You have failed!";
          }
       }
    }
    return 0;
}
```

Output

```
You got Second Division!
```


5:52 AM
new*
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main() {
int num;
cout << "Enter a number: ";
cin >> num;
if(num >= 0){
cout << "Number is positive";
}
else{
cout << "Number is negative";
}
return 0;
}
Tab
{
}
:
;

Task 3

```
#include<iostream>
using namespace std;
int main()
{
    int number;
    cout<<"Please enter a number: ";
    cin>>number;
    if(number >= 0){
        cout<<"The number is positive";
    }else{
        cout<<"The number is negative";
    }
    return 0;
}
```

Output

```
Please enter a number: -7
The number is negative
```

```cpp
#include <iostream>
using namespace std;

int main() {
    int mark;
    cout << "Input Mark: ";
    cin >> mark;


    if(mark >= 75){
        cout << "Score will be A";
    }
    else if(mark >= 60){
        cout << "Score will be B";
    }
    else if(mark >= 45){
        cout << "Score will be C";
    }
    else{
        cout << "Score will be D";
    }
    return 0;
}
```

Task 4

```
#include<iostream>
using namespace std;
int main()
{
    int score;
    cout<<"Enter your score: ";
    cin>>score;
    if(score >= 80){
       cout<<"Your grade is A";
    }else if(score >= 65){
       cout<<"Your grade is B";
    }else if(score >= 50){
       cout<<"Your grade is C";
    }else{
       cout<<"Your grade is D";
    }
    return 0;
}
```

Output

```
Enter your score: 68
Your grade is B
```


5:47 AM
new*
task1
newfile.cxx
newfile.cxx
newfile.cxx
#include <iostream>
using namespace std;
int main() {
int age = 87;
if(age > 60){
if(age > 100){
cout << "why are you still alive";
}
}
else{
cout << "you are young, get a job" <<
endl;
}
return 0;
}
Tab
{
}
:
;