Day: Date:

Task 5

```
#include <iostream>
using namespace std;
int main()
{
    int qtt = 100;
    int salesRep = 6;
    double unitEach;

  // TYPE cast se pehle
    (galat answer - ll carega)
    unitEach = qtt / salesRep;
    cout << "without type cast:" << ll unitEach;
    endl;

  // TYPE cast ke baad (sahi answer)
    double(s) unitEach = static_cast
    <double>(qtt) / salesRep;
    cout << "with type cast:" << unitEach << endl;
    return 0;
}
```

Output:

Day: Date:

Task 4

```
#include <iostream>
using namespace std;
int main()
{
    int a, b = 2;
    float c = 4.2;
    a = b * c;
    cout << "b * c = " << b * c << endl;
    cout << "Value stored in a(int):" << a << endl;
    cout << "Answer is, because " <<
            "is truncated" << endl;
    return 0;
}
```

Output:

```
b * c = 8.4
Value stored in a(int) = 8
```

Day: Date:

Assignment

Lab 3

Task 1

```
#include <iostream>
using namespace std;
int main()
{
    int age;
    double Pay;
    char section;
    cout << "Enter age, Pay and section:";
    cin >> age >> Pay >> section;
    cout << "Age:" << age << endl;
    cout << "Pay:" << Pay << endl;
    cout << "Section:" << section << endl;
    return 0;
}
```

Output:

```
Enter age, pay, section
(and it will decide
  the first by
  the second for you.
```

Day: Date:

Task 6

```
#include <iostream>
using namespace std;
int main()
{
    int number1, number2;
    float quotient;
    cin >> number1 >> number2;
    quotient = static_cast
    <float>(number1) / number2;
    cout << "Quotient = " << quotient;
    return 0;
}
```

Output:

```
Enter two numbers
and it will decide
the first by
the second for you.
```

Day: Date:

Task 2

```
#include <iostream>
using namespace std;
int main()
{
    int num1, num2;
    float quotient;
    cin >> num1 >> num2;
    quotient = static_cast
    <float>(numr1) / num2;
    cout << "Quotient = " << quotient;
    return 0;
}
```

Output:

```
Enter two numbers
and it will decide
the first by
the second for you.
```

task1
/storage/emulate...

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
using namespace std;


int main() {
    int age;
    double pay;
    char section;

    cout << "Enter age, pay and section: ";
    cin >> age >> pay >> section;

    cout << "Age: " << age << endl;
    cout << "Pay: " << pay << endl;
    cout << "Section: " << section << endl;
return 0;
}
```

TAB

```
Enter age, pay and section:
```


new*
task1
newfile.cxx
newfile.cxx
newfile.cxx
endl;
cout << "6 + 12 * 2 - 8 = " << 6 + 12 * 2 - 8 << endl;
cout << "4 + 8 * 2 = " << 4 + 8 * 2 << endl;
cout << "6 + 17 % 3 - 2 = " << 6 + 17 % 3 - 2 << endl;
cout << "2 + 22 * (9 - 7) = " << 2 + 22 * (9 - 7) << endl;
cout << "(8 + 7) * 2 = " << (8 + 7) * 2 << endl;
cout << "(16 + 7) % 2 - 1 = " << (16 + 7) % 2 - 1 << endl;
cout << "12 / (10 - 6) = " << 12 / (10 - 6) << endl;
cout << "(19 - 3) * (2 + 2) / 4 = " << (19 - 3) * (2 + 2) / 4 << endl;
return 0;
}

TAB

```
8 / 4 - 2 = 5
 + 12 * 2 - 8 = 22
 + 8 * 2 = 20
 + 17 % 3 - 2 = 6
 + 22 * (9 - 7) = 46
8 + 7) * 2 = 30
16 + 7) % 2 - 1 = 0
2 / (10 - 6) = 3
19 - 3) * (2 + 2) / 4 = 16

Program finished]
```

1 2 3 4 5 6 7 8 9 0

q w e r t y u i o p

@ # $ _ & - + ( )
a s d f g h j k l

* " ' : ; ! ?
z x c v b n m

task 3

/storage/emulate...

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
using namespace std;

int main() {
    int units = 10;
    float mass = 5.5f;
    double weight;

    weight = mass * units;

    cout << "units (int) = " << units << endl;
    cout << "mass (float) = " << mass << endl;
    cout << "mass * units = " << mass * units << endl;
    cout << "weight (double) = " << weight << endl;

    cout << "\nExplanation: units int se float bana, result float bana, phir weight mein ja kar";
    return 0;
}
```

TAB

```
units (int) = 10
mass (float) = 5.5
mass * units = 55
weight (double) = 55

Explanation: units int se float bana, result float bana, phi
r weight mein ja kar
[Program finished]
```

1 2 3 4 5 6 7 8 9 0

q w e r t y u i o p

a s d f g h j k l

z x c v b n m

?123 English

task 4

/storage/emulate...

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
using namespace std;

int main() {
    int a, b = 2;
    float c = 4.2;

    a = b * c;

    cout << "b * c = " << b * c << endl;
    cout << "Value stored in a (int) = " << a << endl;
    cout << "Answer is 8, because .4 is truncated." << endl;

    return 0;
}
```

{ } : ; "

1 2 3 4 5 6 7 8 9 0

TAB

```
b * c = 8.4
Value stored in a (int) = 8
Answer is 8, because .4 is truncated.

[Program finished]
```

1 2 3 4 5 6 7 8 9 0

task 6

/storage/emulate...

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
#include <cstdlib>
#include <ctime>
using namespace std;

int main() {
    // Random number generator ko start karo
    srand(time(0));

    int num1 = rand() % 900 + 100; // 100 se 999 tak 3-digit number
    int num2 = rand() % 900 + 100;
    int sum = num1 + num2;

    // Student ke liye Question dikhao
    cout << "Math Tutor Program" << endl;
    cout << "----------------";
}
```

TAB

```
Math Tutor Program
------------------
[Program finished]
```

task1 newfile.cxx newfile.cxx newfile.cxx

```cpp
#include <iostream>
using namespace std;

int main()
{
    int number1, number2;
    float quotient;

    cout << "Enter two numbers and I will divide\n";
    cout << "the first by the second for you.\n";
    cin >> number1 >> number2;
    quotient = static_cast<float>(number1) / number2;
    cout << quotient;

    return 0;
}
```