


Configure HA Proxy Server:

Launch 3 ec2 instances name as Server1, Server-2, HA-Proxy-Server.

Server-1 Steps:



Run following command to Access the Server-1

`ssh -i your-key.pem ec2-user@Pubipaddress of Server-1 instance`

```
sif@Asif-Shaik MINGW64 ~/downloads
ssh -i apple.pem ubuntu@13.204.69.242
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed Aug 12 14:53:36 UTC 2026
System load: 0.0      Temperature: -273.1 C
Usage of /: 48.2% of 6.61GB   Processes: 137
Memory usage: 35%      Users logged in: 0
Swap usage: 0%          IPv4 address for ens5: 172.31.2.163

Expanded Security Maintenance for Applications is not enabled.

Updates can be applied immediately.

Enable ESM Apps to receive additional future security updates.
See https://ubuntu.com/esm or run: sudo pro status

** System restart required **
Last login: Wed Aug 12 13:28:37 2026 from 13.233.177.5
ubuntu@ip-172-31-2-163:~$ sudo -i
root@ip-172-31-2-163:~# sudo apt update -y
Hit:1 http://ap-south-1-ec2.archive.ubuntu.com/ubuntu InRelease
Hit:2 http://ap-south-1-ec2.archive.ubuntu.com/ubuntu InRelease
Hit:3 http://ap-south-1-ec2.archive.ubuntu.com/ubuntu InRelease
Hit:4 http://security.ubuntu.com/ubuntu InRelease
Packages can be upgraded. Run 'apt list --upgradable' to see them.
root@ip-172-31-2-163:~# apt list --upgradable
ubuntu-core/bin/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
ubuntu-core/bin/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
ubuntu-core/bin/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
python3-software-properties/resolute-updates 0.120.1 all [upgradable from: 0.120]
software-properties-common/resolute-updates 0.120.1 all [upgradable from: 0.120]
root@ip-172-31-2-163:~# sudo apt install apache2
apache2 is already the newest version (2.4.66-2ubuntu2.4).
The following package was automatically installed and is no longer required:
  pollinate
Use 'sudo apt autoremove' to remove it.
```

`sudo -i`

```

ubuntu@ip-172-31-2-163:~$ sudo -i
root@ip-172-31-2-163:~# sudo apt update -y
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Hit:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu resolute-security InRelease
5 packages can be upgraded. Run 'apt list --upgradable' to see them.
root@ip-172-31-2-163:~# apt list --upgradable
grub-pc-bin/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
grub-pc/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
grub2-common/resolute-updates 2.14-2ubuntu2.1 amd64 [upgradable from: 2.14-2ubuntu2]
python3-software-properties/resolute-updates 0.120.1 all [upgradable from: 0.120]
software-properties-common/resolute-updates 0.120.1 all [upgradable from: 0.120]
root@ip-172-31-2-163:~# sudo apt install apache2
apache2 is already the newest version (2.4.66-2ubuntu2.4).
The following package was automatically installed and is no longer required:

```

Sudo apt install apache2

Systemctl start apache2

Systemctl start apache2

```

root@ip-172-31-2-163:~# systemctl start apache2
root@ip-172-31-2-163:~# systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-08-12 12:53:46 UTC; 2h 4min ago
  Invocation: 5eb144bc95d34d0e92a95433b6b6f8b88
     Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 25616 (apache2)
   Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
     Tasks: 55 (limit: 627)
    Memory: 5.8M (peak: 6.3M)
       CPU: 535ms
    CGroup: /system.slice/apache2.service
            └─25616 /usr/sbin/apache2 -k start -DFOREGROUND
              └─25632 /usr/sbin/apache2 -k start -DFOREGROUND
                └─25633 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 12 12:53:46 ip-172-31-2-163 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 12 12:53:46 ip-172-31-2-163 systemd[1]: Started apache2.service - The Apache HTTP Server.
root@ip-172-31-2-163:~#
root@ip-172-31-2-163:~#
root@ip-172-31-2-163:~# curl localhost
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
  <!--
    Modified from the Debian original for Ubuntu
    Last updated: 2022-03-22
    See: https://launchpad.net/bugs/1966004

```

Vi /etc/hosts

Add HA-Proxy-Server Pubic IP Address

```

root@ip-172-31-2-163:~# cat /etc/hosts
127.0.0.1 localhost

# The following lines are desirable for IPv6 capable hosts
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
ff02::3 ip6-allhosts
65.2.57.132 load_balancer
root@ip-172-31-2-163:~# ping load_balancer -c 4
PING load_balancer (65.2.57.132) 56(84) bytes of data.

```

Run below command on Server-1

ping load_balancer -c 4

```

PING load_balancer (65.2.57.132) 56(84) bytes of data.

--- load_balancer ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3078ms

```

systemctl start apache2

systemctl status apache2


```

root@ip-172-31-2-163:~# systemctl start apache2
root@ip-172-31-2-163:~# systemctl status apache2
● apache2.service - The Apache HTTP Server
   Loaded: loaded (/usr/lib/systemd/system/apache2.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-08-12 12:53:46 UTC; 2h 4min ago
     Invocation: 5eb144bc95d34d0e92a95433b6bf8b88
       Docs: https://httpd.apache.org/docs/2.4/
    Main PID: 25616 (apache2)
      Status: "Total requests: 0; Idle/Busy workers 100/0; Requests/sec: 0; Bytes served/sec: 0 B/sec"
        Tasks: 55 (limit: 627)
      Memory: 5.8M (peak: 6.3M)
         CPU: 535ms
    CGroup: /system.slice/apache2.service
            └─25616 /usr/sbin/apache2 -k start -DFOREGROUND
              └─25632 /usr/sbin/apache2 -k start -DFOREGROUND
                └─25633 /usr/sbin/apache2 -k start -DFOREGROUND

Aug 12 12:53:46 ip-172-31-2-163 systemd[1]: Starting apache2.service - The Apache HTTP Server...
Aug 12 12:53:46 ip-172-31-2-163 systemd[1]: Started apache2.service - The Apache HTTP Server.
root@ip-172-31-2-163:~#
root@ip-172-31-2-163:~# curl localhost
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml">
<!--
  Modified from the Debian original for Ubuntu
  Last updated: 2022-03-22
  See: https://launchpad.net/bugs/1966004
-->
<head>
  <meta http-equiv="Content-Type" content="text/html; charset=UTF-8" />
  <title>Apache2 Ubuntu Default Page: It works</title>
  <style type="text/css" media="screen">
  *
  {
    margin: 0px 0px 0px 0px;
    padding: 0px 0px 0px 0px;
  }

```

Browse with Server-1 Public IP address:80 it will work



It works

Server-2 Steps:

Run following command to Access Server-2

- `ssh -i your-key.pem ec2-user@Pubipaddress of Server-2 instance`

```
asifs@Asif_Shaik MINGW64 ~/downloads
$ ssh -i apple.pem ubuntu@3.110.45.107
The authenticity of host '3.110.45.107 (3.110.45.107)' can't be established.
ED25519 key fingerprint is SHA256:9EipXs1KcG3lFoDOgGADz+WiiAsnfngfHRvmkElVXG0.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '3.110.45.107' (ED25519) to the list of known hosts.
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed Aug 12 15:15:10 UTC 2026

System load:  0.0           Temperature:   -273.1 C
Usage of /:   30.8% of 6.61GB Processes:    116
Memory usage: 26%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 172.31.15.100

Expanded Security Maintenance for Applications is not enabled.
```

Sudo apt install nginx -y

```

ubuntu@ip-172-31-15-100:~$ sudo apt install nginx -y
Installing:
  nginx

Installing dependencies:
  nginx-common

Suggested packages:
  fcgiwrap nginx-doc ssl-cert

Summary:
  Upgrading: 0, Installing: 2, Removing: 0, Not Upgrading: 112
  Download size: 665 kB
  Space needed: 1876 kB / 4648 MB available

Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu/resolute-updates/main amd64v3 nginx-common all 1.28.3-2ubuntu1.8 [37.7 kB]
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu/resolute-updates/main amd64v3 nginx amd64 1.28.3-2ubuntu1.8 [627 kB]
Fetched 665 kB in 0s (30.0 MB/s)
Preconfiguring packages ...
Selecting previously unselected package nginx-common.
(Reading database ... 85303 files and directories currently installed.)
Preparing to unpack .../nginx-common_1.28.3-2ubuntu1.8_all.deb ...
Unpacking nginx-common (1.28.3-2ubuntu1.8) ...
Selecting previously unselected package nginx.
Preparing to unpack .../nginx_1.28.3-2ubuntu1.8_amd64v3.deb ...
Unpacking nginx (1.28.3-2ubuntu1.8) ...
Setting up nginx-common (1.28.3-2ubuntu1.8) ...
Created symlink '/etc/systemd/system/multi-user.target.wants/nginx.service' -> '/usr/lib/systemd/system/nginx.service'.
Setting up nginx (1.28.3-2ubuntu1.8) ...
* Upgrading binary nginx
Processing triggers for man-db (2.13.1-1build1) ...
Processing triggers for ufw (0.36.2-9build1) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

```

vi /etc/hosts

Add HA-Proxy-Server Public IP Address

```

ubuntu@ip-172-31-15-100:~$ vi /etc/hosts
ubuntu@ip-172-31-15-100:~$ sudo vi /etc/hosts
ubuntu@ip-172-31-15-100:~$ cat /etc/hosts
127.0.0.1 localhost

# The following lines are desirable for IPv6 capable hosts
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
ff02::3 ip6-allhosts
65.2.57.132 load_balancer
ubuntu@ip-172-31-15-100:~$ ping load_balancer -c 4

```

Run below command on Server-2

ping load_balancer -c 4

```
ubuntu@ip-172-31-15-100:~$ ping load_balancer -c 4
PING load_balancer (65.2.57.132) 56(84) bytes of data.

--- load_balancer ping statistics ---
4 packets transmitted, 0 received, 100% packet loss, time 3072ms
```


systemctl start nginx

systemctl status nginx

```
ubuntu@ip-172-31-15-100:~$ sudo systemctl start nginx
ubuntu@ip-172-31-15-100:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-08-12 15:17:43 UTC; 18min ago
     Invocation: 24fa159998a348ef9920a9195ea79f24
       Docs: man:nginx(8)
    Process: 1955 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
    Process: 1957 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 1986 (nginx)
      Tasks: 3 (limit: 627)
     Memory: 3M (peak: 7M)
        CPU: 41ms
    CGroup: /system.slice/nginx.service
            └─1986 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
              └─1989 "nginx: worker process"
                └─1990 "nginx: worker process"

Aug 12 15:17:43 ip-172-31-15-100 systemd[1]: Starting nginx.service - A high performance web server and a reverse proxy server...
Aug 12 15:17:43 ip-172-31-15-100 systemd[1]: Started nginx.service - A high performance web server and a reverse proxy server.
ubuntu@ip-172-31-15-100:~$ sudo systemctl status nginx
● nginx.service - A high performance web server and a reverse proxy server
   Loaded: loaded (/usr/lib/systemd/system/nginx.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-08-12 15:17:43 UTC; 21min ago
     Invocation: 24fa159998a348ef9920a9195ea79f24
       Docs: man:nginx(8)
    Process: 1955 ExecStartPre=/usr/sbin/nginx -t -q -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
    Process: 1957 ExecStart=/usr/sbin/nginx -g daemon on; master_process on; (code=exited, status=0/SUCCESS)
   Main PID: 1986 (nginx)
      Tasks: 3 (limit: 627)
     Memory: 3M (peak: 7M)
        CPU: 41ms
    CGroup: /system.slice/nginx.service
            └─1986 "nginx: master process /usr/sbin/nginx -g daemon on; master_process on;"
              └─1989 "nginx: worker process"
                └─1990 "nginx: worker process"
```

Browse with Server-2 Public IP address:80 it will work



HA-Proxy-Server Steps:

Run following command to Access HA-Proy-Server

ssh -i your-key.pem ec2-user@Pubipaddress of HA-Proxy-Server instance

```

asifs@Asif_Shaik MINGW64 ~/downloads
$ ssh -i apple.pem ubuntu@65.2.57.132
The authenticity of host '65.2.57.132 (65.2.57.132)' can't be established.
ED25519 key fingerprint is SHA256:CdLiDxTowpanK3iUnAcIqIvIB5AdOGAWTOiZG/Eo08.
This key is not known by any other names
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '65.2.57.132' (ED25519) to the list of known hosts.
Welcome to Ubuntu 26.04 LTS (GNU/Linux 7.0.0-1006-aws x86_64)

 * Documentation:  https://docs.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/pro

System information as of Wed Aug 12 15:53:25 UTC 2026

System load:  0.0           Temperature:   -273.1 C
Usage of /:   30.8% of 6.61GB Processes:    117
Memory usage: 26%          Users logged in: 0
Swap usage:   0%           IPv4 address for ens5: 172.31.6.7

```

Sudo i

```

ubuntu@ip-172-31-6-7:~$ sudo -i
root@ip-172-31-6-7:~# sudo apt update -y
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates InRelease [137 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports InRelease [136 kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64v3 Packages [16.3 MB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe Translation-en [6329 kB]
Get:6 http://security.ubuntu.com/ubuntu resolute-security InRelease [137 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64 Components [4556 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/universe amd64 c-n-f Metadata [313 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64v3 Packages [291 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse Translation-en [127 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64 Components [50.0 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/multiverse amd64 c-n-f Metadata [8276 B]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64v3 Packages [455 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main Translation-en [112 kB]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64 Components [97.8 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64 c-n-f Metadata [5756 B]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64v3 Packages [238 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe Translation-en [77.7 kB]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64 Components [183 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/universe amd64 c-n-f Metadata [4704 B]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/restricted amd64v3 Packages [334 kB]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/restricted Translation-en [63.4 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64v3 Packages [11.4 kB]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse Translation-en [3032 B]
Get:25 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64 Components [216 B]
Get:26 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/multiverse amd64 c-n-f Metadata [256 B]
Get:27 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/main amd64 Components [212 B]
Get:28 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/main amd64 c-n-f Metadata [112 B]
Get:29 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe amd64v3 Packages [640 B]
Get:30 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe Translation-en [300 B]
Get:31 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe amd64 Components [216 B]
Get:32 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-backports/universe amd64 c-n-f Metadata [116 B]

```

Sudo apt install haproxy -y

```

root@ip-172-31-6-7:~# sudo apt install haproxy -y
Installing:
  haproxy

Installing dependencies:
  liblua5.4-0

Suggested packages:
  vim-haproxy haproxy-doc

Summary:
  Upgrading: 0, Installing: 2, Removing: 0, Not Upgrading: 112
  Download size: 2691 kB
  Space needed: 6610 kB / 4648 MB available

Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute/main amd64v3 liblua5.4-0 amd64 5.4.8-1build1 [163 kB]
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu resolute-updates/main amd64v3 haproxy amd64 3.2.9-1ubuntu2.2 [2528 kB]
Fetched 2691 kB in 0s (53.8 MB/s)
Selecting previously unselected package liblua5.4-0:amd64.
(Reading database ... 85303 files and directories currently installed.)
Preparing to unpack .../liblua5.4-0_5.4.8-1build1_amd64v3.deb ...
Unpacking liblua5.4-0:amd64 (5.4.8-1build1) ...
Selecting previously unselected package haproxy.
Preparing to unpack .../haproxy_3.2.9-1ubuntu2.2_amd64v3.deb ...
Unpacking haproxy (3.2.9-1ubuntu2.2) ...
Setting up liblua5.4-0:amd64 (5.4.8-1build1) ...
Setting up haproxy (3.2.9-1ubuntu2.2) ...
Created symlink '/etc/systemd/system/multi-user.target.wants/haproxy.service' -> '/usr/lib/systemd/system/haproxy.service'.
Processing triggers for libc-bin (2.43-2ubuntu2) ...
Processing triggers for rsyslog (8.2512.0-1ubuntu4) ...
Processing triggers for man-db (2.13.1-1build1) ...

```

vi /etc/hosts

Add Server-1, Server-2 Public IP's

```

root@ip-172-31-6-7:~# vi /etc/hosts
root@ip-172-31-6-7:~# cat /etc/hosts
127.0.0.1 localhost

# The following lines are desirable for IPv6 capable hosts
::1 ip6-localhost ip6-loopback
fe00::0 ip6-localnet
ff00::0 ip6-mcastprefix
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
ff02::3 ip6-allhosts
13.204.69.242 server-1
3.110.45.107 server-2

```

systemctl status haproxy

```

ubuntu@ip-172-31-6-7:~$ sudo systemctl status haproxy
● haproxy.service - HAProxy Load Balancer
   Loaded: loaded (/usr/lib/systemd/system/haproxy.service; enabled; preset: enabled)
   Active: active (running) since Wed 2026-08-12 16:59:45 UTC; 11s ago
     Invocation: 2621850bf83b4a3ea03b546d766c5235
       Docs: man:haproxy(1)
            file:/usr/share/doc/haproxy/configuration.txt.gz
    Main PID: 2526 (haproxy)
      Status: "Ready."
        Tasks: 3 (limit: 627)
      Memory: 43.4M (peak: 43.4M)
         CPU: 73ms
    CGroup: /system.slice/haproxy.service
            └─2526 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -p /run/haproxy.pid -S /run/haproxy-master.sock
              └─2529 /usr/sbin/haproxy -Ws -f /etc/haproxy/haproxy.cfg -p /run/haproxy.pid -S /run/haproxy-master.sock

```

now browse with HA-Proxy-Server PublicIP:80 it will distribute load to Server-1, Server-2

→ ↻ ⚠ Not secure 65.2.57.132 ☆ 📁

Ubuntu Logo

Apache2 Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

🪟 🔍 Search

