

for loop Scripts:

Simple for loop output

```
#!/bin/bash
```

```
for i in 1 2 3 4 5
do
echo "Welcome $i times"
done
```

```
root@ip-172-31-12-187: /home/ubuntu/Scripts  
#!/bin/bash  
  
for i in 1 2 3 4 5  
do  
    echo "Welcome $i times"  
done  
  
~  
~  
~  
~  
~  
~  
~  
~  
~  
~  
  
root@ip-172-31-12-187:/home/ubuntu/Scripts# vi loopoutput.bash  
root@ip-172-31-12-187:/home/ubuntu/Scripts# chmod 777 loopoutput.bash  
root@ip-172-31-12-187:/home/ubuntu/Scripts# ./loopoutput.bash  
Welcome 1 times  
Welcome 2 times  
Welcome 3 times  
Welcome 4 times  
Welcome 5 times
```

Simple for loop output

```
#!/bin/bash
```

```
for i in eat run jump play
do
echo See Imran $i
Done
```

```
root@ip-172-31-12-187: /home/ubuntu
#!/bin/bash

for i in eat run jump play
do
    echo see asif $i
done

~
root@ip-172-31-12-187:/home/ubuntu# vi loopoutput1.bash
root@ip-172-31-12-187:/home/ubuntu# chmod 777 loopoutput1.bash
root@ip-172-31-12-187:/home/ubuntu# ./loopoutput1.bash
see asif eat
see asif run
see asif jump
see asif play
root@ip-172-31-12-187:/home/ubuntu#
```

for loop to create 5 files named 1-5

```
#!/bin/bash
```

```
for i in {1..5}
do
    touch $i
Done
```

```
root@ip-172-31-12-187: /home/ubuntu
#!/bin/bash

for i in {1..5}
do
    touch $i
done

~
~
~
~
```

```

root@ip-172-31-12-187:/home/ubuntu# vi forcreate.bash
root@ip-172-31-12-187:/home/ubuntu# chmod 777 forcreate.bash
root@ip-172-31-12-187:/home/ubuntu# ./forcreate.bash
root@ip-172-31-12-187:/home/ubuntu# ls -ltr
total 20
drwxr-xr-x 6 root root 4096 Aug 13 12:30 Scripts
-rwxrwxrwx 1 root root 68 Aug 13 15:31 loopoutput1.bash
-rw-r--r-- 1 root root 23 Aug 13 15:54 loopoutput3.bash
-rwxrwxrwx 1 root root 46 Aug 13 17:02 loopoutput2.bash
-rwxrwxrwx 1 root root 47 Aug 13 17:08 forcreate.bash
-rw-r--r-- 1 root root 0 Aug 13 17:08 1
-rw-r--r-- 1 root root 0 Aug 13 17:08 2
-rw-r--r-- 1 root root 0 Aug 13 17:08 3
-rw-r--r-- 1 root root 0 Aug 13 17:08 4
-rw-r--r-- 1 root root 0 Aug 13 17:08 5

```

for loop to delete 5 files named 1-5

```
#!/bin/bash
```

```
for i in {1..5}
```

```
do
```

```
    rm $i
```

```
Done
```

```

root@ip-172-31-12-187:/home/ubuntu

```

```
#!/bin/bash
```

```
for i in {1..5}
```

```
do
```

```
    rm $i
```

```
done|
```

```
~
```

```


root@ip-172-31-12-187:/home/ubuntu# vi forfiledlt.bash
root@ip-172-31-12-187:/home/ubuntu# chmod 777 forfiledlt.bash
root@ip-172-31-12-187:/home/ubuntu# ./forfiledlt.bash
root@ip-172-31-12-187:/home/ubuntu# ls -ltr
total 24
drwxr-xr-x 6 root root 4096 Aug 13 12:30 Scripts
-rwxrwxrwx 1 root root 68 Aug 13 15:31 loopoutput1.bash
-rw-r--r-- 1 root root 23 Aug 13 15:54 loopoutput3.bash
-rwxrwxrwx 1 root root 46 Aug 13 17:02 loopoutput2.bash
-rwxrwxrwx 1 root root 47 Aug 13 17:08 forcreate.bash
-rwxrwxrwx 1 root root 44 Aug 13 17:11 forfiledlt.bash
root@ip-172-31-12-187:/home/ubuntu#

```

Specify days in for loop

```
#!/bin/bash
```

```
i=1
for day in Mon Tue Wed Thu Fri
do
    echo "Weekday $((i++)) : $day"
done
```

A terminal window screenshot showing the execution of a script. The prompt is root@ip-172-31-12-187: /home/ubuntu. The script content is displayed in color: i=1, for day in Mon Tue Wed Thu Fri, do, echo "Weekday \$((i++)): \$day", done. Below the script, the output of the script is shown: Weekday 1: Mon, Weekday 2: Tue, Weekday 3: Wed, Weekday 4: Thu, Weekday 5: Fri.

```
root@ip-172-31-12-187: /home/ubuntu
#!/bin/bash

i=1
for day in Mon Tue Wed Thu Fri
do
    echo "Weekday $((i++)): $day"
done
~
~
~
root@ip-172-31-12-187: /home/ubuntu# vi fordayloop.bash
root@ip-172-31-12-187: /home/ubuntu# chmod 777 fordayloop.bash
root@ip-172-31-12-187: /home/ubuntu# ./fordayloop.bash
Weekday 1: Mon
Weekday 2: Tue
Weekday 3: Wed
Weekday 4: Thu
Weekday 5: Fri
```

List all users one by one from /etc/passwd file

```
#!/bin/bash
```

```
i=1
for username in `awk -F: '{print $1}' /etc/passwd`
do
    echo "Username $((i++)) : $username"
done
```

 root@ip-172-31-12-187: /home/ubuntu

#!/bin/bash

I=1

for username in `awk-F: '{print \$1}' /etc/passwd`

do

echo "username \$((i++)):\$username"

done|

~

~

root@ip-172-31-12-187:/home/ubuntu# vi forlistusers.bash

root@ip-172-31-12-187:/home/ubuntu# chmod 777 forlistusers.bash

root@ip-172-31-12-187:/home/ubuntu# ./forlistusers.bash

username 0:awk-F:{print

username 1:}/etc/passwd