

Bash Script Tasks

1. Create a bash script to check if a directory is available or not.

```
ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

DIRECTORY="$1"

if [ -z "$DIRECTORY" ]; then
    echo "Usage: $0 <directory>"
    exit 1
fi

if [ -d "$DIRECTORY" ]; then
    echo "Directory exists: $DIRECTORY"
else
    echo "Directory does not exist: $DIRECTORY"
fi

~
~
~
~
```

```
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/01_check_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod 777 scripts/01_check_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/01_check_directory.bash
Usage: ./scripts/01_check_directory.bash <directory>
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/01_check_directory.bash /tmp
Directory exists: /tmp
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/01_check_directory.bash /tmp/test123
Directory does not exist: /tmp/test123
```

2. Create a bash script to create multiple files.

```
ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

DIRECTORY="$1"

if [ -z "$DIRECTORY" ]; then
    echo "Usage: $0 <directory>"
    exit 1
fi

mkdir -p "$DIRECTORY"

for i in 1 2 3 4 5
do
    touch "$DIRECTORY/file$i.txt"
    echo "Created: $DIRECTORY/file$i.txt"
done

echo "Multiple files created successfully.|"
~
~

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/02_create_multiple_files.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod 777 scripts/02_create_multiple_files.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/02_create_multiple_files.bash
Usage: ./scripts/02_create_multiple_files.bash <directory>
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/02_create_multiple_files.bash /tmp/myfiles
Created: /tmp/myfiles/file1.txt
Created: /tmp/myfiles/file2.txt
Created: /tmp/myfiles/file3.txt
Created: /tmp/myfiles/file4.txt
Created: /tmp/myfiles/file5.txt
Multiple files created successfully.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls -l /tmp/myfiles
total 0
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file1.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file2.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file3.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file4.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file5.txt
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls /tmp/myfiles | wc -l3
wc: invalid option -- '3'
Try 'wc --help' for more information.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls /tmp/myfiles | wc -l
5
```

3. Create a bash script to take a backup of a directory.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

SOURCE="$1"
BACKUP_DIR="$HOME/backups"

if [ -z "$SOURCE" ]; then
    echo "Usage: $0 <directory>"
    exit 1
fi

if [ ! -d "$SOURCE" ]; then
    echo "Directory does not exist: $SOURCE"
    exit 1
fi

mkdir -p "$BACKUP_DIR"

DATE=$(date +%Y%m%d_%H%M%S)
BACKUP_FILE="$BACKUP_DIR/backup_$DATE.tar.gz"

tar -czf "$BACKUP_FILE" "$SOURCE"

if [ $? -eq 0 ]; then
    echo "Backup created successfully."
    echo "Backup file: $BACKUP_FILE"
else
    echo "Backup failed."
    exit 1
fi
~

```

```

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/03_backup_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod 777 scripts/03_backup_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls -l /tmp/myfiles
total 0
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file1.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file2.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file3.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file4.txt
-rw-r--r--. 1 ec2-user ec2-user 0 Aug 16 09:14 file5.txt
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/03_backup_directory.bash /tmp/myfiles
tar: Removing leading '/' from member names
Backup created successfully.
Backup file: /home/ec2-user/backups/backup_20260816_092541.tar.gz
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls -lh ~/backups
total 12K
-rw-r--r--. 1 ec2-user ec2-user 186 Aug 16 09:20 backup_20260816_092011.tar.gz
-rw-r--r--. 1 ec2-user ec2-user 186 Aug 16 09:21 backup_20260816_092102.tar.gz
-rw-r--r--. 1 ec2-user ec2-user 186 Aug 16 09:25 backup_20260816_092541.tar.gz
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls ~/backups
backup_20260816_092011.tar.gz backup_20260816_092102.tar.gz backup_20260816_092541.tar.gz
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ tar -tzf ~/backups/backup_*.tar.gz
tar: /home/ec2-user/backups/backup_20260816_092102.tar.gz: Not found in archive
tar: /home/ec2-user/backups/backup_20260816_092541.tar.gz: Not found in archive
tar: Exiting with failure status due to previous errors

```

4. Create a bash script to install Nginx on an EC2 server.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

echo "Installing Nginx..."

sudo dnf install -y nginx

if [ $? -ne 0 ]; then
    echo "Nginx installation failed."
    exit 1
fi

sudo systemctl enable nginx
sudo systemctl start nginx

if systemctl is-active --quiet nginx; then
    echo "Nginx installed and started successfully."
else
    echo "Nginx failed to start."
    exit 1
fi
~
~
~
~
~

```

```

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/04_install_nginx.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/04_install_nginx.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/04_install_nginx.bash
Installing Nginx...
Last metadata expiration check: 1:38:11 ago on Sun Aug 16 07:51:04 2026.
Dependencies resolved.

```

Package	Architecture	Version	Repository	Size
Installing:				
nginx	x86_64	1:1.30.4-1.amzn2023.0.1	amazonlinux	34 k
Installing dependencies:				
generic-logos-httpd	x86_64	18.0.0-12.amzn2023.0.3	amazonlinux	19 k
gperftools-libs	x86_64	2.9.1-1.amzn2023.0.3	amazonlinux	308 k
libunwind	x86_64	1.4.0-5.amzn2023.0.3	amazonlinux	66 k
nginx-core	x86_64	1:1.30.4-1.amzn2023.0.1	amazonlinux	711 k
nginxfilesystem	noarch	1:1.30.4-1.amzn2023.0.1	amazonlinux	10 k
nginx-minetypes	noarch	2.1.49-3.amzn2023.0.3	amazonlinux	21 k

```

Transaction Summary
Install 7 Packages
Total download size: 1.1 M
Installed size: 3.8 M
Downloading Packages:
(1/7): generic-logos-httpd-18.0.0-12.amzn2023.0.3.noarch.rpm
(2/7): libunwind-1.4.0-5.amzn2023.0.3.x86_64.rpm
(3/7): gperftools-libs-2.9.1-1.amzn2023.0.3.x86_64.rpm
(4/7): nginx-1.30.4-1.amzn2023.0.1.x86_64.rpm
(5/7): nginx-core-1.30.4-1.amzn2023.0.1.x86_64.rpm
(6/7): nginxfilesystem-1.30.4-1.amzn2023.0.1.noarch.rpm
(7/7): nginx-minetypes-2.1.49-3.amzn2023.0.3.noarch.rpm

```

Document 13.docx
Cloud Computing Service
Instance details | EC2 | ap
Welcome to nginx!
Ask Gemini

Not secure
3.110.101.150

Welcome to nginx!

If you see this page, nginx is successfully installed and working. Further configuration is required for the web server, reverse proxy, API gateway, load balancer, content cache, or other features.

For online documentation and support please refer to nginx.org.
 To engage with the community please visit community.nginx.org.
 For enterprise grade support, professional services, additional security features and capabilities please refer to f5.com/nginx.

Thank you for using nginx.

5. Create a bash script to install **Apache Tomcat on an EC2 server**.

```
ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

TOMCAT_VERSION="10.1.57"
TOMCAT_DIR="/opt/tomcat"

echo "Installing Java..."

sudo dnf install -y java-17-amazon-corretto

if [ $? -ne 0 ]; then
    echo "Java installation failed."
    exit 1
fi

echo "Creating Tomcat user..."

if ! id tomcat >/dev/null 2>&1; then
    sudo useradd -r -m -s /bin/false tomcat
fi

echo "Downloading Tomcat..."

cd /tmp || exit 1

wget -q "https://dlcdn.apache.org/tomcat/tomcat-10/v${TOMCAT_VERSION}/bin/apache-tomcat-${TOMCAT_VERSION}.tar.gz"

if [ ! -f "apache-tomcat-${TOMCAT_VERSION}.tar.gz" ]; then
    echo "Tomcat download failed."
    exit 1
fi

sudo mkdir -p "$TOMCAT_DIR"

sudo tar -xzf "apache-tomcat-${TOMCAT_VERSION}.tar.gz" \
    --strip-components=1 \
    -C "$TOMCAT_DIR"

sudo chown -R tomcat:tomcat "$TOMCAT_DIR"

sudo chmod +x "$TOMCAT_DIR/bin/*.sh"

JAVA_HOME=$(dirname $(dirname $(readlink -f $(which java))))

sudo tee /etc/systemd/system/tomcat.service > /dev/null <<EOF
[Unit]
Description=Apache Tomcat
After=network.target

[Service]
Type=forking
User=tomcat
Group=tomcat

Environment="JAVA_HOME=$JAVA_HOME"
Environment="CATALINA_HOME=$TOMCAT_DIR"
Environment="CATALINA_BASE=$TOMCAT_DIR"
EOF
```

30°C
Partly sunny

Document 13.docx x Cloud Computing Service x SecurityGroup | EC2 | ap... x Apache Tomcat/10.1.57 x + Ask Gemini

Not secure 3.110.101.150:8080

Home Documentation Configuration Examples Wiki Mailing Lists Find Help

Apache Tomcat/10.1.57

If you're seeing this, you've successfully installed Tomcat. Congratulations!

 Recommended Reading:
[Security Considerations How-To](#)
[Manager Application How-To](#)
[Clustering/Session Replication How-To](#)

Server Status
Manager App
Host Manager

Developer Quick Start

Tomcat Setup
First Web Application
Realms & AAA
JDBC DataSources
Examples
Servlet Specifications
Tomcat Versions

Managing Tomcat

For security, access to the `manager.webapp` is restricted. Users are defined in:

```
$CATALINA_HOME/conf/tomcat-users.xml
```

In Tomcat 10.1 access to the manager application is split between different users.
[Read more...](#)

[Release Notes](#)
[Changelog](#)
[Migration Guide](#)
[Security Notices](#)

Documentation

[Tomcat 10.1 Documentation](#)
[Tomcat 10.1 Configuration](#)
[Tomcat Wiki](#)

Find additional important configuration information in:

```
$CATALINA_HOME/RUNNING.txt
```

Developers may be interested in:

- [Tomcat 10.1 Bug Database](#)
- [Tomcat 10.1 JavaDocs](#)
- [Tomcat 10.1 Git Repository at GitHub](#)

Getting Help

[FAQ and Mailing Lists](#)

The following mailing lists are available:

- [tomcat-announce](#)
Important announcements, releases, security vulnerability notifications. (Low volume).
- [tomcatusers](#)
User support and discussion
- [taglibs-user](#)
User support and discussion for `Apache Taglibs`
- [tomcat-dev](#)
Development mailing list, including commit messages

6. Create a bash script to check if the Nginx service is running, if not running then script should start the service

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

if systemctl is-active --quiet nginx
then
    echo "Nginx is already running."
else
    echo "Nginx is not running."
    echo "Starting Nginx..."

    sudo systemctl start nginx

    if systemctl is-active --quiet nginx
    then
        echo "Nginx started successfully."
    else
        echo "Failed to start Nginx."
        exit 1
    fi
fi

~
~
~
~

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/06_check_nginx.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/06_check_nginx.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/06_check_nginx.bash
Nginx is already running.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ sudo systemctl stop nginx
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ sudo systemctl is-active nginx
inactive
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/06_check_nginx.bash
Nginx is not running.
Starting Nginx...
Nginx started successfully.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ sudo systemctl is-active nginx
active

```

7. Create a bash script for **acalculator**.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

echo "===== Simple Calculator ====="

read -p "Enter first number: " NUM1
read -p "Enter second number: " NUM2

echo "1. Addition"
echo "2. Subtraction"
echo "3. Multiplication"
echo "4. Division"

read -p "Enter your choice: " CHOICE

case $CHOICE in
    1)
        RESULT=$((NUM1 + NUM2))
        echo "Result: $RESULT"
        ;;
    2)
        RESULT=$((NUM1 - NUM2))
        echo "Result: $RESULT"
        ;;
    3)
        RESULT=$((NUM1 * NUM2))
        echo "Result: $RESULT"
        ;;
    4)
        if [ "$NUM2" -eq 0 ]; then
            echo "Error: Cannot divide by zero."
            exit 1
        fi
        RESULT=$((NUM1 / NUM2))
        echo "Result: $RESULT"
        ;;
    *)
        echo "Invalid choice."
        exit 1
        ;;
esac

```

```

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/07_calculator.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/07_calculator.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/07_calculator.bash
===== Simple Calculator =====
Enter first number: 56
Enter second number: 22
1. Addition
2. Subtraction
3. Multiplication
4. Division
Enter your choice: 2
Result: 34

```

8. Create a bash script to **check if a directory exists**, if not then create a directory.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

DIRECTORY="$1"

if [ -z "$DIRECTORY" ]; then
    echo "Usage: $0 <directory>"
    exit 1
fi

if [ -d "$DIRECTORY" ]; then
    echo "Directory already exists: $DIRECTORY"
else
    mkdir -p "$DIRECTORY"

    if [ $? -eq 0 ]; then
        echo "Directory created successfully: $DIRECTORY"
    else
        echo "Failed to create directory."
        exit 1
    fi
fi
~
~
~

```

```

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/08_create_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/08_create_directory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/08_create_directory.bash /tmp/devops-test
Directory created successfully: /tmp/devops-test
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ls -ld /tmp/devops-test
drwxr-xr-x. 2 ec2-user ec2-user 40 Aug 16 10:07 /tmp/devops-test
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/08_create_directory.bash /tmp/devops-test
Directory already exists: /tmp/devops-test

```

9. Create a bash script to delete the last 3 lines of a file.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

FILE="$1"

if [ -z "$FILE" ]; then
    echo "Usage: $0 <file>"
    exit 1
fi

if [ ! -f "$FILE" ]; then
    echo "File does not exist: $FILE"
    exit 1
fi

LINE_COUNT=$(wc -l < "$FILE")

if [ "$LINE_COUNT" -lt 3 ]; then
    echo "File has fewer than 3 lines."
    exit 1
fi

head -n -3 "$FILE" > "$FILE.tmp"

if [ $? -eq 0 ]; then
    mv "$FILE.tmp" "$FILE"
    echo "Last 3 lines deleted successfully."
else
    echo "Failed to delete last 3 lines."
    rm -f "$FILE.tmp"
    exit 1
fi
~
~
~

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/09_delete_last_3_lines.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/09_delete_last_3_lines.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ cat > /tmp/test.txt <<EOF
line 1
line 2
line 3
line 4
line 5
line 6
EOF
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ cat /tmp/test.txt
line 1
line 2
line 3
line 4
line 5
line 6
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/09_delete_last_3_lines.bash /tmp/test.txt
Last 3 lines deleted successfully.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ cat /tmp/test.txt
line 1
line 2
line 3

```

10. Bash script to monitor cpu and if it is more than 80% then send email notification.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

THRESHOLD=80
EMAIL="asifshaik6558@gmail|.com"

CPU_USAGE=$(top -bn1 | awk -F' ' '/Cpu\s\)/ {
    for (i=1; i<=NF; i++) {
        if ($i ~ /id/) {
            gsub(/^[^0-9.]/, "", $i)
            print 100-$i
            exit
        }
    }
}')

CPU_USAGE_INT=${CPU_USAGE%.*}

echo "Current CPU Usage: $CPU_USAGE%"

if [ "$CPU_USAGE_INT" -gt "$THRESHOLD" ]; then

    SUBJECT="High CPU Usage Alert on $(hostname)"

    MESSAGE="WARNING: CPU usage is above 80%."

    Server: $(hostname)
    CPU Usage: $CPU_USAGE%
    Time: $(date)"

    echo "$MESSAGE" | mail -s "$SUBJECT" "$EMAIL"

    echo "CPU usage is above 80%. Email notification sent."

else

    echo "CPU usage is normal."

fi

~
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/10_monitor_cpu.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/10_monitor_cpu.bash
Current CPU Usage: 3.2%
CPU usage is normal.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ top -bn1 | grep "Cpu"
%Cpu(s):  0.0 us,  0.0 sy,  0.0 ni,100.0 id,  0.0 wa,  0.0 hi,  0.0 si,  0.0 st
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/10_monitor_cpu.bash
Current CPU Usage: 3.2%
CPU usage is normal.

```

11. Bash script to monitor disk space and if it is more than 80% then send email notification.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

THRESHOLD=80
EMAIL="asifshaik6558@gmail.com"

DISK_USAGE=$(df -P / | awk 'NR==2 {gsub("%","", $5); print $5}')

echo "Current Disk Usage: $DISK_USAGE%"

if [ "$DISK_USAGE" -gt "$THRESHOLD" ]; then

    SUBJECT="High Disk Usage Alert on $(hostname)"

    MESSAGE="WARNING: Disk usage is above 80%."

    Server: $(hostname)
    Disk Usage: $DISK_USAGE%
    Time: $(date)"

    echo "$MESSAGE" | mail -s "$SUBJECT" "$EMAIL"

    echo "Disk usage is above 80%. Email notification sent."

else

    echo "Disk usage is normal."

fi
~
~
~

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/11_monitor_disk.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/11_monitor_disk.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/11_monitor_disk.bash
Current Disk Usage: 26%
Disk usage is normal.
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ df -h /
Filesystem      Size  Used Avail Use% Mounted on
/dev/nvme0n1p1  8.0G  2.1G  5.9G  26% /

```

12. Bash script to monitor memory and if it is more than 80% then send email notification.

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
#!/bin/bash

THRESHOLD=80
EMAIL="your-asifshaik6558@gmail.com"

MEMORY_USAGE=$(free | awk '/Mem:/ {
    printf "%.0f", ($3/$2)*100
}')

echo "Current Memory Usage: $MEMORY_USAGE%"

if [ "$MEMORY_USAGE" -gt "$THRESHOLD" ]; then

    SUBJECT="High Memory Usage Alert on $(hostname)"
    MESSAGE="WARNING: Memory usage is above 80%."

    Server: $(hostname)
    Memory Usage: $MEMORY_USAGE%
    Time: $(date)"

    echo "$MESSAGE" | mail -s "$SUBJECT" "$EMAIL"

    echo "Memory usage is above 80%. Email notification sent."

else

    echo "Memory usage is normal."

fi
~
~

[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ vi scripts/12_monitor_memory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ chmod +x scripts/12_monitor_memory.bash
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ ./scripts/12_monitor_memory.bash
Current Memory Usage: 30%
Memory usage is normal.

```

Exercise: Crontab Entries

1. April 5th Midnight
2. 5th of Every November, January, June if it is a Thursday
3. At 05 and 27th minutes of 9, 10, 11 hours every day
4. 34 minutes of 9th hour on 15th August
5. Every midnight
6. Every Weekend (Saturday night 11:59 PM)
7. After every reboot

```

ec2-user@ip-172-31-4-54:~/devops-bash-tasks
0 0 5 4 * echo "April 5th Midnight" >> /tmp/cron_test.log
0 0 5 1,6,11 * [ "$(date +%u)" -eq 4 ] && echo "5th and Thursday" >> /tmp/cron_test.log
5,27 9,10,11 * * * echo "09/10/11 hour test" >> /tmp/cron_test.log
34 9 15 8 * echo "August 15 09:34" >> /tmp/cron_test.log
0 0 * * * echo "Every midnight" >> /tmp/cron_test.log
59 23 * * 6 echo "Saturday 11:59 PM" >> /tmp/cron_test.log
@reboot echo "System rebooted" >> /tmp/cron_test.log
~
~
~
~

```

```
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ crontab -e
no crontab for ec2-user - using an empty one
crontab: installing new crontab
[ec2-user@ip-172-31-4-54 devops-bash-tasks]$ crontab -l
0 0 5 4 * echo "April 5th Midnight" >> /tmp/cron_test.log
0 0 5 1,6,11 * [ "$(date +%u)" -eq 4 ] && echo "5th and Thursday" >> /tmp/cron_test.log
5,27 9,10,11 * * * echo "09/10/11 hour test" >> /tmp/cron_test.log
34 9 15 8 * echo "August 15 09:34" >> /tmp/cron_test.log
0 0 * * * echo "Every midnight" >> /tmp/cron_test.log
59 23 * * 6 echo "Saturday 11:59 PM" >> /tmp/cron_test.log
@reboot echo "System rebooted" >> /tmp/cron_test.log
```

1. Document all the tasks and also push the tasks to a **GitHub repository**(explore this for now).
2. Share the **document and GitHub Repo URL** once done for evaluation.

<https://github.com/asifshaik6558/devops-bash-tasks.git>