

Create one Bash script to check if a directory is available or not.

```
root@ip-172-31-4-54:~  
#!/bin/bash  
  
Dir="/home/ubuntu/test"  
  
if [ -d "$Dir" ]  
then  
    echo "directory exist"  
else  
    echo "directory does not exist"  
fi  
~  
~
```

```
[root@ip-172-31-4-54 ~]# vi check_directory.bash  
[root@ip-172-31-4-54 ~]# chmod 777 check_directory.bash  
[root@ip-172-31-4-54 ~]# ./check_directory.bash  
directory does not exist
```

Create a Bash script which will create multiple files.

```
root@ip-172-31-4-54:~  
#!/bin/bash  
  
for i in shaik asif 1 2 3  
do  
    touch "file$i.txt"  
done  
  
echo "5 files created successfully"  
  
~  
~
```

```
check_directory.bash create_files.bash file1.txt file2.txt file3.txt fileasif.txt fileshaik.txt  
[root@ip-172-31-4-54 ~]# vi create_files.bash  
[root@ip-172-31-4-54 ~]# chmod 777 create_files.bash  
[root@ip-172-31-4-54 ~]# ./create_files.bash  
-bash: ./create_files.bash: No such file or directory  
[root@ip-172-31-4-54 ~]# ./create_files.bash  
5 files created successfully  
[root@ip-172-31-4-54 ~]# ls  
check_directory.bash create_files.bash file1.txt file2.txt file3.txt fileasif.txt fileshaik.txt  
[root@ip-172-31-4-54 ~]# |
```

Create a Bash script to take backup of a directory.


```
root@ip-172-31-4-54:~  
#!/bin/bash  
  
SOURCE="/home/ubuntu/mydata"  
BACKUP="/home/ubuntu/backup.tar.gz"  
  
tar -czf "$BACKUP" "$SOURCE"  
  
echo "Backup created successfully"
```

```
[root@ip-172-31-4-54 ~]# vi backup.bash  
[root@ip-172-31-4-54 ~]# chmod 777 backup.bash  
[root@ip-172-31-4-54 ~]# ./backup.bash  
tar: Removing leading '/' from member names  
tar: /home/ubuntu/mydata: Cannot stat: No such file or directory  
tar (child): /home/ubuntu/backup.tar.gz: Cannot open: No such file or directory  
tar (child): Error is not recoverable: exiting now  
tar: Child returned status 2  
tar: Error is not recoverable: exiting now  
Backup created successfully
```

Create a Bash script to install **nginx** in an EC2 server.

```
root@ip-172-31-4-54:~  
#!/bin/bash  
  
yum update -y  
  
yum install nginx -y  
  
systemctl start nginx  
  
systemctl enable nginx  
  
echo "nginx installed,started and enabled successfully"
```

```
[root@ip-172-31-4-54 ~]# vi install_nginx.bash  
[root@ip-172-31-4-54 ~]# chmod 777 install_nginx.bash  
[root@ip-172-31-4-54 ~]# ./install_nginx.bash  
Last metadata expiration check: 0:02:18 ago on Wed Aug 19 05:30:10 2026.  
Dependencies resolved.  
Nothing to do.  
Complete!  
Last metadata expiration check: 0:02:19 ago on Wed Aug 19 05:30:10 2026.  
Package nginx-1:1.30.4-1.amzn2023.0.1.x86_64 is already installed.  
Dependencies resolved.  
Nothing to do.  
Complete!  
nginx installed started and enabled successfully
```



Create a Bash script to install **Apache Tomcat** in an EC2 server.

```
root@ip-172-31-4-54:~  
#!/bin/bash  
  
echo "Installing Java..."  
dnf install java-17-amazon-corretto-devel -y  
echo "Downloading Apache Tomcat..."  
cd /opt  
wget https://d1cdn.apache.org/tomcat/tomcat-10/v10.1.48/bin/apache-tomcat-10.1.48.tar.gz  
tar -xzf apache-tomcat-10.1.48.tar.gz  
mv apache-tomcat-10.1.48 tomcat  
chmod +x /opt/tomcat/bin/*.sh  
echo "Apache Tomcat installed successfully."  
echo "Starting Tomcat..."  
/opt/tomcat/bin/startup.sh  
echo "Tomcat started successfully."
```

```
root@ip-172-31-4-54:~  
[root@ip-172-31-4-54 ~]# vi install_tomcat.bash  
[root@ip-172-31-4-54 ~]# chmod 777 install_tomcat.bash  
[root@ip-172-31-4-54 ~]# ./install_tomcat.bash  
Installing Java...  
Last metadata expiration check: 6:31:13 ago on Wed Aug 19 05:30:10 2026.  
Dependencies resolved.  
=====
```

Package	Architecture	Version	Repository	Size
Installing:				
java-17-amazon-corretto-devel	x86_64	1:17.0.20+8-1.amzn2023.1	amazonlinux	142 k

```
=====
```

Transaction Summary

Package	Architecture	Version	Repository	Size
Installing:				
java-17-amazon-corretto-devel	x86_64	1:17.0.20+8-1.amzn2023.1	amazonlinux	142 k

```
=====
```

Install 1 Package

Total download size: 142 k
Installed size: 1.0 M
Downloading Packages:
java-17-amazon-corretto-devel-1:17.0.20+8-1.amzn2023.1.x86_64.rpm
4.3 MB/s | 142 kB | 00:00
1.9 MB/s | 142 kB | 00:00

Running transaction check
Transaction check succeeded.
Running transaction test
Transaction test succeeded.
Running transaction
Preparing :
Installing : java-17-amazon-corretto-devel-1:17.0.20+8-1.amzn2023.1.x86_64
Running scriptlet: java-17-amazon-corretto-devel-1:17.0.20+8-1.amzn2023.1.x86_64
Verifying : java-17-amazon-corretto-devel-1:17.0.20+8-1.amzn2023.1.x86_64
1/1
1/1
1/1

Installed:
java-17-amazon-corretto-devel-1:17.0.20+8-1.amzn2023.1.x86_64

Complete!
Downloading Apache Tomcat...
--2026-08-19 12:01:24-- https://d1cdn.apache.org/tomcat/tomcat-10/v10.1.48/bin/apache-tomcat-10.1.48.tar.gz
Resolving d1cdn.apache.org (d1cdn.apache.org)... 151.101.2.132, 2a04:4e42::644
Connecting to d1cdn.apache.org (d1cdn.apache.org)|151.101.2.132|:443... connected.
HTTP request sent, awaiting response... 404 Not Found
2026-08-19 12:01:24 ERROR 404: Not Found.
tar (child): apache-tomcat-10.1.48.tar.gz: Cannot open: No such file or directory
tar (child): Error is not recoverable: exiting now
tar: Child returned status 2

← → ↻ ⚠ Not secure 3.110.101.150:8080 ☆ 📄 🌐 ⋮

Home Documentation Configuration Examples Wiki Mailing Lists Find Help

Apache Tomcat/10.1.57



If you're seeing this, you've successfully installed Tomcat. Congratulations!



Recommended Reading:

- [Security Considerations How-To](#)
- [Manager Application How-To](#)
- [Clustering/Session Replication How-To](#)

Server Status
Manager App
Host Manager

Developer Quick Start

Tomcat Setup	Realms & AAA	Examples	Servlet Specifications
First Web Application	JDBC DataSources		Tomcat Versions

Managing Tomcat

For security, access to the [manager webapp](#) is restricted. Users are defined in:

```
$CATALINA_HOME/conf/tomcat-users.xml
```

In Tomcat 10.1 access to the manager application is split between different users.
[Read more...](#)

[Release Notes](#)
[Changelog](#)
[Migration Guide](#)
[Security Notices](#)

Documentation

[Tomcat 10.1 Documentation](#)
[Tomcat 10.1 Configuration](#)
[Tomcat Wiki](#)

Find additional important configuration information in:

```
$CATALINA_HOME/RUNNING.txt
```

Developers may be interested in:

- [Tomcat 10.1 Bug Database](#)
- [Tomcat 10.1 JavaDocs](#)
- [Tomcat 10.1 Git Repository at GitHub](#)

Getting Help

FAQ and Mailing Lists

The following mailing lists are available:

tomcat-announce
Important announcements, releases, security vulnerability notifications. (Low volume).

[tomcat-users](#)
User support and discussion

[taglibs-user](#)
User support and discussion for [Apache Taglibs](#)

[tomcat-dev](#)
Development mailing list, including commit messages

Create a Bash script to check if **nginx service** is running or not.

- If not running, the script should start the service.

```

root@ip-172-31-4-54:~
#!/bin/bash

if systemctl is-active --quiet nginx
then
    echo "Nginx is running."
else
    echo "Nginx is not running."
    echo "Starting Nginx..."

    systemctl start nginx

    echo "Nginx started successfully."
fi
~
~
~
~

```

```

[root@ip-172-31-4-54 ~]# vi check_nginx.bash
[root@ip-172-31-4-54 ~]# chmod 777 check_nginx.bash
[root@ip-172-31-4-54 ~]# ./check_nginx.bash
Nginx is running.

```

Create a Bash script to check if a directory is available or not.

- If not, then create the directory.

```

root@ip-172-31-4-54:~
#!/bin/bash

Dir="directory"

if [ -d "$Dir" ]
then
    echo "directory exists"
else
    mkdir "$Dir"

    echo "directory created successfully"
fi
~
~
~
~
~
~

```

```

[root@ip-172-31-4-54 ~]# vi checkk_directory.bash
[root@ip-172-31-4-54 ~]# chmod 777 checkk_directory.bash
[root@ip-172-31-4-54 ~]# ./checkk_directory.bash
directory created successfully
[root@ip-172-31-4-54 ~]# ls
backup.bash      check_nginx.bash  checkk_directory.bash  create_files.bash  file1.txt  file3.txt  fileshaik.txt  install_tomcat.bash
check_directory.bash  checkk_directory  checks_directory.bash  directory          file2.txt  fileasif.txt  install_nginx.bash
[root@ip-172-31-4-54 ~]# vi checkk_directory.bash
[root@ip-172-31-4-54 ~]# |

```

Create a Bash script to delete the last **3 lines** from a file.

```

root@ip-172-31-4-54:~
#!/bin/bash

File="asifshaik123.txt"

lines=$(wc -l < "$file")

if [ "$lines" -ge 3 ]
then
    head -n $((lines - 3)) "$file" > temp.txt
    mv temp.txt "$file"
    echo "last 3 lines deleted"
else
    echo "files doesn't have lines"
fi
~
~
~

[root@ip-172-31-4-54 ~]# vi del_lines.bash
[root@ip-172-31-4-54 ~]# chmod 777 del_lines.bash
[root@ip-172-31-4-54 ~]# ./del_lines.bash
./del_lines.bash: line 5: : No such file or directory
./del_lines.bash: line 7: [: : integer expression expected
files doesn't have lines
[root@ip-172-31-4-54 ~]# |

```

Create a Bash script to monitor **CPU usage**.

- If CPU > 80%, then send an email notification

```

root@ip-172-31-4-54:~
#!/bin/bash

cpu=$(top -bn1 | grep -i "cpu(s)" | awk '{print 100-$8}')

echo "cpu usage: $cpu"

if (( ${cpu%.*} > 80 ))
then
    echo "cpu usage is high"
    echo "cpu usahe is high" | mail -s "cpu alert" asifshaik6558@gmail.com
fi
~
~
~

```

```

[root@ip-172-31-4-54 ~]# vi cpu_usage.bash
[root@ip-172-31-4-54 ~]# chmod 777 cpu_usage.bash
[root@ip-172-31-4-54 ~]# ./cpu_usage.bash
cpu usage: 3.1
[root@ip-172-31-4-54 ~]# |

```

Create a Bash script to monitor **Disk Space**.

- If usage > 80%, then send an email notification.

```

root@ip-172-31-4-54:~
#!/bin/bash

diskusage=$(df -h / | awk 'NR==2 {print $5}' | sed 's/%//')
echo "disk usage : $diskusage%"

if [ "$diskusage" -gt 80 ];
then
    echo "disk usage is high"
    echo "disk usage is high" | mail -s "disk full alert" asifshaik6558@gmail.com
fi
~
~
~

[root@ip-172-31-4-54 ~]# vi disk_space.bash
[root@ip-172-31-4-54 ~]# chmod 777 disk_space.bash
[root@ip-172-31-4-54 ~]# ./disk_space.bash
disk usage : 30%

```

Create a Bash script to monitor **Memory Usage**.

- If usage > 80%, then send an email notification.

```

root@ip-172-31-4-54:~
#!/bin/bash

memoryusage=$(free | awk 'NR==2 {printf "%.0f", ($3/$2)*100}')
echo "memory usage: $memoryusage%"

if (( ${memoryusage%.*} > 80 ))
then
    echo "memory usage is high"
    echo "memory usage is high" | mail -s "memory usage alert" asifshaik6558@gmail.com
fi
~
~
~
~
~
~
~
~
~
~

```

```
[root@ip-172-31-4-54 ~]# vi memory_usage.bash
[root@ip-172-31-4-54 ~]# chmod 777 memory_usage.bash
[root@ip-172-31-4-54 ~]# ./memory_usage.bash
memory usage: 35%
[root@ip-172-31-4-54 ~]#
```