Qwen

From Code to Chorus: A Practical Guide to High-Fidelity Open-Source SVS Models for Offline Batch Generation

Model Landscape and Core Capabilities

The period from January 1, 2025, to July 15, 2026, has seen significant advancements in the field of open-source Singing Voice Synthesis (SVS), particularly in models that meet the specific criteria of supporting simultaneous MIDI and lyric conditioning, offering ease of use for offline generation, and demonstrating high audio fidelity. The research landscape during this timeframe reveals a clear focus on creating practical, powerful tools that bridge the gap between musical composition and vocal performance generation. An extensive analysis of recent publications and model releases identifies two primary candidates that stand out as meeting all specified requirements: SoulX-Singer and YingMusic-Singer/Plus [11] [44]. These models represent the cutting edge of what is achievable with open-source technology, moving beyond experimental prototypes to become viable components in creative workflows. Other systems, such as ACE-Step 1.5, while impressive in their own right, operate under a different paradigm that does not fully align with the core research goal of discrete SVS conditioned directly by MIDI files and lyrics [8] [58].

SoulX-Singer emerges as a premier solution, consistently highlighted across multiple sources as a high-fidelity, zero-shot SVS system designed with practical deployment in mind [40] [89]. Its core capability lies in its ability to generate realistic singing voices for unseen singers without requiring any fine-tuning, a feature that dramatically lowers the barrier to entry for users [44] [89]. Crucially, it supports the dual conditioning required by the research goal. It enables melody-conditioned generation based on fundamental frequency (F0) contours and provides score-conditioned control through symbolic musical scores, which inherently includes MIDI notes [44] [46]. This allows for precise control over pitch, rhythm, and expression. Furthermore, the model is explicitly designed to accept lyrical content as an input, fulfilling the requirement for simultaneous lyric and pitch conditioning [44]. The project is fully open-source, released under an Apache 2.0 license, with its source code and documentation available on GitHub, ensuring transparency and community-driven development [44]. The inference process is

architected for offline and batch processing, with straightforward setup instructions involving cloning a git repository and executing a simple shell script (`bash example/infer.sh`), making it highly accessible for users focused on non-real-time generation [44]. Its robustness is built upon a massive training dataset exceeding 42,000 hours of vocal recordings, covering Mandarin Chinese, English, and Cantonese, which contributes to its high-quality and versatile output [46].

YingMusic-Singer and its successor, YingMusic-Singer-Plus, represent another significant advancement in the open-source SVS space [11] [35]. Introduced in late 2025, this model is positioned as a fully diffusion-based system, an architectural choice that often correlates with state-of-the-art audio quality [1] [35]. Like SoulX-Singer, it is designed for melody-controllable singing voice synthesis, where the output is conditioned on melodic notation such as MIDI files [11] [21]. It also incorporates flexible lyric manipulation as a core component of its generative process, allowing for structured alignment between the musical score and the generated vocal performance [21] [23]. The initial release, YingMusic-Singer, was already described as enabling melody-controllable synthesis with flexible lyric handling [11]. The subsequent release of YingMusic-Singer-Plus further refines this capability, emphasizing melody-controllability and flexible lyric editing within its diffusion-based framework [35]. Both models are presented as open-source solutions, continuing the trend towards democratizing access to high-quality voice synthesis technology [11]. While the specific inference workflow details for YingMusic are less explicitly laid out in the provided documents compared to SoulX-Singer, its design philosophy is clearly aligned with the goals of high-quality, controllable synthesis. The existence of a "Plus" version indicates an active development cycle and iterative improvements, suggesting the model is being actively refined and enhanced post-release [35].

Other notable mentions in the broader context of AI music generation include ACE-Step 1.5, which is an open-source model capable of generating full songs with vocals from text prompts [8] [42]. However, its operational paradigm differs from the user's request. Sources describe it as an end-to-end system that automatically generates accompaniment alongside the vocals, rather than acting as a discrete SVS engine conditioned by external MIDI and lyrics files [8] [58]. Its emphasis on real-time lyrics editing also suggests a different use case than the specified offline/batch generation focus [56] [57]. Therefore, despite its impressive capabilities, ACE-Step 1.5 does not perfectly match the core research objective. Similarly, models like CoMelSinger are cited as discrete token-based zero-shot SVS systems that condition on lyrics and pitch tokens, but more detailed information on its public availability, inference process, and comparative quality is not

present in the provided materials, making it difficult to place it on the same footing as the more thoroughly documented SoulX-Singer and YingMusic-Singer/Plus [37] [52]. The most promising and well-documented options that satisfy every criterion are therefore firmly centered on SoulX-Singer and the YingMusic family of models.

Architectural Innovations and Technical Foundations

The leading open-source SVS models of the 2025-2026 period, namely SoulX-Singer and YingMusic-Singer/Plus, are distinguished not only by their capabilities but also by their sophisticated underlying architectures. These technical foundations are the direct enablers of their high audio quality, controllability, and zero-shot performance. The prevailing trends in this new generation of models point towards a move away from older autoregressive or purely VITS-based designs towards more complex and powerful frameworks, most notably diffusion models and Large Language Model (LLM) integrations. These innovations allow for more nuanced modeling of the intricate relationship between musical structure, linguistic content, and vocal timbre.

SoulX-Singer is introduced as a system designed with practical deployment considerations in mind, aiming for high fidelity, expressiveness, and flexibility [40] [46]. While the exact internal architecture is not detailed in the provided summaries, its success implies a robust and well-engineered model, likely leveraging advanced neural network components common in modern speech and audio synthesis. Its ability to handle large-scale training data (over 42,000 hours) and perform zero-shot synthesis suggests a powerful representation learning mechanism, possibly involving speaker embeddings or similar latent representations that disentangle timbre from phonetic and prosodic content [46]. The model's explicit support for both F0 contour (melody) and symbolic musical scores (MIDI notes) indicates a multi-conditioning architecture [44]. This likely involves separate conditioning pathways or a unified transformer-based encoder that processes both the lyrical tokens and the musical notation to produce a comprehensive context vector for the acoustic model. This design allows for fine-grained control over pitch and timing, which is essential for expressive singing synthesis. The model's training on a diverse multilingual dataset (Mandarin, English, Cantonese) further suggests a strong generalization capability, achieved through a model that has learned a rich and abstract representation of vocal characteristics across different languages and accents [46].

YingMusic-Singer/Plus represents a more explicitly defined architectural innovation: it is a fully diffusion-based model [1] [35]. Diffusion models, which have proven highly effective

in image and increasingly in audio generation, operate by gradually denoising a signal starting from pure noise. This iterative refinement process is theorized to produce higher-fidelity and more natural-sounding outputs compared to single-pass autoregressive methods. By adopting a diffusion-based approach, the YingMusic team positions their model at the forefront of generative audio technology. This architecture is particularly well-suited for tasks requiring high perceptual quality, such as singing voice synthesis. The model's design focuses on melody-controllable synthesis, where melodic notation (like MIDI) and lyrics are used as inputs to guide the diffusion process [11]. The term "fully diffusion-based" implies that the entire generation pipeline, from conditioning to the final audio waveform, may be governed by this framework. The inclusion of "flexible lyric manipulation" suggests that the model's conditioning mechanism is highly adaptable, allowing for changes to the lyrical content while maintaining the desired melodic structure [11] [21]. The progression to YingMusic-Singer-Plus indicates an ongoing effort to refine and enhance this diffusion-based architecture, potentially improving stability, speed, or the quality of the generated vocals [35].

Further evidence of architectural evolution comes from related works mentioned in the source material. For instance, Melodist and MelodyLM explore integrating singing voice synthesis with language models, where MIDI is treated as an intermediate melody-related feature and vocal tracks are generated sequentially [78] [79]. This points to a trend of unifying different aspects of music generation under a single LLM framework. Similarly, the introduction of LLFM-Voice, a model based on Large Language Model-driven Flow Matching, showcases a novel approach combining an LLM front-end for content representation with a flow matching-based acoustic model [41]. This model uses an LLM to generate detailed expressive parameters (phoneme duration, pitch, technique, energy, tension), which are then fed into a specialized acoustic model [41]. Such hybrid approaches suggest that future SVS models will likely blend the structural understanding of LLMs with the generative power of specialized acoustic models like diffusion networks or flow matchers. While SoulX-Singer and YingMusic-Singer/Plus do not explicitly detail such a hybrid LLM-flow matching structure, their overall direction of using more powerful and flexible generative frameworks is consistent with this broader trend. The emphasis on discrete token-based representations for lyrics and pitch in models like CoMelSinger also highlights a methodological shift towards treating music and lyrics as formal languages that can be processed by sequence models [37] [52]. This formal treatment facilitates better alignment between text and audio, which is critical for intelligibility and synchronization.

Performance, Audio Quality, and Evaluation Metrics

Assessing the "high audio quality" promised by modern SVS models requires a rigorous examination of the evaluation methodologies and reported results in their respective academic papers and documentation. The research community has adopted a combination of objective acoustic metrics and subjective listening tests to provide a comprehensive view of a model's performance. For the leading models identified, including SoulX-Singer and its contemporaries, the primary yardstick for perceived naturalness is the Mean Opinion Score (MOS). This metric involves human listeners rating synthesized samples on a scale, typically from 1 (bad) to 5 (excellent), providing a direct measure of how natural and pleasant the generated vocals sound.

Multiple studies referenced in the provided materials utilize MOS as a core evaluation tool. For example, research on the LeVo model uses MOS tests to evaluate synthesized quality (MOS-Q) and controllability (MOS-C) [53]. Similarly, evaluations of the Serenade model involved a 5-scale mean opinion score test focusing on naturalness (N-MOS) [54]. The importance of standardized subjective evaluation is underscored by the creation of dedicated benchmarks like SoulX-Singer-Eval, which was constructed specifically to facilitate systematic assessment in zero-shot settings [46], and SingMOS-Pro, a benchmark designed for automatic singing quality assessment that builds upon previous work to provide more granular feedback [77]. While the specific numerical MOS scores for SoulX-Singer and YingMusic-Singer are not detailed in the provided context blocks, their positioning as "high-fidelity" models strongly implies a competitive performance on these metrics [40] [44]. The sheer scale of their training datasets serves as a powerful proxy indicator for quality; SoulX-Singer's training on over 42,000 hours of data, for instance, suggests exposure to a vast and diverse range of vocal styles, pitches, and emotions, which is a prerequisite for generating high-quality, natural-sounding speech [46].

Beyond subjective perception, objective metrics are used to quantify specific aspects of the synthesis quality. One such metric is the F0 Pearson Correlation (FPC), which measures how closely the fundamental frequency (pitch) contour of the synthesized voice matches the target contour provided in the input [41]. A high correlation indicates accurate pitch following, which is crucial for singing along to a given melody. Another important metric is Mel Cepstral Distortion (MCD), which measures the spectral distortion between the synthesized and target audio, providing an indication of timbral accuracy [41]. The LLFM-Voice paper mentions the use of MCD and FPC when comparing its performance against baseline models like Visinger and Diffsinger, although the specific comparative results are not included in the provided text [41]. The use of these metrics

allows for a more technical comparison between different models and helps pinpoint areas for improvement, such as pitch accuracy or spectral fidelity.

The concept of zero-shot synthesis itself is a testament to a model's robustness and generalization capability, which are indirect indicators of quality. A model that can convincingly synthesize the voice of an unseen singer without any fine-tuning demonstrates a deep and abstract understanding of vocal timbre [44] [89]. This ability to generalize is a sign of a well-trained model that has learned universal vocal characteristics rather than memorizing specific examples. The ability to perform zero-shot timbre transfer, as defined in the context of YingMusic-Singer, is a direct application of this capability [21]. Furthermore, some models demonstrate high-quality synthesis even when evaluated on challenging tasks. For instance, research on expressive violin synthesis achieved a high Mean Opinion Score (MOS) of around 3.9, indicating that the synthesized results were perceived as very good [50]. While this is for an instrument, it speaks to the potential of generative models to produce high-quality audio. The continuous development of more sophisticated evaluation frameworks, like those mentioned, reflects a maturing field that is committed to pushing the boundaries of audio quality and establishing reliable standards for measuring progress [55] [67]. The leading open-source models of 2025-2026 appear to be products of this rigorous evaluation culture, incorporating the latest techniques to ensure their outputs meet a high standard of realism and fidelity.

Practical Usability and Inference Workflow

For any advanced technology to be widely adopted, it must transcend theoretical novelty and offer tangible, practical usability. The user's request emphasizes "ease of inference" and "offline/batch generation," highlighting a need for tools that are not only powerful but also accessible and efficient for real-world creative tasks. In this regard, SoulX-Singer stands out as a model that has been explicitly designed with practical deployment considerations in mind, offering a remarkably low-friction experience for users [40]. The documentation for SoulX-Singer provides a clear and concise pathway for setting up and running the model. The process involves two primary steps: cloning the project's Git repository and then executing a provided shell script, `infer.sh`, located in the example directory [44]. This command-line driven workflow is typical for many machine learning models, but the simplicity of the required commands makes it highly approachable for users who may not have deep expertise in system administration or software engineering.

This streamlined setup directly addresses the need for an easy-to-use solution for offline processing.

The inference process for SoulX-Singer is architected for offline or batch generation, which aligns perfectly with the user's stated preference [44]. Unlike real-time systems that require low-latency processing, batch generation allows the model to take a complete input (a MIDI file and corresponding lyrics) and produce the final audio file without time constraints. This mode of operation is ideal for studio-like environments where quality is prioritized over immediacy. The reliance on a simple shell script for synthesis means that users can easily integrate it into larger automated pipelines or scripts, enabling them to generate dozens or hundreds of vocal tracks programmatically. To further simplify access to pre-trained models, the SoulAI-Lab team provides them via the Hugging Face Hub. Users can download the necessary model weights with a single command: `hf download Soul-AILab/SoulX-Singer --local-dir pretrained_models/SoulX-Singer` [44]. This integration with a major model-sharing platform drastically reduces the overhead associated with managing and distributing large model files.

While SoulX-Singer offers a straightforward command-line interface, its practical utility is significantly amplified by its integration into user-friendly graphical ecosystems like ComfyUI. Several sources mention the availability of custom nodes for SoulX-Singer, such as `ComfyUI_SoulX-Singer` and `SoulX-Singer Advanced` [3] [47]. ComfyUI is a node-based graphical interface for Stable Diffusion and other generative models, allowing users to build complex processing pipelines by connecting different functional units visually. These custom nodes act as a bridge, wrapping the underlying Python code of SoulX-Singer in a visual, interactive format. This abstraction layer empowers users who are uncomfortable with command-line interfaces to leverage the model's power. They can visually construct a workflow that specifies the input MIDI, the lyrics, the target voice (if applicable), and other parameters, and then execute the synthesis with a single click. This level of integration exemplifies the maturation of the AI generation ecosystem, where powerful backend engines are becoming accessible through intuitive frontends, thereby enhancing the "ease of inference" aspect of the user's request. The existence of such nodes for models like ACE-Step 1.5 further underscores this trend, indicating that ComfyUI is becoming a central hub for local AI music production [48] [58].

Regarding YingMusic-Singer/Plus, while the provided context confirms its open-source nature and advanced diffusion-based architecture, the specific details of its inference workflow are less explicit than those for SoulX-Singer [11] [35]. As a cutting-edge research model, its documentation may still be evolving. However, the principles of usability would suggest that a well-designed model of this caliber should eventually follow a

similar pattern of providing clear installation guides and a defined procedure for running inference. Given that it is a descendant of YingMusic-Singer, which models lyrics and pitch using discrete tokens, one can infer that its input processing pipeline is sophisticated and requires careful preparation of the MIDI and lyric data [23]. The challenge for users may lie in this data preparation stage, ensuring that the musical notation and textual lyrics are correctly formatted and aligned before being fed into the model. Despite this potential hurdle, the ultimate goal of such models is to empower creators, and developers in this space are increasingly recognizing the importance of providing comprehensive tutorials and user-friendly tools to facilitate adoption.

Comparative Analysis of Leading Models

To provide a clear, actionable summary for the user, a direct comparison of the leading open-source SVS models—SoulX-Singer and YingMusic-Singer/Plus—is essential. This analysis synthesizes the available information across several key dimensions: architectural approach, conditioning mechanisms, training data, language support, and inferred ease of use. While direct, side-by-side benchmarks are not available in the provided sources, this comparative table distills the known attributes of each model to help identify their relative strengths and suitability for different use cases.

Feature / Attribute	SoulX-Singer	YingMusic-Singer / Plus
Primary Architecture	Not explicitly stated, but described as a high-fidelity system with practical deployment considerations [40] [46].	Fully diffusion-based [1] [35].
Release Date	Announced in early 2025 [40].	YingMusic-Singer announced in late 2025 [11]; Plus version followed [35].
Conditioning Inputs	Supports melody-conditioned (F0 contour) and score-conditioned (symbolic musical scores/MIDI notes) generation, combined with lyrics [44] [46].	Enables melody-controllable synthesis based on melodic notation (e.g., MIDI) with integrated flexible lyric manipulation [11] [21].
License	Apache 2.0 [44].	Information not available in provided sources.
Code Availability	Yes, on GitHub [44].	Yes, presented as an open-source solution [11].
Training Data Scale	Trained on over 42,000 hours of vocal data [46].	Not available in provided sources.
Language Support	Mandarin Chinese, English, and Cantonese [46].	Not available in provided sources.
Zero-Shot Capability	Yes, capable of generating realistic singing voices for unseen singers without fine-tuning [44] [89].	Implied by its classification as a zero-shot model [21].
Inference Method	Designed for offline/batch generation via a shell script (`infer.sh`) [44].	Not explicitly detailed, but implied to be offline.
Ease of Setup	Described as simple: clone repository and run a shell script [44].	Less documented; may have a steeper learning curve due to its advanced architecture.
Key Features	Lyric editing, timbre/style transfer, humming-to-singing conversion, speech-to-singing conversion [46].	Emphasis on melody-controllability and flexible lyric editing within a diffusion framework [35].

From this comparison, several key insights emerge. **SoulX-Singer** presents itself as a mature, robust, and highly practical tool. Its greatest strength lies in its documented ease of use and its feature-rich nature. The fact that it can be set up and run with just a few commands makes it exceptionally accessible for users who prioritize getting started quickly [44]. Its suite of additional features—such as the ability to edit lyrics after generation or convert humming into sung vocals—adds significant value for creative experimentation and production workflows [46]. The explicit documentation of its training on over 42,000 hours of multilingual data gives confidence in its capacity to produce high-quality, natural-sounding vocals across different languages [46]. Its Apache 2.0 license ensures broad freedom for both personal and commercial use [44].

YingMusic-Singer/Plus, on the other hand, appears to be a more technically ambitious and potentially higher-fidelity contender. Its "fully diffusion-based" architecture places it at the bleeding edge of generative audio technology [1]. Diffusion models are often associated with superior sample quality compared to other generative paradigms, so

YingMusic-Singer/Plus may theoretically offer a qualitative leap in audio fidelity. Its focus on melody-controllability and flexible lyric manipulation suggests a powerful and nuanced control scheme [11]. However, this cutting-edge status comes with trade-offs. The lack of detailed documentation on its inference workflow and setup process might present a higher barrier to entry for new users [11]. It may require a deeper technical understanding to prepare inputs correctly and interpret outputs, making it potentially less "easy to use" for beginners compared to SoulX-Singer. It is also important to note that the licensing and specific language support details for the YingMusic series are not available in the provided context, which could be a factor in certain use cases.

Ultimately, the choice between these two models depends on the user's priorities. If the primary goals are immediate usability, a wide range of creative features, and proven reliability, SoulX-Singer is the more pragmatic and recommended choice. If the absolute highest possible audio fidelity is the overriding concern and the user is willing to invest time in learning a new toolchain, YingMusic-Singer/Plus represents a compelling, albeit potentially more demanding, alternative.

Strategic Recommendations and Future Outlook

Based on a comprehensive analysis of the available research and model documentation from the 2025-2026 period, a clear strategic path emerges for a user seeking a high-quality, open-source singing voice synthesis solution that meets their specific requirements. The evaluation confirms that the state of the art has produced mature, powerful, and accessible tools that fulfill the criteria of simultaneous MIDI and lyric conditioning, open-source availability, offline batch inference, and a demonstrated focus on audio quality.

The primary recommendation is to begin with **SoulX-Singer**. This model is the most suitable option because it directly and comprehensively satisfies all four of the user's core requirements. It is an open-source project with accessible code on GitHub, explicitly designed for offline and batch inference through a simple shell script, and engineered for high fidelity and practical deployment [40] [44]. Its ability to condition synthesis on both MIDI-derived musical scores and lyrical content makes it a perfect fit for the specified task [44] [46]. Most importantly, its documented ease of setup and the availability of custom nodes for user-friendly graphical interfaces like ComfyUI make it an exceptionally practical tool for immediate use [44] [47]. The model's zero-shot capability, which allows it to generate vocals for unseen singers without fine-tuning, combined with its support for

multiple languages, ensures broad applicability and versatility for a wide range of creative projects [46] [89].

As a secondary recommendation or complementary tool, **YingMusic-Singer/Plus** should be explored. This model is a strong alternative, primarily due to its innovative fully diffusion-based architecture, which positions it at the technological frontier of high-fidelity audio generation [1] [35]. If the user's priority is achieving the absolute best possible audio quality and they are comfortable with a potentially steeper learning curve, investigating YingMusic-Singer/Plus is highly advised. Its advanced design may yield a perceptual improvement in vocal naturalness and expressiveness. However, due to the less-documented nature of its current release, it should be approached as an experimental tool that requires more hands-on engagement to master.

To effectively leverage these tools, the following actionable steps are recommended: 1. **Initial Setup with SoulX-Singer:** Begin by following the official instructions to clone the SoulX-Singer GitHub repository and run the `infer.sh` script. This will establish a baseline understanding of a mature, well-documented, and highly usable system [44]. 2. **Explore Graphical Interfaces:** Install a ComfyUI environment and seek out the available custom nodes for SoulX-Singer. Experimenting with the visual, node-based interface can reveal new ways to control the synthesis process and unlock the model's full creative potential [3] [47]. 3. **Investigate YingMusic-Singer/Plus:** After gaining familiarity with SoulX-Singer, proceed to the YingMusic project. Be prepared for a more technical setup and a potentially less polished user experience, but remain open to the possibility of a significant qualitative improvement in audio output. 4. **Conduct Personal A/B Testing:** The ultimate arbiter of "high audio quality" is subjective. The most effective way to determine which model best fits the user's needs is to perform a direct, blind listening test. Synthesize the same piece of music—a specific MIDI file with corresponding lyrics—using both SoulX-Singer and YingMusic-Singer/Plus. This hands-on comparison will provide the definitive answer on which tool produces the most desirable vocal performances for the user's specific taste and application.

Looking forward, the rapid pace of development in this field suggests that these models will continue to improve. The trends toward more powerful architectures like diffusion models, greater controllability through structured inputs like MIDI, and seamless integration into user-friendly creative suites are likely to persist. The next generation of open-source SVS tools will probably offer even higher fidelity, more intuitive controls, and deeper integration with existing digital audio workstations (DAWs) and music production hardware, further blurring the lines between human and artificial vocal performance [75] [87].

Reference

1. YingMusic-Singer-Plus: Controllable Singing Voice ... https://github.com/ASLP-lab/YingMusic-Singer
2. automatic-music-transcription https://github.com/topics/automatic-music-transcription
3. Saganaki22/ComfyUI-SoulX-Singer ... https://github.com/Saganaki22/ComfyUI-SoulX-Singer
4. ComfyUI_RH_SoulX-Singer https://github.com/HM-RunningHub/ComfyUI_RH_SoulX-Singer
5. karaoke · GitHub Topics https://github.com/topics/karaoke
6. musescore · GitHub Topics https://github.com/topics/musescore
7. Yuan-ManX/ai-game-devtools: Your AI ... https://github.com/Yuan-ManX/ai-game-devtools
8. Ultimate AI Media Generation Tools Master List (2025-2026) https://github.com/jayeshmepani/Media-AI
9. HeartMuLa: A Family of Open Sourced Music Foundation ... https://huggingface.co/papers/2601.10547
10. 🎵 The MusicBox - a fffiloni Collection https://huggingface.co/collections/fffiloni/the-musicbox
11. Daily Papers https://huggingface.co/papers?q=voice%20control
12. Spaces for Audio / Voices - a John6666 Collection https://huggingface.co/collections/John6666/spaces-for-audio-voices
13. Daily Papers https://huggingface.co/papers?q=music%20source%20separation
14. Daily Papers https://huggingface.co/papers?q=timbre%20compression
15. Audio Spaces - a hysts Collection https://huggingface.co/collections/hysts/audio-spaces
16. TTS / Audio - a Nymbo Collection https://huggingface.co/collections/Nymbo/tts-audio
17. Daily Papers https://huggingface.co/papers?q=speech%20separation
18. vocab.txt https://huggingface.co/nilc-nlp/glove-50d/resolve/main/vocab.txt?download=true

19. ACE-Step 1.5 https://github.com/ace-step/ACE-Step-1.5
20. A collection of music APIs, databases, and related tools https://gist.github.com/0xdevalias/eba698730024674ecae7f43f4c650096?permalink_comment_id=5755268
21. YingMusic-Singer: Zero-shot Singing Voice Synthesis and ... https://arxiv.org/html/2512.04779v1
22. Towards High-Quality Zero-Shot Singing Voice Synthesis https://arxiv.org/html/2602.07803v2
23. YingMusic-Singer: Zero-shot Singing Voice Synthesis and ... https://arxiv.org/pdf/2512.04779
24. STARS: A Unified Framework for Singing Transcription ... https://arxiv.org/html/2507.06670v1
25. Vevo2: Bridging Controllable Speech and Singing Voice ... https://arxiv.org/html/2508.16332v1
26. arXiv:2412.13786v2 [eess.AS] 28 Jan 2025 https://arxiv.org/pdf/2412.13786
27. A Review of Deep-Learning-based Singing Voice ... https://arxiv.org/pdf/2601.13910
28. Overleaf Example https://arxiv.org/pdf/2503.08638
29. Zero-Shot Singing Voice Synthesis and Conversion with ... https://arxiv.org/pdf/2501.13870
30. 1 https://huggingface.co/openbmb/cpm-bee-1b/commit/bd72a61dd7a59086ed7456f1dfcaa995c8ec58a3.diff
31. See raw diff https://huggingface.co/typesense/models-moved/commit/8cc8d568923a0ddcf1bc831c7966d86d107d8988.diff?file=finbert%2Fvocab.txt
32. unigrams.txt https://huggingface.co/patrickvonplaten/wav2vec2-base-100h-with-lm/raw/main/language_model/unigrams.txt
33. vocab.txt https://huggingface.co/dicta-il/neodictabert-bilingual-embed/resolve/main/vocab.txt?download=true
34. MIDI-Informed Singing Accompaniment Generation in a ... https://arxiv.org/html/2602.22029v2
35. YingMusic-Singer-Plus: Controllable Singing Voice ... https://arxiv.org/html/2603.24589v2
36. MIDI-Informed Singing Accompaniment Generation in a ... https://arxiv.org/html/2602.22029v1
37. CoMelSinger: Discrete Token-Based Zero-Shot Singing ... https://arxiv.org/html/2509.19883v1
38. VocalParse: Towards Unified and Scalable Singing Voice ... https://arxiv.org/html/2605.04613v1

39. Controllable Singing Voice Synthesis using Phoneme ... https://arxiv.org/html/2509.07038v1
40. Towards High-Quality Zero-Shot Singing Voice Synthesis https://huggingface.co/papers/2602.07803
41. LLFM-Voice: Emotionally Expressive Speech and Singing ... https://www.preprints.org/manuscript/202504.1831
42. ACE-Step 1.5: Local Music Generation That Outperforms Sun... https://studio.aifilms.ai/blog/ace-step-1-5-music-generation-open-source
43. ACE-Step-1.5 has just been released. It's an MIT-licensed ... https://www.reddit.com/r/LocalLLaMA/comments/1quzwjf/acestep15_has_just_been_released_its_an/
44. Soul-AILab/SoulX-Singer https://huggingface.co/Soul-AILab/SoulX-Singer
45. SoulX-Singer: Sing Any Song in Any Voice with AI: Run Locally https://www.youtube.com/watch?v=9pE_YurAjxw
46. SoulX-Singer: High-Quality Zero-Shot Singing Voice ... https://soul-ailab.github.io/soulx-singer/
47. ComfyUI Node: 🎙️ SoulX-Singer Advanced https://www.runcomfy.com/comfyui-nodes/ComfyUI-SoulX-Singer/soul-x-singer-advanced
48. ACE-Step 1.5 is Now Available in ComfyUI - by Purz https://blog.comfy.org/p/ace-step-15-is-now-available-in-comfyui
49. DiffRhythm: Blazingly Fast and Embarrassingly Simple End ... https://arxiv.org/html/2503.01183v1
50. Enhancing Expressive Violin Synthesis with Pitch Bend ... https://arxiv.org/pdf/2409.12477?
51. Generating Style-Following and Expressive Pitch Curves ... https://arxiv.org/html/2510.21685v1
52. Discrete Token-Based Zero-Shot Singing Synthesis With ... https://arxiv.org/pdf/2509.19883
53. Versatile Framework for Song Generation with Prompt- ... https://arxiv.org/pdf/2504.19062
54. Serenade: A Singing Style Conversion Framework Based ... https://arxiv.org/pdf/2503.12388
55. Seed-Music-A-Unified-Framework-for-High-Quality-and- ... https://arxiv.org/pdf/2409.09214
56. The Ultimate Open Source Suno Alternative The free ... https://www.facebook.com/0xSojalSec/posts/the-ultimate-open-source-suno-alternativethe-free-spotify-ui-that-generates-full/1449007236753675/

57. ACE-Step-v1.5(2B) is a new open-source music AI model ... https://www.facebook.com/0xSojalSec/posts/ace-step-v152b-is-a-new-open-source-music-ai-model-that-runs-locally-on-consumer/1435152024805863/
58. ComfyUI Upgrades AI Music Production with ACE-Step 1.5 https://www.linkedin.com/posts/k-vdh_comfyui-has-a-shipped-an-incredible-upgrade-activity-7424768839873089536-yKPd
59. Generating Synth Patches with AI https://gist.github.com/0xdevalias/5a06349b376d01b2a76ad27a86b08c1b
60. slSeanWU/MIDI-LLM https://github.com/slSeanWU/MIDI-LLM
61. Team OpenVPI https://github.com/openvpi
62. DiffRhythm 2: Efficient and High Fidelity Song Generation ... https://arxiv.org/html/2510.22950v3
63. LeVo: High-Quality Song Generation with Multi-Preference ... https://arxiv.org/html/2506.07520v1
64. Note-Level Singing Melody Transcription for Time-Aligned ... https://arxiv.org/html/2502.12438v1
65. DiffRhythm 2: Efficient and High Fidelity Song Generation ... https://arxiv.org/pdf/2510.22950
66. MMGenre: Benchmarking Singing Voice Synthesis across ... https://arxiv.org/html/2607.06986v1
67. A Survey on Evaluation Metrics for Music Generation https://arxiv.org/html/2509.00051v1
68. YingMusic-SVC: Real-World Robust Zero-Shot Singing ... https://arxiv.org/html/2512.04793v1
69. MIDI-VALLE: Piano Performance Synthesis with VALLE-E https://github.com/nii-yamagishilab/MIDI-VALLE
70. Building a MIDI learning system on T-Display-S3 (9 ... https://github.com/Xinyuan-LilyGO/T-Display-S3/issues/327
71. amy/docs/synth.md at main · shorepine/amy https://github.com/shorepine/amy/blob/main/docs/synth.md
72. daewoung/ViolinDiff: [ICASSP 2025] Official ... https://github.com/daewoung/ViolinDiff
73. NickCulbertson/Mini-Teensy-Synth: This is a subtractive ... https://github.com/NickCulbertson/Mini-Teensy-Synth
74. alexferl/dxwire: A web-based patch editor and manager for ... https://github.com/alexferl/dxwire

75. openDAW is a next-generation web-based Digital Audio ... https://github.com/andremichelle/openDAW
76. Иван Николаевич уполномочен заявить https://gist.github.com/yelizariev/f516419f05d3eec6456c86a4efed453b?permalink_comment_id=5546288
77. SingMOS-Pro: An Comprehensive Benchmark for Singing ... https://arxiv.org/pdf/2510.01812
78. Accompanied Singing Voice Synthesis with Fully Text- ... https://arxiv.org/pdf/2407.02049
79. SongGen: A Single Stage Auto-regressive Transformer for ... https://arxiv.org/html/2502.13128v2
80. yuanqidu/awesome-graph-generation https://github.com/yuanqidu/awesome-graph-generation
81. VocalParse: Towards Unified and Scalable Singing Voice ... https://arxiv.org/pdf/2605.04613
82. Vevo2: A Unified and Controllable Framework for Speech ... https://arxiv.org/html/2508.16332v3
83. midi-sequencer · GitHub Topics https://github.com/topics/midi-sequencer?l=python&o=desc&s=stars
84. CLaMP 2: Multimodal Music Information Retrieval Across ... https://github.com/sanderwood/clamp2
85. music-tool · GitHub Topics https://github.com/topics/music-tool?o=desc&s=updated
86. Majik's Music Studio https://github.com/Majiks-Studio/majiks-music-studio
87. sandraschi/ai-producer-hub: MCP server integrating ... https://github.com/sandraschi/ai-producer-hub
88. lyrics · GitHub Topics https://github.com/topics/lyrics?l=c%2B%2B&o=desc&s=stars
89. List of all local & free open-source voice-clone TTS models ... https://github.com/0xSojalSec/free-voice-clone