

© 2025www.SoluComp.com/CCMS v1.0

Client Content Management System

Documentation

© 2025www.SoluComp.com/CCMS v1.0

Ali Arslan (Software Engineer)

Contents

1.1	Glossary.....	3
1.2	Introduction.....	6
1.3	Key Module and Components.....	7
1.4	Chat Functionality.....	21
1.5	Live Support.....	29
1.6	Permission Control.....	64
1.7	Pipelines.....	68
1.8	Generated Sales.....	69
1.9	Sales Lead Management.....	72
1.10	Sales Quotes.....	76
1.11	Analytics.....	86
1.12	Features.....	92
1.13	Development Guide.....	102
1.14	Testing and QA.....	103
1.15	Appendix.....	106
1.16	Conclusion.....	107

Glossary

CCMS (Client Contact Management System)

A web-based enterprise tool developed using Laravel (backend) and React (frontend), designed to manage client companies, contacts, user roles, pipelines, and sales activities. It offers state-based filtering, hierarchical permission controls, and dynamic dashboards tailored to each role.

Admin Panel

The secure backend interface available exclusively to Admin. It provides functionality for managing users, roles, company records, contact records, system settings, and access permissions.

Dashboard

A dynamic, role-sensitive interface that displays real-time metrics such as sales performance, contact counts, user activities, and pending pipelines—customized to the logged-in user's role.

Pipeline

A proposed deal logged by Sales Representatives, submitted for approval by a Sales Manager. Approved pipelines are moved to Generated Sales for tracking confirmed revenue.

Generated Sales

Confirmed and approved deals recorded by the system. These entries are used in performance reports and visual dashboards for revenue tracking.

Set Target

A module enabling Sales Managers, Directors, VP, CFO, CEO to assign specific performance targets to Users over predefined time periods.

Ticketing System

A module supporting guest-to-support real-time communication. It automatically creates tickets for incoming guest messages and allows support agents to manage conversations, statuses, and resolutions.

My Team View

A feature available to hierarchical roles (Manager, Director, VP, CEO, CFO) to monitor the performance and assignments of users reporting directly to them.

Entities and Records

Client Company

An organization record within the system. Each company includes metadata such as name, type, service offerings, contact information, and associated contacts.

Contact

An individual linked to a Client Company. Contacts hold attributes like name, job title, reporting structure, phone numbers, emails, geographic states, and notes.

Mark for Deletion

A soft-delete mechanism used to flag company or contact records for deletion. Admin authentication and a stated reason are required before the actual removal.

User Roles

Admin

Full-access role with permission to manage users, roles, company records, contact records, system settings, and hierarchical permissions.

CEO (Chief Executive Officer)

Has unrestricted read access to performance reports, metrics, and dashboards across the entire system. Cannot edit system configurations.

CFO (Chief Financial Officer)

Can view sales data, financial insights, and reports related to company revenue. Has no permission to change configuration or user roles.

Vice President (VP)

Supervises Directors and Sales Managers. Has access to data spanning multiple departments, including team metrics and performance reports.

Director

Oversees one or more Sales Managers. Can view and assign contacts, review sales activities, and track performance metrics of their managed teams.

Sales Manager

Responsible for overseeing Sales Representatives. Can approve pipelines, assign leads, and manage contact visibility within their jurisdiction.

Sales Representative

The base operational role. Can manage assigned contacts, submit pipelines, and generate quotes. Limited to data in their assigned companies and geographic states.

Sales Lead People

A role designated to initiate and manage incoming sales leads. Leads are automatically routed to relevant Sales Managers based on state mapping.

Guest User

A temporary, unauthenticated user who initiates chat support via a public widget. Required to provide name and email before participating.

Customer Support

A restricted role designed to handle guest communications via the Chat Popover and Ticket module. Can view and update their own profile with limited fields and manage their profile picture.

Technical Support

Focused on technical assistance through the Chat Popover and ticket system. Has no access to sales or administrative modules, but can update personal profile information and profile picture.

Security & Access Control

User Inactivation

The ability for Admins to deactivate user accounts. Inactive users cannot log in or interact with the system until reactivated.

View-Only Access

A restricted access level where users can only view data without editing or interacting with it. Useful for auditing and monitoring purposes.

State Assignment

A hierarchical access control feature that restricts users to client data based on assigned geographic states or provinces. Prevents overlap between users at the same level.

User Hierarchy

The reporting and access structure within CCMS:

Admin → VP → Director → Sales Manager → Sales Representative

Each level controls and delegates data and permissions downward.

RBAC (Role-Based Access Control)

A security model that governs system access based on the user's role. Each role is assigned specific permissions and is limited to data and features relevant to its responsibilities.

Introduction

The Client Contact Management System (CCMS) is a robust, scalable, and secure application built using Laravel 11 and PHP. The system facilitates efficient Contact management by providing seamless interactions between the backend and a ReactJS frontend.

Purpose

The Client Contact Management System (CCMS) was developed to streamline and optimize the management of client-related data for businesses. Its primary purpose is to provide an intuitive platform for managing company accounts, client contacts, and user roles while ensuring secure and role-based data access. By integrating state-based filtering, dynamic API communication, and robust validation mechanisms, the system enhances operational efficiency and facilitates better collaboration between teams, such as administrators and sales managers. This centralized system ensures accuracy, accountability, and easy scalability, ultimately driving productivity and improving client relationship management for organizations.

System Architecture

The Client Contact Management System (CCMS) is built with a robust and scalable architecture to ensure efficient functionality, security, and adaptability to future enhancements. Below is an overview of the system's architecture:

Application Layers

Frontend (React.js):

- A dynamic and user-friendly interface built using React.js.
- Manages user interactions and communicates with the backend through APIs.
- Features state management for seamless navigation and responsive design for compatibility across devices.

Backend (PHP Laravel):

- A powerful and secure backend built on the Laravel framework.
- Implements business logic, data validation, and role-based access control.
- Provides RESTful APIs for communication with the frontend.
- Handles user authentication, data storage, and advanced filtering.

Database (MySQL):

- A relational database to store and manage application data efficiently.
- Ensures data integrity and supports complex queries for analytics and filtering.

Key Modules and Components

1. Authentication and Authorization

The CCMS project implements robust authentication and authorization mechanisms using Laravel Sanctum for API token-based authentication. This ensures secure access to the system and enforces user access control based on roles. Below are the detailed aspects of authentication and user authorization.

Login Attempts and User Lockout

To prevent brute force attacks and enhance security, the application has a mechanism in place to lock out users after multiple unsuccessful login attempts.

- **Max Login Attempts:** The system allows up to 3 failed login attempts. After the third failed attempt, the user is locked.
- **Lockout Mechanism:** Once the user is locked, they will not be able to attempt logging in again until the admin unlock the user. This is enforced to prevent further unauthorized access attempts.
- **Admin Access Exemption:** The lockout policy applies to regular users only. Admin users are exempt from this lockout process and can always attempt to log in, irrespective of the number of failed login attempts.

Login Page



Sign in to CCMS

New user? [Create an account](#)

[Forgot password?](#)

Google reCAPTCHA

☐ I'm not a robot


reCAPTCHA
Privacy - Terms

Login

Sign Up Page



Already have an account? [Sign in](#)

Create account

By signing up, I agree to [Terms of Service](#) and [Privacy Policy](#).

Unlocking User Accounts

If a regular user’s account is locked due to failed login attempts, only an admin has the authority to unlock the account manually. This ensures that regular users cannot circumvent security by attempting multiple logins after being locked out. Admins can unlock accounts through the backend, enabling the user to attempt login once more.

Profile

Dashboard • Profile

General

Security

⚠️ This user account is locked due to multiple password attempts.

Unlock Account

Allowed *.jpeg, *.jpg, *.png, *.gif

First Name

Jhon

Title

Director

Office Phone

+1 212 555 1212

Office Email Address

johnoffice@mail.com

Role

Sales Representative

Time Zone

Eastern

Last Name

william

Responsibilities

Manage The Overall System

Mobile Phone Number

+1 212 555 1212

Personal Email Address

newflower1122@gmail.com

Reports To

Marty Marty

Edit

Inactive User Accounts

In addition to tracking failed login attempts, the backend also checks the user's status upon each login attempt. If a user is inactive, they will be restricted from logging in.

- Inactive Users: Users marked as inactive in the system will not be able to access the application. The application will reject login attempts for such users, providing a message indicating that the account is inactive.
- Admin Control: Admin users have the ability to manage the user status, including reactivating accounts or disabling them as required. This provides an added layer of flexibility and control over user access.

Role-Based Access Control (RBAC)

Users are granted access to different parts of the system based on their roles. The system recognizes different roles such as Admin, Sales Manager, Sales Representative, Director, VP, CFO, CEO. and assigns specific permissions and access levels to these roles.

Admin

- Has unrestricted access to all data and functionalities across the system.
- Responsibilities include:
 - Managing user accounts and roles.
 - Unlocking locked user accounts.
 - Modifying system settings and configurations.
 - Overseeing data integrity and full audit control.

CEO (Chief Executive Officer)

- Can view high-level reports, analytics, and performance data across departments.
- Can oversee and audit the activities of all other roles.

CFO (Chief Financial Officer)

- Can view client and sales data relevant to financial forecasting.
- Can oversee and audit the activities of all other roles.

VP (Vice President)

- Can access department-wide analytics and reports.
- Can view the activities and performance of Directors and Sales Managers and Sales Representatives.

Director

- Has visibility into multiple Sales Manager teams.
- Can view and filter data related to clients, deals, and team performance.

Sales Manager

- Can view, filter, and manage data related to their assigned Sales Representatives.
- Can assign leads and clients to Sales Representatives.

Sales Representative

- Basic access level focused on day-to-day operations.
- Can manage contacts, update company information.
- Cannot perform administrative tasks or access other team members' data.

Customer Support

- **Access Level:** Restricted; support-focused only.
- **Responsibilities:**
 - Access **Chat Popover** to communicate with guest users.
 - View and respond to assigned tickets in the **Ticket Module**.
 - Update and manage their own **Profile**, including:
 - View profile information
 - Edit personal details (name, email, phone – limited fields)
 - Upload or change profile picture

Technical Support

- **Access Level:** Same as Customer Support; focused on backend/chat assistance.
- **Responsibilities:**
 - Interact with users through the **Chat Popover**.
 - Handle support tickets via the **Ticket Module**.
 - Maintain and update their **Profile**, including:
 - Limited field editing
 - Profile picture updates

Token-based Authentication

Laravel Sanctum is used to issue tokens for authenticating users. The token system allows users to securely access the system from the frontend or external applications. Upon successful login, a token is generated and sent back to the user, who then includes the token in the header of each subsequent request.

- **Token Expiry:** Tokens have an expiry time set to limit access and enhance security.
- **Session Management:** Laravel Sanctum ensures that user sessions are properly managed, with tokens revoked or refreshed as necessary.

User Registration and Default Role Assignment

When a new user registers on the system, their role is automatically set to **Sales Representative** by default. This ensures that new users have a predefined role with specific permissions tailored to their responsibilities.

- **Default Role:** Upon registration, the user is granted access based on the **Sales Representative** role, which limits their access to specific features relevant to their role.
- **Role Upgradation:** Admin users have the ability to change the user's role if required, such as upgrading the role to **Sales Manager**, or other roles with higher privileges. This allows flexibility in managing users and assigning them appropriate responsibilities as their roles evolve within the organization.

Forgot Password Feature

The system provides a Forgot Password feature to help users recover access to their accounts in case they forget their password. Here's how it works:


- **User Request:** When the user forgets their password, they can request a password reset by entering their registered email address.
- **Email Verification:** Upon receiving the request, the backend verifies the existence of the email in the system. If the email is valid, the backend generates a unique password reset link.
- **Reset Link Generation:** A secure password reset link is generated with a token, which expires after a certain period to prevent unauthorized access.
- **Email Sent to User:** The system sends an email to the user's registered email address with the password reset link.

- **Password Change:** The user clicks the link in the email, which redirects them to a page where they can enter a new password. The new password is then updated in the system, allowing the user to regain access to their account.

This process ensures secure password recovery while maintaining user data privacy and system integrity.

CCMS ADMIN PANEL

Dashboard Module



Introduction

The Dashboard Module is a centralized component within the system that provides users with a real-time overview of sales activities, performance statistics, and user registrations. This module is tailored to reflect the specific data relevant to the user's role within the organization, supporting a data-driven culture across all levels of the company.

The goal of the Dashboard is not just to present numbers but to deliver meaningful insights through visual representation, role-based filtering, and intelligent aggregation of business-critical data. Whether accessed by a Sales Representative, Sales Manager, Vice President, CEO, or CFO, the Dashboard adjusts its contents accordingly to ensure relevance and clarity.

Functional Scope

This module plays a vital role in helping the organization track performance trends, monitor user activity, and evaluate the success of sales operations. It consolidates a wide range of backend data and transforms it into visually interpretable formats such as charts, summary cards, and trend graphs.

The metrics presented include system-wide user statistics, as well as sales performance broken down by quarter and year. In doing so, it becomes a reliable source of operational intelligence for stakeholders at all levels.

Displayed Metrics and Insights

Upon logging in, the user is presented with a Dashboard interface that may include the following data components:

- Registered Users in System: Total count of all user accounts currently active within the system.
- Registered Sales Representatives: Specific breakdown of sales representatives who are actively contributing to the system.
- Registered Sales Managers: Displays the number of managers overseeing teams of representatives.
- Quarterly Generated Sales Valuation: A performance graph summarizing the sales figures across each quarter of the current year.
- Yearly Generated Sales Analysis: A year-to-date overview of total sales, often used to monitor performance trends over time.

Each of these data blocks is backed by dynamic queries that ensure information remains current and tailored to the user's level of access.

Role-Based Data Access

The Dashboard dynamically adjusts the scope of data displayed based on the authenticated user's role. This intelligent filtering mechanism ensures that each user only sees the data they are authorized to view.


For instance, a Sales Representative will only see data relevant to their own sales figures and personal progress metrics. They have no access to data concerning other users or broader organizational performance.

A Sales Manager, on the other hand, is granted visibility over their own performance metrics along with the performance of the sales representatives under their direct supervision. This provides them with the tools necessary to assess team performance and address areas of improvement.

Users with a Vice President (VP) role are granted access to an extended view. This includes aggregated insights of all managers reporting to them and the representatives reporting to those managers. This nested visibility allows VPs to monitor the performance hierarchy beneath them.

Executive-level users such as the **CEO** and **CFO** enjoy full access. They can view system-wide statistics, sales summaries across the system, and complete registration data. This unrestricted visibility supports strategic planning and executive decision-making.

Sales Metrics Module



Overview

The **Sales Metrics** page is designed to provide a centralized view of various sales performance indicators across all users. The page aggregates multiple metrics including:

- **Generated Sales - Yearly Report** – Displays the yearly aggregated sales for all users.
- **Current Year Pending Pipelines** – Shows pipelines that are saved in a pending state (i.e., not yet submitted).
- **Submitted Pipelines - Awaiting Approval** – Lists pipelines that have been submitted but are pending review/approval.
- **Total Target** – Presents a donut graph illustrating each user's assigned target versus the remaining target.
- **Sales Comparison** – Enables the admin to compare the sales performance of selected users via a dynamic graph.
- **Weekly Pipeline Summary** – Provides weekly insights for pending, approved, and submitted pipelines.

Additionally, the page includes a set of filters that allow users to select one or more users and a date range. These filters update the views across all metrics dynamically.

Page Components & Functionality

1. Generated Sales - Yearly Report

- **Description:**
Displays an aggregated yearly sales report for each user.
- **Data Source:**
Aggregated from the sales records stored in the database.
- **User Interaction:**
Can be filtered by selecting one or more users and by a specific date (or date range).

2. Current Year Pending Pipelines

- **Description:**
Lists all pipelines that have been saved in a pending state during the current year (i.e., the user has not submitted these pipelines).
- **Data Source:**
Pulled from the pipelines table with a status indicating “pending”.
- **User Interaction:**
Data can be filtered by user and date.

3. Submitted Pipelines - Awaiting Approval

- **Description:**
Shows the pipelines which have been submitted by users and are waiting for approval.
- **Data Source:**
Fetched from the pipelines table with a status of “submitted” or “awaiting review”.
- **User Interaction:**
Filter options similar to the other sections (user selection and date).

4. Filter Section

- **Features:**
 - **User Selection:**
Dropdown or multi-select component to choose one or multiple users.
 - **Date Filter:**
Date picker to choose the desired reporting period.
- **Impact:**
Filters update the following sections:
 - Generated Sales – Yearly Report
 - Current Year Pending Pipelines
 - Submitted Pipelines – Awaiting Approval
 - Donut graph for Total Target

5. Total Target (Donut Graph)

- **Description:**
A donut chart displays:
 - The total assigned target for all users.
 - The remaining target after accounting for achieved sales.
- **Interactivity:**
The graph updates dynamically based on the selected filters.

6. Sales Comparison

- **Description:**
A comparative graph where all user-generated sales are plotted. This enables the admin to select users from a dropdown to compare performance.
- **Data Source:**
Aggregated sales data across users.
- **User Interaction:**
Dropdown selection allows for side-by-side comparison.

7. Weekly Pipeline Summary

- **Description:**
Provides a weekly breakdown of pipeline values across three categories:
 - **Weekly Pending Pipelines Worth**
 - **Weekly Approved Pipelines Worth**
 - **Weekly Submitted Pipelines Worth**

My Corporation Module

The screenshot displays the 'My Corporation Module' interface. At the top, there is a header bar with a profile picture placeholder, a bell icon, and a user icon. Below this is a large banner image of a forest. On the left side of the banner is the SoluComp logo, which includes the text 'SoluComp' and 'A Solution Company'. To the right of the logo, the company name 'SoluComp' is displayed, followed by the website 'www.solucomp' and the location 'South Barrington, Illinois, United States' and phone number '+1 2345678933'. Below the banner, there is a section titled 'Company Details' with a sub-section 'Address Information'. This section contains several input fields: 'Company Name' (with 'SoluComp' entered), 'Website' (with 'www.solucomp' entered), 'Address Line 1' (with '33 W. Higgins Road' entered), 'Address Line 2' (with '33 W. Higgins Road' entered), 'City', 'State/Province', and 'Zip/Postal Code'.

The My Corporation Module is designed exclusively for Admin users, allowing them to manage their company's information in a centralized and secure manner. The module provides the ability to view, edit, and add details about the company, ensuring that the information is always up-to-date. Here's a breakdown of the features offered in this module:

1. View Company Details:

- Admin users can access a comprehensive view of their company's details, including general information such as the company name, industry, location, contact information, and any other relevant corporate data.
- The interface is designed to provide a clear and organized layout of all the necessary details about the company.

2. Edit Company Information:

- Admins have the ability to modify any aspect of the company's information. This includes updating the company name, address, phone numbers, email addresses, and other corporate-related fields.
- The editing feature allows Admins to keep the company profile accurate and aligned with current operations.

3. Upload Company Logo:

- Admin users can upload the company's logo to represent their brand on the platform.
- The system supports image compression, ensuring that logos are optimized for web performance without compromising visual quality.
- The uploaded logo can be displayed throughout the application to maintain a consistent company branding experience.

4. Image Compression Feature:

- To ensure that the logo images do not affect the overall performance of the system, an image compression feature is included.
- This feature automatically compresses uploaded logos, reducing file size while maintaining the clarity and quality of the image.
- Admins can easily upload high-quality images, knowing that the system will handle optimization behind the scenes.

Chat Functionality

Overview

This document describes the real-time chat functionality implemented within the system for authenticated users. The chat system leverages Pusher for real-time communication, Microsoft Graph API for audio/video call links, and supports a range of features including messaging, file sharing, emojis, message editing/deletion, user status updates.

Features

1. Real-Time Messaging

- **Description:** Users can send and receive text messages in real-time.
- **Implementation:** Utilizes Pusher for bi-directional, real-time communication between authenticated users.
- **Behavior:**
 - Messages are delivered instantly to the recipient when both users are online.
 - Offline users receive messages upon logging in, with new messages prioritized and marked as unread to distinguish them from older messages.

2. User List and Chat History

- **Description:** Users can view a list of all authenticated users and access chat history.
- **Implementation:**
 - Upon clicking the chat icon, the system fetches a list of authenticated users from the backend.
 - Selecting a user loads the chat history, rendered in the chat area.
- **Behavior:** Chat history persists and is displayed in chronological order, with timestamps for each message.

3. File Sharing

- **Description:** Users can share files, including images, videos, PDFs, and documents.
- **Implementation:**
 - Files are uploaded to the server and shared via secure links or direct rendering in the chat interface.
 - Supported file types include common formats for images (e.g., PNG, JPEG), videos (e.g., MP4), PDFs, and documents (e.g., DOCX).
- **Behavior:** Files are displayed inline or as downloadable links, depending on the file type.

4. Emoji Support

- **Description:** Users can send emojis to enhance communication.
- **Implementation:** Integrated emoji picker.
- **Behavior:** Emojis are rendered consistently across all devices and platforms.

5. Message Editing and Deletion

- **Description:** Users can edit or delete their messages in real-time.
- **Implementation:**
 - **Edit:** Users can modify a sent message, and the updated content is reflected instantly on both sender and receiver ends via Pusher.
 - **Delete:** Users can delete messages, with options to delete for themselves ("Delete for Me") or for both parties ("Delete for Everyone"). Deletion is propagated in real-time.
- **Behavior:**
 - Edited messages are marked with an "Edited" label.
 - Deleted messages are removed from the chat interface on both ends (if deleted for everyone) or only for the user (if deleted for me).

6. Reply to Specific Messages

- **Description:** Users can reply to a specific message.
- **Implementation:**
 - Users click a reply icon on a message to quote it and compose a response.
 - The reply is linked to the original message and displayed with context.
- **Behavior:** Replies are visually distinguished (quoted) to maintain conversation context.

7. Audio and Video Call Links

- **Description:** Users can generate links for audio or video calls.
- **Implementation:**
 - Utilizes Microsoft Graph API to generate unique call links for audio or video calls.
 - Links are shared in the chat area for the recipient to join.
- **Behavior:**
 - Clicking the audio/video call button triggers an API call to generate a link.
 - The link is displayed in the chat, allowing users to join the call via an external client.

8. User Status

- **Description:** Users can set and view real-time status updates.
- **Implementation:**
 - **Manual Status:** Users can set their status to Online, Offline, Away, or Busy via a status selector.
 - **Automatic Status:** The system automatically sets the user's status to Offline upon logout.

- **Behavior:** Status updates are visible to all authenticated users.

9. Notification Sound

- **Description:** A sound plays for incoming messages or calls, with an option to mute/unmute.
- **Implementation:**
 - A browser-compatible audio file is played when a new message is received.
 - Users can toggle the notification sound via a settings option in the chat interface.
- **Behavior:** The sound is disabled by default if the user has muted notifications.

10. Offline Message Handling

- **Description:** Messages sent to offline users are stored and prioritized upon login.
- **Implementation:**
 - Messages are stored in the backend database and marked as unread for offline recipients.
 - Upon login, the system fetches and displays unread messages at the top of the chat.
- **Behavior:** Unread messages are highlighted to indicate they are new.

11. Minimize and Maximize Chat Popover

- **Description:** Users can minimize or maximize the chat popover to manage screen space.
- **Implementation:**
 - A minimize/maximize button is provided in the chat interface (a toggle icon in the popover header).
 - Minimizing collapses the chat popover to a compact while maximizing restores it to full view.

12. Drag and Drop

- **Description:** Users can drag and drop files into the chat interface to share them.
- **Implementation:**
 - The chat area supports HTML5 drag-and-drop APIs to detect and handle file drops.
 - Dropped files are uploaded to the server and shared in the chat, similar to files uploaded via the file picker.
 - Supported file types align with the File Sharing feature (e.g., images, videos, PDFs, documents).
- **Behavior:**
 - Users drag files from their device and drop them into a designated area of the chat interface (the message input area).
 - A visual indicator (highlighted drop zone) appears during drag-over to guide the user.
 - Upon dropping, files are uploaded, and a preview or link is displayed in the chat.

Technical Implementation

Real-Time Communication

- **Technology:** Pusher
- **Details:**
 - Pusher channels are used to establish real-time communication between users.
 - Each user subscribes to a private channel for receiving messages, status updates, and other events.
 - Events are broadcasted to relevant channels.

Backend

- **Database:** Stores user data, chat history, and message metadata (timestamps, read/unread status).
- **API:** RESTful or GraphQL APIs handle user authentication, message storage, file uploads, and call link generation.
- **Microsoft Graph API:** Used for generating audio and video call links.

Frontend

- **Components:**
 - User list component to display authenticated users and their statuses.
 - Chat area component to render message history, input field, and file/emoji selectors.
 - Call link component to display and handle audio/video call links.
 - Status selector for manual status updates.
- **Real-Time Updates:** Pusher client library integrates with the frontend to handle incoming messages, status changes, and message edits/deletions.


Security


- **Authentication:** Only authenticated users can access the chat system.
- **Encryption:** Messages and files are encrypted in transit ([via HTTPS and Pusher's secure channels](#)).
- **Authorization:** Users can only access their own chat history and interact with other authenticated users.

User Flow


1. **Login:** User logs into the web app.
2. **Access Chat:** User clicks the chat icon to view a list of authenticated users and their statuses.

3. **Select User:** User selects a contact to load the chat history.
4. **Send Message:** User types a message, adds emojis, or uploads a file, which is sent in real-time.
5. **Edit/Delete Message:** User edits or deletes a message, with changes reflected instantly for both parties.
6. **Reply to Message:** User clicks a reply icon to respond to a specific message.
7. **Generate Call Link:** User clicks the audio/video call button to generate and share a call link.
8. **Set Status:** Users update their status manually or automatically via login/logout.
9. **Receive Notifications:** Incoming messages trigger a sound (if not muted) and are displayed in the chat area.
10. **Offline Messages:** Offline users receive prioritized unread messages upon login.







Specific reply & Edit & Delete Icons on hover




Delete Message




Edit Message



Reply Message



11. Specific Reply Message



Live Support

Overview

This document describes the chat support functionality designed for real-time communication between guest users and authenticated support users. The system leverages Pusher for real-time communication and supports features such as guest user authentication, ticket creation and management, real-time messaging, file sharing, ticket status updates. The functionality is accessible via a chat widget on the login page for guest users and a ticket-based interface for auth users.

Features

1. Guest User Chat Widget

- **Description:** Guest users can initiate a chat from the login page via a chat widget.
- **Implementation:**
 - A chat widget is embedded on the login page, which opens a chat interface when clicked.
 - Guest users provide their full name and email before entering the chat area.
- **Behavior:**
 - Guest users are redirected to the chat area to send and receive messages.

2. Real-Time Messaging

- **Description:** Guest users and support users can send and receive text messages in real-time.
- **Implementation:** Utilizes Pusher for bi-directional, real-time communication between guest and authenticated users.
- **Behavior:**
 - Messages are delivered instantly when both users are online.
 - Messages are stored for offline users and displayed upon reconnection.

3. Automatic Ticket Creation

Description:

A ticket is automatically created when a guest user sends their first message.

Functionality Overview:

- The system supports **department-based ticket routing**.
- A **ticket transfer mechanism** is introduced to allow redirection between departments based on issue type.

Implementation Details:

1. Ticket Creation:

- When a guest user initiates a chat, the backend:
 - Generates a **unique ticket ID**.
 - Associate the ticket with the **guest user's session**.
 - Captures the **selected department** from the user (e.g., *Sales, Customer Support, or Technical Support*).

2. Department-based Broadcasting:

- The ticket is **broadcasted only to users in the selected department** using **Pusher**.

3. Department Definitions:

- **Sales**
- **Customer Support**
- **Technical Support**

Ticket Transfer

- **Use Case:** When a support agent determines that the ticket was incorrectly routed (e.g., a sales ticket is actually a technical issue).
- **Functionality:**
 - The support agent can **transfer the ticket** to another department.

- Upon transfer:
 - The ticket is **removed from the current department's view**.
 - It is then **broadcasted to the appropriate department's support users**.
 - All ticket metadata (messages, history, etc.) remains **intact**.

4. Ticket Assignment and Automated Messages

Description:

Support users (Customer Support, Technical Support, or Sales Support) can accept guest tickets, triggering automated responses and controlled ticket states.

Implementation:

- When a support user accepts a ticket, the backend assigns the ticket to them and updates the status to **"Pending."**
- An automated message is sent to the guest user:
"Hello, [SupportUserName] has accepted your ticket and is here to help you."

Behavior:

- Only **one support user** can accept a ticket at a time.
- If another support user tries to accept a pending ticket, they receive:
"This ticket is pending. Someone is handling it. Thank you for your willingness to help."

Contact Recognition:

- If the guest user's email matches an existing record in the **Contact module**, the backend links the **UUID** of the contact to the guest session.
- The frontend then highlights the guest's name and email, indicating they are an existing contact.
- Support users can click the highlighted name/email to **view (read-only)** the contact profile for additional context.
- Editing or managing the contact record is **not permitted** for support roles; view-only access is strictly enforced.

-

5. File Sharing

- **Description:** Both guest and support users can share files, including images, videos, PDFs, and documents.
- **Implementation:**
 - Files are uploaded to the server and shared via secure links and direct rendering in the chat interface.
 - Supported file types include common formats for images (e.g., PNG, JPEG), videos (e.g., MP4), PDFs, and documents (e.g., DOCX).
- **Behavior:** Files are displayed inline or as downloadable links, depending on the file type, and are shared in real-time.

6. Ticket Status Management

- **Description:** Tickets have three statuses: Open, Pending, and Resolved.
- **Implementation:**
 - **Open:** Newly created tickets or tickets unassigned due to disconnection are marked as Open.
 - **Pending:** When a support user accepts a ticket, the backend updates its status to Pending.
 - **Resolved:** When the issue is resolved, the support user marks the ticket as Resolved, updating the status for all users.
- **Behavior:**
 - Open tickets are available for any support user to accept.
 - Pending tickets are locked to the assigned support user.
 - Resolved tickets are viewable by all support users, showing the chat history but disabling messaging or status changes.

7. Ticket Reassignment on Disconnection

- **Description:** If a support user disconnects (e.g., due to internet issues or page refresh), the ticket is unassigned.
- **Implementation:**
 - The backend detects disconnections.
 - The ticket status is reverted to Open, and it is broadcasted to all online support users.
- **Behavior:** Other support users can then accept the ticket to continue assisting the guest user.

8. Ticket Reopening for Returning Guest Users

- **Description:** If a guest user returns after a session has ended and sends a new message, their ticket is reopened.
- **Implementation:**

- The backend identifies the guest user via their email and checks for previous tickets.
- If a previous ticket exists (e.g., marked as Resolved), a new ticket is created or the existing ticket is reopened with a status of Open.
- The reopened or new ticket is broadcasted to all online sport users via Pusher.
- **Behavior:** The ticket appears in the "Open Tickets" section, allowing any sport user to accept it and continue assisting the guest user.

9. Ticket Categories

- **Description:** Tickets are organized into three categories for support users: Open Tickets, My Tickets, and Other Tickets.
- **Implementation:**
 - **Open Tickets:** Displays all tickets with Open status, available for any support user to accept.
 - **My Tickets:** Shows tickets assigned to the support user (Pending or Resolved).
 - **Other Tickets:** Displays Pending and Resolved tickets assigned to other support users.
- **Behavior:**
 - support users can only accept tickets in the Open Tickets section.
 - Resolved tickets in My Tickets and Other Tickets show chat history but disable messaging or status changes.

10. Refresh Functionality

- **Description:** support users can refresh the ticket list without a hard page refresh.
- **Implementation:**
 - A refresh icon in the ticket area triggers an API call to fetch the latest ticket data.
 - The frontend updates the ticket categories (Open, My Tickets, Other Tickets) without reloading the page.
- **Behavior:** Ensures support users see the latest ticket statuses and new tickets in real-time.

11. Canned Responses (CAN Responses)

Functionality:

A dedicated module allows **Admins** to manage reusable **Canned Responses** for support efficiency.

- **Admin Capabilities:**
 - **Add, edit,** and **delete** CAN responses.
 - All changes are reflected in a **history table** with timestamps.
- **Visibility:**
 - Created CAN responses are automatically available to all **support users** for quick use during chats.

Technical Implementation

Real-Time Communication

- **Technology:** Pusher
- **Details:**
 - Pusher channels (e.g., presence and private channels) are used for real-time communication between guest and support users.
 - Tickets, messages, and status updates are broadcasted to relevant channels.

Backend

- **Database:** Stores guest user data (name, email), ticket data (ID, status, assigned user, chat history), and message metadata.
- **API:** RESTful
- **Ticket Management:**
 - Automatic ticket creation upon guest user's first message.
 - Status updates (Open, Pending, Resolved) and reassignment logic for disconnections.


Frontend

- **Components:**
 - **Guest User:**
 - Chat widget for name/email input and chat area.
 - File upload component for sharing files.
 - **supportUser:**
 - Ticket list component with Open, My Tickets, and Other Tickets sections.
 - Chat area component for messaging, file sharing, and ticket status updates.
 - Refresh icon for updating ticket data.
- **Real-Time Updates:** Pusher client library handles incoming messages, ticket updates, and disconnection events.

Security

- **Authentication:** Guest users are authenticated via name and email; support users require system authentication.
- **Encryption:** Messages and files are encrypted in transit ([via HTTPS](#) and [Pusher's secure channels](#)).
- **Authorization:**
 - Guest users can only interact with their assigned support user.
 - support users can only accept Open tickets and view chat history for Resolved tickets without modifying them.

Access of Chat Support Page from Chat Popover



★ Support Tickets (4)



Ticket Status Guide:

● Open

New ticket awaiting user assignment. Click "Accept" to assist this guest.

● Pending

Ticket assigned to a user who is currently handling the conversation.

● Resolved

Issue has been successfully addressed. No further action required.

Open Tickets Section

No Open Tickets Available at this time!

My Tickets Section (Pending&Resolved)

TCKT-000101

Resolved

Ticket
11:30:11 AM

Hello

Open Ticket

TCKT-000047

Resolved

Ticket
9:34:20 PM

Guest has ended the chat.

Open Ticket

TCKT-000061

Resolved

Ticket
9:29:37 PM

Guest has ended the chat.

Open Ticket

TCKT-000099

Resolved


Ticket
9:29:25 PM

Hello

Open Ticket

Other Tickets Section (Pending&Resolved)

Response Area for Auth User



Ticket Module

Ticket Status Guide:

● Open

New ticket awaiting user assignment. Click "Accept" to assist this guest.

● Pending

Ticket assigned to a user who is currently handling the conversation.

● Resolved

Issue has been successfully addressed. No further action required.

Open Tickets Section

TCKT-000102

Open

Ticket

9:31:53 AM

Help needed

Accept Ticket




Manage Canned Responses

+ Add New

Title	Message	Actions
Welcome	Hi ! How may i help you ?	
More Details	Can you please provide more details so I can assist you further???	
Resolved	Thanks for your coopertation! Your issue is resolved now.	

Guest Users



Admin Profile Module

The Admin Profile Module allows Admin users to manage and update their personal details within the system. This module ensures that Admins can maintain an accurate, professional, and up-to-date profile with ease. The following features are provided in this module:

1. View Admin Details:

- Admin users can access a detailed view of their own profile, which includes personal information such as name, job title, contact information, role, and other relevant fields.
- This view gives Admins the ability to easily check and review their profile details within the system.

2. Update Personal Information:

- Admins have the ability to update their personal details such as name, job title, email address, phone number, and any other personal data linked to their profile.
- The editing functionality ensures that Admins can keep their profile information accurate and reflective of any changes in their role or responsibilities.

3. Upload Admin Photo:

- Admins can upload a personal profile photo to enhance the visual representation of their account.
- The uploaded image will be displayed throughout the platform wherever the Admin's profile is referenced, providing a consistent and personalized experience.

4. Image Compression for Profile Photo:

- To ensure efficient storage and optimized performance, the system includes an image compression feature for Admin profile photos.
- When an Admin uploads a photo, it will be automatically compressed without compromising quality, ensuring faster load times and better overall system performance.
- The image compression helps reduce the file size of the uploaded photo while maintaining its visual integrity.

The **Admin Profile Module** provides Admin users with full control over their personal account details, ensuring that their profile is both up-to-date and well-maintained.

Admin Profile Page:

Admin Profile

Dashboard • Admin Profile

General

Security

Allowed *.jpeg, *.jpg, *.png, *.gif

Full Name

Admin

Last Name

CCMS

Title

Admin

Responsibilities

Manage The Overall System

Office Phone

+1 2345678900

Mobile Phone Number

+1 2345678900

Office Email Address

admin@admin.com

Personal Email Address

admin@admin.com

TimeZone

Central

Edit

CCMS USER MANAGEMENT

Create User Module

The Create User Module allows Admin users to create new user accounts within the system. This module provides a detailed user creation form with various fields to ensure that all necessary information is captured for each new user. The following features are provided:

1. User Information Fields:

- First Name: The first name of the user (required).
- Last Name: The last name of the user (required).
- Title: The job title or position of the user (e.g. Director).
- Responsibilities: A brief description of the user's role and key responsibilities within the organization.
- Office Phone Number: The office contact number for the user. This field will only accept numbers in the **US phone number format** (e.g., (123-456-7890), ensuring consistency and ease of use across the platform.
- Mobile Phone Number: The personal or mobile contact number for the user. This field will also only accept numbers in the **US phone number format** (e.g., 123-456-7890) (required),
- Office Email Address: The official email address assigned to the user for work purposes.
- Personal Email Address: The personal email address of the user (required and unique).
- Role: The user's role within the system, which can be selected from a predefined list (e.g., Sales Representative, Sales Manager) (required).
- Timezone: The timezone of the user's location, which will help set the correct timestamps for activities and reports.

2. Reporting Hierarchy:

- Reports To: This field is a dropdown menu that allows Admin users to select from existing Sales Managers in the system. The dropdown will display the first name and title of the available Sales Managers, making it easier for Admins to assign the correct person to report to.

3. Superuser Access:

- Superuser Checkbox: Admins can designate the new user as a superuser by ticking a checkbox. Superusers will have elevated permissions across the system, with access to features typically restricted to users. This feature allows the system to differentiate between regular users and those with special privileges.

4. Permission Access Levels:

- Permission Access: Admin users can assign specific permission access levels to the new user. The available options are:
 - Full Access: The user has access to all system features and can perform all actions.
 - Partial Access: The user has limited access to certain features based on their role or responsibilities.
 - Limited Access: The user has restricted access to a smaller set of features or data.
 - View Only: The user can view data but cannot make any changes or modifications.
- This allows Admins to tailor the user's access according to their role and responsibilities within the organization.

5. Password:

- Password Field: Admins can set an initial password for the new user. This password must be at least 8 characters long, ensuring a basic level of security for the user's account. A password strength indicator will provide real-time feedback on the password's strength.

6. Photo Upload:

- Admins can upload a profile photo for the new user. This photo will be displayed in the system wherever the user's profile is referenced, providing a visual identity for the user across the platform.
- Image Compression: The uploaded photo will be automatically compressed to reduce its file size, ensuring fast load times and improved performance.

Security and Validation:

- User Data Validation: All fields in the user creation form will be validated to ensure the information is complete and accurate. Required fields like name, role, email, and password must be filled out, and the system will flag any incomplete or incorrect data.
- Authentication & Authorization: Only Admin users are authorized to create new users, ensuring that user creation is controlled and only those with the necessary privileges can add or modify users in the system.
- Confirmation & Notifications: Once a user is successfully created, an alert confirmation is shown.

The **Create User Module** streamlines the process of adding new users to the system, allowing Admins to efficiently manage user roles, access permissions, and other relevant details. It provides a complete interface for creating, assigning roles, and managing user information in a secure and controlled manner.

View User Lists Module

1. User Profile Table:

- The User List page allows Admin users to view all profiles of users that were created by them. This includes information such as name, title, mobile phone number, email, permission and role.
- Admin Profile Exclusion: The Admin profile is not displayed in the list to avoid conflicts and redundancy. Only the profiles of users created by the Admin are shown.

2. Table Fields:

- The table displays key information for each user, including:
 - Profile Photo: Displays the profile picture of the user. **This photo can be clicked to navigate to the User Detail Page**, where the Admin can view detailed information about the user.
 - FullName: The first and last name of the user.
 - ClientCompanies : This refers to the list of companies that are assigned to the user. Each company name is **clickable**, allowing the user to view detailed information about the respective company.
 - Role: The user's assigned role (e.g., Sales Manager, Sales Representative).
 - Title: The user's job title or position within the organization.
 - Mobile Phone Number: The user's mobile phone number.
 - Email: The email address of the user (either office or personal).

View User Lists Table :

Users		Search...					
☐	Full Name ↑	Client Companies ↑	Mobile Phone No	Title	Email	Role	Permissions
☐	 David Warner	Candy, FIFA	+1 212 555 1212	Manger	david@mail.com	Sales Manager	Full Access
☐	 Jhon william	Qata Airways	+1 212 555 1212	Director	newflower1122@gmail.com	Sales Representative	Full Access
☐	 Levi Benjamin		+1 212 555 1212	Dummy title	levi@mail.com	Sales Manager	Full Access
☐	 lio lio		+1 212 555 1212	dummy title	lio@mail.com	Sales Representative	Full Access
☐	 Marty Marty	Q-Mobiles	+1 212 555 1212	Dummytitle	marty@mail.com	Sales Manager	Partial Access
☐ Dense		Rows per page: 5 1-5 of 8 < >					

© 2025www.SoluComp.com v1.0

3. Change User Password :

In the Security section of the user detail page, the Admin has the option to update the password of the respective user. To do so, the Admin must provide the old password and the new password. The backend will validate the old password, and if it matches, the password will be updated successfully.

Change User Password Section :

Profile

Dashboard • Profile

General **Security**

Old Password

New Password

Confirm New Password

Save Changes

4. Search Functionality:

- Admin users can search for records based on specific fields:
 - Name: Search by the user's full name or part of the name.
 - Mobile Phone Number: Search using the user's mobile phone number.
 - Title: Filter users based on job title.
 - Email: Filter users by email address (either office or personal).
- The search allows for quick access to specific user records without needing to manually browse the entire list.


5. Filter Functionality:

- Admin users can filter the records by Role. This helps narrow down the list of users to specific groups such as:
 - Sales Manager
 - Sales Representative
- The filter enables Admins to quickly view a subset of users based on their roles within the organization.

6. User Inactivation:

- Inactive Users: Admin users have the ability to inactivate a user if required. This action will mark the user as inactive, and they will no longer appear in the User List or in any other records unless specifically restored.
- Restoration of Inactive Users: Inactive users can be restored by the Admin, making them visible in the User List again. Once restored, the user will regain access to the system based on their assigned roles and permissions.

User Inactivation Button:



7. Security and Authorization:

- Admin Access Only: The View User Lists page is restricted to Admin users only. Regular users do not have access to view or manage other users.
- Data Privacy: The information displayed in the User List is sensitive, so access is restricted to admin users only to ensure privacy and data protection.

8. Performance and Usability:

- Pagination: The User List page supports pagination to manage large numbers of user profiles, ensuring the page loads efficiently.
- Responsive UI: The interface is designed to be responsive, allowing Admins to easily interact with the User List on desktop and mobile devices.

CLIENT ACCOUNT MANAGEMENT

Client Companies Module

The **Client Companies** section (**Admin View**) allows them to “**view all existing companies**” in the system. Each company is listed with its Company Name, Phone Number, Company Type, Service, Company Address and logo, both of which are clickable to navigate to the company's detail page.

Company Account Page:

7AC Technologies

Welcome

Company Type: Manufacturer

[www.7AC.com](#)

[LinkedIn: www.linkedin.com](#)

Main Phone Number: +12345678907

Compnay Details

Edit Add New Company

Services Manufactures Laptops			
Company Address 1 USA, Alaska	Company Address 2 USA, Alaska	Country United States	City USA, Alaska
State/Province Alaska, Arizona	Zip/Code 63000	Facebook URL www.facebook.com	

Company Contacts

Click on the contact name to see the details of the contact

Contact Name	Last Name	Phone Number	Email Address	Region	Title

Client Companies Table :

Companies ▼ Search by company name...					
☐	Company Name	Phone Number	Company Type	Service	Compnay Address
☐	 Q-Mobiles www.qmobiles.com	+1 213 555 1212	Manufacturer	Mobile Manufactures	Lahore, Pakistan
☐	 Nokia www.nokia.com	+1 212 555 1212	Manufacturer	Mobile Manufactures	China
☐	 Qata Airways www.qatarairways.com	+1 212 555 1212	Wireline Service Provider	These are the dummy services for testing	QatarDoha
☐	 FIFA www.FIFA.com	+1 212 555 1212	Manufacturer	These are the dummy services for testing	QATAR
☐	 Candy www.butterscotch.com	+1 212 555 1212	General Contractor	Manufactures Candies	Punjab
☐ Dense				Rows per page: 5 ▼	1-5 of 7 < >

Company Detail Page

In the company detail page, the following information is displayed:

- Detailed company information
- A table listing the contacts associated with that company

Company Account Table:

Company Contacts

Click on the contact name to see the details of the contact

Contact Name	Last Name	Phone Number	Email Address	Report To	Title
Michael	David	+1 334 567-8910	michael@mail.com		Dummy Responsibilities

Mark for Delete

Each company in the table has a Mark for Delete button. When clicked, the company will be flagged for deletion and moved to a "Mark for Delete" module. The details of companies marked for deletion can be referenced in the corresponding Mark For Delete Module.

Note: When marking a company for deletion, the user must provide a reason for the deletion. This reason will be displayed in the Mark For Delete Module for reference.

[Mark For Deletion](#)

Qata Airways



Welcome

Compnay Type: Wireline Service Provider

www.qatarairways.com

LinkedIn: www.linkedin.com

Main Phone Number: +1 212 555 1212

Compnay Details
Edit Add New Company

Services

These are the dummy services for testing

Company Address 1	Company Address 2	Country	City
QatarDoha	Doha	Qatar	Doha
State/Province	Zip/Code	Facebook URL	
Connecticut,Colorado,Delaware,California	68888,35344	www.facebook.com	

Marked:

✓
Profile marked for deletion successfully
×

[Mark For Deletion](#)

FIFA



Welcome

Compnay Type: Manufacturer

www.FIFA.com

LinkedIn: www.linkedin.com

Main Phone Number: +1 212 555 1212

Compnay Details
Edit Add New Company

Services

These are the dummy services for testing

Company Address 1	Company Address 2	Country	City
QATAR	QATAR	Qatar	QATAR
State/Province	Zip/Code	Facebook URL	
Colorado,Delaware	353434	www.facebook.com	

Edit and Add Company

The Admin has the ability to edit existing company details or add new companies. In the edit view, the Admin can modify company information as needed.

Filters and Search

The Admin can filter companies by **Company Type**. The available company types are dynamic,

meaning only those company types that are present in the database will appear in the filter.
In addition, the Admin can search for companies by **company name**.

Inactive Companies

Admins also have the option to mark any company as **inactive**, which will prevent it from being displayed in the active list.

Inactive Companies Buttons:



Create Client Contact Module

The **Create Company Contact** page allows the Admin to add a new contact for a specific company. This page includes various fields for capturing detailed information about the contact.

Fields in the Create Company Contact Form:

- **Company Name:**(required)
A dropdown list displaying all the existing companies in the system. The Admin selects a company from this list to associate the contact with.
- **Client First Name:**(required and unique)
The first name of the contact person at the company.
- **Client Last Name:** (required and unique)
The last name of the contact person at the company.
- **Title:**
The job title of the contact person.
- **Reports To:**(required)
A dropdown containing contacts of the selected company (from the "Company Name" field). This allows the Admin to specify who the contact reports to within the company.
- **Responsibilities:**
A field to define the primary responsibilities of the contact person.
- **Special Notes:**
A section for any additional notes or special information regarding the contact.
- **Location Address 1:**
The primary street address of the contact.
- **Location Address 2:**
A secondary address or suite number, if applicable.
- **City:**
The city where the contact is located.
- **Country:**
The country of the contact.
- **State/Province:**
A dropdown list containing U.S. and Canadian states, with checkboxes to select multiple states for the contact. This field allows the Admin to assign the contact to one or more

states.

- **Zip Code/Postal Code:**
The postal code for the contact's address.
- **Office Phone Number 1:**
The primary office contact number for the contact, formatted in the U.S. standard format (e.g., +1 234-567-8901).
- **Office Phone Number 2:**
A secondary office phone number for the contact, also in the U.S. standard format (e.g., +1 234-567-8901).
- **Cell Phone Number 1:**(required and unique)
The contact's primary mobile number, formatted in the U.S. standard format (e.g., +1 234-567-8901).
- **Cell Phone Number 2:**
A secondary mobile phone number for the contact, formatted in the U.S. standard format (e.g., +1 234-567-8901).
- **Office Email Address:**
The official email address for the contact at the company.
- **Personal Email Address:**
The personal email address of the contact, if provided.

Photo Upload

There is an option to upload a photo for the contact, with an image compression feature to optimize the file size.

Create Client Contact Page:

Create Contact

Dashboard • New Contact

Upload photo

Allowed *.jpeg, *.jpg, *.png, *.gif

Company Name

Client First Name

Client Last Name

Title

Reports To

Responsibilities

Special Notes

Location Address 1

Location Address 2

City

Country

State/Province

Zip Code/Postal Code

Office Phone Number 1

Office Phone Number 2

Cell Phone Number 1

Cell Phone Number 2

Office Email address

Personal Email address

Create Contact

© 2025www.SoluComp.com v1.0


Client Contact List Module

The **Client Contact List module** is where the admin can view and manage all the created contacts within the system. The key features of this module are as follows:

1. **Viewing Contact Details:**

The admin can click on the photo or first name of any contact in the table to view the detailed page of that contact. This page will display all the contact information and provide further options for managing the contact.

Client Contact Page:



Client Contact List Table:

☐	Company Name	Title	Full Name	Email Address	Mobile Phone	Other Phone
☐	Verizon Wireless		'bruce.com'	bruce.douglasiii@verizonwi...		
☐	Verizon Wireless		Aaron Kindlesparker	aaron.kindlesparker@veriz...		
☐	Verizon Wireless	Engineer-Transport	Abiodun Akogun	Abiodun.Akogun@Verizon...	+1 2817401031	
☐	Verizon Wireless		Ajay office			
☐	Verizon Wireless		Albert Pless	albert.pless@verizonwi...		

2. Filtering:

In the table, the admin can filter contacts based on the company. The list of companies is dynamic and only includes those companies that are already existing in the system.

3. Searching:


The admin can search for specific contacts by using the following search criteria:

- Title
- First Name
- Last Name
- Email Address
- Cell Phone 1

4. Exporting Contacts:

The admin can export contact details to an Excel file. When exporting, the admin can:

- Select the fields they want to download.
- Use the "Select All" option to download all fields.
- Download multiple records at once by selecting the relevant contacts and clicking the export button.




5. Importing Contacts:

The admin can import contact records into the system. During the import process:

- The system checks for existing records based on the client_first_name, client_last_name, and cell_phone_1 fields.
- If the record doesn't exist, it is added to the database.
- If the record already exists, the admin will be notified of the duplicate and given the option to add the imported record anyway by clicking the "Yes" button.
- System also check for the required fields (Company Name , First Name , Last Name) in record during import if any record have null value then also that record will be also visible to user in skipped entries tab where user can go through his skipped entries and also add the values in the null field to re-import that record again.

Note: When importing a duplicate contact, the admin must provide their email and password for validation before proceeding.

Additionally, a **sample import** file is available for download, allowing admins to ensure records are formatted correctly for seamless import.



6. Inactivating Contacts:

Admins can mark any contact as inactive. Once a contact is marked as inactive, it will no longer appear in the contact list unless reactivated. This can be done for a single or multiple contacts.

Inactivating Contacts Button:

Contacts

Dashboard • Contact

Inactive

+ New Contact

7. Contact Details Page:

On the contact details page, the following sections are available:


- Basic Information: Displays all details about the contact.
- Edit: Edit the contact details.
- Add New Contact: Add new Contact.
- Files Section: Lists uploaded files related to the contact. Admins can view the details of the file and download it via a link.
- Contact History: A history of the contact's interactions is displayed here. Admins can add new notes regarding the contact by clicking "Add New Note".

- Follow-up Date: Admins can schedule follow-up dates using the calendar and save the follow-up date to be reminded at a later time.

Add Award Section:

Only Admin and Sales Manager roles can access this feature. Admins can add awards for the contacts in this section.

Add Award Section:



8. Mark for Delete:


Admins can mark any contact for deletion. These contacts will be shown in the **Mark for Delete module** for review.

9. **Note:** When marking a contact for deletion, the user must provide a reason for the deletion. This reason will be displayed in the **Mark For Delete Module** for reference.

10. View Organization Chart:

Admins can view the Organization Chart for the company's contacts. This chart will display the hierarchy and relationships between contacts within the company, helping to

understand the structure.



Create New Client Company Module

The **Create New Client Company module** allows admins to add new client companies to the system. This form includes essential fields for capturing all necessary details about the company. Below are the details of each field and the functionality provided within this module

Fields Included in the Form:

1. **New Company:**
Indicates the purpose of the form, i.e., to create a new company.
2. **Upload Photo:**
Allows the admin to upload a logo or image for the company.
 - Allowed File Types: .jpeg, .jpg, .png, .gif, .PNG
 - Includes image compression to ensure optimized file size for upload.
3. **Company Name:**
The unique name of the client company. This is a mandatory field.
4. **Company Type:**
 - A dropdown menu containing predefined company types.
 - Only types already configured in the system will appear in the dropdown.
5. **Services:**
A text field to specify the services offered by the company.
6. **Company Address 1 & 2:**
Two fields to capture the company's physical address.
7. **City:**
The city where the company is located.
8. **Country:**
 - A dropdown containing available countries.
9. **State/Province:**
 - A dropdown with checkboxes to allow selection of multiple states or provinces.
 - States and provinces are categorized into USA and Canadian states for easy selection.
10. **Zip Code/Postal Code:**
Field to input the company's postal code.

11. Main Phone Number:

- Captures the primary contact number for the company.
- The phone number must follow the US format: **+1 234 567-8901**.

12. Website:

- A field for the company's official website.
- Example format: www.example.com.

13. LinkedIn URL:

- Captures the company's LinkedIn profile link.
- Example format: www.linkedin.com/in/username.

14. Facebook URL:

- Captures the company's Facebook profile or page link.
- Example format: www.facebook.com/someprofile.

Create New Client Company Page :

CCMS ADMIN PANEL

My Corporation

Admin Profile

CCMS USER MANAGEMENT

Create User

View Users List

CLIENT ACCOUNT MANAGEMENT

Client Companies

Create Company Contact

Client Contact List

Create New Client Company

PERMISSION CONTROL

Sales Rep Settings

ANALYTICS

Activity Log

RECORDS MADE INACTIVE

Sales Rep Records

Create Company

Dashboard • New Company

Fields marked with * are required.

Upload photo

Allowed *.jpeg, *.jpg, *.png, *.gif

Company Name *

Company Type *

Services *

Company Address 2

Country

Zip Code/Postal Code *

Website

Facebook URL

Company Address 1 *

City *

State *

Main Phone Number *

LinkedIn URL

Create Company

PERMISSION CONTROL

Overview

The Sales Representative Settings module enables administrators to manage user assignments and permissions for Sales Representatives, Sales Managers, Directors, and Vice Presidents (VPs) within a hierarchical structure. It facilitates assigning and tracking company and state permissions, ensuring seamless access control across roles. The module supports a cascading permission model where permissions are assigned from Admin to VP, VP to Director, Director to Manager, and Manager to Sales Representative, with each role limited to the permissions assigned by the higher level. Additionally, states assigned to a user at a specific role level (e.g., VP) are hidden from other users at the same level to prevent duplicate assignments.

1. View Created Users

- **Description:** Administrators can view a table listing all created users across all roles (Sales Representatives, Sales Managers, Directors, VPs).
- **Implementation:**
 - The table displays username, role (Sales Representative, Manager, Director, VP), and basic information (e.g., email, contact details).

2. View Assigned Contacts

- **Description:** Displays a secondary table of contacts associated with a selected user.
- **Implementation:**
 - When an Admin, VP, Director, or Manager selects a user, a table is rendered showing contacts linked to that user.
 - Contact details include name, company, contact information, and location.
- **Behavior:**
 - Contacts are filtered based on the user's assigned companies and states.
 - Higher-level roles (e.g., VP, Director) see aggregated contacts from their subordinates.

3. Hierarchical Permission Assignment

- **Description:** Permissions (companies and states) are assigned in a cascading hierarchy: Admin → VP → Director → Manager → Sales Representative.
- **Implementation:**
 - **Admin:** Has full access to assign any company and state to VPs.
 - **VP:** Sees only companies and states assigned by the Admin and can assign subsets to Directors.

- **Director:** Sees only companies and states assigned by the VP and can assign subsets to Managers.
- **Manager:** Sees only companies and states assigned by the Director and can assign subsets to Sales Representatives.
- **Sales Representative:** Sees only companies and states assigned by the Manager; cannot assign permissions.
- **Behavior:**
 - Each role can only assign permissions within the scope of their own assigned companies and states.
 - Permissions are updated in real-time, ensuring immediate reflection in the system.

4. Exclusive State Assignment

- **Description:** States assigned to a user at a specific role level (e.g., VP, Director, Manager, Sales Representative) are hidden from other users at the same level during permission assignment.
- **Implementation:**
 - When an Admin assigns states to a VP, those states are removed from the States dropdown for other VPs.
 - Similarly, states assigned by a VP to a Director are hidden from other Directors under the same VP.
 - This logic applies down the hierarchy (Director to Manager, Manager to Sales Representative).
 - The backend tracks assigned states and filters the States dropdown dynamically for each user based on unassigned states within the assigner's scope.
- **Behavior:**
 - Ensures exclusive state assignments to prevent overlap or duplication.
 - When a state is unassigned (e.g., via permission removal), it becomes available again in the dropdown for other users at the same level.

5. Assign Record Permissions

- **Description:** Allows assignment of companies and states to users based on their role and the assigner's permissions.
- **Implementation:**
 - **For Sales Representatives:**
 - The assigning Manager selects a Sales Representative and a mandatory Manager (themselves or another Manager within their scope).
 - The Add Record button is disabled until a Manager is selected.
 - **For Managers, Directors, and VPs:**
 - No Manager selection is required, as these roles do not report to another Manager.
 - The Manager dropdown is hidden for these roles.
 - **Dynamic Dropdowns:**

- **Companies Dropdown:** Displays only the companies available to the assigning user (e.g., VP sees Admin-assigned companies, Director sees VP-assigned companies).
- **States Dropdown:** Allows multiple state selections (USA and Canadian states) via checkboxes, limited to the assigner's assigned states and excluding states assigned to other users at the same level.
- **Behavior:**
 - Permissions are assigned within the constraints of the assigner's permissions and available states.
 - The system ensures hierarchical integrity (e.g., a Director cannot assign companies or states not assigned to them by a VP).

6. Load Existing Assignments

- **Description:** Preloads a user's existing company and state assignments for easy editing.
- **Implementation:**
 - When a user is selected, their current assignments are automatically loaded into the Companies and States dropdowns.
 - The loaded data reflects only the permissions available to the assigning user and excludes states assigned to other users at the same level.
- **Behavior:**
 - Facilitates quick review and modification of existing permissions.
 - Ensures assigners (e.g., VP, Director, Manager) only see and edit permissions within their scope.

7. Direct Reporting Assignment

- **Description:** Admins can assign any user (Sales Representative, Manager, Director, VP) to report directly to a specific higher-ranking user (CEO, CFO, VP, Director, Manager).
- **Implementation:**
 - A dropdown in the permission assignment interface allows Admins to select a direct reporting relationship for a user (e.g., a Sales Representative reporting to a CEO or a Manager reporting to a VP).
 - The backend stores the reporting relationship and associates the user's achievements and performance records with the assigned higher-ranking user.
- Achievements and records (e.g., sales metrics, completed tasks) are visible only to the directly assigned higher-ranking user.

8. My Team Button

- **Description:** Higher-ranking users (CEO, CFO, VP, Director, Manager) can view the performance and achievements of users directly reporting to them via a "My Team" button.
- **Implementation:**

- A "My Team" button is available in each module, accessible to CEO, CFO, VP, Director, and Manager roles.
- Clicking the button showing the records (e.g., sales performance and achievements) of users directly reporting to the logged-in user.
- The data is filtered based on the direct reporting relationships defined by the Admin.
- **Behavior:**
 - Only records of direct reports are shown, ensuring focused visibility.

9. Removing Permissions

- **Description:** Allows removal of company or state permissions from a user.
- **Implementation:**
 - Unselecting a company or state in the dropdowns immediately updates the user's permissions in the backend.
 - Removed states become available again in the States dropdown for other users at the same level.
- **Behavior:**
 - Permission changes are reflected in real-time across the system.
 - Removed permissions cascade down the hierarchy, ensuring consistency.

10. Add Record Button

- **Description:** Saves new or updated permissions for a user.
- **Implementation:**
 - The button is enabled only when all mandatory fields are filled:
 - User selected.
 - Manager selected (for Sales Representatives).
 - Upon clicking, the backend saves the permissions, and a success notification is displayed.
- **Behavior:**
 - Ensures valid data before saving.
 - Updates are instantly applied and visible to the assignor and affected users.

Assign Record Permissions

Select Users

Search users...

Select Reporting User

Select Customer Company

Permissions

Select State/Province

Add Record

PERMISSION CONTROL Guide

CCMS ADMIN PANEL

My Corporation

Admin Profile

CCMS USER MANAGEMENT

Create User

View Users List

CLIENT ACCOUNT MANAGEMENT

Client Companies

Create Company Contact

Client Contact List

Create New Client Company

PERMISSION CONTROL

Sales Rep Settings

ANALYTICS

Activity Log

RECORDS MADE INACTIVE

Sales Rep Records

Permission Hierarchy Guide

Admin (You)
Assign to VP or any user.

VP
Assign to Directors

Director
Assign to Sales Managers

Sales Manager
Assign to Sales Reps.

Sales Representative
View assigned data only.

Flexible Reporting Structure

Sales Representatives and Sales Managers can report directly to higher-level positions for streamlined communication.

Sales Manager Options:
Can report through normal chain OR directly report to higher rank
VP/CFO/CEO

Sales Rep Options:
Can report through normal chain OR directly report to higher rank
Director/VP/CFO/CEO

User Permissions Overview

Full Access
Create, delete, update contacts, and add notes.

Partial Access
Create contacts and add notes only.

Limited
Add notes to existing contacts only.

View Only
View contacts without making changes.

68


CCMS-v1.0

CREATE PIPELINE

The **Create Pipeline** module allows sales representatives to initiate new deal opportunities with potential clients or companies. When a representative negotiates a deal (e.g., a \$50,000 agreement with a company), they can log this deal in the system as a pipeline. Once created, the pipeline is automatically sent to the corresponding sales manager for review and approval. This ensures a structured sales process where deals go through proper validation before being marked as confirmed sales.

Key Features:

- Sales representatives can log new deals with essential details (company, deal amount, timeline, etc.).
- The corresponding manager receives notifications and can approve or reject the pipeline.
- Tracks deal progress and maintains transparency in the sales process.




GENERATED SALES MODULE

The **Generated Sales** module serves as a repository for all successfully approved pipelines. Once a sales manager approves a deal, it moves from the **Create Pipeline** module to the **Generated Sales** section. This module helps track the confirmed sales, providing valuable insights into revenue generation and overall sales performance.

Key Features:

- Displays all manager-approved pipelines as finalized sales.
- Provides sales tracking, including deal amounts and associated companies.
- Helps measure individual and team performance over a given period.

GENERATED SALES PAGE:



SET TARGETS MODULE

The **Set Target** module is exclusively for **Admins and Sales Managers**, allowing them to assign specific sales targets to individual sales representatives. The targets define the expected revenue or number of deals a representative must achieve within a given timeframe (e.g., **\$50,000 in six months**). This module ensures that performance goals are clear and measurable.

Key Features:

- Enables admins and managers to set custom sales targets for each representative.
- Defines target amounts and deadlines (e.g., quarterly, half-yearly, or yearly).
- Sends real-time notifications to representatives when targets are assigned or modified.
- Helps track individual and team performance against defined sales goals.

SET TARGETS PAGE:



Target

[Dashboard](#) • [Target](#)

Select User

Search users...

Add Target

Add Target

 Refresh

#	User Name	Target Value	Targeted Year	Actions
1	chris hunter	4000002.00	2025	<button>Edit</button> <button>Delete</button>
2	John Wilson	3000000.00	2025	<button>Edit</button> <button>Delete</button>
3	John Wilson	2000000.00	2025	<button>Edit</button> <button>Delete</button>

SALES LEAD MANAGEMENT MODULE

Introduction

The **Sales Leads Management Module** is a core component of the platform, designed to handle the lifecycle of leads from initial creation to final assignment. It supports a hierarchical flow involving **Sales Lead People**, **Sales Managers**, and **Sales Representatives**, each interacting with the system based on their defined roles.

This module facilitates seamless creation, tracking, assignment, and searchability of leads across various stages. It ensures that leads are aligned with internal sales territories (state-wise distribution), and helps maintain accountability and visibility through dynamic filtering and role-based views.

Access and Role Overview

The module is accessible to the following roles, each with specific capabilities:

- **Sales Lead People**
- **Sales Managers**
- **Sales Representatives**

Each role interacts with the system differently, ensuring structured control and proper lead ownership at every stage.

Sales Lead People Functionality

Sales Lead users are primarily responsible for initiating lead generation by creating companies and associating contacts with them. A contact created by a Sales Lead—whether associated with a **new** or an **existing** company is automatically considered a **lead** in the system.

Once a lead is created, it becomes visible in the **Create Leads** table associated with that Sales Lead. The system supports the following features for this role:

- **Company and Contact Creation:** The user may create a new company or associate a contact with an existing company. Each new contact is considered a new lead.
- **Lead Notes:** Sales Leads can add notes to individual leads for internal tracking or context sharing.

- **Automatic Assignment to Managers:** Based on the **state** of the lead (contact's location), the backend automatically:
 - Locates a Sales Manager operating in the same state.
 - Assigns the lead to that manager.
 - Ensures that the associated company is also assigned to the manager, if it hasn't been already.
- **Search Functionality:** Sales Leads can search leads using parameters such as name, phone, email, or title.

This automatic logic ensures that new leads are systematically routed without manual intervention, maintaining geographical relevance and reducing administrative overhead.

Sales Manager Functionality

Sales Managers act as intermediaries, reviewing incoming leads from Sales Leads and handling further delegation to Sales Representatives. In addition, managers have the authority to generate leads on their own, similar to Sales Leads.

Within the **Sales Leads Management** module, a manager can:

- **View Assigned Leads:** Leads that are automatically or manually assigned to them by the system or other managers.
- **Create Companies and Contacts:** Managers can create new companies or contacts, or associate contacts with existing companies. These new contacts become new leads under their management.
- **Assign Leads to Representatives:** Once a lead is under a manager's ownership, they can delegate it to a Sales Representative whose operating **state matches** the lead's state. The assignment logic ensures consistency in regional distribution.
- **Add Notes:** Managers can annotate leads with relevant updates or action plans.
- **Search and Filter:**
 - Leads can be searched by lead name, contact info, or title.
 - Additional filtering is available by **Assigned To** (which representative was assigned the lead) and **Assigned By** (who assigned the lead to the manager).

This structure supports scalable delegation, ensuring that managers can handle large volumes of leads while maintaining traceability and accountability.

Sales Representative Functionality

Sales Representatives primarily work with the leads assigned to them by Sales Managers and can also create their own leads, which then follow a similar assignment path as leads created by Sales Leads or Managers.

For representatives, the system is divided into two key views:

- **Assigned Leads Table:** Contains leads assigned by a manager. Representatives are expected to act upon these leads through follow-ups, meetings.
- **Created Leads Table:** Displays leads created by the representative. These are routed to a manager based on state-wise matching, using the same backend logic applied to Sales Lead and Manager-created leads.

Sales Representatives have access to:

- **Lead Creation:** Ability to create new companies or contacts (leads), either linked to a new company or existing one.
- **Automatic Assignment:** The backend will identify a relevant manager (by matching state) and assign the lead to them.

- **Search:** The interface supports quick searching of leads using basic identifiers such as name, phone number, email, or title.

SALES LEAD MANAGEMENT (SALES REPRESENTATIVE)

Sales Lead

Dashboard > Sales Lead

Need Help

Create Company

Create Contact

Refresh

Q Search leads by company name

Created Leads

Company Name	Full Name	Title	Note	Created By	Action
--------------	-----------	-------	------	------------	--------

1-0 of 0

Assigned Leads

Avatar	Full Name	Title	Company Name	Note
S	Steve Lead Smith		Verizon	

1-1 of 1

SALES LEAD MANAGEMENT MODULE(SALES MANAGER & SALES LEAD PEOPLE)

Sales Lead

Dashboard > Sales Lead

Need Help

Create Company

Create Contact

Refresh

Q Search leads by company name

Filter By

Clear

Sales Leads

Company Name	Full Name	Title	Note	Created By	Action
Verizon	Steve Lead Sm...			Alex Hales-Sales Lead People	Further Assigned

1-1 of 1

Sales Quotes Module

Introduction

The **Sales Quotes Module** is designed to empower **Sales Representatives** and **Sales Managers** with a seamless workflow for creating, reviewing, approving, and converting sales quotes into official orders. This module ensures traceability, data consistency, and clear role-based permissions for handling quote-related activities.

It serves as a critical bridge between client interest and confirmed orders, offering powerful quote management, PDF generation, and reporting capabilities.

Access and Role Overview

This module is accessible to:

- **Sales Representatives**
- **Sales Managers**

Each role has unique interactions with the module, all coordinated through state-aware workflows and approval chains.

Sales Representative Workflow

Quote Creation

Sales Representatives can create new quotes by filling out a dynamic form that uses a combination of **predefined fields** and **custom input**. The fields available during quote creation include:

- **Select Project Name:** Dropdown with predefined projects. Optionally, a custom project name can also be entered if not found in the list.
- **Part or Service Name:** Selected from predefined items.
- **Description:** Auto-filled or predefined, based on part/service.
- **Quantity:** Entered manually by the representative.
- **Unit Price:** Pulled from predefined values.
- **UM (Unit of Measure):** Selected from predefined units.
- **Extended Price:** Auto-calculated as **Quantity × Unit Price**.

Quotes created at this stage are saved in two locations:

1. Draft Quote Items (Temporary, Browser-Saved Table):

- These items persist in the browser storage and are cleared on page refresh.
- Allows ongoing quote building without immediate backend interaction.

2. Quote Items Table:

- Reflects all finalized or saved quote items.
- Interacts with backend storage and workflows.

Approval Request Flow

Once a quote is composed, the system automatically shares it with the **corresponding Sales Manager** for review.

- Until approval, the "**Order Request**" button remains **disabled** for the representative.
- After the manager's approval, the representative can initiate an **Order Request**.
- During the Order Request, a modal or section appears to **select specific quote items** that should be included in the order request.
- These selected items are attached to the request and sent to the manager for final order conversion approval.

Quote-to-Order Conversion

After sending the order request, the following actions become available:

- If approved by the manager, the quote is marked as ready for order conversion.
- The representative can **generate a PDF** version of the approved quote.
- During PDF generation, the rep must **select a contact** to whom the quote is assigned.

Once the PDF is generated:

- The system automatically links the generated quote to the selected contact.

- When viewing the **Contact's Profile Page**, all associated quotes are displayed for context.

Predefined Fields Management

Sales Representatives can create new predefined field values (e.g., new part names, unit measures, or project names) to be used during future quote creation.

- These custom fields are **submitted for approval** to the Sales Manager.
- Once approved, the fields become part of the predefined options in the quote creation interface.
- This ensures standardization while allowing flexibility in field expansion.

Sales Manager Workflow

Sales Managers play a critical role in maintaining quote integrity and ensuring that order requests align with business expectations.

Quote Review & Approval

- Managers automatically receive quotes that are created by their corresponding Sales Representatives.
- When a quote is received:
 - The system notifies the manager.
 - Visual indicators (e.g., button color change) highlight pending order requests.

Managers can take the following actions:

- Review and approve incoming quotes.
- If approved, enable the **Order Request** flow for the Sales Representative.
- Review and approve the final **Order Request** once the rep selects items for conversion.
- Optionally, add notes or suggestions before approval.

Managing Predefined Field Approvals

- All new predefined fields created by Sales Representatives are routed to the manager for approval.
- Once approved, these fields are incorporated into the quote creation process and become visible to all users within the organization.

Reports & Analytics

Sales Managers can run comprehensive reports directly from the module:

- **Reports Include:**
 - List of all quotes created.
 - Total **Extended Price** calculated across quotes.
 - Number of quotes created per user.
 - Filter and sorting options including:
 - Ascending or Descending order.
 - Date range, project name, representative name.

This empowers managers to analyze performance, monitor quote generation patterns, and optimize sales strategies.

Sales Quotes

Sales Quote

Dashboard > Sales Quote

Open Quote Form

Run Report

Refresh

Approve Fields

Add Predefined Fields

Draft Quote Items

Create Quote

Note: These items are saved in your browser and will persist until you refresh your page.

#	Project Name	Part or Service name	Description	Qty	Unit Price	U/M	Ext. Price	Actions
No quote items found								

All Quotes

Delete

☐	#	Created By	Project Name	Ext. Price	Action	Status	Approval For Generated Sales	Generated Sales
☐	1	Aamir Hasan	Test Case Form	\$4000.00	Approved	✓ Approved	View Details for Sales Approval	Make order
☐	2	Aamir Hasan	Test Case Form	\$16000.00	Approved	✓ Approved	View Details for Sales Approval	Ordered

Sales Quotes

Dashboard > sales quotes

Hide Quote Form

Run Report

Approve Fields

Add Predefined Fields

New Supplier Name

Select Project Name

New Project Name

Part# or Service name

Description

Manufacturer Name

Manufacturer Part Number

Shipping Methods

Quantity

Unit Price

U/M

Ext. Price

\$ 0.00

Extended Price = Quantity * Unit Price

Create Quote

Generated Pdf by system

SoluComp
brand or type unknown

Sales Quote #20251035

CREATED BY:
Aamir Hasan

QUOTE DATE:
July 07, 2025

COMPANY CONTACT:
Kenneth Kasper Phoenix Cell Tech

STATUS:
APPROVED

PROJECT NAME	DESCRIPTION	PART/SERVICE NUMBER	UNIT	QTY	UNIT PRICE	EXTENDED PRICE
Test Case Form	testing description	dummy name	Mass	80	\$200.00	\$16,000.00
Test Project	Test Description	Test Part	Mass	40	\$200.00	\$8,000.00

Ext Sum Total: \$24,000.00

Please sign and date below to accept this sales quote.

Authorized Signature: _____

Date: _____

Generated on: July 07, 2025 at 08:02 PM

SoluComp | 33 W. Higgins Rd. South Barrington | 847-637-0327 | www.solucomp.com

RECORDS MARKED FOR DELETION

Overview

The Marked For Delete functionality now serves as a review and control mechanism that is split into two modules:

- **Company Account Records:**
Manages companies that have been flagged for deletion.
- **Client Record Module:**
Manages contacts that have been flagged for deletion.

In both modules, any Sales Manager or Sales Representative marking a record must provide a Reason for the deletion. This reason is then displayed as part of the record details in the respective module. Only an admin and Manager can take final action on these flagged records via secure authentication.

Module-Specific Details

1. Company Account Records

Purpose

This module lists all companies flagged for deletion. It is designed to allow the admin to review and either permanently delete the record or remove the deletion mark to restore the company's active status.

Table Fields

- **Marked By:**
The name of the Sales Manager or Sales Representative who flagged the company.
- **Company Name:**
The name of the company flagged for deletion. This field is clickable so that the admin can navigate to the detailed page of the company.
- **Company Type:**
Provides information about the type of company (e.g., IT Services, Consulting).
- **Reason:**
The reason provided by the user when marking the company for deletion.

- Created At:
The timestamp indicates when the company was marked for deletion.

Workflow

1. Viewing Records:
 - A table lists all companies flagged for deletion with the fields mentioned above.
2. Admin Authentication for Actions:
 - To either delete or remove the deletion mark, the admin must provide their personal email address and login password for verification.
3. Delete Records:
 - When deletion is confirmed (post-authentication), the record is permanently removed from the database.
 - A success notification is shown; if authentication fails, an error message is displayed.
4. Remove Marked Status:
 - If the admin decides not to delete the record, they can click the Remove Marked button.
 - Post successful authentication, the flagged status is removed and the record is restored as active. The record then can be marked for deletion again in the future if needed.

2. Client Record Module

Purpose

This module handles the contacts that have been flagged for deletion. It provides a similar review and action interface as the Company Account Records module, tailored to contact records.

Table Fields

- Marked By:
The name of the Sales Manager or Sales Representative who flagged the contact.
- Full Name:
The first and last name of the contact marked for deletion.
- Company Name:
The name of the company to which the contact is associated.

- Reason:
The reason provided when the contact was marked for deletion.
- Created At:
The timestamp indicates when the contact was flagged for deletion.

Workflow

1. Viewing Records:
 - A table lists all contacts flagged for deletion with the above fields.
2. Admin Authentication for Actions:
 - To perform either deletion or status removal, the admin must verify their identity by providing their email and password.
3. Delete Records:
 - Upon successful authentication, the contact record is permanently removed.
 - Confirmation of deletion is provided, with errors shown if authentication fails.
4. Remove Marked Status:
 - The admin can opt to remove the marked status instead of deletion.
 - Following authentication, the deletion flag is removed and the contact is reinstated to its active state.
 - The mark option remains available for future actions.

Companies Marked For Deletion

Dashboard • delete

Delete

Remove Mark

☐	Marked By	Company Name	Company Type ↑	Reason	Created At
☐	Hassan Usman	Candy	Candy Manufacturer		3/5/2025, 11:05:33 AM
☐	Hassan Usman	Trae	Trae Accountant		3/5/2025, 9:13:45 PM
☒ Dense					Rows per page: 5 ▾ 1-2 of 2 < >

Client Contact Marked For Deletion

Dashboard • delete

Delete

Remove Mark

☐	Marked By	Full Name ↑	Company Name	Reason	Created At
☐	Hassan Usman	Astra Martin	Trae		3/5/2025, 11:09:46 AM
☒ Dense					Rows per page: 5 ▾ 1-1 of 1 < >

INACTIVE

Overview

The Inactive Module manages records that have been marked as inactive. This module now comprises three separate modules to provide clarity and streamlined management:

1. **Sales Rep Record Module** – Manages inactive user records (Sales Managers and Sales Representatives).
2. **Client Records Module** – Manages inactive contact records.
3. **Company Account Records Module** – Manages inactive company records.

Each module displays key details such as who marked the record inactive, record identification details, and when the record was flagged. The administrator can either permanently delete or restore these records, with all actions requiring confirmation for security.

Module Details

1. Sales Rep Record Module

Purpose

Manage inactive user records for Sales Managers and Sales Representatives.

Table Fields

- **Inactive By:**
The representative who marked the record as inactive.
- **Full Name:**
The complete name of the inactive user.
- **Role:**
The role of the user (e.g Sales Representative, Sales Manager).
- **Created At:**
The timestamp indicates when the record was marked inactive.

Functionalities

- **View Inactive Records:**
Displays a list of inactive user records.
- **Delete Button:**
Permanently deletes the record after confirmation.
- **Restore Inactive Button:**
Restores the record to active status.

Inactive Users

Dashboard • inactive users

Delete

RESTORE INACTIVE

☐	Inactive By	Full Name	Role	Created At
☐	Hassan	Joseph	Sales Representative	3/6/2025, 12:47:08 PM
☐	Hassan	dummy	Sales Representative	3/5/2025, 9:18:45 PM

☐ Dense

Rows per page: 5 1-2 of 2 < >

2. Client Records Module

Purpose

Manage inactive contact records.

Table Fields

- Inactive By:**
The representative who marked the contact as inactive.
- First Name:**
The first name of the inactive contact.
- Company Name:**
The company associated with the contact.
- Title:**
The title of the contact (e.g., Manager, Supervisor).
- Created At:**
The timestamp when the contact was marked inactive.

Functionalities

- View Inactive Records:**
Lists all inactive contact records.
- Delete Button:**
Permanently removes the contact record after confirmation.
- Restore Inactive Button:**
Restores the contact record to active status.

Inactive Client Contacts

Dashboard • inactive client contacts

Delete

RESTORE INACTIVE

☐	Inactive By	First Name	Company Name	Title	Created At
☐	Hassan	Adam	Nokia	Supervisor	3/1/2025, 4:20:17 PM
☐	Hassan	Amanada	Xiaomi	Manager	3/1/2025, 4:20:17 PM
☐	Hassan	Anglina		Dummy title	3/1/2025, 4:20:17 PM
☐	Hassan	Aurora		Manager Operations	3/1/2025, 4:20:17 PM
☐	Hassan	Bill	Verizon Wireless	Area Planning	3/1/2025, 4:20:17 PM
☐ Dense Rows per page: 5 1-5 of 62 < >					

3. Company Account Records Module

Purpose

Manage inactive company records.

Table Fields

- Inactive By:**
The representative who marked the company as inactive.
- Company Name:**
The name of the inactive company.
- Company Type:**
The type of company (e.g., Vendor, Client).
- Created At:**
The timestamp when the company record was marked inactive.

Functionalities

- View Inactive Records:**
Displays all inactive company records.
- Delete Button:**
Permanently deletes the company record after confirmation.
- Restore Inactive Button:**
Restores the company record to active status.

Inactive Companies

Dashboard • inactive companies

Delete

RESTORE INACTIVE

☐	Inactive By	Company Name	Company Type	Created At
☐	Hassan	Jinko	DummyType	3/4/2025, 7:32:33 PM
☐	Hassan	LONGI	DummyType	3/4/2025, 7:33:30 PM
☐	Hassan	Lenovo	Manufacturer	2/5/2025, 10:28:57 PM
☒	Dense			Rows per page: 5 1-3 of 3

FEATURES

Dynamic Navigation and Role-based Permissions for Sales Representative

Navigation Bar (Dynamic Based on Role)

- **Role-based Access:**

When a **Sales Representative** logs in, the navigation bar is dynamically adjusted based on their role. Only the following options are visible to them:

- **Dashboard**
- **Sales Metrics**
- **Client Companies**
- **Follow-ups**

SALES REPRESENTATIVE

Dashboard

Sales Metrics

Client Companies

Follow Ups

PIPELINE MANAGEMENT

Pipeline

Generated Sales

Sales Target

SALES LEAD MANAGEMENT

Set Sales Lead

SALES QUOTE MANAGEMENT

Sales Quote



John Wilson

Sales Representative

Sales

- **Role-based Access:**

When a **Sales Manager** logs in, the navigation bar is dynamically adjusted based on their role. Only the following options are visible to them:

- **Dashboard**
- **Sales Metrics**
- **Client Companies**
- **Follow-ups**
- **Permission Control {Limited}**

SALES MANAGER

Dashboard

Sales Metrics

Client Companies

Follow Ups

PERMISSION MANAGEMENT

Sales Rep Settings

SALES LEAD MANAGEMENT

Set Sales Lead

SALES QUOTE MANAGEMENT

Sales Quote

PIPELINE MANAGEMENT

Pipeline

Generated Sales

Sales Target

RECORDS MADE INACTIVE

Client Records

Company Accounts Records

RECORDS MARKED FOR DELETION

Company Accounts Records

Client Records



Aamir Hasan

Sales Manager

Sales

Sales Representative View

Client Companies (Sales Representative View)

- **Assigned Companies:**
Sales representatives can only see the companies that are assigned to them. The list is filtered based on their access rights.
- **Company Details:**
When a representative clicks on a company name, the contact details for that company are displayed in a table below.
 - Clicking on the **company photo** or **company name** will navigate to the **company details page**.
 - **Permissions for Access:**
 - **Full Access:** Both **Edit** and **Add New Company** buttons are visible and functional.
 - **Partial Access:** Only the **Add New Company** button is visible; the **Edit** button is disabled.
 - **Limited Access:** No editing options are provided, but viewing and adding new records are allowed based on the permission settings.
 - **View Only:** Representatives with this access can only view the company details without making any changes.
- **Mark for Deletion:**
If the representative has **Full Access**, they can **mark the company for deletion**. This option is unavailable for representatives with **Partial Access** or lower.
 - If the company is marked for deletion, it will no longer appear in the list for that representative.
- **Inactive Companies:**
If a company is **inactive** (by admin action), it will **not appear** in the representative's list.

Contact Details (Sales Representative View)

- **Contact Details Page:**
Sales representatives can view the details of any contact by clicking on their **photo** or **first name**.
 - They can **edit** and **add new contacts** if they have the necessary permissions.
- **Permission-based Contact Actions:**
 - **Full Access:** Sales representatives with full access can perform the following actions:
 - **Edit Contact**
 - **Mark Contact for Deletion**
 - **Upload Files**
 - **Add Follow-ups**
 - **Add Notes**
 - **Add New Contact**
 - **Partial Access:** Representatives with partial access can perform the following actions:
 - **Add Notes**
 - **Upload Files**
 - **Add Follow-ups**
 - **Add New Contact**
 - They **cannot** edit or mark the contact for deletion.
 - **Limited Access:** Representatives with limited access can only:
 - **Add Notes**
 They **cannot** perform any other actions, including uploading files or editing.
 - **View Only:** Representatives with view-only access can only **view the contact** details and **cannot make any changes**.

Real-Time Permissions Updates

- **Permissions Update in Real-time:**
Any changes made by the **admin** to the representative's permissions (such as access level changes) will be **reflected in real-time** upon the representative's next interaction with the system. This ensures that permissions are immediately updated without requiring a logout or page reload.
- **Inactive Companies and Contacts:**
If an **admin** deactivates any company or contact, that record will **immediately disappear** from the sales representative's view, ensuring that they cannot interact with inactive records.
This system ensures a highly customizable and role-based experience, with real-time updates on permissions and access control based on the user's designated role and permissions set by the admin.

State-based Contact Visibility

- **State-based Contact Filtering:**

The visibility of contacts for a sales representative is **state-dependent**. When a sales representative logs in, the system checks the **states** associated with the representative and the contacts they have access to.

- If the **states** of the representative match the **states** assigned to a contact, that contact will be shown in the representative's list.
- If the **states** of the representative do **not match** the states assigned to a contact, that contact will **not** be displayed to the representative.

This ensures that sales representatives only have access to contacts within the states they are responsible for, enhancing the system's accuracy and relevance for each user.

FOLLOW UPS MODULE

Follow Up Contact Visibility:

In the Follow Ups module, only the contacts that have been specifically **added for follow-ups** will be displayed. This ensures that the representative can easily manage and view only the contacts that require follow-up actions.

Search by Date:

Users can search for follow-up records based on the **date** by using a search. This allows for easy tracking of past or upcoming follow-up activities, making it simple to organize follow-up tasks.

Follow Up

Dashboard • Follow Up

Q Search by followup date...

☐	Company Name	Title	First Name	Last Name	Email Address	Recent Notes	Follow Up
		Supervisor	Sam	Komsats	sam@mail.com	Hiiiiii	2025-01-30

☐ Dense

Rows per page: 5 > 1-1 of 1 < >

SALES MANAGER VIEW

Role-based Access for Sales Manager:

When a Sales Manager logs in, the navigation bar will dynamically adjust to show additional options compared to a Sales Representative. The following options are visible to a Sales Manager:

- Dashboard
- Sales Metrics
- Client Companies
- Follow-ups
- Permission Control (Exclusive to Sales Manager)

Permission Control (Exclusive to Sales Manager):

When a **Sales Manager** logs in, they can only view users in the permission control that **report to them**. This means the manager will have access only to the representatives who are assigned to them, ensuring that the permissions are restricted and scoped appropriately based on their hierarchy.

User Table Assigned To Manager and its Contact:

Select a username from the this table to view their contacts in the table below.

Users

Search...

☐	Full Name ↑	Company Name ↑	Mobile Phone No	Title	Email	Role	Permission Access
☐	 Levi Benjamin		+1 212 555 1212	Dummy title	levi@mail.com	Sales Manager	Full Access

☐ Dense

Rows per page: 5 1-1 of 1

Contacts of Levi


☐	Full Name ↑	Title	Client First Name	Client Last Name	Personal Email	Cell Phone 1	Office Phone
--------------------------	-------------	-------	-------------------	------------------	----------------	--------------	--------------

☐ Dense

Rows per page: 0-0 of 0

Real Time Notification System :

- **User Access Changes:** Notifications are sent when an Admin or Sales Manager changes access levels, adds/removes a company, or modifies states.
- **Target Assignments:** When an Admin or Manager sets a target for a specific user, a notification is triggered.
- **Company Inactivity:** Notifications are sent when a Sales Manager or Representative marks a company as inactive.
- **Pipeline Actions:** When a Representative creates a pipeline, their corresponding Manager receives a notification. If the Manager approves or rejects the pipeline, the Representative is notified accordingly.



Activity Log System

- **User Login & Module Access:**
 - Logs every user login attempt with a timestamp and IP address.
 - Tracks which modules or pages the user accesses within the system.
 - Records the duration of user sessions for monitoring activity trends.
- **Company Actions:**
 - Logs when a company is added, updated, or inactivated.
 - Tracks modifications in company details such as name, address, or assigned.
 - Captures changes in company-related contacts..
- **Task & Follow-ups:**
 - Records when a user adds, updates notes to a contact.
 - Tracks follow-ups, including scheduled dates, updates, and status changes.
 - Logs file uploads, deletions, or modifications linked to any company, contact, or sales pipeline.
- **General Actions:**
 - Logs when users make changes to key entities like company or contacts.
 - Tracks status changes in pipelines, such as approval, rejection, or modifications.
 - Provides audit trails for actions performed on user roles, permissions, and access controls.
 - Ensures all logged activities are time stamped and categorized for easy review by Admins.

Activity Log Page:

PERMISSION CONTROL

Sales Rep Settings

REPORTS

Pipeline

Generated Sales

Set Target

ANALYTICS

Activity Log

INACTIVE

Inactive

RECORDS MARKED FOR DELETION

Marked For Deletion

SEARCH

Users

From Date mm/dd/yyyy

To Date mm/dd/yyyy

Apply Filter

Clear Filter

USER ACTIVITY

☐	Username	Activity	Identification	Module	Browser and Operating System Info	IP Address	Timestamp
☐	Hassan Usman	User view pipeline	Not Available	REPORTS	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/133.0.0.0 Safari/537.36	119.160.56.127	2/25/2025, 7:09:53 PM
☐	Hassan Usman	User view generated sales	Not Available	REPORTS	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/133.0.0.0 Safari/537.36	119.160.56.127	2/25/2025, 7:09:52 PM
☐	Hassan Usman	User view target	Not Available	REPORTS	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/133.0.0.0 Safari/537.36	119.160.56.127	2/25/2025, 7:09:49 PM
☐	Christ Lane	User view target	Not Available	REPORTS	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko)	119.160.58.40	2/25/2025, 11:52:27 AM

© 2025 www.SoluComp.com v1.0

Development Guide

Coding Standards

- **PHP (Laravel):**
 - Follow **PSR-1**, **PSR-2**, and **PSR-4** standards for code structure and autoloading.
 - Use **PHPDoc** for documenting classes, methods, and functions.
 - Indentation: **4 spaces** per level, **max line length**: 120 characters.
 - Use **camelCase** for variables and **PascalCase** for class names.
- **React (Frontend):**
 - Use **ESLint** and **Prettier** for consistent code formatting.
 - **Functional components** preferred with hooks (**useState**, **useEffect**).
 - **PascalCase** for component names and **camelCase** for variables.
 - File naming: Lowercase with hyphens (e.g., **user-profile.js**).
 - Use **CSS-in-JS** (styled-components) or **CSS modules**.
- **© 2025www.SoluComp.com/CCMS v1.0:**
 - **Inline comments**: Provide context where necessary, avoiding excessive comments.
 - **Function comments**: For non-obvious logic.
- **Security:**
 - Always validate and sanitize user inputs to prevent XSS and SQL injection.
 - Ensure CSRF protection is enabled.
 - Use **Laravel's Eloquent ORM** to avoid raw SQL queries.

Testing and QA Summary

The CCMS v2 project follows a structured manual testing approach to ensure the reliability and functionality of core modules. Below is an overview of the primary test categories and documented test cases conducted to date.

1. Chat System Test Cases

Test Case ID	Test Case Description	Expected Result	Status
CHAT-01	Send message between two authenticated users	Message should appear in real-time in both UIs	Passed
CHAT-02	Send message to offline user	Message is stored and marked as unread on login	Passed
CHAT-03	File sharing (image, PDF, video)	File uploads and appears inline or as a download	Passed
CHAT-04	Edit sent message	Updated message reflects on both ends with "Edited" label	Passed
CHAT-05	Delete message (for self and for everyone)	Message is removed appropriately from UI	Passed
CHAT-06	Generate audio/video call link	MS Teams API returns link and displays in chat	Passed
CHAT-07	Reply to specific message	Message quotes the original and appears in thread	Passed

CHAT-08	Emoji usage and rendering	Emoji renders correctly across devices	Passed
CHAT-09	Notification sound on new message	Notification plays unless muted	Passed
CHAT-10	Chat window minimize/maximize	UI toggles state correctly	Passed

2. Ticketing System Test Cases

Test Case ID	Test Case Description	Expected Result	Status
TICKET-01	Guest initiates chat from login page	Ticket is created and support is notified	Passed
TICKET-02	Support accepts ticket	Automated welcome message is triggered	Passed
TICKET-03	Support attempts to accept already accepted ticket	Proper message shows conflict	Passed
TICKET-04	File sharing in guest chat	File is shared in real-time and appears inline	Passed
TICKET-05	Guest disconnects and reconnects	Ticket is reopened with history	Passed
TICKET-06	Ticket reassigned after support disconnect	Ticket returns to open pool	Passed

TICKET-07	Status changes (Open, Pending, Resolved)	Ticket flows through valid statuses only	Passed
TICKET-08	Refresh ticket list without reload	API returns updated state without full reload	Passed

APPENDIX

Libraries Used

This project utilizes the following libraries and tools:

- **Sanctum:** A simple package for API token authentication in Laravel. It provides a lightweight and secure way to authenticate API requests and manage user sessions. It is used to handle user authentication in this application.
 - [Sanctum © 2025www.SoluComp.com/CCMS v1.0](#)
- **Fast Excel:** A library used to efficiently import and export Excel files. It simplifies the process of reading and writing Excel files in Laravel and is used to handle file uploads and data exports in the project.
 - [Fast Excel © 2025www.SoluComp.com/CCMS v1.0](#)

Pusher

- **Description:** A real-time communication platform for building scalable, event-driven applications.
- **Usage:** Enables real-time updates for permission assignments, reporting relationships, and performance data visibility, ensuring immediate reflection of changes across the hierarchy.
- **Reference:** Pusher © 2025

Version History

- **Version 1.0** – © 2025 [www.SoluComp.com/CCMS](#)
Initial release of the © 2025www.SoluComp.com/CCMS v1.0. Includes detailed descriptions of modules, features, and system architecture.

Conclusion

This documentation for © 2025 www.SoluComp.com / **CCMS v1.0** presents a complete and structured reference for the architecture, functionality, and operational workflow of the **Client Contact Management System (CCMS)**. Designed using the Laravel framework with Sanctum for secure API authentication and powered by a React.js frontend, the system provides a seamless, responsive, and secure environment for client data and sales process management.

CCMS v2 supports a multi-tiered **Role-Based Access Control (RBAC)** model, enabling granular permission management for roles such as **Admin, CEO, CFO, VP, Director, Sales Manager, Sales Representative, and Sales Lead Person**. Each role is assigned specific capabilities, ensuring secure and efficient access control throughout the system.

The platform includes modular and interactive features such as:

- **Dashboard:** Real-time, role-based analytics and KPIs
- **Sales Metrics:** Pipeline progress, target tracking, and sales comparisons
- **Client Company & Contact Management:** Full lifecycle of organization and individual records
- **User Management:** Hierarchical user creation, activation, role assignment, and inactivation
- **Chat System:** Real-time messaging, file sharing, emoji support, MS Teams call links
- **Ticketing System:** Guest support via live chat, auto-ticket creation, role-based assignment, and resolution flow
- **Permission Control:** State- and company-level visibility cascading through organizational hierarchy
- **Pipeline & Sales Quote Modules:** Structured sales tracking with quote approvals and PDF generation
- **Reports & Activity Logs:** Centralized logs for logins, downloads, and sales operations
- **Security:** Token-based login, user logout, and inactive account enforcement

In addition to the system's features, CCMS v2 follows professional **software engineering standards**, including:

- Clearly defined **system architecture**

- Well-documented **coding practices**
- Structured and **manual QA testing** across all major functionalities, including chat, ticketing, and access flows

The system's extensible structure supports future enhancements while ensuring maintainability for developers and usability for business users. Whether it is managing user roles, tracking sales pipelines, engaging in real-time communication, or performing administrative operations, CCMS v2 delivers a scalable, secure, and professional-grade solution.

In conclusion, © 2025 www.SoluComp.com / **CCMS v1.0** provides a robust and dependable platform for managing client relationships, team collaboration, and operational oversight. It stands as a critical tool for both business continuity and growth—backed by enterprise-grade architecture, security, and documentation clarity.