

ASIM ASHFAQ

Digital Asset Infrastructure | Compliance Engineering | Audit

+90 552 751 2597 asimizb4@gmail.com github.com/asimashfaq Istanbul, Turkey

PROFILE

Co-Founder and CTO of [OxEquity](#), a real-world-asset tokenisation platform issuing tokenised property and equities under Regulation S, live on Base with Arbitrum in rollout. Head of Digital Assets and Blockchain Technologies at AKSİS, an independent audit firm authorised by Turkey's KGK, Capital Markets Board and banking regulator, where the practice examines crypto-asset service providers under the audit regime introduced by Turkey's 2024 crypto-asset law.

Twelve years in software, the last four spent building the compliance controls a regulated digital-asset offering requires and, latterly, assessing them in other firms' systems: Regulation S eligibility, proof of reserve, KYC and AML, and platform gating. The engineering behind it includes a NestJS backend of some fifty domain modules, a Go execution stack on durable workflows, a Groth16 proving stack in Rust, and the zero-trust infrastructure they run on.

EXPERIENCE

Head of Department, Digital Assets and Blockchain Technologies

AKSİS Uluslararası Bağımsız Denetim A.Ş. | Istanbul | 2026 – Present

Head of the digital assets practice at an independent audit firm authorised by Turkey's KGK, the Capital Markets Board (SPK) and the banking regulator (BDDK). Turkey's 2024 crypto-asset law and the CMB's 2025 communiqués require every crypto-asset service provider to commission an annual independent information systems audit from a CMB-authorised firm, which is the regime this practice works inside.

- Led the team that built the firm's proof-of-reserve system: address discovery, multi-chain balance aggregation and reserve verification across more than 200,000 addresses on over 100 blockchains.
- Ran the Bybit engagement, a compliance audit covering 2025 activity.
- Brought the firm's group audit methodology (ISA 600 scoping, component auditor instructions, independence confirmations and engagement partner sign-off) to bear on digital asset engagements.
- Translate on-chain evidence into assurance work that a regulator and an audit committee can both read.

[Proof of reserve](#) · [CASP audit](#) · [SPK / CMB](#) · [ISA 600](#) · [Multi-chain](#) · [AML](#)

Co-Founder & CTO

OxEquity US, Inc. | Remote | Nov 2022 – Present

- Founded and built the engineering side of a real-world-asset tokenisation platform for tokenised property and equities, live on Base with Arbitrum in rollout.
- Built the compliance path for a Regulation S offering: a server-side non-US-person determination under Rule 902(k), versioned and evidenced, anchored to a tamper-evident ledger before the decision is stored, with W-8BEN treaty withholding resolved across thirty jurisdictions server-side rather than taken from the client.
- Wrote and maintain the NestJS backend, roughly fifty domain modules from KYC and AML through orders, settlement, holdings, rewards and fiat rails, with anything that settles outside a request moved onto Temporal so bridge legs and resting orders survive a restart.
- Designed the zero-trust infrastructure: SPIFFE/SPIRE identity and mTLS between services, Vault for secrets and signing keys, Falco runtime detection, immudb as the audit ledger, a self-hosted Headscale mesh carrying the private surfaces instead of the public internet, and authentication on passkeys and OPAQUE rather than transmitted passwords.
- Shipped both clients: a React dApp on wagmi/viem, and a React Native app on iOS and Android taken through App Store and Play review, covering passkey sign-up and KYC through fiat on-ramp, trading and rent claims.
- Started DeFiLoops, the platform's agentic execution layer: a Go stack on durable workflows where an MCP server lets a language model author and run strategies under an agent key that is spend-capped, revocable across a chain in one transaction, and has no field for a destination or raw calldata.
- Run the delivery loop end to end, from reproducible Nix dev shells and a Dockerised local stack to what Prometheus, Grafana and Metabase show after deploy.

[NestJS](#) · [TypeScript](#) · [Go](#) · [React](#) · [Temporal](#) · [PostgreSQL](#) · [SPIFFE/SPIRE](#) · [Vault](#) · [Solidity](#) · [MCP](#) · [React Native](#) · [Regulation S](#) · [W-8BEN](#)

Full Stack Developer

Jarvis OOD | Remote | Mar 2020 – 2025

- Front-end work on Jarvis Network, a set of protocols connecting traditional finance to DeFi. Synthetium issues synthetic fiat assets (jEUR, jCHF and other jFIATs) priced by Chainlink oracles, governed by the Jarvis DAO and its JRT token.
- Built the platform's interfaces in React and Next.js.

[React](#) · [Next.js](#)

DevOps / Full Stack Developer

EverReal GmbH | Remote | Oct 2020 – Aug 2021

- Worked on EverReal, a Munich proptech running a cloud-based white-label platform that digitises the whole rental and sales transaction: listing and marketing, applicant management, viewing appointments, electronic contracts and handover.

- Split between application development and the infrastructure the B2B SaaS platform ran on.

[SaaS](#) · [DevOps](#)

DevOps / Full Stack Developer

WeFresh, Ascend Commerce | Remote | Dec 2019 – Aug 2020

- Worked on WeFresh, Ascend Commerce's Bangkok grocery and convenience delivery app, which fulfils orders through 7-Eleven, CP Freshmart and Makro wholesale.
- Split between backend service work and the delivery and deployment infrastructure behind it.

[Node.js](#) · [DevOps](#)

Team Lead

Expanse.tech | Islamabad | Aug 2016 – 2019

Led a team of ten engineers building the Expanse blockchain ecosystem, with several products running at once rather than one after another, on stacks that shared almost nothing and for audiences that had little in common: a public explorer, a token issuance platform for founders raising money, and the desktop wallet ordinary holders used.

- Gander, the chain's block explorer and dApp analytics tooling: Golang REST APIs behind a React front end, realtime workers pulling node data into a persistent store, and Elasticsearch indexing it for search.
- Tokenlab, the token issuance and ICO platform: a modular Solidity contract system whose sale contracts carried time-locked distribution so investors were not exposed to a founder dumping supply, deployable to either Expanse or Ethereum.
- Luna Wallet, the cross-platform desktop wallet most holders met the chain through, with Tokenlab folded into version two so a holder could reach a sale without leaving the wallet.
- Split ten people across three concurrent products and five stacks (Golang services, Vue and React front ends, Electron desktop, Solidity contracts), and kept all three shipping.

[Team of 10](#) · [Golang](#) · [Vue](#) · [React](#) · [Electron](#) · [Solidity](#) · [Elasticsearch](#)

Freelance Developer

Freelancer.com | Islamabad | 2012 – Mar 2017

- Web and software development for clients on Freelancer.com, working there since 2012: WordPress and PHP/MySQL builds, e-commerce and payment gateway integration, and third-party API work across PayPal, Facebook and Google.
- Rated 4.7 out of 5 across 72 reviews, with 88% on-time delivery, 94% on-budget completion, and 39% of clients hiring again.
- Larger engagements included a SaaS clinic management system (Angular 2, MEAN) and a realtime chat/video application (Node.js, MQTT, STOMP, RabbitMQ).

[Angular 2](#) · [MEAN](#) · [Node.js](#) · [MQTT](#) · [RabbitMQ](#)

PROJECTS

0xEquity (0xequity.com)

2022 – present

A platform for investing in tokenised real-world assets (property and equities) and putting them to work on-chain. Fractional positions from small tickets and rental income paid on-chain.

- NestJS backend of ~50 domain modules, from KYC and document signing through orders, settlement, holdings and rewards.
- Live on Base with Arbitrum in rollout, behind an RPC proxy that spends a read's retries across different providers rather than failing on one.
- Zero-trust service mesh: SPIRE-issued SPIFFE identities, mTLS between every service, Vault-held signing keys, immudb audit ledger, Falco runtime detection.
- Durable Temporal workflows for anything that settles outside a request: bridge legs, resting orders, transaction bumps.
- React dApp on wagmi/viem with RainbowKit, TanStack Query, Zustand and i18n.

[NestJS](#) · [TypeScript](#) · [React](#) · [wagmi/viem](#) · [Temporal](#) · [PostgreSQL](#) · [TypeORM](#) · [Redis](#) · [RabbitMQ](#) · [MQTT](#) · [gRPC](#) · [SPIFFE/SPIRE](#) · [Vault](#) · [Falco](#) · [immudb](#) · [Casbin](#) · [WebAuthn](#) · [Docker](#) · [Nix](#) · [Headscale](#) · [Caddy](#)

0xEquity mobile app (iOS and Android)

React Native | shipped to the App Store and Play

The mobile client for the platform: passkey sign-up, KYC, a smart-contract wallet deployed at first transaction, fiat on-ramp, property trading and rent claims, gasless throughout because signed transactions go to a relay that pays the gas.

- React Native with Expo, one codebase across both platforms, with native release pipelines through Fastlane and EAS.
- WebAuthn passkeys and biometric keychain for sign-in, social recovery through three trusted guardians, and device attestation via Play Integrity and App Attest.
- Took the app through Apple review against the guidelines that govern financial and crypto products: 3.1.5(a)(iii) on cryptocurrency, 3.1.5(a)(iv) on exchanges and 3.2.1(viii) on facilitating trades.

[React Native](#) · [Expo](#) · [TypeScript](#) · [viem](#) · [WebAuthn](#) · [TanStack Query](#) · [Fastlane](#) · [EAS](#) · [Maestro](#) · [Sentry](#)

DeFiLoops (defiloops.com)

The execution layer for multi-step DeFi. You describe a strategy in a sentence; it becomes a numbered plan you approve, and then runs for hours or days across networks, on an account only you can empty.

- Six-stage compiler from conversation to signed transaction, where each stage narrows what is possible and any stage can refuse.
- Steps that belong together are merged into one transaction, so an approval cannot outlive the step it was granted for; a step can spend what the previous step produced.
- Atomic loan migration via flash loan: a deadlock by hand, one instruction here, with the borrowed funds never touching the user's account.
- Key model enforced on-chain rather than by policy: the agent key signs typed adapter parameters with no field for a destination or raw calldata, is capped by a spend limit it cannot raise, and is revocable for every account on a chain in one transaction.
- Own swap router answering questions an aggregator cannot: what fills at a named limit price, and how much a resting order takes right now.
- Durable runs on Temporal, plus schedules, price triggers and plan chaining that rebuild and re-price the plan each time they fire.
- Foundry invariant tests for the adversarial cases: agent blast radius, guard drain, proxy squatting, address parity.

Go · Temporal · Solidity · Foundry · ERC-4337 · PostgreSQL · go-ethereum · Uniswap v3 · Aave · CCTP

MCP server for agent-driven DeFi

part of DeFiLoops

A Model Context Protocol server that lets a language model author, validate and run multi-step on-chain strategies, built to find out whether a small open model could write a plan the system would accept, and to make the answer yes.

- 22 tools in five groups (catalogue, chain reads, plan authoring, chains and schedules, and run watching) over ~33k lines of Go with 84 test files.
- Two transports with different guarantees: stdio, where a pipe's single reader makes unexposed tools structurally unreachable; and a loopback socket requiring a bearer token, refusing to bind anything but localhost.
- Tools that spend money are withheld at the server unless explicitly enabled. On a pipe the client's request is a guarantee; on a socket it is only a preference.
- Validation goes over the wire to the running API rather than importing the compiler, so the model validates against the build that will actually execute it.
- Per-request credential binding on a value receiver, so two concurrent conversations cannot swap identities under load.
- 21 written skill guides the agent reads before answering, held to one rule: a guide describes what the code does today, or it starts lying.

MCP · Go · JSON-RPC 2.0 · LLM tool use · OpenRouter

rapidzkey (github.com/asimashfaq/rapidzkey)

Open source | MIT

Fast Groth16 trusted setup for Circom circuits, a drop-in replacement for `snarkjs groth16 setup` producing byte-identical output.

- A ~2M-constraint circuit completes in about three minutes on eight cores, against a snarkjs baseline still unfinished when it was stopped at fourteen minutes.
- Accumulates weighted curve points by scatter-add across Rayon threads, rather than running a separate MSM per signal.
- Computes missing Lagrange-basis points by parallel IFFT, so unprepared ptau files work without a separate preparation pass.

Rust · Rayon · arkworks · Groth16 · BN254 · Circom

zk-realestate

Rust | zero-knowledge

A zero-knowledge proving stack for private property ownership and trading. Groth16 over BN254, with the prover compiled for three targets.

- Cargo workspace of nine crates: prover, native Node bindings via napi-rs, a WASM build for in-browser proving, an axum proving server, batch service, bridge relay and orderbook indexer.
- Circom circuits with their trusted-setup artefacts, including WebAuthn P-256 signature verification so a passkey can authorise on-chain.
- BLS-signature wallet, cross-chain bridge and an on-chain orderbook with private voting.

Rust · arkworks · Circom · WASM · napi-rs · axum · BLS · WebAuthn

Content Engine

Python | Dagster | 0xEquity

A content pipeline that watches competitor short-form accounts, extracts the hook patterns that actually work, and drafts reel scripts from them. The unit of value is the pattern, never the post. Nothing is reproduced or imitated.

- Dagster orchestrates the jobs, deliberately kept an optional extra: the orchestrator calls the jobs and never the reverse, so a box that only runs the pipeline does not carry a webserver, a gRPC stack and an ORM it never imports.
- Staged Claude passes classify stored posts and generate weekly, with Groq's whisper-large-v3-turbo handling transcription.
- An MCP server over the corpus, so the analysis is reachable from an agent rather than only from the CLI.
- FastAPI review surface for approving or rejecting a draft with a reason, and a doctor command that prints what is wired and which fetcher a tick would actually reach.
- 388 tests against fixtures with no network; Nix supplies the toolchain and a per-project Postgres cluster, so nothing is installed system-wide.

Python · Dagster · Claude API · MCP · FastAPI · PostgreSQL · Whisper · Vault · Nix

Indexer-core

A generic blockchain indexing runtime, published to a private in-cluster registry and consumed by the KYC indexer applications, including AML screening and USDC blacklist monitoring among them.

- Bazel and Nix monorepo with a custom Bun toolchain rule, where the Nix dev shell is the only supported Bazel entrypoint, so CI and a laptop build the same thing.
- Schema migrations carrying a snapshot in `_meta`, exposed over an admin API.
- Dagster integration on top: a resource wrapping that API, schema introspection, and stream sensors driving assets from chain data.

TypeScript · Bun · Bazel · Nix · Dagster · PostgreSQL · Foundry

Jarvis Network (jarvis.money)

2020 – 2025

A fully on-chain foreign exchange market. Jarvis Network's Synthetium protocol issues synthetic fiat currencies against collateral (jEUR, jCHF, jGBP, jMXN and others, collectively jFIATs), and jarvis.money is the application people trade them in.

- Built the platform's trading interfaces in React and Next.js.
- Synthetium's pools take a single asset instead of a pair, so roughly \$10k of liquidity supports a \$100k purchase at a 110% margin-hedging ratio, where a conventional AMM pool would need \$200k.
- The On-Chain Liquidity Router chains two pool swaps through a shared collateral, so a jFIAT↔jFIAT trade settles with zero price impact, and a jFIAT↔token trade carries only the impact its collateral would have carried.
- That routing connects jFIATs to the entire on-chain liquidity of their collateral, with Paraswap, PicNic and Stableswap aggregated behind it.
- FX prices come from Chainlink oracle networks; the protocols are governed by the Jarvis DAO and its JRT token.
- Deployed across Ethereum, Polygon, BNB Chain, Gnosis Chain, Avalanche and Optimism, with trustless cross-chain routers moving jFIATs between them.

React · Next.js · Solidity · Chainlink · Ethereum · Polygon · Synthetic assets · AMM routing

Gander (gander.tech)

Expanse.tech | 2016 – 2019

The block explorer for the Expanse blockchain, a search engine for looking up, confirming and validating on-chain transactions, extended with the business-intelligence tooling needed to run and manage a dApp.

- Golang REST APIs behind a React and Redux front end, with middleware logging and rate-limiting the public API.
- Realtime workers pulling data off blockchain nodes into a persistent store, with Elasticsearch indexing it for search.
- Cron jobs computing node hashrates, and explorer integration for tracking ICOs on chain.

Golang · React · Redux · Elasticsearch · Couchbase · MongoDB · Redis · WebSockets · JSON-RPC · AWS

Tokenlab (tokenlab.io)

Expanse.tech | 2016 – 2019

An integrated system for creating tokens and assets on the Expanse blockchain, including ICOs whose contracts carry time-locked distribution so investors are not exposed to funds being dumped on the market. Its own LAB token pays holders a percentage of every new token Tokenlab creates.

- Modular Solidity contract system supporting add-on business logic, deployed with Truffle and Ganache and tested with Mocha.
- A web3.js helper library wrapping the common on-chain interactions, and Node.js scripts deploying new tokens to either Expanse or Ethereum.
- Crypto payment solution backed by Ethereum and Expanse mempool workers, HD wallets and meta transactions.
- Issuers and investors managed a campaign end to end in one place: contract creation, the sale, and token issuance at the close.

Vue · Golang · Node.js · Solidity · Truffle · Ganache · Mocha · web3.js · HD Wallet · Meta transactions

Other earlier work

Clinic Management System: SaaS on Angular 2 and the MEAN stack. · **Random Chat / Video App:** Node.js, MQTT, STOMP, RabbitMQ. · **Places App** and **TicTac App:** React, on GitHub.

SKILLS

AI tooling	Model Context Protocol · LLM tool-use design · Agent skill authoring · Claude API
Compliance & Assurance	Regulation S / Rule 902(k) · W-8BEN treaty withholding · Proof of reserve · KYC / AML case management · Sanctions and watchlist screening · Transaction tracing and typology detection · Verifiable audit logs (Trillian, immudb) · CASP audit (SPK / CMB), ISA 600
Blockchain & Web3	ERC-4337 account abstraction · Foundry / Hardhat · EIP-2535 Diamonds · DeFi: AMMs, lending, flash loans · Cross-chain bridging (CCTP) · RWA tokenisation · Ponder / custom chain indexers · CREATE3 deterministic deploys · Safe / Timelock admin, Ledger signing · Transaction simulation
Infrastructure	Kubernetes / k3s / Rancher · Docker / Nix / Helm / Istio · Bazel / Bun · Terraform / GitOps · SPIFFE / SPIRE / Vault · Headscale / Tailscale (self-hosted mesh VPN) · Caddy (edge, private, egress, mesh) · Falco / Open Policy Agent · Kafka / Karapace · CloudNativePG / Velero · Tilt / kind · Prometheus / Grafana · GitLab CI / CircleCI
Cryptography	Groth16 zkSNARKs / arkworks · Circom circuits · WebAuthn / passkeys · OPAQUE / BLS signatures

Languages	TypeScript / JavaScript · Go · Rust · Python · Solidity · SQL
Backend	NestJS / Node.js · Temporal (durable workflows) · Dagster (data orchestration) · REST / GraphQL / gRPC · RabbitMQ / Kafka / MQTT · WebSocket / realtime PubSub · Microservices
Frontend	React / Next.js · React Native / Expo (iOS, Android) · wagmi / viem / RainbowKit · TanStack Query / Zustand · Tailwind CSS · Vue / Angular / Electron / Tauri
Data	PostgreSQL / TypeORM · ClickHouse (analytical store) · Redis · NoSQL / Elasticsearch · immudb / Trillian (verifiable logs) · Hasura

EDUCATION

BS Software Engineering

Riphah International University, Islamabad
2010 – 2014

I.Com

Punjab College of Commerce, Rawalpindi
2005 – 2007

HSSC

Fazaia International School, Rawalpindi
2003 – 2004

VOLUNTEERING

Founder, “Pukaray Pakistan”

Social organisation, Islamabad
2009 – 2015

Volunteer, IEEE Pakistan Mission to Progress

IEEE Pakistan Women in Engineering Forum,
Lahore
2012 – 2013

Volunteer, Aghosh Foundation

Attock
2009 – 2010

LANGUAGES

English (Professional) · Urdu (Native)

QUOTE

“Shoot for the moon. Even if you fail, you will fly among the stars.”



github.com/asimashfaq



asimizb4@gmail.com



linkedin.com/in/asim-ashfaq