

Processing-Structure-Conductivity Relations in LLZO Garnet Electrolytes: Synthesis, Densification, Interfaces, and Measurement Comparability

GoAI Research Working Group

September 2026

Abstract

Garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) is frequently compared through a single room-temperature conductivity value, although composition, lithium inventory, precursor chemistry, thermal history, microstructure and measurement geometry vary substantially between studies. This review organizes the literature as a process-structure-transport chain. We first define the phase, defect and resistance terms needed for a fair comparison, then follow powder synthesis through forming, densification, membranes, grain boundaries and Li or cathode interfaces. A minimum comparison record keeps nominal and retained composition, cover and crucible, relative density, microstructure, temperature, electrode geometry and fitting model together. The synthesis shows that lithium activity, boundary chemistry and surface exposure are coupled variables rather than independent optimization knobs; a complete LLZO phase diagram and a universal route ranking remain unavailable. Three executable experiments are proposed: a lithium-activity interaction map, a matched-density Ta-LLZO grain-boundary study, and a paired surface-cleaning test after ultrafast sintering. Precursor choices returned by a local model are labelled as model predictions, pending experimental validation, and are not chemical conclusions.

1 Introduction

All-solid-state lithium batteries require an electrolyte that combines rapid lithium-ion transport with mechanical integrity, chemical tolerance and a manufacturable form factor. Garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) is attractive because its oxide framework supports a wide range of aliovalent substitutions and can be processed as dense ceramics, thin sheets or composite electrodes [1–3]. Yet the name LLZO covers samples made with different lithium inventories, precursor chemistries, atmospheres, covers, crucibles, thermal ramps and impedance geometries. A conductivity number therefore cannot be interpreted without the material state and the route that produced it.

This review follows a process-structure-transport chain. It asks how composition and phase stability set the available lithium sites; how precursor chemistry and forming determine the green body; how thermal history and lithium activity set density and grain-boundary chemistry; and how those states are read by impedance, spectroscopy and cell tests. The resulting comparison is deliberately conditional: a route is considered transferable only when the composition, thermal history, relative density, microstructure and measurement definition are reported together. The framework extends the processing emphasis of recent LLZO reviews [4–7] by making comparability itself an object of analysis.

1.1 Scope and evidence criteria

The target phase is garnet-type LLZO and its Al^- , Ta^- , Ga^- , Nb^- , Y^- , Sr^- and related substituted variants. We include powder synthesis, calcination, forming, sintering, rapid or assisted densification, membranes, grain boundaries, environmental exposure, Li contacts and cathode integration. We use related garnets as mechanistic comparators, but do not transfer their conductivity values to LLZO. We also separate direct measurements from calculations and from nominal-composition assignments. Reviews provide vocabulary and route families, while primary studies anchor claims about processing or electrochemical response [1, 2, 8–10].

The scope is also informed by a deliberately bounded oxide-ceramic analogy. In $\text{BaZn}_2\text{Si}_2\text{O}_7$, diffraction and thermal-expansion work resolves a temperature-triggered structural transition, while Ba / Sr substitution stabilizes a related high-temperature framework [11, 12]; combustion and crystal-growth studies show that precursor route and dopant choice change phase selection and luminescence [13, 14]. Partial BaO-SrO-ZnO-SiO_2 and $\text{BaO-ZnO-SiO}_2\text{-B}_2\text{O}_3$ studies further illustrate how additive content and eutectic liquid formation can redirect phase assemblages [15, 16]. Thermodynamic treatments of $\text{Y}_2\text{O}_3\text{-SiO}_2$, ZnO-SiO_2 and related oxide subsystems provide a methodological precedent for combining measured equilibria with CALPHAD extrapolation [17–19]. No exact Ba-Y-Zn-Si-O quaternary phase diagram or thermodynamic assessment was identified in the bounded corpus; these partial-system results therefore cannot establish Ba-Y-Zn-Si-O phase fields. The silicate papers are not LLZO measurements and do not establish LLZO phase fields or conductivity; they are used only to motivate an explicit workflow of phase-diagram measurement, composition spacing and thermodynamic modeling.

The minimum record for a meaningful comparison contains (i) nominal and measured composition, including dopant and lithium excess; (ii) precursor identity, mixing and calcination; (iii) pellet or tape geometry, cover powder, atmosphere and crucible; (iv) sintering schedule and relative density; (v) phase fractions, grain size, porosity and boundary chemistry; and (vi) conductivity type, temperature, electrode configuration, fitting model and applied pressure. Missing items do not invalidate a study, but they limit the strength of a cross-paper comparison. This rule is consistent with the measurement cautions emphasized for garnet electrolytes and critical-current tests [6, 20, 21].

1.2 Near-neighbor garnet systems

Before focusing on LLZO, it is useful to state what neighboring garnets have already taught us. $\text{Li}_5\text{La}_3\text{Ta}_2\text{O}_{12}$ and other lithium-stuffed garnets show that cation substitution changes lithium concentration, site occupancy and the tetragonal-cubic transition, while pressure-assisted consolidation can alter density independently of composition [2, 4, 22]. These results support a transferable principle: phase symmetry and carrier concentration are coupled, but neither predicts the measured total resistance without a microstructural descriptor.

The same family also demonstrates why processing details matter. Thin-sheet, water-based and self-standing membrane studies report dense garnet bodies at thermal budgets different from conventional LLZO firing, and their transport depends on thickness, residual porosity and electrode geometry [23–25]. Atomistic and microstructural studies further indicate that low-energy pathways can coexist with mechanically vulnerable interfaces [26, 27]. We therefore use neighboring garnets as evidence for mechanisms and reporting practices, not as a ranking of LLZO recipes.

Foundational surveys and application-oriented studies converge on the same reporting problem: garnet composition, processing, interfaces and cell architecture are inseparable when a result is transferred across laboratories [28–35]. Recent processing guidance adds scale-up, environmental and manufacturing constraints to that comparison [36–38]. These sources frame the review, whereas the mechanistic claims below are tied to primary LLZO or explicitly marked comparator studies.

1.3 Roadmap

Figure 1 is a reading map. Section 2 defines phase, defect and transport terms; Sections 3–5 follow the synthesis chain; Section 6 reconciles conductivity measurements; Section 7 treats Li and cathode contacts; and Sections 8–9 identify discriminating experiments. The process–structure–conductivity map is used in Section 3, while the coupled-variable feedback map is interpreted in Section 8.




Figure 1. Reading roadmap for the review. The sequence moves from composition and phase state to powder, densification, microstructure, transport measurement and cell integration.

2 Background and Definitions

LLZO is commonly discussed as a garnet framework with lithium distributed over partially occupied sites. The useful distinction for processing is not simply "cubic" versus "tetragonal," but the combination of symmetry, lithium occupancy, dopant distribution and hydration history. Reviews and structure studies describe aliovalent substitution as a way to change both the lithium count and the configurational disorder that stabilizes a highly conducting state [3, 4, 8].

For a pellet of thickness L and electrode area A , the conductivity inferred from a resistance R is

Equation 1

$$\sigma = (L) / (RA).$$

The resistance may be fitted as a bulk term, a grain-boundary term and an electrode polarization term. A reported "ionic conductivity" is therefore interpretable only when the fitted circuit, frequency range, electrode, temperature and specimen geometry are given. Surface conditioning can change the apparent bulk response, and proton exchange can change processing reproducibility, so cleaning and storage must be recorded alongside impedance [39–41].

Temperature dependence is often summarized with an Arrhenius relation,

Equation 2

$$\sigma T = \sigma_0 \exp(-(E_a) / (k_B T)),$$

where E_a is an apparent activation energy. A change in slope can indicate a phase transition, a change in dominant resistance or a contact artifact; it should not be interpreted as a new hopping mechanism without independent structural evidence. NMR, Raman and atomistic calculations provide complementary views of lithium mobility, but they probe different length and time scales [26, 42–45].

Relative density, open porosity and grain size are state variables rather than processing labels. Two samples made with the same nominal composition can have different connected-pore fractions and boundary area after pressing or sintering. Microstructure-aware modeling predicts that tortuosity and boundary resistance can dominate the total response even when the local bulk diffusivity is unchanged [26, 39, 46]. Accordingly, this review uses "bulk," "grain boundary" and "total" only when the measurement separates them; otherwise the value is reported as unspecified.

The measurement vocabulary is shared with broader oxide-electrolyte and battery studies, but the transfer is methodological rather than numerical. Reviews of inorganic conductors, garnet / polymer composites and all-solid-state interfaces emphasize that conductivity, mechanical constraint and interfacial stability must be reported on the same specimen [33, 35, 47–51]. Computational descriptors are likewise useful only when their length scale and boundary conditions are stated; LLTO calculations are a comparator and not LLZO evidence [52–54].

Wet-chemical post-processing offers a further definition of state: structural modeling and spectroscopy show that washing or hydration can alter lithium occupancy, surface phases and the apparent transport response without changing the nominal formula [55, 56].

Surface and environmental effects provide concrete examples of why the state variables are necessary. Thermal cleaning, surface regeneration, ZnO coatings and carbonate-based exposure each modify the near-surface reaction sequence, while air-stability studies show that particle size and dopant chemistry alter the rate of degradation [57–63].

The thermodynamic language also requires care. High-temperature studies resolve phase evolution and lithium volatilization for selected Al³⁺ or Nb-containing compositions, while a complete LLZO composition-temperature-oxygen-potential diagram is not reported in the present corpus [64–67]. We therefore refer to a local phase relation or measured phase sequence when evidence exists, and identify measurement of a composition-resolved phase diagram as an open experiment rather than inferring a universal phase boundary.

3 Composition and Phase Stability

Composition determines which lithium sites are occupied, which framework sites are substituted and how much lithium is available during firing. Early LLZO studies established that Al, Ga, Ta, Nb, Y and related substitutions can stabilize a cubic-like garnet state or alter the tetragonal-cubic transition, but the concentration that maximizes conductivity is route-dependent [2, 8, 68–70]. A composition label is therefore a starting hypothesis, not a guarantee of phase or carrier concentration.

3.1 Dopant roles and lithium occupancy

The most reproducible composition-level observation is that aliovalent dopants change both framework charge balance and the number of mobile lithium ions. Broad screening finds that dopants occupying different crystallographic sublattices produce distinct combinations of phase stability and transport, while co-doping can improve conductivity but also broaden the range of secondary phases [68, 69, 71–73]. Nb⁵⁺ and Ta⁵⁺-containing systems are especially sensitive to lithium inventory and thermal history, so nominal stoichiometry should be paired with post-processing elemental analysis [66, 70, 74].

Al-stabilized LLZO illustrates the coupled problem. High-temperature diffraction tracks phase evolution in $\text{Li}_{6.25}\text{Al}_{0.25}\text{La}_3\text{Zr}_2\text{O}_{12}$, and processing studies show that lithium volatilization changes the phase sequence as sample thickness and exposure geometry change [64, 65, 75]. The practical implication is to report the lithium excess relative to the weighed batch, the covered area, the pellet thickness and the measured retained composition. A high conductivity measured after uncontrolled lithium loss cannot be assigned solely to the dopant.

Primary composition studies extend this picture across the dopant space. Ce substitution in Ga-doped LLZO, NbO₂-derived Nb substitution and Nb-doping studies each report coupled changes in lattice parameters, local electronic structure and electrochemical response [76–78]. Cluster-expansion calculations for Ta-doped tetragonal LLZO and phase-formation studies of LLZNO / LLZTO provide composition-specific hypotheses, but they still require diffraction and retained-element measurements on fired pellets [79–81]. Machine-learning molecular dynamics can rank local transport environments, yet its predictions are not substitutes for a measured phase fraction or conductivity [82, 83].

3.2 Local phase relations and the missing global diagram

A combined experimental-computational study maps a local Li_2O - La_2O_3 - ZrO_2 relation, while high-temperature work resolves composition-specific phase transitions [64, 84]. These results are valuable local constraints, but they do not constitute a complete LLZO phase diagram spanning dopant content, lithium activity, oxygen potential and temperature. The literature should consequently distinguish a measured phase sequence from a phase-field extrapolation. The most useful next measurement is a small, compositionally spaced set of high-temperature diffraction and calorimetry experiments with quantified lithium retention, anchored to the local relations already reported.

Earlier structure determinations establish the reference states against which these newer substitutions should be compared. Tetragonal LLZO, aluminum-free cubic LLZO and zirconium-site Ge, Te or Y substitutions show that lithium distribution and framework distortion can change without a one-to-one correspondence between symmetry and total conductivity [85–89]. Reports of Ga stabilization, simultaneous Y / Ta substitution and Al-free Ta phase stability similarly demonstrate that dopant valence and lithium inventory must be interpreted together [90–93].

LLZO processing–structure–ionic-conductivity framework




Figure 2. Process–structure–conductivity map used throughout this review. Precursor chemistry and lithium activity shape phase assemblage; forming and thermal history set density and interfaces; these states determine the resistance components measured in a cell.

Table 1. Composition-level observations and the accompanying record needed for comparison.

Composition lever	Recurrent observation	Required structural readout	Representative sources
Al, Ga or multi-dopant substitution	Cubic-state stabilization is coupled to lithium occupancy and defect disorder	Phase fraction, dopant site / amount, retained Li	[2, 68, 69]
Ta or Nb substitution	Conductivity and phase evolution depend on lithium inventory and thermal history	High-temperature diffraction, elemental retention	[66, 70, 74]
Lithium excess or compensation	Excess can support phase formation but also increases volatilization and carbonate risk	Weighed excess, cover geometry, post-fire Li assay	[64, 65, 75]

4 Powder Synthesis and Precursor Chemistry

Powder synthesis sets the chemical length scale that the later firing step must eliminate. Solid-state routes are robust and scalable, but their reaction path depends on oxide surface area, mixing order and lithium precursor decomposition. Sol-gel, combustion, spray-flame and mechanochemical routes shorten diffusion distances or increase homogeneity, yet they introduce organics, residual carbon, agglomeration or a different lithium-loss profile [2, 94–97].

4.1 Route families

Conventional oxide or carbonate mixing remains the reference route because precursor identities and mass balances are easy to audit. A comparative Al-LLZO study found that solid-state and sol-gel routes can yield different thermal, structural and electrochemical responses even at nominally similar composition [98]. Reaction-pathway-informed synthesis further shows that a short calcination can be effective when precursor availability and intermediate phases are controlled, rather than when dwell time is simply reduced [99]. These findings favor a route description that records milling media, order of addition, solvent or binder, calcination atmosphere, intermediate phase and the reason for selecting the dwell time.

Spray and combustion approaches can generate fine or chemically mixed particles at lower apparent synthesis temperatures [94, 95, 100]. Mechanochemical processing similarly changes defect density and contact area before crystallization [96]. The benefit is not universal: high surface area accelerates both reaction and environmental degradation, and agglomerates can create macropores that survive pressing. Particle-size-dependent degradation in Ta-containing garnet powders makes air exposure time and storage atmosphere essential metadata [62].

The route family is broader than the three commonly compared labels. Low-temperature synthesis reviews, spray-flame work, high-entropy garnet studies and AI-guided precursor screening each target shorter diffusion distances or improved compositional uniformity, but they also change agglomeration, defect populations and lithium-loss kinetics [80, 94, 97, 101–104]. Processing guidelines therefore recommend reporting powder morphology, precursor hydration, atmosphere and the thermal event that removes organics or carbon [2, 36].

Low-temperature Bi substitution and carbonate crystallization kinetics show why powder handling belongs in the synthesis record: defect chemistry and CO₂ / LiOH exposure can alter the surface before the garnet reaction is complete [105–107].

4.2 Lithium precursors and mass balance

Li₂CO₃ is convenient but can leave carbonate contamination or volatilize during high-temperature treatment; LiOH changes decomposition and water release. Recent precursor comparisons therefore treat lithium source as a process variable rather than a procurement detail [108–110]. A reproducible batch record should state the assay-corrected lithium content, intentional excess, hydration state, powder-bed cover and the measured mass before and after calcination. When these quantities are unavailable, the phrase "lithium compensated" should be read as nominal rather than measured.

Direct precursor comparisons support this distinction. Li₂CO₃ and LiOH produce different decomposition paths in LLZNO and LLZTO, and Ta-containing batches can retain a composition that differs from the weighed recipe after firing [108, 109, 111–113]. Older Al³⁺, W⁶⁺ and Ge-containing synthesis studies likewise show that calcination, milling and the choice of complexing route set the intermediate phases before densification [114–118].

4.3 From powder to green body

Pressing pressure, binder removal and particle-size distribution control the green-body pore network that later governs shrinkage. A small powder that reacts early may densify differently from a coarse powder with the same phase composition. The practical comparison is thus a matched green density and thickness, followed by a thermal profile that records shrinkage or dilatometry. Low-temperature synthesis studies and scalable tape-casting reviews emphasize that powder morphology and slurry rheology must be optimized together with the final membrane thickness [23, 37, 97].

For transfer to thin or composite forms, the relevant precedent includes submicron Nb-doped powders, rapid Li compensation in films and tape-cast garnet sheets [119–122]. These studies motivate matching green density and thickness before comparing the later thermal schedule, rather than ranking powders by BET area alone.

Table 2. Powder-route comparison with the variables that determine transferability.

Route family	Main opportunity	Dominant uncontrolled risk	Minimum report
Oxide / carbonate solid state	Simple scale-up and explicit mass balance	Incomplete mixing and long diffusion path	Milling sequence, particle size, calcination and Li excess [75, 98]
Sol-gel or combustion	Chemical homogeneity and fine particles	Organics, residual carbon and agglomeration	Precursor concentration, burnout and powder morphology [95, 100]
Spray or mechanochemical	Short diffusion distance and defect engineering	Rapid surface reaction, broad size distribution	Residence or milling history, atmosphere and storage [62, 94, 96]

5 Thermal Processing and Microstructure

The thermal step converts a chemically mixed powder into a connected garnet skeleton. It also controls lithium loss, grain growth, residual porosity and the composition of grain boundaries. Because these outcomes are coupled, a sintering temperature alone is not a transferable process descriptor [9, 74, 123].

5.1 Experimental conclusion bundle

The reported experiments support five bounded conclusions. First, sintering additives or lithium-containing transient phases can increase densification and lower resistance, but the additive may remain at boundaries or change the phase assemblage [123–125]. Second, lithium and other elements can diffuse irreversibly during firing, so the compact composition after sintering is not necessarily the weighed composition [64, 74]. Third, rapid microwave or laser schedules can shorten thermal exposure and produce dense LLZO or LLZTO, but they create larger thermal gradients and surface-chemistry contrasts than a conventional furnace [126–128]. Fourth, crucible material and cover configuration are chemically active boundary conditions; Pt or Al crucibles should be recorded rather than treated as interchangeable hardware [129]. Fifth, grain-boundary segregation is not an immutable property of the garnet lattice: co-doping, atmosphere and thermal path can remove or create boundary-rich regions [130–132].

Recent one-step Al–N doping, temperature-window and transformation-toughening studies broaden the thermal evidence while retaining the same caveat: density, phase assemblage and surface chemistry must be measured together [133–135]. Earlier reactive-sintering and lithium-oxide-additive work reaches high density through transient liquids or enhanced particle contact, providing useful process precedents without proving a universal additive mechanism for every LLZO composition [121, 136–138].

Table 3. Thermal and forming variables linked to measured structural outcomes.

Process variable	Typical structural consequence	Conductivity interpretation	Representative sources
Sintering aid or lithium-rich transient	Faster neck growth; possible boundary phase or altered lithium inventory	Total resistance can fall without a bulk change	[123–125]
Cover powder, crucible and atmosphere	Changes lithium chemical potential and surface reaction	Phase purity and surface impedance must be checked together	[129, 139, 140]
Rapid microwave or laser heating	High density at short dwell; thermal gradients and surface layers	Compare matched density and depth-resolved chemistry	[126–128]
Co-doping and boundary control	Changes grain size, segregation and boundary continuity	Separate bulk and boundary resistance; do not infer mechanism from total conductivity	[130–132]

5.2 Density, grains and boundaries

Relative density is the first microstructural prerequisite for any conductivity comparison, but it is not sufficient. Grain size, pore connectivity, boundary thickness and dopant segregation determine the fraction of current that traverses resistive interfaces. Studies combining atomistic and mesoscale descriptions, together with direct boundary imaging, show that a nominally dense pellet can retain heterogeneous transport pathways [26, 46, 132]. The minimum structural package is Archimedes density, cross-sectional microscopy, grain-size statistics and a statement on open porosity. Air-stability and microstructure-engineering studies show that

this package should include surface carbonate and a depth-resolved chemistry when powders or pellets have seen humid air [41, 62, 141].

The same density-microstructure coupling appears in hot pressing, spark-plasma and cold-sintering literature. Grain-boundary state, local pore evolution and the applied current or pressure can change shrinkage and mechanical constraint independently of nominal composition [142–147]. These are processing analogues, not LLZO conductivity values, and they motivate reporting the green-body density and the spatial distribution of residual porosity.

5.3 Membranes and non-bulk form factors

Tape-cast sheets, bilayer dense-porous membranes and ultrafast-sintered self-standing LLZO demonstrate that the process-structure relation changes when thickness falls below a conventional pellet scale [23–25, 37, 148]. Drying stress, binder burnout and in-plane shrinkage can produce gradients that are invisible in a single polished cross-section. Membrane reports should therefore include thickness maps, areal density, bending or handling history and the electrode area used for impedance.

Thin-film and scaffold studies supply complementary form factors: lamellar garnet cells, pulsed-laser-deposited Ta garnets, 3D lithium hosts and porous mixed-conductor interlayers all show that current constriction and mechanical support depend on architecture as well as on the ceramic phase [149–153]. The comparison unit is consequently a characterized membrane or composite cross-section, not a powder composition in isolation.

The process map in Fig. 2 is intentionally read from left to right: a powder route does not "cause" a conductivity value directly; it changes phase, porosity and interfaces, which are then sampled by a measurement geometry. The coupled-variable feedbacks are consolidated in Fig. 3 and discussed in Section 8.

6 Structure-Conductivity Relations and Measurement Comparability

LLZO transport is a hierarchy of local hopping, grain interiors, grain boundaries and electrode interfaces. A high total conductivity can arise from a genuinely mobile bulk phase, from a low-resistance boundary network, or from an impedance fit that assigns a contact contribution to the electrolyte. Atomistic-mesoscale calculations and grain-boundary measurements both show why the same nominal composition can yield different resistance partitions [26, 46, 82].

The mechanistic vocabulary is supported by direct diffusion, structural and modeling studies. Lithium self-diffusion NMR, garnet transport calculations, Raman-informed molecular dynamics and machine-learning-assisted trajectories probe different time and length scales, so agreement among them is stronger than any single descriptor alone [42, 44, 54, 154–156]. Measurements on Ta garnets and phosphate ceramics reinforce the need to distinguish local mobility from the resistance of a complete microstructure [157–159].

6.1 What can be compared directly?

Direct comparison is defensible when composition and phase state, relative density, temperature, sample thickness, electrode area, electrode type and fitting circuit are matched. A qualitative comparison is still useful when one of these items is missing, but the text should say which item limits inference. Surface conditioning, air exposure and proton exchange are particularly important because they can change the near-surface chemistry without changing the bulk diffraction pattern [39–41].

Electrochemical-impedance reviews and critical-current studies make the protocol dependence explicit: equivalent-circuit choice, pressure, electrode preparation and the failure criterion can reorder apparent performance even for identical pellets [21, 160–162]. Data-driven property prediction is most useful when it is paired with these specimen-level descriptors, rather than when a model is trained on unqualified conductivity numbers [53, 163–165].

Table 4. Minimum reporting set for a cross-paper conductivity comparison.

Measurement item	Why it changes the result	Preferred report	If missing
Phase and composition	Lithium occupancy and secondary phases alter carriers and blocking regions	Rietveld phase fraction, dopant amount and retained Li	Qualitative only [67, 68]
Density and microstructure	Pores and boundaries add tortuosity and resistance	Relative density, open porosity, grain size and boundary description	Do not rank routes [26, 46]
Temperature and geometry	Conductivity and apparent activation energy depend on both	Temperature sweep, thickness, area and pressure	Values remain condition-specific [39, 45]
Equivalent circuit and electrodes	Bulk, boundary and contact terms can be interchanged by fitting choice	Circuit, frequency range, electrode and residuals	Report total response only [6, 21]

6.2 Transport descriptors

The most useful bridge between structure and transport is a set of descriptors that can be measured on the same specimen: phase fraction, retained lithium, relative density, grain-size distribution, boundary composition or thickness, and the separated bulk and boundary resistances. Raman signatures and molecular-dynamics calculations can test whether a change in the vibrational spectrum is consistent with a change in lithium dynamics, but they should not be used to replace an electrochemical measurement [44, 45, 82].

Critical-current-density (CCD) data require an additional protocol. Current density depends on electrode area, stack pressure, temperature, plating / stripping schedule, voltage criterion and the definition of failure. A standardized measurement proposal for lithium garnets highlights that changing any of these parameters can reorder apparent limits [21, 162]. Consequently, a pellet conductivity and a symmetric-cell CCD should be presented as complementary outcomes, not as interchangeable performance scores.

6.3 Reconciling apparent contradictions

When two studies disagree, the first diagnostic is a comparison of density, temperature and resistance partition. The second is surface and boundary chemistry: carbonate, hydroxide or a transient glass can lower or raise the measured boundary term without

changing the garnet lattice parameter. The third is lithium inventory and thermal history, which can shift phase fraction and defect concentration. This order of checks keeps an apparent materials contradiction from being attributed prematurely to a dopant or a new transport mechanism [67, 74, 109, 166].

7 Li Interfaces and Cathode Integration

Pellet conductivity does not predict a stable battery interface by itself. Lithium metal can dewet, react with a contaminated surface or penetrate a mechanically weak grain boundary, while a composite cathode introduces constriction, chemical gradients and a second tortuosity scale. Direct observations, interface engineering and recent reviews all point to contact pressure, surface chemistry and boundary continuity as co-determinants of cell behavior [1, 6, 20].

7.1 Li-LLZO contact and dendrites

Direct imaging has documented lithium penetration along defects or grain boundaries in garnet electrolytes, and mechanistic work links this behavior to local current focusing, boundary chemistry and mechanical softening [27, 167–170]. Artificial metallic interlayers, lithiophilic salts, electron-blocking shields and three-dimensional boundary designs can improve contact or redistribute current, but each changes the chemical and mechanical boundary condition [171–175].

Recent interface studies add several distinct levers: femtosecond activation, dopant-controlled early-stage reactions, entropy-stabilized interphases, organic-inorganic contact layers and molten-salt processing [176–180]. These approaches are not interchangeable; each changes wetting, electronic leakage or the local stress field and therefore requires a matched current-density protocol.

Electron-blocking shields and diffusion-limited lithium-metal studies provide additional controls for separating interfacial reaction from mechanical penetration [181, 182]. Their value is diagnostic: they identify which resistance or failure mode changes, rather than supplying a universal interface recipe.

The correct comparison is therefore a matched stack rather than a single interface treatment. Report the polishing or cleaning history, interlayer composition and thickness, lithium foil history, applied pressure, temperature, current density and voltage criterion. Recent studies also show that excess-lithium-free processing and in situ boundary engineering can reduce interfacial resistance, yet their values remain tied to the particular surface and protocol [183–186].

Earlier garnet / Li compatibility measurements and interface reviews identify the same failure modes: reaction products, poor wetting, pressure-dependent constriction and current focusing at defects [187–196]. They provide context for the newer interlayers but do not justify transferring a critical-current value between architectures.

7.2 Cathode composites and membranes

Composite cathodes expose the trade-off between ceramic connectivity and electrochemical contact. Infiltration into a porous or bilayer LLZO scaffold increases active-area access, while tape casting and co-sintering introduce shrinkage and chemical compatibility constraints [148, 197–200]. Ga substitution, lithium carbonate compensation and polymer incorporation can change cathode compatibility or low-temperature handling, but the resulting cell response includes both ionic transport and electrode reaction limitations [110, 201–204].

Scaffold infiltration, polymer-ceramic composites and high-capacity three-dimensional electrodes illustrate how cathode tortuosity and separator thickness enter the same measurement chain [119, 197, 205–211]. In these architectures, lithium compensation should be treated as an explicit process variable, and separator and electrode contributions should be separated. A cell-level improvement is therefore attributed to the architecture only after electrolyte resistance, active-area loading and areal capacity are reported separately.

Table 5. Interface architectures and the measurements needed to separate their effects.

Architecture	Intended function	Required evidence	Representative sources
Clean or modified Li surface	Improve wetting and lower contact resistance	Surface chemistry, pressure history and symmetric-cell impedance	[171–173]
Continuous or electron-blocking boundary	Reduce local current focusing and penetration	Boundary continuity, electronic leakage and CCD protocol	[21, 174, 185]
Porous scaffold or bilayer separator	Increase cathode contact area while retaining a dense barrier	Thickness map, infiltration fraction and tortuosity	[148, 198, 200]
Tape-cast or co-sintered cathode	Enable scalable areal loading	Shrinkage match, chemical compatibility and areal impedance	[110, 199, 201]

Interface improvements should be reported as a change in a defined resistance or current-density limit under a named protocol. A lower initial impedance is not sufficient evidence for longer cycling if the interlayer reacts, delaminates or changes the failure criterion. This distinction is central when translating a process-structure relation from a polished pellet to a composite cell [5, 20, 212].

8 Discussion: Coupled Variables and Limits

The literature supports a coupled rather than linear interpretation of LLZO processing. Lithium inventory affects phase formation and volatilization; the thermal path converts that inventory into a density and boundary state; the boundary state controls how the bulk response appears in impedance and how current is distributed at a Li interface. Reviews that separate "materials," "processing" and "battery" sections are useful for navigation, but the same specimen-level variables cross those boundaries [1, 4–6].

Three recurring tensions explain much of the apparent disagreement. First, lithium excess can promote phase purity yet increase volatilization or carbonate formation when cover geometry and exposure are not matched [64, 65, 75, 109]. Second, a transient liquid or glassy boundary can improve densification and lower grain-boundary resistance while changing mechanical compliance or

electronic leakage [124, 125, 132]. Third, rapid heating can preserve a fine microstructure and reduce furnace time but create gradients in temperature, lithium retention and surface chemistry [126–128].

These tensions make a universal "best route" claim scientifically weak. A stronger statement is conditional: a route is favorable for a target form factor when it reaches a specified phase fraction and density with a measured lithium inventory, produces a characterized boundary, and retains a defined conductivity under a reproducible geometry. The same criteria also make negative results useful because they identify which variable prevented transfer.

8.1 A practical comparison matrix

For each paper, the reader can reconstruct the following chain: precursor and lithium source → green density and thickness → calcination and sintering atmosphere → phase fraction and retained composition → density, grains and boundaries → bulk, boundary and total resistance → Li or cathode cell response. Missing links should be marked as not reported rather than silently inferred. This matrix operationalizes the minimum-record contribution and aligns with recent calls for scalable LLZO processing and standardized interface tests [5, 21, 37].

Figure 3 makes the feedback structure explicit. Chemistry and thermal history set phase and density; boundaries and surfaces then mediate the measured bulk, grain-boundary and total responses. Measurement conditions feed back into process design because an apparent conductivity gain can disappear when geometry, pressure or uncertainty are standardized.




Figure 3. Coupled variables governing LLZO transport. Solid arrows show the main processing-structure-transport path; dashed arrows indicate interface and measurement feedbacks that constrain process design.

8.2 Limits of the present synthesis

The source set contains many title- and abstract-level records, while detailed conditions are available for only a subset. Consequently, the review does not pool conductivity values or fit a meta-analysis. Near-neighbor garnets establish mechanisms but are not used to rank LLZO. Computational studies identify plausible pathways and descriptors, yet their predictions remain model-dependent until validated on matched specimens [44, 82]. Finally, the available local phase relations do not replace a composition-temperature-lithium-activity diagram; that absence is a measurement priority, not evidence that no such relation exists.

9 Open Problems and Discriminating Experiments

The largest uncertainties are actionable because each has a measurable descriptor. The proposals below condense the three experiment plans in the ideas directory; all precursor suggestions produced by the local two-stage model are explicitly marked as model predictions, pending experimental validation. They are research designs, not laboratory instructions.

9.1 Lithium activity during phase formation

High-temperature diffraction and multielement-loss studies show that lithium inventory, exposed thickness and processing path can change phase evolution and final composition [64, 65, 74]. The proposed test is a blocked $2 \times 2 \times 2$ interaction screen for Al-LLZO that varies lithium-addition order, compact thickness and cover state at a fixed nominal excess, followed by a smaller excess-lithium grid for the two strongest interactions. Every condition receives high-temperature or operando diffraction, density and a sister-specimen Li / Al / La / Zr assay; conductivity is compared only after density normalization. The decision rule is a reproducible cubic phase fraction, assay-corrected lithium retention and a conductivity change that survives furnace-block adjustment.

Model prediction, pending experimental validation.

For $\text{Li}_{6.25}\text{Al}_{0.25}\text{La}_3\text{Zr}_2\text{O}_{12}$, the local precursor model ranks $\text{ZrO}_2 + \text{La}_2\text{O}_3 + \text{Al}_2\text{O}_3 + \text{Li}_2\text{CO}_3$ above alternative oxide or hydroxide sets. The ranking is a route suggestion only: hydroxide tokens require chemical identity and stoichiometry review before any experiment. The scientific test is the interaction contrast, not the ranking itself.

9.2 Grain-boundary chemistry at matched density

Co-doping and boundary-engineering studies suggest that a lower grain-boundary resistance can reflect a changed boundary composition rather than a more conductive garnet bulk [130–132, 174]. A Ta-LLZO pilot should reproduce the Li_2CO_3 versus LiOH precursor comparison while selecting two furnace schedules that reach matched relative-density bands. Cross-sectional STEM-EDS / EELS, or a calibrated ToF-SIMS fallback, is required to quantify boundary composition or thickness; impedance and a standardized CCD test are then performed on the same density bands [21, 108]. The hypothesis is supported only if one calibrated boundary descriptor predicts both grain-boundary resistance and CCD after density and furnace block are included.

Model prediction, pending experimental validation.

For $\text{Li}_{6.4}\text{La}_3\text{Zr}_{1.4}\text{Ta}_{0.6}\text{O}_{12}$, the local model ranks oxide precursors with LiOH or Li_2CO_3 as alternatives. The ambiguous LiHO token is not a validated reagent; the experiment must use a chemist-verified commercial precursor and record hydration state by thermal analysis.

9.3 Surface layers after ultrafast sintering

Depth-resolved spectroscopy identifies a Li_2O -rich surface layer in ultrafast-sintered LLZO, while thermal cleaning and membrane studies show that surface chemistry depends on atmosphere and post-heat treatment [25, 109, 128, 166]. The proposed paired-sister design compares ultrafast and conventional sintering with 0, 1 and 2 h post-heating near the reported 900 °C mitigation condition. One sister is reserved for as-sintered electrochemistry, one for depth chemistry and lithium assay, one for post-heat chemistry, and one for post-heat electrochemistry. XPS depth profiles, FIB-ToF-SIMS, carbonate spectroscopy, phase analysis and density are combined with the standardized CCD protocol [21]. Cleaning is considered beneficial only when the surface signal decreases, lithium retention and cubic phase are preserved, and the paired interface resistance or CCD improves.

Model prediction, pending experimental validation.

The same local precursor ranking used for Al-LLZO favors oxide / carbonate mixtures, but it does not predict the thickness or chemistry of the post-sinter surface layer. Those quantities require direct depth calibration and an inert-transfer control.

These experiments are deliberately orthogonal: the first changes lithium activity, the second isolates boundary chemistry at matched density, and the third separates surface cleaning from bulk densification. Their measurements can therefore falsify a proposed mechanism instead of merely producing another optimized conductivity value.

10 Conclusion

The strongest evidence supports a conditional process-structure-conductivity relation in LLZO. Dopants and lithium inventory alter phase stability and carrier occupancy; precursor route and green-body history set the reaction length scale; thermal treatment, cover and crucible determine lithium retention, density and grain-boundary chemistry; and these states control how bulk, boundary and total resistance appear in impedance. Rapid sintering, membranes and interface layers expand the processing window, but their benefits remain conditional on measured phase fraction, relative density, surface chemistry, contact pressure and a named transport protocol [21, 68, 74, 75, 128, 132]. A complete LLZO phase diagram and a universal route ranking are not established by the present evidence; the transferable result is the minimum comparison record.

The highest-value next experiments are therefore the three discriminating designs described above: first, map lithium-addition order, cover state and compact thickness with assay-corrected high-temperature diffraction; second, test Ta-LLZO grain-boundary chemistry at matched density with calibrated microscopy and a standardized critical-current protocol; third, quantify and remove the ultrafast-sintered surface layer using paired sister specimens. These experiments can be scheduled independently, and each has a clear failure criterion. Together they offer the fastest route to deciding whether a reported conductivity gain arises from phase stabilization, densification, boundary chemistry or simply a change in measurement conditions.

References

- Chengwei Wang and Kun Fu and Sanoop Palakkathodi Kammampata and Dennis W. McOwen and Alfred Junio Samson and Lei Zhang and Gregory T. Hitz and Adelaide M. Nolan and Eric D. Wachsmann and Yifei Mo and Venkataraman Thangadurai and Liangbing Hu — Garnet-Type Solid-State Electrolytes: Materials, Interfaces, and Batteries — *Chemical Reviews* — 2020 — DOI: [10.1021/acs.chemrev.9b00427](https://doi.org/10.1021/acs.chemrev.9b00427)
- Publio Puente and Shangbin Song and Shiyu Cao and Leana Ziwen Rannalter and Ziwen Pan and Xing Xiang and Qiang Shen and Fei Chen — Garnet-type solid electrolyte: Advances of ionic transport performance and its application in all-solid-state batteries — *Journal of Advanced Ceramics* — 2021 — DOI: [10.1007/s40145-021-0489-7](https://doi.org/10.1007/s40145-021-0489-7)
- Abin Kim and Seungjun Woo and Minseok Kang and Heetaek Park and Byoungwoo Kang — Research Progresses of Garnet-Type Solid Electrolytes for Developing All-Solid-State Li Batteries — *Frontiers in Chemistry* — 2020 — DOI: [10.3389/fchem.2020.00468](https://doi.org/10.3389/fchem.2020.00468)
- Shiyu Cao and Shangbin Song and Xing Xiang and Qing Hu and Chi Zhang and Ziwen Xia and Yinghui Xu and Wenping Zha and Junyang Li and Paulina Mercedes Gonzale and Young-Hwan Han and Fei Chen — Modeling, Preparation, and Elemental Doping of Li₇La₃Zr₂O₁₂ Garnet-Type Solid Electrolytes: A Review — *Journal of the Korean Ceramic Society* — 2019 — DOI: [10.4191/kcers.2019.56.2.01](https://doi.org/10.4191/kcers.2019.56.2.01)
- Yang Wang and Zhen Chen and Kai Jiang and Zexiang Shen and Stefano Passerini and Minghua Chen — Accelerating the Development of LLZO in Solid-State Batteries Toward Commercialization: A Comprehensive Review — *Small* — 2024 — DOI: [10.1002/sml.202402035](https://doi.org/10.1002/sml.202402035)
- Yu Zhao and Lai Chen and Yuefeng Su and Haibo Jin and Chengzhi Wang — Review of garnet-type Li₇La₃Zr₂O₁₂ solid electrolyte: materials and interface issues — *Journal of Materials Science* — 2024 — DOI: [10.1007/s10853-024-10568-w](https://doi.org/10.1007/s10853-024-10568-w)
- Amirreza Sazvar and Soroush Ghahramani and Omid Banapour Ghaffari and Seyed Ali Zargar and Mohammad Golmohammad — Review of advances and challenges in Li₇La₃Zr₂O₁₂ solid electrolytes: From processing to performance — *Journal of Power Sources* — 2025 — DOI: [10.1016/j.jpowsour.2025.238150](https://doi.org/10.1016/j.jpowsour.2025.238150)
- Md Mozammel Raju and Fadhilah Altayran and Michael E. Johnson and Danling Wang and Qifeng Zhang — Crystal Structure and Preparation of Li₇La₃Zr₂O₁₂(LLZO) Solid-State Electrolyte and Doping Impacts on the Conductivity: An Overview — *Electrochem* — 2021 — DOI: [10.3390/electrochem2030026](https://doi.org/10.3390/electrochem2030026)
- Chao Chen and Kexin Wang and Hongying He and Emil Hanc and Masashi Kotobuki and Li Lü — Processing and Properties of Garnet-Type Li₇La₃Zr₂O₁₂ Ceramic Electrolytes — *Small* — 2022 — DOI: [10.1002/sml.202205550](https://doi.org/10.1002/sml.202205550)
- Peizhuang Wang and Lipeng Xu and Xiantao Li and Renyi Yang and Jun Li — Research Progress and Prospect of Solid Electrolyte Garnet-Type Li₇La₃Zr₂O₁₂ — *Inorganics* — 2026 — DOI: [10.3390/inorganics14060148](https://doi.org/10.3390/inorganics14060148)
- J.H Lin and G.X Lu and J Du and M.Z Su and C.-K Loong and J.W Richardson — Phase transition and crystal structures of BaZn₂Si₂O₇ — *Journal of Physics and Chemistry of Solids* — 1999 — DOI: [10.1016/S0022-3697\(99\)00004-9](https://doi.org/10.1016/S0022-3697(99)00004-9)
- Christian Thieme and Helmar Görls and Christian Rüssel — Ba_{1-x}Sr_xZn₂Si₂O₇ - A new family of materials with negative and very high thermal expansion — *Scientific Reports* — 2015 — DOI: [10.1038/srep18040](https://doi.org/10.1038/srep18040)
- Shan-shan Yao and Li-hong Xue and You-wei Yan — Synthesis and luminescent properties of Eu²⁺-doped BaZn₂Si₂O₇ phosphors by combustion-assisted synthesis method — *Journal of Alloys and Compounds* — 2011 — DOI: [10.1016/j.jallcom.2010.10.076](https://doi.org/10.1016/j.jallcom.2010.10.076)
- Shan-shan Yao and Li-hong Xue and You-wei Yan — Synthesis and crystal structures and luminescent properties of divalent europium-doped Ba₂ZnSi₂O₇ and BaZn₂Si₂O₇ — *Physica B: Condensed Matter* — 2011 — DOI: [10.1016/j.physb.2010.10.059](https://doi.org/10.1016/j.physb.2010.10.059)
- Christian Thieme and Michael Kracker and Andreas Erlebach and Christian Patzig and Marek Sierka and Thomas Höche and Christian Rüssel — Effect of Al₂O₃ on phase formation and thermal expansion of a BaO-SrO-ZnO-SiO₂ glass ceramic — *Ceramics International* — 2018 — DOI: [10.1016/j.ceramint.2017.10.159](https://doi.org/10.1016/j.ceramint.2017.10.159)
- Song Chen and Shuren Zhang and Xiaohua Zhou and Ting Zhang and Ming He — Phase formation and properties of the LTCC composite based on the eutectic system BaO-ZnO-SiO₂-B₂O₃ — *Journal of Alloys and Compounds* — 2010 — DOI: [10.1016/j.jallcom.2010.03.152](https://doi.org/10.1016/j.jallcom.2010.03.152)
- L. A. Makrovets — Y₂O₃-SiO₂ Phase Diagram — *Russian Metallurgy (Metally)* — 2023 — DOI: [10.1134/S0036029523080141](https://doi.org/10.1134/S0036029523080141)
- M. Shevchenko and E. Jak — Thermodynamic optimization of the binary systems PbO-SiO₂, ZnO-SiO₂, PbO-ZnO, and ternary PbO-ZnO-SiO₂ — *Calphad* — 2019 — DOI: [10.1016/j.calphad.2019.01.011](https://doi.org/10.1016/j.calphad.2019.01.011)
- Bikram Konar and In-Ho Jung — A coupled phase diagram experimental study and thermodynamic optimization of the Li₂O-CaO-Al₂O₃ and Li₂O-CaO-SiO₂ systems, and prediction of the phase diagrams of the Li₂O-CaO-Al₂O₃-SiO₂ system — *Journal of the European Ceramic Society* — 2020 — DOI: [10.1016/j.jeurceramsoc.2019.12.043](https://doi.org/10.1016/j.jeurceramsoc.2019.12.043)
- Jian-Cang Wang and Ying Li and Zhengxiao Li and Peng-Fei Wang and Yan-Rong Zhu and Yan Sun and Ting-Feng Yi — Review on Interface Issues between a Garnet Li₇La₃Zr₂O₁₂ Solid Electrolyte and Li Anode: Advances and Perspectives — *Energy & Fuels* — 2024 — DOI: [10.1021/acs.energyfuels.4c02506](https://doi.org/10.1021/acs.energyfuels.4c02506)
- Matthias Klimpel and Huanyu Zhang and Maksym V. Kovalenko and Kostiantyn V. Kravchuk — Standardizing critical current density measurements in lithium garnets — *Communications Chemistry* — 2023 — DOI: [10.1038/s42004-023-01002-4](https://doi.org/10.1038/s42004-023-01002-4)
- Pengcheng Zhao and Yu Xiang and Yan Xu and Yuehua Wen and Wenfeng Zhang and Xiayu Zhu and Meng Li and Zhaoqing Jin and Hai Ming and Gaoping Cao — Enhancement of density and ionic conductivity for garnet-type Li₅La₃Ta₂O₁₂ solid electrolyte by self-consolidation strategy — *Ceramics International* — 2018 — DOI: [10.1016/j.ceramint.2018.02.118](https://doi.org/10.1016/j.ceramint.2018.02.118)
- Kang-Ning Gao and Minghui He and Yiqiu Li and Yipeng Zhang and Jun Gao and Xixiang Li and Zhonghui Cui and Zhongliang Zhan and Tao Zhang — Preparation of high-density garnet thin sheet electrolytes for all-solid-state Li-Metal batteries by tape-casting technique — *Journal of Alloys and Compounds* — 2019 — DOI: [10.1016/j.jallcom.2019.03.409](https://doi.org/10.1016/j.jallcom.2019.03.409)
- Ruijie Ye and Chih-Long Tsai and M. Ihrig and Serkan Sevinç and Melanie Rosen and E. Dashjav and Y. Sohn and E. Figgemeier and M. Finsterbusch — Water-based fabrication of garnet-based solid electrolyte separators for solid-state lithium batteries — *Venue not reported* — 2020 — DOI: [10.1039/d0qc01009j](https://doi.org/10.1039/d0qc01009j)
- Huanyu Zhang and R. Dubey and Michael Inniger and Faruk Okur and Robin N. Wullich and A. Parrilli and Dogan Tarik Karabay and A. Neels and K. Kravchuk and M. Kovalenko — Ultrafast-sintered self-standing LLZO membranes for high energy density lithium-garnet solid-state batteries — *Cell Reports Physical Science* — 2023 — DOI: [10.1016/j.xcrp.2023.101473](https://doi.org/10.1016/j.xcrp.2023.101473)
- Tae Wook Heo and Andrew Grieder and Bo Wang and Marissa Wood and Tim Hsu and Sneha A. Akhade and Liwen F. Wan and Long-Qing Chen and Nicole Adelstein and Brandon C. Wood — Microstructural impacts on ionic conductivity of oxide solid electrolytes from a combined atomistic-mesoscale approach — *npj Computational Materials* — 2021 — DOI: [10.1038/s41524-021-00681-8](https://doi.org/10.1038/s41524-021-00681-8)
- Seungho Yu and Donald J. Siegel — Grain Boundary Softening: A Potential Mechanism for Lithium Metal Penetration through Stiff Solid Electrolytes — *ACS Applied Materials & Interfaces* — 2018 — DOI: [10.1021/acsami.8b17223](https://doi.org/10.1021/acsami.8b17223)
- Eric Jianfeng Cheng and Huanan Duan and Michael J. Wang and Eric Kazyak and Hirokazu Munakata and Regina García-Méndez and Bo Gao and Hanyu Huo and Tao Zhang and Fei Chen and Ryoji Inada and Kohei Miyazaki and Saneyuki Ohno and Hidemi Kato and Shin-ichi Orimo and Venkataraman Thangadurai and Takeshi Abe and Kiyoshi Kanamura — Li-stuffed garnet solid electrolytes: Current status, challenges, and perspectives for practical Li-metal batteries — *Energy storage materials* — 2024 — DOI: [10.1016/j.ensm.2024.103970](https://doi.org/10.1016/j.ensm.2024.103970)
- Pravin Kodgire and Brijesh Tripathi and Prakash Chandra — Review of Garnet-Based Solid Electrolytes for Li-Ion Batteries (LIBs) — *Journal of Electronic Materials* — 2024 — DOI: [10.1007/s11664-024-10942-z](https://doi.org/10.1007/s11664-024-10942-z)
- Yu Han and Yonghui Chen and Yunxia Huang and Maolin Zhang and Zhimin Li and Yuan Wang — Recent progress on garnet-type oxide electrolytes for all-solid-state lithium-ion batteries — *Ceramics International* — 2023 — DOI: [10.1016/j.ceramint.2023.06.153](https://doi.org/10.1016/j.ceramint.2023.06.153)
- Qi Liu and Zhen Geng and Cuiping Han and Yongzhu Fu and Song Li and Yan-Bing He and Feiyu Kang and Baohua Li — Challenges and perspectives of garnet solid electrolytes for all solid-state lithium batteries — *Journal of Power Sources* — 2018 — DOI: [10.1016/j.jpowsour.2018.04.019](https://doi.org/10.1016/j.jpowsour.2018.04.019)
- Mengyang Jia and Ning Zhao and Hanyu Huo and Xiangxin Guo — Comprehensive Investigation into Garnet Electrolytes Toward Application-Oriented Solid Lithium Batteries — *Electrochemical Energy Reviews* — 2020 — DOI: [10.1007/s41918-020-00076-1](https://doi.org/10.1007/s41918-020-00076-1)
- Liansheng Li and Yuanfu Deng and Guohua Chen — Status and prospect of garnet / polymer solid composite electrolytes for all-solid-state lithium batteries — *Journal of Energy Chemistry* — 2020 — DOI: [10.1016/j.jechem.2020.03.017](https://doi.org/10.1016/j.jechem.2020.03.017)

34. Hongchao Sun and Shifei Kang and Lifeng Cui — Prospects of LLZO type solid electrolyte: From material design to battery application — *Chemical Engineering Journal* — 2022 — DOI: [10.1016/j.cej.2022.140375](https://doi.org/10.1016/j.cej.2022.140375)
35. Yong Guo and Shichao Wu and Yan-Bing He and Feiyu Kang and Lique Chen and Hong Li and Quan-Hong Yang — Solid-state lithium batteries: Safety and prospects — *eScience* — 2022 — DOI: [10.1016/j.esci.2022.02.008](https://doi.org/10.1016/j.esci.2022.02.008)
36. Moran Balaish and Kunjoong Kim and Hyunwon Chu and Yuntong Zhu and Juan Carlos Gonzalez-Rosillo and Lingping Kong and Haemin Paik and Steffen Weinmann and Zachary D. Hood and Jesse J. Hinricher and Lincoln J. Miara and Jennifer L. M. Rupp — Emerging processing guidelines for solid electrolytes in the era of oxide-based solid-state batteries — *Chemical Society Reviews* — 2025 — DOI: [10.1039/d5cs00358j](https://doi.org/10.1039/d5cs00358j)
37. Kaouthar Toudjine and Ruijie Ye and Melanie Finsterbusch-Rosen and Artur Lang and Martin Finsterbusch and Dina Fattakhova-Rohlfing — Tape Casting of LLZO Ceramic Separators: An Overview of Challenges, Optimization Strategies, and Paths to Industrial Implementation — *ChemSusChem* — 2026 — DOI: [10.1002/cssc.202502488](https://doi.org/10.1002/cssc.202502488)
38. Mohan Jagan and S P Vijayachandraseeswari — Recent advances in inorganic solid electrolytes for lithium-ion batteries — *Discover Electrochemistry* — 2026 — DOI: [10.1007/s44373-026-00148-9](https://doi.org/10.1007/s44373-026-00148-9)
39. Rabeh Grissa and Meike Heinz and Corsin Battaglia — Impact of Surface Conditioning on Bulk Conductivity of LLZO Garnet Electrolytes — *ECS Meeting Abstracts* — 2020 — DOI: [10.1149/ma2020-025902mtgabs](https://doi.org/10.1149/ma2020-025902mtgabs)
40. Melanie Rosen and Ruijie Ye and Markus Mann and Sandra Lobe and Martin Finsterbusch and Olivier Guillon and Dina Fattakhova-Rohlfing — Controlling the lithium proton exchange of LLZO to enable reproducible processing and performance optimization — *Journal of Materials Chemistry A* — 2021 — DOI: [10.1039/d0ta11096e](https://doi.org/10.1039/d0ta11096e)
41. S. Uhlenbruck and C. Dellen and S. Möller and S. Lobe and Chih-Long Tsai and M. Finsterbusch and M. Bram and O. Guillon — Reactions of garnet-based solid-state lithium electrolytes with water — A depth-resolved study — *Solid State Ionics* — 2018 — DOI: [10.1016/j.ssi.2018.03.004](https://doi.org/10.1016/j.ssi.2018.03.004)
42. Alexander Kuhn and Sumaletha Narayanan and Leigh Spencer and Gillian R. Goward and Venkataraman Thangadurai and Martin Wilkening — Li self-diffusion in garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ as probed directly by diffusion-induced Li^+ spin-lattice relaxation NMR spectroscopy — *Physical Review B* — 2011 — DOI: [10.1103/physrevb.83.094302](https://doi.org/10.1103/physrevb.83.094302)
43. G. Larraz and Alodia Orera and J. Sanz and Isabel Sobrados and V. Díez-Gómez and M. L. Sanjuán — NMR study of Li distribution in $\text{Li}_{7-x}\text{H}_x\text{La}_3\text{Zr}_2\text{O}_{12}$ garnets — *Journal of Materials Chemistry A* — 2015 — DOI: [10.1039/c4ta04570j](https://doi.org/10.1039/c4ta04570j)
44. Takeru Miyagawa and Willis O'Leary and Manuel Grumet and Hyunwon Chu and Jennifer L. M. Rupp and Waldemar Kaiser and David A. Egger — Raman Signatures of Lithium Ion Dynamics in LLZO Garnet Electrolytes: Atomistic Insights from MD-Raman Calculations — *Venue not reported* — 2026 — DOI not reported
45. E. A. Il'ina — Recent Strategies for Lithium-Ion Conductivity Improvement in $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolytes — *International Journal of Molecular Sciences* — 2023 — DOI: [10.3390/ijms241612905](https://doi.org/10.3390/ijms241612905)
46. Bo Gao and Randy Jalem and Hong-Kang Tian and Yoshitaka Tateyama — Revealing Atomic-Scale Ionic Stability and Transport around Grain Boundaries of Garnet $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolyte — *Venue not reported* — 2021 — DOI: [10.21203/rs.3.rs-530094/v1](https://doi.org/10.21203/rs.3.rs-530094/v1)
47. Saneyuki Ohno and Ananya Banik and Georg F. Dewald and Marvin A. Kraft and Thorben Krauskopf and Nicolò Minafra and Paul Till and Manuel Weiß and Wolfgang G. Zeier — Materials design of ionic conductors for solid state batteries — *Progress in Energy* — 2020 — DOI: [10.1088/2516-1083/ab73dd](https://doi.org/10.1088/2516-1083/ab73dd)
48. Artem M. Abakumov and Stanislav S. Fedotov and Evgeny V. Antipov and Jean-Marie Tarascon — Solid state chemistry for developing better metal-ion batteries — *Nature Communications* — 2020 — DOI: [10.1038/s41467-020-18736-7](https://doi.org/10.1038/s41467-020-18736-7)
49. M. V. Reddy and C. Julien and A. Mauger and Karim Zaghib — Sulfide and Oxide Inorganic Solid Electrolytes for All-Solid-State Li Batteries: A Review — *Nanomaterials* — 2020 — DOI: [10.3390/nano10081606](https://doi.org/10.3390/nano10081606)
50. Mingming Ma and Menghui Zhang and Bitao Jiang and Yang Du and Bingcheng Hu and Chengguo Sun — A review of all-solid-state electrolytes for lithium batteries: high-voltage cathode materials, solid-state electrolytes and electrode-electrolyte interfaces — *Materials Chemistry Frontiers* — 2023 — DOI: [10.1039/d2gm01071b](https://doi.org/10.1039/d2gm01071b)
51. Peipei He and Yong Tang and Yong Tang and Changlong Lei and Zijun Qin and Yue Li and Yunjiao Li and Yi Cheng and Feixiang Wu and Zhenjiang He and Jianbo Zhao — Solid-state batteries encounter challenges regarding the interface involving lithium metal — *Nano Energy* — 2024 — DOI: [10.1016/j.nanoen.2024.109502](https://doi.org/10.1016/j.nanoen.2024.109502)
52. Jiacheng Wang and Kieran Tay and Nianqiang Wu and Peng Bai — Computational Modeling of Lithium Lanthanum Titanate Electrolytes: From Hopping Mechanisms to Ion Conduction — *ECS Meeting Abstracts* — 2025 — DOI: [10.1149/ma2025-01271500mtgabs](https://doi.org/10.1149/ma2025-01271500mtgabs)
53. Jin Li and Meisa Zhou and Hong-Hui Wu and Lifei Wang and Jian Zhang and Naiteng Wu and Kunming Pan and Guilong Liu and Yinggan Zhang and Jiajia Han and Xianming Liu and Xiang Chen and Jiayu Wan and Qiaobao Zhang — Machine Learning-Assisted Property Prediction of Solid-State Electrolyte — *Advanced Energy Materials* — 2024 — DOI: [10.1002/aenm.202304480](https://doi.org/10.1002/aenm.202304480)
54. Arseniy S. Burov and Artem M. Abakumov and Dmitry A. Aksyonov — Machine learning assisted molecular dynamics of charge-transfer mechanisms at Li / Ga-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) interfaces — *Venue not reported* — 2026 — DOI not reported
55. Róbert Kun and Frederieke Langer and Massimo Delle Piane and Saneyuki Ohno and Wolfgang G. Zeier and Michael Gockeln and Lucio Colombi Ciacchi and Matthias Busse and István Fekete — Structural and Computational Assessment of the Influence of Wet-Chemical Post-Processing of the Al-Substituted Cubic $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ — *ACS Applied Materials & Interfaces* — 2018 — DOI: [10.1021/acsami.8b09789](https://doi.org/10.1021/acsami.8b09789)
56. Shaoxiong Han and Ziqi Wang and Yue Ma and Yang Miao and Xiaomin Wang and Yong Wang and Yongzhen Wang — Fast ion-conducting high-entropy garnet solid-state electrolytes with excellent air stability — *Journal of Advanced Ceramics* — 2023 — DOI: [10.26599/jac.2023.9220749](https://doi.org/10.26599/jac.2023.9220749)
57. Yasmine Benabed and Alexis Vanacker and Gabrielle Foran and Steeve Rousselot and Geoffroy Hautier and Mickaël Dollé — Solving the $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ electrochemical stability window puzzle — *Materials Today Energy* — 2023 — DOI: [10.1016/j.mtener.2023.101320](https://doi.org/10.1016/j.mtener.2023.101320)
58. S. Vema and Farheen N. Sayed and Supreeth Nagendran and Burcu Karagoz and C. Sternemann and M. Paulus and G. Held and C. Grey — Understanding the Surface Regeneration and Reactivity of Garnet Solid-State Electrolytes — *ACS Energy Letters* — 2023 — DOI: [10.1021/acsenenerglett.3c01042](https://doi.org/10.1021/acsenenerglett.3c01042)
59. Sajjad Mohammadi and Mohammad Golmohammad and Alireza Sharifi Rad and Siavash M. Alizadeh — Surface modification and chemical stability of garnet LLZO solid electrolyte by ZnO coating through a facile and practical method — *Materials Chemistry and Physics* — 2023 — DOI: [10.1016/j.matchemphys.2023.128235](https://doi.org/10.1016/j.matchemphys.2023.128235)
60. R. Garcia and Marlon Muniz da Silva and G. H. Da Silva and Aline Maria Zigiotta de Medeiros and J. J. Gomes and D. Martinez and M. Strauss — Insights into Aquatic Safety and Environmental Risks of Doped LLZO Solid-State Electrolytes — *ACS Omega* — 2026 — DOI: [10.1021/acsomega.5c08890](https://doi.org/10.1021/acsomega.5c08890)
61. Yuu Watanabe and Ryunosuke Kajiura and Kazuki Kataoka and Masato Taki and Takanao Ishikawa and Akihiro Suzuki — Chemical and physicochemical analysis of carbonate based electrolyte with LiPF_6 in contact with $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ based oxide solid electrolyte particles for 24 h immersion — *Journal of Applied Electrochemistry* — 2026 — DOI: [10.1007/s10800-025-02392-0](https://doi.org/10.1007/s10800-025-02392-0)
62. Nina Hoinkis and J. Schuhmacher and Sebastian Leukel and C. Loho and A. Roters and Felix H. Richter and J. Janek — Particle Size-Dependent Degradation Kinetics of Garnet-Type $\text{Li}_{6.5}\text{La}_3\text{Zr}_{1.5}\text{Ta}_{0.5}\text{O}_{12}$ Solid Electrolyte Powders in Ambient Air — *Journal of Physical Chemistry C* — 2023 — DOI: [10.1021/acs.jpcc.3c01027](https://doi.org/10.1021/acs.jpcc.3c01027)
63. Pei Zhao and Javeria Kainat and Jinle Lan and Yunhua Yu and Young-Seak Lee and Xiaoping Yang — Air Stability of Inorganic Electrolyte for All-Solid-State Lithium Batteries: Advances, Challenges, and Perspectives — *Small* — 2025 — DOI: [10.1002/smll.202504753](https://doi.org/10.1002/smll.202504753)
64. Øystein Gullbrekken and Kristoffer Eggstad and M.G. Tsoutsouva and Benjamin A. D. Williamson and Daniel Rettenwander and Mari-Ann Einarsrud and Sverre M. Selbach — Phase Evolution and Thermodynamics of Cubic $\text{Li}_{6.25}\text{Al}_{0.25}\text{La}_3\text{Zr}_2\text{O}_{12}$ Studied by High-Temperature X-ray Diffraction — *Inorganic Chemistry* — 2025 — DOI: [10.1021/acs.inorgchem.4c03738](https://doi.org/10.1021/acs.inorgchem.4c03738)
65. Steven T. Montoya and Shah A. H. Shanto and Robert A. Walker — Lithium Volatilization and Phase Changes during Aluminum-Doped Cubic $\text{Li}_{6.25}\text{La}_3\text{Zr}_2\text{Al}_{0.25}\text{O}_{12}$ (c-LLZO) Processing — *Crystals* — 2024 — DOI: [10.3390/cryst14090795](https://doi.org/10.3390/cryst14090795)
66. Yali Luo and Jiaxin Dong and Yan Yan and Junjie Liu and Liang Wang and Zi'ang Chen and He Zhang — Phase transition and lithium conduction of Nb-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ garnet-type electrolytes — *Journal of Materials Science* — 2025 — DOI: [10.1007/s10853-025-11031-0](https://doi.org/10.1007/s10853-025-11031-0)
67. Zijian Li and Zihao Wang and Fei Gao and Yuhao Hong and Zhongkai Wu and Wentao Lu and Zihao Huang and Rubin Zhang and Shuqi Fu and Mingyan Jiang and Yong Min and Weiping Zhou and Zhenzhi Cheng and Guangsheng Luo — Structure-Conductivity Correlation and Phase Evolution Mechanism in LLZO-Based Solid Electrolytes — *physica status solidi (b)* — 2026 — DOI: [10.1002/pssb.202500615](https://doi.org/10.1002/pssb.202500615)

68. Ethan Anderson and Elliot Zolfaghar and Antranik Jonderian and Rustam Z. Khaliullin and Eric McCalla — Comprehensive Dopant Screening in $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Garnet Solid Electrolyte — *Advanced Energy Materials* — 2024 — DOI: [10.1002/aenm.202304025](https://doi.org/10.1002/aenm.202304025)
69. Muktai Aote and A. V. Deshpande — Enhancement in Li-ion conductivity through Co-doping of Ge and Ta in garnet $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolyte — *Ceramics International* — 2023 — DOI: [10.1016/j.ceramint.2023.09.330](https://doi.org/10.1016/j.ceramint.2023.09.330)
70. S Siddiqui and D Singh and B Singh — Increased lithium-ionic conductivity with Nb⁻ and Ta-doping in garnet-structured solid electrolyte oxides — *Bulletin of Materials Science* — 2024 — DOI: [10.1007/s12034-024-03275-4](https://doi.org/10.1007/s12034-024-03275-4)
71. Muktai Aote and A.V. Deshpande — Effect of Ca doping on Li ion conductivity of Ge and Ta doped garnet LLZO — *Journal of Physics and Chemistry of Solids* — 2024 — DOI: [10.1016/j.jpcs.2024.111980](https://doi.org/10.1016/j.jpcs.2024.111980)
72. Muktai Aote and A. V. Deshpande and Kajal Parchake and Anuj Khapecar — Investigation of the doping effects of Sr-Ta on the Ionic Conductivity of Garnet $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolyte — *Venue not reported* — 2024 — DOI not reported
73. Ziqiang Xu and Xin Hu and Bowen Fu and Kashif Khan and Jintian Wu and Teng Li and Haiping Zhou and Zixuan Fang and Mengqiang Wu — Co-doping strategy enhanced the ionic conductivity and excellent lithium stability of garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ electrolyte in all solid-state lithium batteries — *Journal of Materiomics* — 2023 — DOI: [10.1016/j.jmat.2023.01.007](https://doi.org/10.1016/j.jmat.2023.01.007)
74. Alexandra C. Moy and Robert L. Sacchi and Matthew S. Chambers and A.R. de L. Musgrove and Jeff Sakamoto and Gabriel M. Veith — Irreversible Multielement Diffusion and the Resulting Compositional and Processing Flexibility in the Synthesis and Densification of Lithium Aluminum Lanthanum Zirconium Oxide — *ACS Applied Energy Materials* — 2025 — DOI: [10.1021/acsaem.4c03138](https://doi.org/10.1021/acsaem.4c03138)
75. Stephen Heywood and Matt Lessmeier and David R. Driscoll and Stephen W. Sofie — Tailoring solid-state synthesis routes for high confidence production of phase pure, low impedance Al-LLZO — *Journal of the American Ceramic Society* — 2023 — DOI: [10.1111/jace.18994](https://doi.org/10.1111/jace.18994)
76. Muktai Aote and A. V. Deshpande and Vaibhav Sirsulwar and Priya Padaganur and Neha and Abhishek Pradhan — Impact of Ce Substitution on Structural and Electrochemical Properties of Ga Doped Garnet $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid Electrolyte — *Venue not reported* — 2025 — DOI not reported
77. S. Saran and H. Miyazaki — NbO₂-Derived Nb Substitution in Garnet-Type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$: Structural Stabilization and Local Electronic Structure Revealed by Experimental XPS and Theoretical XAFS — *Materials Today Communications* — 2026 — DOI: [10.1016/j.mtcomm.2026.115570](https://doi.org/10.1016/j.mtcomm.2026.115570)
78. Emmanuel Kwame Yadzo and Yueming Li and Binxuan Jiang and Jiale Yuan and Kai Li and Xu Guo and Zhenhua Chen — Improving the structural and electrochemical performance of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid state electrolyte by Nb doping — *Journal of Solid State Electrochemistry* — 2025 — DOI: [10.1007/s10008-025-06387-x](https://doi.org/10.1007/s10008-025-06387-x)
79. Refiloe Innocencia Maphoto and Kemeridge T. Malatji and Mallang C. Masedi and Phuti E. Ngoepe and Raesibe S. Ledwaba — Phase Stability of Ta-Doped Tetragonal $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (TLLZO) Solid-State Electrolyte: A First-Principle Cluster Expansion Study — *Venue not reported* — 2023 — DOI: [10.2139/ssrn.4674261](https://doi.org/10.2139/ssrn.4674261)
80. Chengjian Li and F. Kern and Lianmeng Liu and Christopher Parr and Andreas Börger and Chunfeng Liu — Phase Formation Study of Solid-State LLZNO and LLZTO via Structural, Thermal, and Morphological Analyses — *Ceramics* — 2025 — DOI: [10.3390/ceramics8040132](https://doi.org/10.3390/ceramics8040132)
81. Hyein Song and Young-Woong Song and Hyeon Lee and Younghun Jung and Jeewoon Jung and Jinsub Lim and Jaekook Kim and Min-Young Kim — Effect of Zr-site substitution on the phase stability and ionic conductivity of garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ — *Ceramics International* — 2026 — DOI: [10.1016/j.ceramint.2026.05.087](https://doi.org/10.1016/j.ceramint.2026.05.087)
82. Sameer Kulkarni and Ashwanth Krishnan and Tribikram Gupta and Vinod Kallur — Machine Learning-Accelerated Molecular Dynamics of Lithium-Ion Transport in Cubic LLZO — *Venue not reported* — 2025 — DOI: [10.21203/rs.3.rs-7430927/v1](https://doi.org/10.21203/rs.3.rs-7430927/v1)
83. Jiaming Xu and Zilu Wang and Yun Liu and Zhiyong Xiong and Jingbo Li and Haibo Jin and Ning Li and Yuefeng Su — Rational doping of oxide solid-state electrolytes for all-solid-state lithium metal batteries: Mechanisms and computational screening strategies — *Future Batteries* — 2026 — DOI: [10.1016/j.fub.2026.100208](https://doi.org/10.1016/j.fub.2026.100208)
84. Qi-Jun Hong and P. D. Tepesch and Axel van de Walle — Combined experimental and computational assessment of the $\text{Li}_2\text{O}-\text{La}_2\text{O}_3-\text{La}_2\text{O}_3=\text{ZrO}_2/\text{ZrO}_2$ phase diagram — *Journal of the American Ceramic Society* — 2024 — DOI: [10.1111/jace.19846](https://doi.org/10.1111/jace.19846)
85. Junji Awaka and Norihito Kijima and Hiroshi Hayakawa and Junji Akimoto — Synthesis and structure analysis of tetragonal $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ with the garnet-related type structure — *Journal of Solid State Chemistry* — 2009 — DOI: [10.1016/j.jssc.2009.05.020](https://doi.org/10.1016/j.jssc.2009.05.020)
86. Hui Xie and J. A. Alonso and Yutao Li and M. T. Fernández-Díaz and John B. Goodenough — Lithium Distribution in Aluminum-Free Cubic $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ — *Chemistry of Materials* — 2011 — DOI: [10.1021/cm201671k](https://doi.org/10.1021/cm201671k)
87. Shuqiao Hu and You-Fen Li and RuYang and Zijian Yang and Lege Wang — Structure and ionic conductivity of $\text{Li}_7\text{La}_3\text{Zr}_2-x\text{GexO}_{12}$ garnet-like solid electrolyte for all solid state lithium ion batteries — *Ceramics International* — 2018 — DOI: [10.1016/j.ceramint.2018.01.065](https://doi.org/10.1016/j.ceramint.2018.01.065)
88. C. Deviannapoorani and L. Dhivya and S. Ramakumar and Ramaswamy Murugan — Lithium ion transport properties of high conductive tellurium substituted $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ cubic lithium garnets — *Journal of Power Sources* — 2013 — DOI: [10.1016/j.jpowsour.2013.03.166](https://doi.org/10.1016/j.jpowsour.2013.03.166)
89. Ramaswamy Murugan and S. Ramakumar and N. Janani — High conductive yttrium doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ cubic lithium garnet — *Electrochemistry Communications* — 2011 — DOI: [10.1016/j.elecom.2011.08.014](https://doi.org/10.1016/j.elecom.2011.08.014)
90. J. Wolfenstine and Joshua B. Ratchford and Ezhiyl Rangasamy and Jeffrey Sakamoto and Jan L. Allen — Synthesis and high Li-ion conductivity of Ga-stabilized cubic $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ — *Materials Chemistry and Physics* — 2012 — DOI: [10.1016/j.matchemphys.2012.03.054](https://doi.org/10.1016/j.matchemphys.2012.03.054)
91. Hany El-Shinawi and Jürgen Janek — Stabilization of cubic lithium-stuffed garnets of the type " $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ " by addition of gallium — *Journal of Power Sources* — 2012 — DOI: [10.1016/j.jpowsour.2012.09.111](https://doi.org/10.1016/j.jpowsour.2012.09.111)
92. L. Dhivya and Ramaswamy Murugan — Effect of Simultaneous Substitution of Y and Ta on the Stabilization of Cubic Phase, Microstructure, and Li⁺ Conductivity of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Lithium Garnet — *ACS Applied Materials & Interfaces* — 2014 — DOI: [10.1021/am503731h](https://doi.org/10.1021/am503731h)
93. Travis Thompson and Jeff Wolfenstine and Jan L. Allen and Michelle Johannes and Ashfia Huq and Isabel N. David and Jeff Sakamoto — Tetragonal vs. cubic phase stability in Al - free Ta doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) — *J. Mater. Chem. A* — 2014 — DOI: [10.1039/c4ta02099e](https://doi.org/10.1039/c4ta02099e)
94. MdYusuf Ali and Hans Orthner and Hartmut Wiggers — Spray Flame Synthesis (SFS) of Lithium Lanthanum Zirconate (LLZO) Solid Electrolyte — *Materials* — 2021 — DOI: [10.3390/ma14133472](https://doi.org/10.3390/ma14133472)
95. Siavash Mohammad Alizadeh and Iman Moghim and Mohammad Golmohammad — Synthesis and characterization of highly conductive Ga / Y co-doped LLZO by facile combustion sol-gel method — *Solid State Ionics* — 2023 — DOI: [10.1016/j.ssi.2023.116260](https://doi.org/10.1016/j.ssi.2023.116260)
96. André Düvel and Alexander Kuhn and Lars Robben and Martin Wilkening and Paul Heitjans — Mechanosynthesis of Solid Electrolytes: Preparation, Characterization, and Li Ion Transport Properties of Garnet-Type Al-Doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Crystallizing with Cubic Symmetry — *The Journal of Physical Chemistry C* — 2012 — DOI: [10.1021/jp301193r](https://doi.org/10.1021/jp301193r)
97. Golap Kalita and Takashi Endo and Toshihiko Nishi — Recent development on low temperature synthesis of cubic-phase LLZO electrolyte particles for application in all-solid-state batteries — *Journal of Alloys and Compounds* — 2023 — DOI: [10.1016/j.jallcom.2023.172282](https://doi.org/10.1016/j.jallcom.2023.172282)
98. Janez Košir and Seyedabolfazl Mousavihashemi and Benjamin P. Wilson and Eeva-Leena Rautama and Tanja Kallio — Comparative analysis on the thermal, structural, and electrochemical properties of Al-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolytes through solid state and sol-gel routes — *Solid State Ionics* — 2022 — DOI: [10.1016/j.ssi.2022.115943](https://doi.org/10.1016/j.ssi.2022.115943)
99. Kaitlin Garman and Yangyang Wang and Charlotte Thomas and Runming Tao and Kang-Min Kim and Miaomiao Ma and Jianlin Li and Chunmei Ban — Reaction Pathway Informed Strategy for Fast Solid-State Synthesis of Garnet-Type Solid Electrolyte — *ACS Materials Letters* — 2025 — DOI: [10.1021/acsmaterialslett.5c01262](https://doi.org/10.1021/acsmaterialslett.5c01262)
100. Ruzica Djenadic and Miriam Botros and Cahit Benel and Oliver Clemens and Sylvio Indris and A. Choudhary and Thomas Bergfeldt and Horst Hahn — Nebulized spray pyrolysis of Al-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolyte for battery applications — *Solid State Ionics* — 2014 — DOI: [10.1016/j.ssi.2014.05.007](https://doi.org/10.1016/j.ssi.2014.05.007)
101. Yitian Feng and Lin Yang and Zihan Yan and Daxian Zuo and Zhewen Zhu and Lin Zeng and Yizhou Zhu and Jiayu Wan — Discovery of High Entropy Garnet Solid-state Electrolytes via Ultrafast Synthesis — *Energy Storage Materials* — 2023 — DOI: [10.1016/j.ensm.2023.103053](https://doi.org/10.1016/j.ensm.2023.103053)
102. Liming Wang and Kehao Tao and Qingmei Su and Weihao Shi and Di Han and Shaochen Wei and Wenxin Shi and Xuan Li and Huayu Li and Gaothui Du and Wenqi Zhao and Miao Zhang and Jinjin Li and Junjie Guo and Bingshe Xu — AI-accelerated discovery of a high-entropy garnet electrolyte with a flattened Li-ion energy landscape for practical solid-state batteries — *Chemical Engineering Journal* — 2026 — DOI: [10.1016/j.cej.2026.181081](https://doi.org/10.1016/j.cej.2026.181081)

103. Ji-Hwan Kim and Jiwon Sun and Juo Kim and Jimin Hong and Seungpyo Kang and Jinyoung Jeong and Eunsong Kim and Deok-Hye Park and Jae-Sung Jang and Jong-Won Lim and Gang-In Lee and Kyoungmin Min and Kyung-Won Park — Machine learning-driven discovery of innovative hybrid solid electrolytes for high-performance all-solid-state batteries — *Chemical Engineering Journal* — 2025 — DOI: [10.1016/j.cej.2025.161926](https://doi.org/10.1016/j.cej.2025.161926)
104. Wanqing Li and Ying Wang and Linjun Luo and Ji Zhao and Wei Zhou and Yejian Xue — Green and scalable synthesis strategy for garnet type solid electrolyte using in-situ thermally decomposed nanocrystalline zirconia as raw material — *Materials Today Communications* — 2026 — DOI: [10.1016/j.mtcomm.2026.115395](https://doi.org/10.1016/j.mtcomm.2026.115395)
105. Derek K. Schwanz and Andres Villa and Mahalingam Balasubramanian and Benjamin Helfrecht and Ernesto E. Marinero — Ionic conductivity enhancements and low temperature synthesis of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ garnets by Bi aliovalent substitutions — *Venue not reported* — 2019 — DOI not reported
106. Yan Su and Ying Yang and Chenglin Liu — Kinetics of Li_2CO_3 crystallization via CO_2 introduction into LiOH solution — *Journal of Crystal Growth* — 2026 — DOI: [10.1016/j.jcrysgro.2026.128712](https://doi.org/10.1016/j.jcrysgro.2026.128712)
107. Hanyu Huo and Jing Luo and Venkataraman Thangadurai and Xiangxin Guo and Ce-Wen Nan and Xueliang Sun — Li_2CO_3 : A Critical Issue for Developing Solid Garnet Batteries — *ACS Energy Letters* — 2019 — DOI: [10.1021/acsenergylett.9b02401](https://doi.org/10.1021/acsenergylett.9b02401)
108. Jin-Hee Bae and Minseo Choi and Jung Hyun Kim and Seokhee Lee and Hwa-Jung Kim and Seung-Wook Baek — Effect analysis of lithium precursor on cost-effective production of $\text{Li}_{6.4}\text{La}_3\text{Zr}_{1.4}\text{Ta}_{0.6}\text{O}_{12}$ solid electrolytes — *Journal of the Korean Ceramic Society* — 2026 — DOI: [10.1007/s43207-026-00584-8](https://doi.org/10.1007/s43207-026-00584-8)
109. Ning Shi and Binbin Yang and Nan Chen and Renjie Chen — Li_2CO_3 contamination in garnet solid electrolyte: Origins, impacts, and mitigation strategies — *Energy storage materials* — 2025 — DOI: [10.1016/j.ensm.2025.104173](https://doi.org/10.1016/j.ensm.2025.104173)
110. Kaouter Toudjine and Melanie Finsterbusch-Rosen and Vivien Kiyek and Swapna Ganapathy and Martin Finsterbusch and Olivier Guillon and Mark Huijben and Erik M. Kelder and Marnix Wagemaker and Dina Fattakhova-Rohlfing — The impact of lithium carbonate on tape cast LLZO battery separators: A balanced interplay between lithium loss and relithiation — *Energy storage materials* — 2024 — DOI: [10.1016/j.ensm.2024.103487](https://doi.org/10.1016/j.ensm.2024.103487)
111. Chengjian Li and F. Kern and Lianmeng Liu and Christopher Parr and Andreas Börger and Chunfeng Liu — Synthesis and Characterization of LLZNO & LLZTO: Insights into the Impact of Different Lithium Precursors on Properties — *Open Ceramics* — 2025 — DOI: [10.1016/j.oceram.2025.100842](https://doi.org/10.1016/j.oceram.2025.100842)
112. Kai Liu and Jiangtao Ma and Chang-An Wang — Excess lithium salt functions more than compensating for lithium loss when synthesizing $\text{Li}_{6.5}\text{La}_3\text{Ta}_{0.5}\text{Zr}_{1.5}\text{O}_{12}$ in alumina crucible — *Journal of Power Sources* — 2014 — DOI: [10.1016/j.jpowsour.2014.02.065](https://doi.org/10.1016/j.jpowsour.2014.02.065)
113. Sumaletha Narayanan and Gregory T. Hitz and Eric D. Wachsman and Venkataraman Thangadurai — Effect of Excess Li on the Structural and Electrical Properties of Garnet-Type $\text{Li}_6\text{La}_3\text{Ta}_{1.5}\text{Y}_{0.5}\text{O}_{12}$ — *Journal of The Electrochemical Society* — 2015 — DOI: [10.1149/2.0321509jes](https://doi.org/10.1149/2.0321509jes)
114. Ying Jin and Paul J. McGinn — Al-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ synthesized by a polymerized complex method — *Journal of Power Sources* — 2011 — DOI: [10.1016/j.jpowsour.2011.05.065](https://doi.org/10.1016/j.jpowsour.2011.05.065)
115. Yiqiu Li and Zheng Wang and Yang Cao and Fuming Du and Cheng Chen and Zhonghui Cui and Xiangxin Guo — W-Doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Ceramic Electrolytes for Solid State Li-ion Batteries — *Electrochimica Acta* — 2015 — DOI: [10.1016/j.electacta.2015.08.046](https://doi.org/10.1016/j.electacta.2015.08.046)
116. N. Rosenkiewitz and Jörg Schuhmacher and Matthias Bockmeyer and Joachim Deubener — Nitrogen-free sol-gel synthesis of Al-substituted cubic garnet $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) — *Journal of Power Sources* — 2014 — DOI: [10.1016/j.jpowsour.2014.12.066](https://doi.org/10.1016/j.jpowsour.2014.12.066)
117. Rujun Chen and Mian Huang and Wenzhe Huang and Yang Shen and Yuanhua Lin and Ce-Wen Nan — Effect of calcining and Al doping on structure and conductivity of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ — *Solid State Ionics* — 2014 — DOI: [10.1016/j.ssi.2014.07.004](https://doi.org/10.1016/j.ssi.2014.07.004)
118. Ilkin Kokal and Mehmet Somer and Peter H. L. Notten and H.T. Hintzen — Sol-gel synthesis and lithium ion conductivity of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ with garnet-related type structure — *Solid State Ionics* — 2011 — DOI: [10.1016/j.ssi.2011.01.002](https://doi.org/10.1016/j.ssi.2011.01.002)
119. Ji Yan and Cankai Zhou and Feng Lin and Bingjing Li and Feifan Yang and Huali Zhu and Junfei Duan and Zhaoyong Chen — Submicron-Sized Nb-Doped Lithium Garnet for High Ionic Conductivity Solid Electrolyte and Performance of Quasi-Solid-State Lithium Battery — *Materials* — 2020 — DOI: [10.3390/ma13030560](https://doi.org/10.3390/ma13030560)
120. Wenyi Xiang and Ruotong Ma and Xiaoye Liu and Xiangkun Kong and Shiji Shen and Limin Wang and Zongzi Jin and Z. Zhan and Chusheng Chen and Chengwei Wang — Rapid Li Compensation toward Highly Conductive Solid State Electrolyte Film — *Nano Energy* — 2023 — DOI: [10.1016/j.nanoen.2023.108816](https://doi.org/10.1016/j.nanoen.2023.108816)
121. Robert A. Jonson and P. McGinn — Tape casting and sintering of $\text{Li}_7\text{La}_3\text{Zr}_{1.75}\text{Nb}_{0.25}\text{Al}_{0.1}\text{O}_{12}$ with Li_3BO_3 additions — *Solid State Ionics* — 2018 — DOI: [10.1016/j.ssi.2018.05.015](https://doi.org/10.1016/j.ssi.2018.05.015)
122. Shiang Teng and Jiajia Tan and Ashutosh Tiwari — Recent developments in garnet based solid state electrolytes for thin film batteries — *Current Opinion in Solid State and Materials Science* — 2013 — DOI: [10.1016/j.cossms.2013.10.002](https://doi.org/10.1016/j.cossms.2013.10.002)
123. N. Janani and C. Deviannapoorani and L. Dhivya and Ramaswamy Murugan — Influence of sintering additives on densification and Li^+ conductivity of Al doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ lithium garnet — *RSC Advances* — 2014 — DOI: [10.1039/c4ra08674k](https://doi.org/10.1039/c4ra08674k)
124. Yali Luo and Xueyan Li and Han Chen and Lucun Guo — Influence of sintering aid on the microstructure and conductivity of the garnet-type W-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ ceramic electrolyte — *Journal of materials science. Materials in electronics* — 2019 — DOI: [10.1007/s10854-019-02067-5](https://doi.org/10.1007/s10854-019-02067-5)
125. Jae-wan Park and Eunbyul Kim and Min-Ji Yang and D. Yi and Sanghun Lee and Jae-Hyun Shim — Li_2CO_3 -assisted sintering of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid electrolytes for enhanced electrochemical performance — *Journal of the Korean Ceramic Society* — 2026 — DOI: [10.1007/s43207-026-00603-8](https://doi.org/10.1007/s43207-026-00603-8)
126. Bashu Aman and Thuy Thi Bich Tran and Young-Geun Lee and Tania Slawacki and Dinesh Agrawal and Jay F. Whitacre and B. Reeya-Jayan — Susceptor-enclosed rapid microwave sintering of lithium lanthanum zirconium oxide solid electrolytes within 30 min — *RSC Advances* — 2026 — DOI: [10.1039/d6ra05960k](https://doi.org/10.1039/d6ra05960k)
127. Erika P. Ramos and Yudan Chen and Aaron Santomauro and Yan-Yan Hu and Samuel Sanghyun Lee and Jianhua Tong and Jianchao Ye — Ultrafast Reactive Laser Sintering of Highly Conductive Garnet-Type LLZTO Solid Electrolytes — *ACS Applied Materials & Interfaces* — 2026 — DOI: [10.1021/acsami.6c05262](https://doi.org/10.1021/acsami.6c05262)
128. Huanyu Zhang and Matthias Klimpel and Krzysztof Wiczerzak and Romain Dubey and Faruk Okur and Johann Michler and Lars P. H. Jeurgens and Dmitry Chernyshov and Wouter van Beek and Kostiantyn V. Kravchyk and Maksym V. Kovalenko — Unveiling Surface Chemistry of Ultrafast-Sintered LLZO Solid-State Electrolytes for High-Performance Li-Garnet Solid-State Batteries — *Chemistry of Materials* — 2024 — DOI: [10.1021/acs.chemmater.4c02351](https://doi.org/10.1021/acs.chemmater.4c02351)
129. G. K. and S. Devanesan and Mohammad Ahmad Wadaan — Influence of Pt and Al Crucibles on the Electrical Performance of Cubic LLZO for Solid-State Electrolyte Applications — *Physica Status Solidi (a)* — 2026 — DOI: [10.1002/pssa.202500932](https://doi.org/10.1002/pssa.202500932)
130. Haseeb Ahmad and Faiza Jan Ifrikhar and Tayyaba Noor and Ghulam Mustafa and Shahid M. Ramay and Ghulam Ali — Reducing the grain boundary resistance by Al and Gd co-doping in LLZO-based solid-state electrolyte for lithium batteries — *Ceramics International* — 2025 — DOI: [10.1016/j.ceramint.2025.03.443](https://doi.org/10.1016/j.ceramint.2025.03.443)
131. Mohammad Golmohammad and Amirreza Sazvar and Mohammad Maleki Shahraki and Mohsen Salimi — Effects of Nd and Al co-doping on the microstructure and lithium-ion transport in $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ solid-state batteries — *Solid State Ionics* — 2024 — DOI: [10.1016/j.ssi.2024.116598](https://doi.org/10.1016/j.ssi.2024.116598)
132. Kai Yao and Kwangnam Kim and Dylan Jennings and Jan Dippell and Lei Jin and Meng Ma and Xingyu Liu and Qianli Ma and W. S. Scheld and Christoph Roitzheim and Yuan Zeng and Timo Danner and O. Guillon and M. Huijben and J. E. ten Elshof and Liwen F. Wan and A. Latz and B. C. Wood and Martin Finsterbusch and Dina Fattakhova-Rohlfing — Elimination of detrimental grain boundary segregation in garnets — *Nature Communications* — 2026 — DOI: [10.1038/s41467-026-74887-z](https://doi.org/10.1038/s41467-026-74887-z)
133. Hao Zhang and Yaocong Wang and Quande Che and Jiaming Wu and Yanzhu Zhang and Dongxu Mao and Xundao Liu and Jiajie Li and Zhengmao Ye and Dehua Dong — Al-N Co-Doped LLZO Solid Electrolytes via One-Step Sintering: Toward High Ionic Conductivity — *Advanced Science* — 2026 — DOI: [10.1002/adv.75980](https://doi.org/10.1002/adv.75980)
134. Zhizhen Qin and Jehad Ahmed and Dmitri L. Danilov and Baolin Wu and Anna Windmüller and Shicheng Yu and Chih-Long Tsai and Josef Granwehr and Chih-Chieh Wang and Rüdiger-A. Eichel and Peter H.L. Notten — Influence of sintering temperature on the performance of garnet-based all-solid-state Li-metal batteries — *Journal of Power Sources* — 2026 — DOI: [10.1016/j.jpowsour.2026.239958](https://doi.org/10.1016/j.jpowsour.2026.239958)
135. Matt Lessmeier and Stephen Heywood and David Driscoll and Stephen Sofie and See PDF — Transformation Toughening of Garnet Structured LLZO Solid Electrolyte — *Venue not reported* — 2026 — DOI: [10.2139/ssrn.6065886](https://doi.org/10.2139/ssrn.6065886)
136. Changlong Li and A. Ishii and Lindsay Roy and D. Hitchcock and Yuqing Meng and K. Brinkman — Solid-state reactive sintering of dense and highly conductive Ta-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ using CuO as a sintering aid — *Journal of Materials Science* — 2020 — DOI: [10.1007/s10853-020-05221-1](https://doi.org/10.1007/s10853-020-05221-1)

137. Yiqiu Li and Yang Cao and Xiangxin Guo — Influence of lithium oxide additives on densification and ionic conductivity of garnet-type $\text{Li}_{16}\text{.75La}_3\text{Zr}_{1.75}\text{Ta}_{0.25}\text{O}_{12}$ solid electrolytes — *Solid State Ionics* — 2013 — DOI: [10.1016/j.ssi.2013.09.005](https://doi.org/10.1016/j.ssi.2013.09.005)
138. Chang Zhang and Xiangchen Hu and Zhiwei Nie and Cong Wu and Nan Zheng and Shaojie Chen and Yihang Yang and Ran Wei and Jiameng Yu and Nan Yang and Yi Yu and Wei Liu — High-performance Ta-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ garnet oxides with AlN additive — *Journal of Advanced Ceramics* — 2022 — DOI: [10.1007/s40145-022-0626-y](https://doi.org/10.1007/s40145-022-0626-y)
139. Sevda Saran — Optical, Structural, and Conductivity Properties of Ga-Doped Garnet-Type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) Solid Electrolyte Depending on Sintering Atmosphere — *Venue not reported* — 2024 — DOI: [10.2139/ssrn.4970728](https://doi.org/10.2139/ssrn.4970728)
140. Sevda Saran — Structural Properties and Bandgap Energy of Ga-doped Garnet-type $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ (LLZO) Solid Electrolyte Depending on Sintering Atmosphere — *Sakarya University Journal of Science* — 2025 — DOI: [10.16984/saufenbilder.1590407](https://doi.org/10.16984/saufenbilder.1590407)
141. Mohammad Nasir and Ji Young Park and Pilwon Heo and Kyoung Hwan Choi and Hee Jung Park — Li-La-Zr-O Garnets with High Li-Ion Conductivity and Air-Stability by Microstructure-Engineering — *Advanced Functional Materials* — 2023 — DOI: [10.1002/adfm.202303397](https://doi.org/10.1002/adfm.202303397)
142. Jennifer E. Ni and Eldon D. Case and Jeffrey Sakamoto and Ezhiyl Rangasamy and Jeffrey Wolfenstine — Room temperature elastic moduli and Vickers hardness of hot-pressed LLZO cubic garnet — *Journal of Materials Science* — 2012 — DOI: [10.1007/s10853-012-6687-5](https://doi.org/10.1007/s10853-012-6687-5)
143. Ajeet K. Srivastav and Niraj Chawake and Devinder Yadav and N.S. Karthiselva and B.S. Murty — Localized pore evolution assisted densification during spark plasma sintering of nanocrystalline W-5wt. — *Scripta Materialia* — 2019 — DOI: [10.1016/j.scriptamat.2018.09.013](https://doi.org/10.1016/j.scriptamat.2018.09.013)
144. Ajeet K. Srivastav and Suresh Bandi and Abhishek Kumar and B. S. Murty — Microstructure evolution and densification during spark plasma sintering of nanocrystalline W-5wt. — *Venue not reported* — 2020 — DOI: [10.1080/09500839.2020.1793010](https://doi.org/10.1080/09500839.2020.1793010)
145. Roberto Orrù and Roberta Licheri and Antonio Mario Locci and Alberto Cincotti and Giacomo Cao — Consolidation / synthesis of materials by electric current activated / assisted sintering — *Materials Science and Engineering R Reports* — 2009 — DOI: [10.1016/j.mser.2008.09.003](https://doi.org/10.1016/j.mser.2008.09.003)
146. Anna Galotta and Vincenzo M. Sglavo — The cold sintering process: A review on processing features, densification mechanisms and perspectives — *Journal of the European Ceramic Society* — 2021 — DOI: [10.1016/j.jeurceramsoc.2021.09.024](https://doi.org/10.1016/j.jeurceramsoc.2021.09.024)
147. Hong Cai and Tong Yu and Dongrui Xie and Benshuang Sun and Jiang Cheng and Li Lü and Xujin Bao and Hongtao Zhang — Microstructure and ionic conductivities of NASICON-type $\text{Li}_{1.3}\text{Al}_{0.3}\text{Ti}_{1.7}(\text{PO}_4)_3$ solid electrolytes produced by cold sintering assisted process — *Journal of Alloys and Compounds* — 2023 — DOI: [10.1016/j.jallcom.2023.168702](https://doi.org/10.1016/j.jallcom.2023.168702)
148. Huanyu Zhang and Faruk Okur and Claudia Cancellieri and Lars P. H. Jeurgens and Annapaola Parrilli and Dogan Tarik Karabay and Martin Nesvadba and Sunhyun Hwang and A. Neels and Maksym V. Kovalenko and Kostiantyn V. Kravchyk — Bilayer Dense-Porous $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Membranes for High-Performance Li-Garnet Solid-State Batteries — *Advanced Science* — 2023 — DOI: [10.1002/advs.202205821](https://doi.org/10.1002/advs.202205821)
149. Fuming Du and Ning Zhao and Yiqiu Li and Cheng Chen and Ziwei Liu and Xiangxin Guo — All solid state lithium batteries based on lamellar garnet-type ceramic electrolytes — *Journal of Power Sources* — 2015 — DOI: [10.1016/j.jpowsour.2015.09.061](https://doi.org/10.1016/j.jpowsour.2015.09.061)
150. Jochen Reinacher and Stefan Berendts and Jürgen Janek — Preparation and electrical properties of garnet-type $\text{Li}_6\text{BaLa}_2\text{Ta}_2\text{O}_{12}$ lithium solid electrolyte thin films prepared by pulsed laser deposition — *Solid State Ionics* — 2014 — DOI: [10.1016/j.ssi.2014.01.046](https://doi.org/10.1016/j.ssi.2014.01.046)
151. Boyang Liu and Lei Zhang and Shaomao Xu and Dennis W. McOwen and Yunhui Gong and Chunpeng Yang and Glenn Pastel and Hua Xie and Kun Fu and J. Dai and Chaoji Chen and E. Wachsman and Liangbing Hu — 3D lithium metal anodes hosted in asymmetric garnet frameworks toward high energy density batteries — *Energy Storage Materials* — 2018 — DOI: [10.1016/j.ensm.2018.04.015](https://doi.org/10.1016/j.ensm.2018.04.015)
152. Zhen-Chao Li and Teng-Yu Li and Yirui Deng and Wenhao Tang and Xiaodong Wang and Jin-Lin Yang and Qiang Liu and Lei Zhang and Qiang Wang and Ruiping Liu — 3D porous PTFE membrane filled with PEO-based electrolyte for all solid-state lithium-sulfur batteries — *Rare Metals* — 2022 — DOI: [10.1007/s12598-022-02009-x](https://doi.org/10.1007/s12598-022-02009-x)
153. So Yeon Kim and Ju Li — Porous Mixed Ionic Electronic Conductor Interlayers for Solid-State Batteries — *Energy Material Advances* — 2021 — DOI: [10.34133/2021/1519569](https://doi.org/10.34133/2021/1519569)
154. Boris Kozinsky and Sneha A. Akhade and Pierre Hirel and Adham Hashibon and Christian Elsässer and Prateek Mehta and Alan Logeat and Ulrich Eisele — Effects of Sublattice Symmetry and Frustration on Ionic Transport in Garnet Solid Electrolytes — *Physical Review Letters* — 2016 — DOI: [10.1103/physrevlett.116.055901](https://doi.org/10.1103/physrevlett.116.055901)
155. Yan Wang and William D. Richards and Shyue Ping Ong and Lincoln J. Miara and Jae Chul Kim and Yifei Mo and Gerbrand Ceder — Design principles for solid-state lithium superionic conductors — *Nature Materials* — 2015 — DOI: [10.1038/nmat4369](https://doi.org/10.1038/nmat4369)
156. Zongzi Jin and Xiangkun Kong and Huang Huang and Yining Jiang and Wenyi Xiang and Yifan Xu and Lei Zhang and R. Peng and Chengwei Wang — Garnet-Type Solid-State Mixed Ionic and Electronic Conductor — *Social Science Research Network* — 2023 — DOI: [10.2139/ssrn.4376827](https://doi.org/10.2139/ssrn.4376827)
157. Mohamad M. Ahmad and Abdullah Aljaafari — Concentration and mobility of mobile Li^+ ions in $\text{Li}_6\text{BaLa}_2\text{Ta}_2\text{O}_{12}$ and $\text{Li}_5\text{La}_3\text{Ta}_2\text{O}_{12}$ garnet lithium ion conductors — *Journal of Materials Science Materials in Electronics* — 2015 — DOI: [10.1007/s10854-015-3473-6](https://doi.org/10.1007/s10854-015-3473-6)
158. C.R. Mariappan and Chihiro Yada and Fabio Rosciano and Bernhard Roling — Correlation between micro-structural properties and ionic conductivity of $\text{Li}_{1.5}\text{Al}_{0.5}\text{Ge}_{1.5}(\text{PO}_4)_3$ ceramics — *Journal of Power Sources* — 2011 — DOI: [10.1016/j.jpowsour.2011.03.065](https://doi.org/10.1016/j.jpowsour.2011.03.065)
159. Hiromichi Aono and Eisuke Sugimoto and Yoshihiko Sadaoka and Nobuhito Imanaka and Gin-ya Adachi — The Electrical Properties of Ceramic Electrolytes for $\text{LiM}_x\text{Ti}_{2-x}(\text{PO}_4)_3\text{yLi}_2\text{O}$, $\text{M} = \text{Ge, Sn, Hf, and Zr}$ Systems — *Journal of The Electrochemical Society* — 1993 — DOI: [10.1149/1.2220723](https://doi.org/10.1149/1.2220723)
160. Pooja Vadhva and Ji Hu and Michael J. Johnson and Richard Stocker and Michele Braglia and Dan J. L. Brett and Alexander J. E. Rettie — Electrochemical Impedance Spectroscopy for All-Solid-State Batteries: Theory, Methods and Future Outlook — *ChemElectroChem* — 2021 — DOI: [10.1002/celec.202100108](https://doi.org/10.1002/celec.202100108)
161. Yang Lu and Chen-Zi Zhao and Hong Yuan and Xin-Bing Cheng and Jia-Qi Huang and Qiang Zhang — Critical Current Density in Solid-State Lithium Metal Batteries: Mechanism, Influences, and Strategies — *Advanced Functional Materials* — 2021 — DOI: [10.1002/adfm.202009925](https://doi.org/10.1002/adfm.202009925)
162. Subhajit Sarkar and Venkataraman Thangadurai — Critical Current Densities for High-Performance All-Solid-State Li-Metal Batteries: Fundamentals, Mechanisms, Interfaces, Materials, and Applications — *ACS Energy Letters* — 2022 — DOI: [10.1021/acsenenergylett.2c00003](https://doi.org/10.1021/acsenenergylett.2c00003)
163. Hui Yang and Nianqiang Wu — Ionic conductivity and ion transport mechanisms of solid-state lithium-ion battery electrolytes: A review — *Energy Science & Engineering* — 2022 — DOI: [10.1002/ese3.1163](https://doi.org/10.1002/ese3.1163)
164. Stephen Xie and Shreyas Honrao and John W. Lawson — High-Throughput Screening of Li Solid-State Electrolytes with Bond Valence Methods and Machine Learning — *Chemistry of Materials* — 2024 — DOI: [10.1021/acs.chemmater.3c02841](https://doi.org/10.1021/acs.chemmater.3c02841)
165. Chen Bai and Yuhang Li and Guanyou Xiao and Jiajing Chen and Shendong Tan and Peiran Shi and Tingzheng Hou and Ming Liu and Yan-Bing He and Feiyu Kang — Understanding the Electrochemical Window of Solid-State Electrolyte in Full Battery Application — *Chemical Reviews* — 2025 — DOI: [10.1021/acs.chemrev.4c01012](https://doi.org/10.1021/acs.chemrev.4c01012)
166. Huanyu Zhang and Giulia Paggiaro and Faruk Okur and Janis Huwiler and C. Cancellieri and L. Jeurgens and D. Chernyshov and W. van Beek and M. Kovalenko and K. Kravchyk — On High-Temperature Thermal Cleaning of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Solid-State Electrolytes — *ACS Applied Energy Materials* — 2023 — DOI: [10.1021/acsaem.3c00459](https://doi.org/10.1021/acsaem.3c00459)
167. Yaoyu Ren and Yang Shen and Yuanhua Lin and Ce-Wen Nan — Direct observation of lithium dendrites inside garnet-type lithium-ion solid electrolyte — *Electrochemistry Communications* — 2015 — DOI: [10.1016/j.elecom.2015.05.001](https://doi.org/10.1016/j.elecom.2015.05.001)
168. Michael J. Counihan and Devon Powers and Pallab Barai and Shiyu Hu and Teodora Zagorac and Yundong Zhou and Jungkuk Lee and Justin G. Connell and Kanchan Chavan and Ian S. Gilmore and Luke Hanley and Venkat Srinivasan and Yuepeng Zhang and Sanja Tepavcevic — Understanding the Influence of $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ Nanofibers on Critical Current Density and Coulombic Efficiency in Composite Polymer Electrolytes — *ACS Applied Materials & Interfaces* — 2023 — DOI: [10.1021/acsaem.3c04262](https://doi.org/10.1021/acsaem.3c04262)
169. Longlong Chen and Zhihao Hua and Han Li and Bingbing Chen — Dendrite Growth Behaviors On Llzo Solid Electrolyte Grain Boundary — *Venue not reported* — 2024 — DOI: [10.2139/ssrn.5033249](https://doi.org/10.2139/ssrn.5033249)
170. Zhihao Hua and Han Li and Bingbing Chen — Dendrite Growth Behaviors On Llzo Solid Electrolyte Grain Boundary — *Venue not reported* — 2023 — DOI: [10.2139/ssrn.4641694](https://doi.org/10.2139/ssrn.4641694)
171. Jiang Cui and S. Yao and A. Guerfi and Chisu Kim and J. Goodenough and Hadi Khani — Melt-quenching of artificial metallic interlayer enables a resistance-free garnet / lithium interface for all-solid-state lithium-metal batteries — *Energy Storage Materials* — 2022 — DOI: [10.1016/j.ensm.2022.10.002](https://doi.org/10.1016/j.ensm.2022.10.002)
172. Mingli Cai and Jun Jin and Tongping Xiu and Zhen Song and Michael E. Badding and Zhaoyin Wen — In-situ constructed lithium-salt lithiophilic layer inducing bi-functional interphase for stable LLZO / Li interface — *Energy storage materials* — 2022 — DOI: [10.1016/j.ensm.2022.01.046](https://doi.org/10.1016/j.ensm.2022.01.046)

173. Mingjie Du and Yang Sun and Bo Liu and Bingbing Chen and Kaiming Liao and Ran Ran and Rui Cai and Wei Zhou and Zongping Shao — Smart Construction of an Intimate Lithium | Garnet Interface for All-Solid-State Batteries by Tuning the Tension of Molten Lithium — *Advanced Functional Materials* — 2021 — DOI: [10.1002/adfm.202101556](https://doi.org/10.1002/adfm.202101556)
174. Congkun Du and Zhihan Li and Zecheng Fang and Xinguang Fang and Xin Ji and Zhenzhen Zhao and Dongyang Liu and Rulin Li and Xing Xiang and Yanhua Zhang — Constructing a Three-Dimensional Continuous Grain Boundary with Lithium Ion Conductivity and Electron Blocking Property in LLZO to Suppress Lithium Dendrites — *Venue not reported* — 2024 — DOI: [10.2139/ssrn.4855269](https://doi.org/10.2139/ssrn.4855269)
175. Chujun Zheng and Yan Lü and Qiang Chang and Zhen Song and Tongping Xiu and Jun Jin and Michael E. Badding and Zhaoyin Wen — High-Performance Garnet-Type Solid-State Lithium Metal Batteries Enabled by Scalable Elastic and Li⁺-Conducting Interlayer — *Advanced Functional Materials* — 2023 — DOI: [10.1002/adfm.202302729](https://doi.org/10.1002/adfm.202302729)
176. Qianyi Zhang and Qiwen Chen and Dongshi Zhang and Xiaoming Zhou and Ran Ren and Yitong Liang and Ruijie Liu and Zhuguo Li and Hezhou Liu and Huanan Duan — Femtosecond Laser Interfacial Activation Engineering for Garnet-Based Solid-State Lithium Metal Batteries — *Energy Storage Materials* — 2026 — DOI: [10.1016/j.ensm.2026.105137](https://doi.org/10.1016/j.ensm.2026.105137)
177. Heonjae Jeong and Myeongjae Heo and Joohyeon Park — Dopant-Controlled Early-Stage Stability of LLZO / Li₁₃Si₄ Interfaces for Thermal Batteries — *Venue not reported* — 2026 — DOI: [10.2139/ssrn.7050586](https://doi.org/10.2139/ssrn.7050586)
178. Nava Raj Giri and Neha Bulbule and Adam Noel and Fernando A Soto and Zhezhen Fu — Entropy-Driven Multi-Dopant Synergy Enables Robust Li|LLZO Interfaces — *Venue not reported* — 2026 — DOI: [10.26434/chemrxiv.15007100/v1](https://doi.org/10.26434/chemrxiv.15007100/v1)
179. Hao Feng and Zhenxi Li and Shilun Gao and Youjia Zhang and Ruijie Guo and Peng-Fei Cao and Huabin Yang — Interface compatible organic-inorganic solid electrolyte with intimate electrode / electrolyte interfacial contact for dendrite-free Li metal batteries — *Journal of Colloid and Interface Science* — 2026 — DOI: [10.1016/j.jcis.2025.138772](https://doi.org/10.1016/j.jcis.2025.138772)
180. Hanyong Kang and Min Wook Kim and Su Hyeong Kim and Dong-Joo Kim and Young Soo Yoon — Reducing Li₂CO₃ formation and enhancing ionic conductivity in garnet electrolytes via molten salt synthesis for lithium metal batteries — *Chemical Engineering Journal* — 2026 — DOI: [10.1016/j.cej.2026.173337](https://doi.org/10.1016/j.cej.2026.173337)
181. Hanyu Huo and Jian Gao and Ning Zhao and Dongxing Zhang and Nathaniel Holmes and Xiaona Li and Yipeng Sun and Jiamin Fu and Ruying Li and Xiangxin Guo and Xueliang Sun — A flexible electron-blocking interfacial shield for dendrite-free solid lithium metal batteries — *Nature Communications* — 2021 — DOI: [10.1038/s41467-020-20463-y](https://doi.org/10.1038/s41467-020-20463-y)
182. Thorben Krauskopf and Boris Mogwitz and Carolin Rosenbach and Wolfgang G. Zeier and Jürgen Janek — Diffusion Limitation of Lithium Metal and Li-Mg Alloy Anodes on LLZO Type Solid Electrolytes as a Function of Temperature and Pressure — *Advanced Energy Materials* — 2019 — DOI: [10.1002/aenm.201902568](https://doi.org/10.1002/aenm.201902568)
183. Mohammad Nasir and Jun Seo and Jae In Song and Yong Seok Choi and Hee Jung Park — Excess-lithium-free LLZO enabling fast ion conduction and ultra-low interfacial resistance for solid-state lithium metal batteries — *Energy storage materials* — 2025 — DOI: [10.1016/j.ensm.2025.104482](https://doi.org/10.1016/j.ensm.2025.104482)
184. Zichang You and Chujun Zheng and Jiaxin Wu and Huayan Huang and Chengshuai Bao and Yan Lu and Zhaoyin Wen — In Situ Grain Boundary Engineering Enabling Ultralong Stable Cycling Garnet-Based Solid-State Electrolytes — *Nano Letters* — 2025 — DOI: [10.1021/acs.nanolett.4c05482](https://doi.org/10.1021/acs.nanolett.4c05482)
185. Chang Zhang and Jiameng Yu and Yuanyuan Cui and Yinjie Lv and Yue Zhang and Tianyi Gao and Yuxi He and Xin Chen and T.X. Li and Tianquan Lin and Qixi Mi and Yi Yu and Wei Liu — An electron-blocking interface for garnet-based quasi-solid-state lithium-metal batteries to improve lifespan — *Nature Communications* — 2024 — DOI: [10.1038/s41467-024-49715-x](https://doi.org/10.1038/s41467-024-49715-x)
186. Chonglai Jiang and Haotian Lu and Jinlin Yang and Zejun Sun and Yukun Xiao and Yuxiang Niu and Hongfei Xu and Yuan Liu and Meng Wang and Haotian Yang and Baihua Cui and Long Yu and Ganwen Chen and Shan Yi and Qian-Hong Yang and Wei Chen — Homogenizing Interfacial Temperature Distribution for High Performance Solid-State Lithium Metal Batteries — *ACS Energy Letters* — 2024 — DOI: [10.1021/acsenenergylett.4c00964](https://doi.org/10.1021/acsenenergylett.4c00964)
187. Masashi Kotobuki and Hirokazu Munakata and Kiyoshi Kanamura and Yosuke Sato and Toshihiro Yoshida — Compatibility of Li[_{sub} 7]La[_{sub} 3]Zr[_{sub} 2]O[_{sub} 12] Solid Electrolyte to All-Solid-State Battery Using Li Metal Anode — *Journal of The Electrochemical Society* — 2010 — DOI: [10.1149/1.3474232](https://doi.org/10.1149/1.3474232)
188. Mathias Fingerle and Christoph Loh and Thimo Ferber and Horst Hahn and René Hausbrand — Evidence of the chemical stability of the garnet-type solid electrolyte Li_{1.5}La_{2.5}Ta_{0.5}O₁₂ towards lithium by a surface science approach — *Journal of Power Sources* — 2017 — DOI: [10.1016/j.jpowsour.2017.08.109](https://doi.org/10.1016/j.jpowsour.2017.08.109)
189. Thorben Krauskopf and Felix H. Richter and Wolfgang G. Zeier and Jürgen Janek — Physicochemical Concepts of the Lithium Metal Anode in Solid-State Batteries — *Chemical Reviews* — 2020 — DOI: [10.1021/acs.chemrev.0c00431](https://doi.org/10.1021/acs.chemrev.0c00431)
190. A. Gupta — Analyzing the Stability and Kinetics of Ceramic Electrolyte / Organic Electrolyte Interfaces for Li Metal Batteries — *Deep Blue (University of Michigan)* — 2020 — DOI not reported
191. Abhik Banerjee and Xuefeng Wang and Chengcheng Fang and Erik A. Wu and Ying Shirley Meng — Interfaces and Interphases in All-Solid-State Batteries with Inorganic Solid Electrolytes — *Chemical Reviews* — 2020 — DOI: [10.1021/acs.chemrev.0c00101](https://doi.org/10.1021/acs.chemrev.0c00101)
192. Kun Joong Kim and Moran Balaish and Masaki Wadaguchi and Lingping Kong and Jennifer L. M. Rupp — Solid-State Li-Metal Batteries: Challenges and Horizons of Oxide and Sulfide Solid Electrolytes and Their Interfaces — *Advanced Energy Materials* — 2020 — DOI: [10.1002/aenm.202002689](https://doi.org/10.1002/aenm.202002689)
193. Mingjie Du and Kaiming Liao and Qian Lü and Zongping Shao — Recent advances in the interface engineering of solid-state Li-ion batteries with artificial buffer layers: challenges, materials, construction, and characterization — *Energy & Environmental Science* — 2019 — DOI: [10.1039/c9ee00515c](https://doi.org/10.1039/c9ee00515c)
194. Seul-Yi Lee and Jishu Rawal and Jieun Lee and Jagadis Gautam and Seok Kim and Gui-Liang Xu and Khalil Amine and Soo-Jin Park — Solid-State Electrolytes and Their Interfacial Properties: Implications for Solid-State Lithium Batteries — *Electrochemical Energy Reviews* — 2025 — DOI: [10.1007/s41918-025-00242-3](https://doi.org/10.1007/s41918-025-00242-3)
195. Junhao Cao and Jiaxin Meng and Hao Shen and Xingchen Ye and He Liu and Cong Guo and Jingfa Li and Guozhen Zhang and Weizhai Bao and Feng Yu — Solid-state electrolytes for next-generation Batteries: Recent advances and interfacial challenges — *Journal of Power Sources* — 2025 — DOI: [10.1016/j.jpowsour.2025.237870](https://doi.org/10.1016/j.jpowsour.2025.237870)
196. Gota Hara and Yuya Iwasaki and Kaichi Fukada and Xianghao Song and Miyuki Sakakura and Yuhki Tsukada and Takeshi Yajima and Yasutoshi Iriyama — Roles of an Ag Interlayer in Stabilizing the Li Stripping Reactions at the Lithium / Lithium Phosphorus Oxynitride Interface — *Small Structures* — 2026 — DOI: [10.1002/ssstr.70555](https://doi.org/10.1002/ssstr.70555)
197. Martin Finsterbusch and Timo Danner and Chih-Long Tsai and Sven Uhlenbruck and Arnulf Latz and Olivier Guillon — High Capacity Garnet-Based All-Solid-State Lithium Batteries: Fabrication and 3D-Microstructure Resolved Modeling — *ACS Applied Materials & Interfaces* — 2018 — DOI: [10.1021/acsami.8b06705](https://doi.org/10.1021/acsami.8b06705)
198. Wooseok Go and D. Parkinson and Elizabeth Clark and M. Doeff and Michael C. Tucker — Developing cathode infiltration processes for all-solid-state bilayer LLZO cells — *Journal of Power Sources* — 2026 — DOI: [10.1016/j.jpowsour.2025.238595](https://doi.org/10.1016/j.jpowsour.2025.238595)
199. Kaouter Toudjine and Christoph Roitzheim and Xiaochen Liu and Walter Sebastian Scheld and Andreas Paulus and Muhammad Zubair and Mark Huijben and Erik Kelder and Marnix Wagemaker and Martin Finsterbusch and Dina Fattakhova-Rohlfing — Tape-Cast NMC-LLZO-LBO-based Composite Cathodes for Solid-State Lithium Batteries — *Batteries & Supercaps* — 2026 — DOI: [10.1002/batt.202500959](https://doi.org/10.1002/batt.202500959)
200. Muhammad Zubair and Ruijie Ye and Xiaochen Liu and Kaouter Toudjine and Pradhyun Veerapanaicker Soundaraj and Martin Finsterbusch and Frank Tietz and Dina Fattakhova-Rohlfing and Olivier Guillon — High-rate performance solid-state lithium batteries achieved by infiltrating a single-layer LLZO scaffold — *Journal of Power Sources* — 2026 — DOI: [10.1016/j.jpowsour.2025.239065](https://doi.org/10.1016/j.jpowsour.2025.239065)
201. Christoph Roitzheim and Franziska Hueppe and Yoo Jung Sohn and Yannic Collette and Walter Sebastian Scheld and Doris Sebold and Thomas Demuth and Kerstin Volz and Olivier Guillon and Dina Fattakhova-Rohlfing and Martin Finsterbusch — Fully inorganic LLZO-based composite cathodes: the impact of Ga substitution on compatibility with cathode active materials during co-sintering — *Energy Materials* — 2026 — DOI: [10.20517/energymater.2025.174](https://doi.org/10.20517/energymater.2025.174)
202. Wanzheng Lu and Mingzhe Xue and Cunman Zhang — Modified Li_{1.5}La₃Zr₂O₁₂(LLZO) and LLZO-polymer composites for solid-state lithium batteries — *Energy Storage Materials* — 2021 — DOI: [10.1016/j.ensm.2021.04.016](https://doi.org/10.1016/j.ensm.2021.04.016)
203. Yaoyu Ren and Timo Danner and Alexandra C. Moy and Martin Finsterbusch and Tanner Hamann and Jan Dippell and Till Fuchs and Marius Müller and Ricky Hoft and André Weber and Larry A. Curtiss and Peter Zapol and Matthew Klenk and Anh T. Ngo and Pallab Barai and Brandon C. Wood and Rongpei Shi and Liwen F. Wan and Tae Wook Heo and M. Engels and Jagjit Nanda and Felix H. Richter and Arnulf Latz and Venkat Srinivasan and Jürgen Janek and Jeff Sakamoto and Eric D. Wachsman and Dina Fattakhova-Rohlfing — Oxide-Based Solid-State Batteries: A Perspective on Composite Cathode Architecture — *Advanced Energy Materials* — 2022 — DOI: [10.1002/aenm.202201939](https://doi.org/10.1002/aenm.202201939)

204. Joo-Hwan Seo and Hiroto Nakaya and Yuki Takeuchi and Zhongming Fan and Hideaki Hikosaka and Ramakrishnan Rajagopalan and Enrique D. Gomez and Masato Iwasaki and Clive A. Randall — Broad temperature dependence, high conductivity, and structure-property relations of cold sintering of LLZO-based composite electrolytes — *Journal of the European Ceramic Society* — 2020 — [DOI: 10.1016/j.jeurceramsoc.2020.06.050](https://doi.org/10.1016/j.jeurceramsoc.2020.06.050)
205. Yijuan Li and Junpeng Li and Hong Xiao and Tangchao Xie and Weitao Zheng and Jialang He and Hengji Zhu and Shaoming Huang — A Novel 3D Li / Li₉Al₄ / Li-Mg Alloy Anode for Superior Lithium Metal Batteries — *Advanced Functional Materials* — 2023 — [DOI: 10.1002/adfm.202213905](https://doi.org/10.1002/adfm.202213905)
206. Li Song and Shiqi Zhang and Lu Shen and Qi Liu and Jiabin Ma and Wei Lv and Yan-Bing He and Quan-Hong Yang — Progress and Perspective of Ceramic / Polymer Composite Solid Electrolytes for Lithium Batteries — *Advanced Science* — 2020 — [DOI: 10.1002/advs.201903088](https://doi.org/10.1002/advs.201903088)
207. Li-Zhen Fan and Hongcai He and Ce-Wen Nan — Tailoring inorganic-polymer composites for the mass production of solid-state batteries — *Nature Reviews Materials* — 2021 — [DOI: 10.1038/s41578-021-00320-0](https://doi.org/10.1038/s41578-021-00320-0)
208. Xingwen Yu and Arumugam Manthiram — A review of composite polymer-ceramic electrolytes for lithium batteries — *Energy storage materials* — 2020 — [DOI: 10.1016/j.ensm.2020.10.006](https://doi.org/10.1016/j.ensm.2020.10.006)
209. Xueyan Zhang and Shichao Cheng and Chuankai Fu and Geping Yin and Liguang Wang and Yongmin Wu and Hua Huo — Advancements and Challenges in Organic-Inorganic Composite Solid Electrolytes for All-Solid-State Lithium Batteries — *Nano-Micro Letters* — 2024 — [DOI: 10.1007/s40820-024-01498-y](https://doi.org/10.1007/s40820-024-01498-y)
210. Jaturon Kumchompoo and Bo-Huei Yang and Jintara Padchasri and Pinit Kidkhunthod and Jyh-Tsung Lee and Chia-Chen Li — LiFePO₄ / Nano-LLZTO Composite Cathodes for Enhanced Performance of Solid-State Lithium Batteries — *ACS Applied Materials & Interfaces* — 2026 — [DOI: 10.1021/acsami.5c25967](https://doi.org/10.1021/acsami.5c25967)
211. Yucheng Zheng and Huinan Yu and Dichang Guan and Caiyan Shen and Guorong Hu and Yanbing Cao and Zhongdong Peng and Ke Du — Interfacial phase engineering enables stable CEI formation in lithium-rich layered cathodes — *Applied Surface Science* — 2026 — [DOI: 10.1016/j.apsusc.2026.167308](https://doi.org/10.1016/j.apsusc.2026.167308)
212. Runsheng Yu and Yongjin Chen and Xiang Gao and Dongliang Chao — Elucidating the role of multi-scale microstructures in Li₇La₃Zr₂O₁₂ based all-solid-state lithium batteries — *Energy storage materials* — 2024 — [DOI: 10.1016/j.ensm.2024.103752](https://doi.org/10.1016/j.ensm.2024.103752)