



Splendid Accounts API Integration

Base URL

<https://app.splendidaccounts.com/api> OR contact support in case of on-site deployment

Authentication

Basic with Header X-API-Key, X-API-Secret and X-App-Id

Contents

<i>Get Company Details</i>	3
<i>Response body</i>	3
<i>Get System Accounts</i>	4
<i>Response body</i>	4
<i>Get Warehouses</i>	5
<i>Parameters</i>	5
<i>Response body</i>	5
<i>Example</i>	5
<i>Get Customer</i>	6
<i>Parameters</i>	6
<i>Response body</i>	6
<i>Example</i>	7
<i>Get Product</i>	8
<i>Parameters</i>	8
<i>Example</i>	8
<i>Search Customers</i>	9
<i>Request Body</i>	9
<i>Email Object</i>	9
<i>Phone Object</i>	9
<i>Response body</i>	9
<i>Add Customer</i>	10
<i>Request Body</i>	10
<i>Email Object</i>	10
<i>Phone Object</i>	10
<i>Add Receive Money</i>	11
<i>Request Body</i>	11
<i>Payment Details Object (Nested)</i>	11
<i>InstrumentStatus Enum</i>	12

<i>Add Sale Invoice.....</i>	<i>13</i>
<i>Request Body</i>	<i>13</i>
<i>SaleInvoiceDetails Object (Nested)</i>	<i>14</i>
<i>SaleInvoiceDiscounts Object (Nested).....</i>	<i>14</i>
<i>Add Journal Entries.....</i>	<i>15</i>
<i>Request Body</i>	<i>15</i>
<i>JournalEntryDetails Object (Nested).....</i>	<i>15</i>
<i>Add Customer Settlements</i>	<i>16</i>
<i>Request Body</i>	<i>16</i>
<i>CustomerSettlementDetails Object (Nested).....</i>	<i>16</i>

Get Company Details

GET /Companies

Response body

JSON array of [Company](#) object

Properties	
Field Name	Data Type
userId	string
companyId	int
slug	string
name	string
currencyId	int
enableBranch	boolean
allowNegativeStock	boolean
enableSmsService	boolean
enableMultipleDiscount	boolean
enableDetailAGroups	boolean
enableDetailBGroups	boolean
enableMasterGroups	boolean
isMasterGroupRequired	boolean
branches	array of objects

Get System Accounts

GET /{slug}/{branchId}/SystemAccounts

Response body

JSON array of [System account](#) object

Field Name	Data Type
code	string
name	string
description	string
accountTypeId	int
accountClass	int
accountGroup	int
systemAccount	int
parentAccountId	int
currencyId	int
isActive	boolean
balance	float
trackDepreciation	boolean
updatedOn	datetime
id	int

System Account Enum Mapping (systemAccount)

The systemAccount field uses values from a predefined enum SystemAccountsEnum to indicate special account roles. This helps in identifying accounts with specific business logic (e.g., Cash, Receivables, Sales Return).

Enum Name	Value	Description
Cash	100	Default cash account
AccountsReceivable	120	Customer receivables
BranchControlAccount	125	Inter-branch control account
InventoryInTransit	129	Inventory in transit
UndepositedFunds	150	Cash received but not deposited yet
AccountsPayable	420	Supplier payables
RetainedEarnings	200	Retained earnings from previous years
CurrentEarnings	210	Earnings for the current period
OpeningBalanceEquity	299	Auto-entry during migration
SalesReturn	550	Sales return account
PurchaseReturn	350	Purchase return account
DiscountsGiven	330	Customer discounts given
DiscountsTaken	340	Supplier discounts received
ExchangeGainOrLoss	370	FX gain or loss account
DefaultInventory	192	Inventory asset account
DefaultExpense	392	Operating expenses
DefaultSales	592	Sales revenue account
DefaultCostOfGoodSold	391	COGS account
DefaultTaxIn	491	Input tax (sales tax collected)
DefaultTaxOut	191	Output tax (sales tax paid)
ShippingCharges	380	Customer shipping charges
ShippingPayable	381	Payable for logistics
Rounding	390	Rounding adjustments

Get Warehouses

GET `/[{slug}]/warehouses`

Parameters

Optional

Active To get active warehouses only.

Response body

JSON array of **Warehouse** object

Properties

Id number

Name string

Address1 string

City string

CountryName string

IsActive string

Example

Request

`/[{slug}]/warehouses/warehouses?page=1&size=50&filter=&orderBy=Id&ascending=false`

Response

200 OK

Body

```
{
  "page": 1,
  "size": 2,
  "pages": 1,
  "records": 2,
  "nextPageUrl": null,
  "results": [
    {
      "id": 66005,
      "name": "ABC Warehouse",
      "address1": null,
      "city": null,
      "countryName": null,
      "isActive": true
    },
    {
      "id": 61422,
      "name": "Default",
      "address1": null,
      "city": null,
      "countryName": null,
      "isActive": true
    }
  ],
  "summary": null
}
```

Get Customer

GET /{tenant}/{branchId}/Customers/{id}

Parameters

id customerId

Response body

JSON array of [Customer](#) object

Field	Type
code	string
name	string
customerCategoryId	integer
customerCategory	string
address1	string
address2	string
city	string
state	string
zip	string
countryId	integer
country	string
contactPerson	string
email	string
email2	string
email3	string
phone	string
phone2	string
phone3	string
fax	string
currencyId	integer
currency	object
isActive	boolean
displayName	string
printName	string
imageUrl	string
base64ImageString	string
subAreaId	integer
subArea	string
attachments	array
customFieldValues	array
branches	array
branchIds	array
withholdingTaxPercent	number
id	integer

Example

Request

`/ {tenant}/ {branchId}/Customers/ {id}`

Response

200 OK

Body

```
{
  "code": "C-000003",
  "name": "ABC Traders",
  "customerCategoryId": null,
  "customerCategory": null,
  "address1": null,
  "address2": null,
  "city": null,
  "state": null,
  "zip": null,
  "countryId": null,
  "country": null,
  "contactPerson": null,
  "email": null,
  "email2": null,
  "email3": null,
  "phone": null,
  "phone2": null,
  "phone3": null,
  "fax": null,
  "currencyId": 1,
  "currency": {
    "name": "Pakistani Rupee",
    "code": "PKR",
    "symbol": "Rs",
    "shortName": "Rupee",
    "subCurrency": "Paisa",
    "subCurrencyDecimalPlaces": 2,
    "subCurrencyFactor": 100,
    "isDefault": true,
    "id": 1
  },
  "isActive": true,
  "displayName": null,
  "printName": null,
  "imageUrl": null,
  "base64ImageString": null,
  "subAreaId": null,
  "subArea": null,
  "attachments": [],
  "customFieldValues": [],
  "branches": null,
  "branchIds": null,
  "withholdingTaxPercent": 0.000000,
  "id": 1373660
}
```


Get Product

GET `{tenant}/{branch}/Products/BySKUOrName`

Parameters

Can set both or anyone

sku

name

Example

Request

`{tenant}/{branch}/Products/BySKUOrName?sku=P-000012&name=washing machine`

Response

200 OK

Search Customers

POST /{tenant}/{branchId}/Customers/Search

Request Body

Field	Type	Description
email	object	Email search criteria (see sub-fields below)
phone	object	Phone number search criteria (see sub-fields below)

Email Object

Field	Type	Description
email	string	Primary email to match
email2	string	Secondary email to match
email3	string	Tertiary email to match
exactMatch	boolean	If true, only exact matches will be returned

Phone Object

Field	Type	Description
phone	string	Primary phone number to match
phone2	string	Secondary phone number to match
phone3	string	Tertiary phone number to match
exactMatch	boolean	If true, only exact matches will be returned

Example Request Body

```
{ "email": { "email": "abc@abc.com", "email2": " abc@abc.com", "email3": " abc@abc.com", "exactMatch": true },  
  "phone": { "phone": "0311111111", "phone2": "0311111111", "phone3": "0311111111", "exactMatch": true } }
```

Response body

JSON array of [Customer](#) object

Properties

Field	Type
id	integer
code	string
name	string
subAreaName	string
categoryName	string
contactPerson	string
email	string
email2	string
email3	string
phone	string
outstandingBalance	number
currencyId	integer
subAreaId	integer
currencyCode	string
currencySymbol	string
hasPortalAccess	boolean
longitude	number
latitude	number
customerCategoryId	integer

Add Customer

POST /{tenant}/{branchId}/Customers

Request Body

Field	Type	Description
email	object	Email search criteria (see sub-fields below)
phone	object	Phone number search criteria (see sub-fields below)

Email Object

Field	Type	Description
email	string	Primary email to match
email2	string	Secondary email to match
email3	string	Tertiary email to match
exactMatch	boolean	If true, only exact matches will be returned

Phone Object

Field	Type	Description
phone	string	Primary phone number to match
phone2	string	Secondary phone number to match
phone3	string	Tertiary phone number to match
exactMatch	boolean	If true, only exact matches will be returned

Add Receive Money

POST /{tenant}/{branchId}/CustomerPayments/SaveAndApprove

Request Body

Field	Type	Required	Description
attachments	array	No	List of attached files (if any).
autoSettle	boolean	Yes	Automatically settle payment if true.
comments	string	No	Any additional comments.
currencyId	integer	Yes	ID of the currency used (e.g., 1 for PKR).
customerId	integer	Yes	Unique ID of the customer making the payment.
customerPaymentAdjustments	array	No	Adjustment entries, if any.
customerPaymentSettlementDetails	array	No	Settlement-related data, if applicable.
customerSingleSettledEntryItems	array	No	Single entry settlement details (if applicable).
date	string (ISO 8601)	Yes	Date of payment (e.g., "2025-06-24T00:00:00.000Z").
exchangeRate	number	Yes	Exchange rate used in the transaction (default is 1).
expressionType	integer	No	Payment expression type.
number	string	No	Payment reference number.
outstandingBalance	number	No	Any balance remaining after payment.
reference	string	No	External reference or remarks (e.g., "Order# 101").
series	string	No	Payment number series (e.g., "RM").
status	integer	No	Status of payment.
totalAmount	number	Yes	Total payment amount.
customerPaymentDetails	array<object>	Yes	Payment mode details (see nested table below).

Payment Details Object (Nested)

paymentMode	Type	Required Fields
10	Cash	amount, accountId, paymentMode
20	Cheque	amount, accountId, bankName, instrumentNumber, instrumentDate, instrumentStatus
30	Draft	Same as Cheque
40 ☒	Direct Deposit	amount, accountId, paymentMode, instrumentStatus (default: Draft = 0)
50	Credit Card	amount, accountId, paymentMode, reference (optional)

InstrumentStatus Enum

Value	Status
0	Draft (Default)
10	Pending
20	Approved
30	Deposited
50	Void

Add Sale Invoice

POST /{tenant}/{branch}/SaleInvoices/SaveAndApprove

Request Body

Field	Type	Required	Description
attachments	array	No	List of file attachments
autoRoundOff	number	No	Auto round-off adjustment
balanceAmount	number	No	Final balance after payment
currencyId	integer	☒ Yes	Currency identifier
customerId	integer	☒ Yes	Customer identifier
date	string (ISO)	☒ Yes	Invoice date
discountAmount	number	No	Total discount amount
discountPercent	integer	No	Discount percentage
dueDate	string (ISO)	☒ Yes	Due date for payment
exchangeRate	number	No	Currency exchange rate
expressionType	integer	No	Expression type (e.g., 0 = standard)
grossAmount	number	☒ Yes	Total before discounts and taxes
isAppliedScheme	boolean	No	If promotional scheme is applied
isPosInvoice	boolean	☒ Yes	POS invoice flag (Default = false)
manualRoundOff	number	No	Manual round-off adjustment
netAmount	number	☒ Yes	Total after adjustments
number	string	No	Invoice number (optional/manual)
outstandingBalance	number	No	Remaining amount to be received
receivedAmount	number	No	Amount already received
reference	string	No	External reference
saleDeliveries	array	No	Related sale delivery entries
series	string	No	Invoice series code
shippingCharges	number	No	Shipping cost
shortProductAssemblies	array	No	Short or missing product assemblies
status	integer	No	Invoice status (e.g., 0 = Draft)
taxAmount	number	No	Total tax applied
withHoldingTaxAmount	number	No	Amount withheld for tax
withHoldingTaxPercent	number	No	Withholding tax percentage
masterGroupId	integer	No	Customer's business group ID
saleInvoiceDetails	array<object>	☒ Yes	List of invoice items (see next table)
saleInvoiceDiscounts	array<object>	No	Invoice-level discounts (see next table)

SaleInvoiceDetails Object (Nested)

Field	Type	Required	Description
productId	integer	☒ Yes	Product ID
accountId	integer	No	Sales account ID
quantity	number	☒ Yes	Quantity sold
price	number	☒ Yes	Unit price
grossAmount	number	☒ Yes	Total price before discount
netAmount	number	☒ Yes	Total price after discount
taxAmount	number	No	Tax amount
discountAmount	number	No	Discount in amount
discountInAmount	number	No	Flat discount applied
discountInPercent	number	No	Discount % applied
discountInPrice	number	No	Discount per unit
discountType	integer	No	Percent = 0 (Default), Amount = 1
discounts	array	No	Discount breakdown
expressionType	integer	No	0 = Normal
warehouseId	integer	☒ Yes	Warehouse ID
isMRPExclusiveTax	boolean	No	If MRP includes tax
maximumRetailPrice	number	No	MRP, if applicable
outOfStock	boolean	No	If product is out of stock
purchasePrice	number	No	Product cost
productBreakups	array	No	Sub-products if assembly
packingDetail	string	No	Info on packing
quantityCalculation	string	No	Unit or calculation notes
taxes	array	No	Applied taxes
SerialNumber	string	No	Product serial (required serial type products)
detailAGroupId	integer	No	Product group A (e.g., category)
detailBGroupId	integer	No	Product group B (e.g., sub-category)

SaleInvoiceDiscounts Object (Nested)

Field	Type	Required	Description
discountAmount	number	☒ Yes	Discount amount (in currency)
discountPercent	number	☒ Yes	Discount percentage (e.g., 5)
discountType	integer	☒ Yes	Normal = 0 (Default), Scheme = 1

Add Journal Entries

POST /{tenant}/{branch}/JournalEntries/SaveAndApprove

Request Body

Field	Type	Required	Description
attachments	array	No	List of file attachments
currencyId	integer	☒ Yes	Currency identifier
date	string (ISO)	☒ Yes	Journal entry date
exchangeRate	number	No	Exchange rate (for foreign currency)
expressionType	integer	No	Expression type (0 = default)
number	string	No	Journal entry number (e.g., "JE-000001")
reference	string	☒ Yes	Reference to external transaction/order
series	string	No	Series prefix for journal entry (e.g., "JE")
status	integer	No	Status of JE
journalEntryDetails	array<object>	☒ Yes	List of debit/credit entries (see below)

JournalEntryDetails Object (Nested)

Field	Type	Required	Description
accountId	integer	☒ Yes	GL account being debited or credited
contactId	integer	☒ Yes	Associated contact (customer/vendor/etc.)
debit	number or string	☒ Yes	Debit amount (set to 0 if not used)
credit	number or string	☒ Yes	Credit amount (set to 0 if not used)
description	string	No	Optional line-level description
expressionType	integer	No	Expression type (default: 0)

Add Customer Settlements

POST /{tenant}/{branch}/CustomerSettlements/SaveAndApprove

Request Body

Field	Type	Required	Description
autoSettle	boolean	No	If system should auto-match transactions
customerId	integer	☒ Yes	ID of the customer for whom settlement is made
customerSettlementDetails	array<object>	☒ Yes	List of debit/credit items being settled
date	string (ISO)	☒ Yes	Settlement date
expressionType	integer	No	Default: 0 (standard/manual)
number	string	No	Document number (e.g., "CS-000001")
series	string	No	Document series prefix (e.g., "CS")
status	integer	No	0 = Draft, 1 = Approved
totalAmount	number	No	Optional: Total of all adjusted amounts

CustomerSettlementDetails Object (Nested)

Field	Type	Required	Description
accountSide	integer	☒ Yes	0 = Debit, 1 = Credit
adjustedAmount	number	☒ Yes	Amount being adjusted
source	string	☒ Yes	Source of the transaction (e.g., SaleInvoice, JournalEntryDetail:Credit)
sourceId	integer	☒ Yes	ID of the source document or detail
expressionType	integer	No	Usually 0 = Manual