# A minimal reaction-diffusion neural model generates C. elegans undulation

Anshul Singhvi Bard College at Simon's Rock


(Dated: March 21, 2020)

## Abstract

The small (1 mm) nematode  $Caenorhabditis\ elegans$  has become widely used as a model organism; in particular the  $C.\ elegans$  connectome has been completely mapped, and  $C.\ elegans$  locomotion has been widely studied (c.f. http://www.wormbook.org). We describe a minimal reaction-diffusion model for the  $C.\ elegans$  central pattern generator (CPG) (c.f. Xu et al. 2018, Wen et al. 2012). We use simulation methods to show that a small network of FitzHugh (1961)-Nagumo (et al. 1962) neurons (one of the simplest neuronal models) can generate key features of  $C.\ elegans$  undulation (c.f. Magnes et al. 2017) and thus locomotion. Compare the neuromechanical model of Izquierdo and Beer (2015). We also investigate dynamics and stability of the model.

#### I. INTRODUCTION

hello world



#### II. CORRESPONDENCE

Please direct all correspondence to hhastings@simons-rock.edu, jemagnes@vassar.edu, or asinghvi17@simons-rock.edu.

### III. REFERENCES

- [1] J. J. Collins and S. A. Richmond, Hard-wired central pattern generators for quadrupedal locomotion, 71, 375.
- [2] R. FitzHugh, Mathematical models of threshold phenomena in the nerve membrane, 17, 257.
- [3] E. J. Izquierdo and R. D. Beer, From head to tail: A neuromechanical model of forward locomotion in *Caenorhabditis elegans*, **373**, 20170374.
- [4] J. P. Keener, Analog circuitry for the van der Pol and FitzHugh-Nagumo equations, SMC-13, 1010.
- [5] J. Magnes, K. Susman, and R. Eells, Quantitative Locomotion Study of Freely Swimming Micro-organisms Using Laser Diffraction, , 4412.
- [6] J. Nagumo, S. Arimoto, and S. Yoshizawa, An Active Pulse Transmission Line Simulating Nerve Axon, **50**, 2061.
- [7] J. T. Pierce-Shimomura, B. L. Chen, J. J. Mun, R. Ho, R. Sarkis, and S. L. McIntire, Genetic analysis of crawling and swimming locomotory patterns in C. elegans, 105, 20982.
- [8] Q. Wen, M. D. Po, E. Hulme, S. Chen, X. Liu, S. W. Kwok, M. Gershow, A. M. Leifer, V. Butler, C. Fang-Yen, T. Kawano, W. R. Schafer, G. Whitesides, M. Wyart, D. B. Chklovskii, M. Zhen, and A. D. Samuel, Proprioceptive Coupling within Motor Neurons Drives C. elegans Forward Locomotion, 76, 750.
- [9] T. Xu, J. Huo, S. Shao, M. Po, T. Kawano, Y. Lu, M. Wu, M. Zhen, and Q. Wen, Descending pathway facilitates undulatory wave propagation in *Caenorhabditis elegans* through gap junctions, **115**, E4493.