FootprintIQ — Executive Security Assessment Report

Campaign: **Final 7-Tool Architecture E2E Audit** • Recon ID: **FIQ-REC-20261111-0004** • Purpose: **Live Nmap + NSE + Nuclei + Graph + Report E2E** • Assessment Date: 2026-11-11T18:12:23 • Generated: November 11, 2026 18:16 UTC • Generated By: **investigator1** • Outcome: **Completed**

1. Executive Overview & Security Posture

This executive report summarizes security exposures identified during Campaign **Final 7-Tool Architecture E2E Audit** (FIQ-REC-20261111-0004). The overall calculated risk rating is **56.9 / 100 (Medium)** across **1 scoped asset(s)**, **3 exposed service port(s)**, and **11 security finding(s)**, including **1 Critical** and **0 High** severity items.

Critical	High	Medium	Low	Informational	Open Ports	Risk Score
1	**0**	**0**	**0**	**10**	**3**	**56.9/100 (Medium)**

Severity Distribution: Critical: 1 | High: 0 | Medium: 0 | Low: 0 | Informational: 10

2. Selected Scan Methods & Assessment Scope

Selected Categories: Active, Vulnerability • **Passive Modules:** None • **Active Options:** custom • **Vulnerability Engines:** NSE, NUCLEI

Target	Type	Description	Scope Basis	Exclusions
192.168.56.111	ipv4	Final 7-Tool Architecture E2E Audit Target	192.168.56.111 authorized scope	None

3. Executed Assessment Modules & Coverage

Module / Scanner	Target	Status	Details
Active Port & Service Scan	192.168.56.111	COMPLETED	Hosts UP: 1, Open ports: 3
Nmap NSE Assessment	192.168.56.111	COMPLETED	Findings: 1
ProjectDiscovery Nuclei	192.168.56.111	COMPLETED	Profile: http-security | Findings: 10

4. Reconnaissance Observations (Passive & Active)

Host IP	Port / Proto	State	Service	Detected Version
192.168.56.111	21/tcp	open	ftp	vsftpd 2.3.4
192.168.56.111	22/tcp	open	ssh	OpenSSH 4.7p1 Debian 8ubuntu1
192.168.56.111	80/tcp	open	http	Apache httpd 2.2.8

5. Key Findings & Plain-Language Risk Explanations

#1: Checks for vsftpd 2.3.4 Smiley Face Backdoor condition. — **Critical** (Confirmed Vulnerability)

What was discovered: Checks for vsftpd 2.3.4 Smiley Face Backdoor condition. was observed on 192.168.56.111 on TCP port 21 running ftp (vsftpd 2.3.4). Associated CVE reference: CVE-2011-2523.

Why it matters: This issue can let an attacker execute commands remotely on the affected system without normal authentication.

Potential impact: Severe risk: Full system compromise, unauthorized administrative control, or exposure of sensitive assets.

Recommended action: Update or reconfigure affected service.

#2: HTTP Missing Security Headers (strict-transport-security) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (strict-transport-security) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#3: HTTP Missing Security Headers (content-security-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (content-security-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#4: HTTP Missing Security Headers (x-frame-options) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (x-frame-options) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#5: HTTP Missing Security Headers (x-content-type-options) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (x-content-type-options) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#6: HTTP Missing Security Headers (x-permitted-cross-domain-policies) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (x-permitted-cross-domain-policies) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#7: HTTP Missing Security Headers (referrer-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (referrer-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#8: HTTP Missing Security Headers (cross-origin-embedder-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (cross-origin-embedder-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#9: HTTP Missing Security Headers (cross-origin-resource-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (cross-origin-resource-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: This issue can let an attacker execute commands remotely on the affected system without normal authentication.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#10: HTTP Missing Security Headers (permissions-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (permissions-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

#11: HTTP Missing Security Headers (cross-origin-opener-policy) — **Informational** (Informational Observation)

What was discovered: HTTP Missing Security Headers (cross-origin-opener-policy) was observed on 192.168.56.111 on TCP port 80 running http.

Why it matters: Missing defensive HTTP headers weaken browser protections for users interacting with the web service.

Potential impact: Informational: Direct exploitation is unlikely alone, but reducing unused services improves security posture.

Recommended action: Configure defensive HTTP security headers (Strict-Transport-Security, Content-Security-Policy, X-Frame-Options, Referrer-Policy, Permissions-Policy) and validate SameSite/Secure/HttpOnly cookie flags.

6. Collected Evidence References & Entity Graph Attribution

Investigation Entity Graph / Maltego Interchange: 12 integrity-verified graph artifact(s) archived (GraphML/Maltego CSV export available in platform).

Type	File Name	Size (bytes)	SHA-256 Digest	Storage Ref
nmap_xml	nmap_192.168.56.111_SCAN-20261	2141	da6dcfa326093673fe22a82d...	Archived (7,01df3e79)
nuclei_jsonl	nuclei_SCAN-20261111-181224-6f	12783	471787a29f20aa40eedeb491...	Archived (4,01e18f68)
nuclei_jsonl	nuclei_SCAN-20261111-181224-6f	12783	471787a29f20aa40eedeb491...	Archived (4,01e18f68)
recon_results_json	recon_results_FIQ-REC-20261111	1706	f4376d8099018b917fe71f0f...	Archived (1,01e26389)
intelligence_graph_json	intelligence_graph_FIQ-REC-202	26280	7ccab4fd6df5dd569c8bac5e...	Archived (7,01e3b8e1)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	549	8bb3623bdaf9d508bad5322f...	Archived (3,01e466fa)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	549	5a3e7bafc661bba06f4e4667...	Archived (2,01e85319)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	760	36de9341ff519ed797d51024...	Archived (6,01e93b7d)
maltego_import	roundtrip.csv	5925	c4fa0f540e6be877c9fc3efd...	Archived (6,01ead813)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	11635	05183feb6edc37e8f1e2e8a0...	Archived (6,01eb0178)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	12053	970e67a9a4104b650b6e5965...	Archived (1,01ec396b)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	12261	b17e94caf98aa8fa3401717b...	Archived (5,01edbfd8)
maltego_import	roundtrip.csv	6211	755edac4d2a7f0f455f4cd4d...	Archived (2,01eec2e9)
intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	15733	df43f3161ef4a56a243f72f5...	Archived (4,01efd8de)
maltego_import	new_entities.csv	214	f34dbc418affbbdae4db3eea...	Archived (5,01f089b4)

intelligence_graph_overlay	graph_overlay_FIQ-REC-20261111	16143	cb83f7a9f57bc1f0a3a0cdc8...	Archived (3,01f18ab5)

7. Integrated Report Analysis, Risk Interpretation & Remediation

Risk Interpretation (Medium — 56.9/100):
Confidence Profile: 1 confirmed, 0 potential, 0 false positive • CVEs Referenced: CVE-2011-2523
• 1 finding(s) carry CVSS scores >= 7.0 (highest: 9.8 on 'Checks for vsftpd 2.3.4 Smiley Face Backdoor condition.'), indicating elevated exploitation potential.
• Exposed remote administration or cleartext/web services detected (ftp, http, ssh); review authentication hardening and network segmentation.

Prioritized Remediation Roadmap:
1. Immediate Priority (1 Critical): Isolate or patch critical exposures immediately (Checks for vsftpd 2.3.4 Smiley Face Backdoor condition.).

Assessment Limitations & Coverage Verification: All enabled modules executed cleanly within authorized scope.
Scope Notice: Findings strictly reflect the authorized targets, selected modules, and host permissions active at execution time.