

<!DOCTYPE html>

<html lang="en"

xmlns:th="http://www.thymeleaf.org">

<head>

<meta charset="UTF-8">

**<meta name="viewport"
content="width=device-width,
initial-scale=1.0">**

**<title>Sporty Shoes -
Products</title>**

<link

**href="https://cdn.jsdelivr.net/
npm/bootstrap@5.3.3/dist/css
/bootstrap.min.css"**

rel="stylesheet">

</head>

<body>

```
<!-- Navigation -->
```

```
<nav class="navbar navbar-dark bg-dark">
```

```
  <div class="container">
```

```
    <a class="navbar-brand" href="/">
```

```
      Sporty Shoes
```

```
    </a>
```

```
  </div>
```

```
    <a href="/"
```

class="btn btn-outline-light me-2">

Home

<!-- Temporary test customer -->

<a href="/cart/1"

class="btn btn-success">



Cart

</div>

</div>

</nav>

<!-- Products -->

<div class="container mt-5">

<div class="text-center mb-5">

<h1 class="display-5 fw-bold">

Our Shoes

</h1>

<p class="text-muted">

**Find the perfect shoes
for your game.**

</p>

</div>

<!-- Product Grid -->

<div class="row g-4">

<div

**class="col-md-6 col-
lg-4"**

**th:each="product :
\${products}">**

**<div class="card h-100
shadow-sm">**

<!-- Product Image -->

<div

**th:if="\${product.imageUrl !=
null and
!product.imageUrl.isEmpty()}"
>**

<img

th:src="\${product.imageUrl}"

th:alt="\${product.name}"


```
class="card-img-  
top"  
  
style="height:  
250px;  
  
object-fit:  
cover;">
```

```
</div>
```

```
<!-- No Image -->
```

```
<div
```

```
th:if="{product.imageUrl ==  
null or  
product.imageUrl.isEmpty()}"  
class="d-flex align-  
items-center  
justify-content-  
center  
bg-light"  
style="height:  
250px;">  
  
<span class="text-  
muted">
```

No image available

</div>

**<!-- Product
Information -->**

**<div class="card-body
d-flex flex-column">**

<h5

**class="card-
title"**

th:text="\${product.name}">

Product Name

</h5>

<p

**class="card-text
text-muted"**

th:text="\${product.descriptio

n}">

Product

description

</p>

<!-- Price -->

<h5 class="text-

success">

R<span

th:text="{product.price}">

899.99

</h5>

<!-- Stock -->

<p class="mb-3">

<span

th:if="{product.stockQuantity > 0}"

class="text-

success">

In Stock

(<span

**th:text="\${product.stockQuan
tity}">**

10

)

<span

th:if="{product.stockQuantity == 0}"

class="text-danger">

Out of Stock

</p>

<!-- Buttons -->

**<div class="mt-
auto">**

**<!-- View Product -
->**

<a

**th:href="@{/products/{id}
(id=\${product.id})}"**

**class="btn btn-
primary">**

View Details

<!-- Add To Cart -->

<form

**th:if="{product.stockQuantit
y > 0}"**

th:action="@{/cart/1/add/{productId}"

(productId=\${product.id}))}"

method="post"

class="d-

inline">

<input

type="hidden"

name="quantity"

value="1">

<button

type="submit"

class="btn

btn-success">

Add to Cart

</button>

</form>

**<!-- Out of Stock
Button -->**

<button

**th:if="{product.stockQuantity
y == 0}"**

class="btn

btn-secondary"

disabled>

Out of Stock

</button>

</div>

</div>

</div>

</div>

<!-- No Products -->

<div

th:if="{#{#lists.isEmpty(products)}}"

class="col-12">

<div class="alert alert-info text-center">

**No products are
currently available.**

</div>

</div>

</div>

</div>

<script

src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/js/bootstrap.bundle.min.js">

</script>

</body>

</html>