# Tensor Omics (TOX)

# Analyze gene expression data and evolutionary relationships between genes

# User's Guide

**Aaron Schröder, Alexander Schwarzpaul, Anna Beketova, Asis Hallab, Franz-Eric Sill, Jitu Daba, Jonathan Kurz, Laszlo Lang, Luka Faensen, Mohamed Akdi, Stephanie Ped, Vivian Bass Vega**

University of Applied Sciences Bingen, Germany

**Last revised November 20, 2025**

# Contents

# 1 Tensor Omics Methods and Theory

The Tensor Omics (TOX) tool implements Geometric Learning in a semantic vector space. We represent the data in its natural space, where each measurement is its own axis. We use model-free and minimum-parameter geometric methods to describe the data, find meaningful patterns, identify significant contributions of factors to dependent variables, analyse trajectories, and learn fields of vectors with intrinsic similarity.

We rely exclusively on pure linear algebra to characterize these structures, using distances, angles, projections, and linear mapping.

Tensor Omics differs from conventional geometric learning tensor decomposition in that it operates in empirically defined semantic vector spaces rather than abstract latent dimensions — a demonstration (See Figure 1):

(A) Medical omics vectors in semantic space. Each gene, protein or clinical patient measure is placed as a point in multi-dimensional space, with axes representing gene expression in a tissue or clinical patient measures. Arrows denote shift vectors from gene family centroids and enable the explainable detection of changes in gene expression from healthy control. Grid points support interpolation and smoothing. Patient time trajectories are shown in the lower left (healthy controls in green, mean control trajectory in fat light green, and a cancer trajectory in orange). The disease specific signals can directly be obtained by geometric trajectory comparison (violet time resolved shift arrows $\vec{s}_{t_i}$). Significant signals are detected empirically as outliers in the upper 5%-ile.

(B) Angle to the space diagonal as a measure of omics specificity: low angles indicate e.g. broad tissue expression, high angles signal strong tissue preference.

(C) Clock hand angle in the Relative Axes Plane (RAP), capturing changes in tissue preference with robust correction for the overall expression magnitude.

(D) Causal and explainable omics learning by selecting factors showing geometric similarities in predictive properties. Tensor Omics supports three independent strategies: radial subset growing until only background signal remains (orange), metadata-based selection (e.g. inflammatory response, green), and directional filtering by alignment with a user-defined direction of interest (DOI, e.g. median survival time after treatment or distance of patient trajectory to the healthy control, blue). Methods can be combined to define coherent subfields for geometric analysis.

(E) Explainable analysis of patient time trajectories (as shown in A). Changes in tissue preference (angles $\phi$) relative to the anchor axis (AA). Inset plots show the distance to the healthy control trajectory (top) and the angle between consecutive shift vectors (bottom).

(F) Learned subfield (see D) characterization by emulating the aggregated effect of vectors on a virtual particle. Measures include signal strength (Frobenius norm $||M||_F$), disease subtyping as directional spread (rank), potential disease specific biomarkers as principal flow direction (first eigenvector of covariance matrix C), and disease specific changes in omics factors as rotation axis and magnitude (from the antisymmetric component $(0.5 \times (C - C^T))$.

(G) Gradient-following kernel traversal to elucidate disease trajectory analysis in early, mid, and

late stages: subfield (see D) structure is decomposed via Singular-Value-Decomposition (SVD) into dominant axes (E1, E2 top left) which are smoothed into a single semantic axis (pink line), along which kernel profiles (pink bell top right) reveal flow, rotation, spread, and signal strength (as in F; lower left). Embedding of subfields for machine learning (lower right): The semantic axis is used to orient the subfield with the major flow of the vectors ($\oplus$) and split into five-percentile windows pushed along the semantic axis (dotted lines). Each section is represented by an aggregated vector of field strength (norm), directional spread (rank), principal direction (eigenvector), and rotational moment.

(H) The semantic axis (see G) is used to push a higher dimensional object through a lower dimensional space for visualization in the "Data-Vis" interactive graphical user interface (Tensor Omics package). This enables direct visualization of higher dimensions and can be used to show for example the developmental hourglass.

Panels A–H together illustrate how Tensor Omics unifies geometric learning, empirical explainability, and visualization within a single analytical framework.






Figure 1: Overview of the Tensor Omics

See more details in the Tensor Omics Methods file.

## 2 Error Handling

In case you encounter errors while using TOX, the following error codes may help you identify the issue. The error codes are grouped into categories based on their nature, such as I/O errors, format validation errors, memory errors, and internal errors.

Table 1: TOX Error Codes Reference

| Error Code | Description |
|---|---|
| 0 | Success |
| **1xx: I/O / File Reading Errors** | |
| 101 | Could not open file. |
| 102 | Could not read magic number. |
| 103 | Could not read array type code. |
| 104 | Could not read number of dimensions. |

Continued on next page

**Table 1 – continued from previous page**

| Error Code | Description |
|---|---|
| 105 | Could not read array dimensions. |
| 106 | Could not read character length. |
| 107 | Could not read array data. |
| 112 | Could not write magic number |
| 113 | Could not write array type code |
| 114 | Could not write number of dimensions |
| 115 | Could not write dimensions |
| 116 | Could not write character length |
| 117 | Could not write array data |
| **2xx: Format / Input Validation Errors** | |
| 200 | Invalid format detected (e.g., magic mismatch or corrupt format). |
| 201 | Invalid input provided. |
| 202 | Empty input arrays provided (e.g., zero-length arrays). |
| 203 | Dimension mismatch detected (shape inconsistencies). |
| 204 | NaN or Inf found in input data where not allowed. |
| 205 | Unsupported data type encountered (e.g., complex types). |
| 206 | Array size mismatch |
| 208 | Array index out of bounds |
| 209 | Division by zero detected |
| **3xx: Memory Errors** | |
| 301 | Memory allocation failed. |
| 302 | Null pointer reference encountered. |
| **5xxx: Fortran Runtime / Unit State Errors** | |
| 5002 | Fortran runtime error: unit not open or not connected. |
| **9xxx: Internal / Unknown Errors** | |
| 9001 | Internal error: unexpected state or invariant violated. |
| 9999 | Unknown error (fallback for unexpected errors). |

# 3 Implementation Notes

This section details the practical pipeline for using the TOX library to read and process tabular data. The workflow is consistent across Fortran, Python, and R, starting with reading a CSV file into a staging area of strings and then converting columns to their proper data types.

## 3.1 Fortran Pipeline

### 3.1.1 Overview

1. Data dependencies and relationships All arrays read have dependencies to each other. The gene ids array stores the ids, column number seven of the expression vectors belongs to entry number seven in the gene ids. Entry number nine in the gene to family mapping array, belongs to entry nine in the gene ids. These dependencies must be given at any time, therefore, only the provided

functions shall be used to modify arrays in any form. For error code details please check error handling section.
2. Error handling reference (placeholder for now)
3. General usage principle (Placeholder for now)

### 3.1.2 Data Management

1. **Data Reading and Processing**

   (a) Reading Data

   - **Read Gene IDs from TSV File**
     Reads gene identifiers from a TSV file containing expression data. Typically reads from the first column after skipping header rows. Call the `read_gene_ids_from_tsv_file` subroutine with the following arguments:
     **Input arguments:**
     – `filename character(len=*)`: Path to the TSV file
     – `n_header_rows integer(int32)`: Number of header rows to skip (typically 1)
     – `gene_col integer(int32)`: Column index containing gene IDs (typically 1)
     **Output arguments:**
     – `gene_ids character(len=*)`: Pre-allocated array for gene identifiers
     – `ierr integer(int32)`: Error code

Listing 1: Read Gene IDs from TSV File

```
character(len=256) :: gene_ids(n_genes)
! Pre-allocate with expected size

integer(int32) :: ierr

call read_gene_ids_from_tsv_file('expression_data.tsv', &
                                 gene_ids, 1, 1, ierr)
```

   - **Read Expression Vectors**
     Reads expression data from one or more TSV/CSV files and populates a pre-allocated 2D array (samples x genes). Uses hashmap for efficient gene ID matching and validates for finite values. Call the `read_expression_vectors` subroutine with the following arguments:
     **Input arguments:**
     – `file_list character(len=*)`: Array of file paths to read from
     – `gene_ids character(len=*)`: Reference gene IDs for validation and matching
     – `expression_vectors real(real64)`: Pre-allocated 2D array for expression data
     – `n_header_rows integer(int32)`: Number of header rows to skip
     – `gene_col integer(int32)`: Column index containing gene IDs
     – `value_cols integer(int32)`: Array of column indices containing expression values
     – `start_row integer(int32)`: Starting row index in expression_vectors array
     – `delimiter character(len=1), optional`: Column delimiter (default: tab)
     **Output arguments:**
     – `expression_vectors real(real64)`: Pre-allocated 2D array for expression data populated with data
     – `ierr integer(int32)`: Error code

Listing 2: Read Expression Vectors

```
! Pre-allocate arrays
real(real64) :: expr_data(n_samples, n_genes)

! Read TSV file with tab delimiter (default)
call read_expression_vectors(files, gene_ids, expr_data, 1, 1, &
                             value_cols, 1, ierr)

! Read CSV file with comma delimiter
call read_expression_vectors(files, gene_ids, expr_data, 1, 1, &
                             value_cols, 1, ierr, ',')
```

- **Read OrthoFinder Family Mapping**
  Reads gene family assignments from OrthoFinder output TSV file and creates mapping arrays between genes and families. The `gene_to_fam` array contains for each gene the index of it's family. Uses hashmap for efficient gene lookup. Call the `read_orthofinder_file` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Path to OrthoFinder TSV file
  – `gene_ids character(len=*)`: Pre-allocated array of gene IDs to match
  **Output arguments:**
  – `family_ids character(len=*)`: Pre-allocated array for family identifiers
  – `gene_to_fam integer(int32)`: Pre-allocated array for gene to family mapping
  – `ierr integer(int32)`: Error code

Listing 3: Read OrthoFinder Family Mapping

```
character(len=256) :: family_ids(n_families)
! Pre-allocate with expected family count

integer(int32) :: gene_to_fam(n_genes)
! Pre-allocate with gene count

integer(int32) :: ierr

call read_orthofinder_file('Orthogroups.tsv', gene_ids, &
                           family_ids, gene_to_fam, ierr)
```

**Important Implementation Details:**
– All output arrays must be pre-allocated with the correct dimensions and sizes
– Uses hashmap data structure for O(1) gene ID lookups
– Validates for finite values (rejects NaN and Inf) in expression data
– Handles both TSV (tab-separated) and CSV (comma-separated) formats, gene_to_fam array uses 1-based indexing for family assignments (0 indicates unassigned)
**Typical Data Reading Workflow:**

Listing 4: Complete Data Reading Workflow

```
! 1. Pre-allocate arrays

! 2. Read gene IDs from expression file
call read_gene_ids_from_tsv_file('expression.tsv', gene_ids, &
                                 1, 1, ierr)

! 3. Read expression data (columns 2-68 contain sample data)
```

```
character(len=256) :: files(1) = ['expression.tsv']

call read_expression_vectors(files, gene_ids, expr_data, 1, 1, &
                             samples, 1, ierr)

! 4. Read family mapping from OrthoFinder
call read_orthofinder_file('Orthogroups.tsv', gene_ids, &
                           family_ids, gene_to_fam, ierr)
```

2. **Data Filtering and Validation**
   - **Get Unassigned Genes Mask**
     Creates a logical mask identifying genes that have no family assignment (gene_to_fam value = 0). Call the `get_unassigned_mask` subroutine with the following arguments:
     **Input arguments:**
     – `gene_to_fam integer(int32)`: Gene to family mapping array
     **Output arguments:**
     – `mask logical`: Logical mask array (same size as gene_to_fam)
     – `n_genes_kept integer(int32)`: Number of genes with family assignments
     – `ierr integer(int32)`: Error code

Listing 5: Create Unassigned Genes Mask

```
logical :: unassigned_mask(n_genes)
integer(int32) :: n_kept, ierr

call get_unassigned_mask(gene_to_fam, unassigned_mask, n_kept)
! unassigned_mask(i) = .true. if gene i has family assignment
! n_kept = count of genes with family assignments
```

   - **Apply Unassigned Mask**
     Filters out genes without family assignments from all data arrays (gene_ids, expression_vectors, gene_to_fam). Arrays are reallocated to the filtered size. Call the `apply_unassigned_mask` subroutine with the following arguments:
     **Input arguments:**
     – `mask logical`: Logical mask from get_unassigned_mask
     – `n_genes_kept integer(int32)`: Number of genes to keep (from get_unassigned_mask)
     **Input/Output arguments:**
     – `gene_ids character(len=*), allocatable`: Gene IDs array (reallocated)
     – `expression_vectors real(real64), allocatable`: Expression data matrix (reallocated)
     – `gene_to_fam integer(int32), allocatable`: Gene to family mapping (reallocated)
     – `ierr integer(int32)`: Error code

Listing 6: Filter Unassigned Genes

```
character(len=256), allocatable :: gene_ids(n_genes)
real(real64), allocatable :: expr_data(n_samples,n_genes)
integer(int32), allocatable :: gene_to_fam(n_genes)
logical :: unassigned_mask(n_genes)
integer(int32) :: n_kept, ierr

! First create the mask
call get_unassigned_mask(gene_to_fam, unassigned_mask, n_kept)
```

```
! Then apply it to filter all arrays
call apply_unassigned_mask(gene_ids, expr_data, gene_to_fam, &
                           unassigned_mask, n_kept, ierr)
! Arrays are now reallocated to size n_kept
```

- **Validate Data Structure**
  Performs comprehensive validation of data dimensions and consistency across all arrays. Call the `validate_data_structure` subroutine with the following arguments:
  **Input arguments:**
  – `n_genes integer(int32)`: Number of genes
  – `n_families integer(int32)`: Number of gene families
  – `n_samples integer(int32)`: Number of samples
  – `gene_ids character(len=*)`: Gene identifier array
  – `family_ids character(len=*)`: Family identifier array
  – `gene_to_family integer(int32)`: Gene to family mapping
  – `expression real(real64)`: Expression data matrix
  – `centroids real(real64)`: Family centroids matrix
  – `shift_vectors real(real64)`: Shift vectors matrix
  – `ierr integer(int32)`: Error code

Listing 7: Validate Data Structure

```
call validate_data_structure(n_genes, n_families, n_samples, &
                             gene_ids, family_ids, gene_to_fam, &
                             expr_data, centroids, shift_vectors, &
                             ierr)
```

- **Validate Expression Data**
  Validates expression data matrix for NaN, Inf, and optionally negative values. Call the `validate_expression_data` subroutine with the following arguments:
  **Input arguments:**
  – `expression real(real64)`: Expression data matrix to validate
  – `allow_negative logical`: Whether to allow negative expression values
  – `ierr integer(int32)`: Error code

Listing 8: Validate Expression Data

```
! Validate expression data (disallow negative values)
call validate_expression_data(expr_data, .false., ierr)

! Validate allowing negative values (e.g., for log-fold changes)
call validate_expression_data(expr_data, .true., ierr)
```

- **Validate Empty Strings**
  Validates that a string array contains no empty or whitespace-only entries. Call the `validate_empty_strings` subroutine with the following arguments:
  **Input arguments:**
  – `string_array character(len=*)`: String array to validate
  – `array_name character(len=*)`: Name for error messages
  **Output arguments:**
  – `ierr integer(int32)`: Error code

Listing 9: Validate String Array

```
call validate_empty_strings(gene_ids, "Gene IDs", ierr)
call validate_empty_strings(family_ids, "Family IDs", ierr)
```

- **Validate Gene to Family Mapping**
  Validates that all gene to family indices are within valid range (1 to n_families). Call the `validate_gene_to_family_mapping` subroutine with the following arguments:
  **Input arguments:**
  – `gene_to_family integer(int32)`: Gene to family mapping array
  – `n_families integer(int32)`: Number of valid families
  **Output arguments:**
  – `ierr integer(int32)`: Error code

Listing 10: Validate Gene-Family Mapping

```
call validate_gene_to_family_mapping(gene_to_fam, n_families, ierr)
```

- **Validate String Array Uniqueness**
  Validates that all entries in a string array are unique (no duplicates). Uses a hashet implementation internally for O(n) runtime. Call the `validate_string_array_uniqueness` subroutine with the following arguments:
  **Input arguments:**
  – `string_array character(len=*)`: String array to check for duplicates
  **Output arguments:**
  – `ierr integer(int32)`: Error code

Listing 11: Validate Unique Strings

```
call validate_string_array_uniqueness(gene_ids, ierr)
call validate_string_array_uniqueness(family_ids, ierr)
```

3. **Data Accessors**
   - **Get Gene Index**
     Finds the array index for a given gene identifier. Call the `get_gene_index` function with the following arguments:
     **Input arguments:**
     – `gene_ids character(len=*)`: Array of gene identifiers
     – `gene_id character(len=*)`: Gene ID to find
     **Return value:**
     – `index integer(int32)`: Array index (1-based) or 0 if not found

Listing 12: Find Gene Index

```
integer(int32) :: gene_idx

gene_idx = get_gene_index(gene_ids, 'NP_001000001.1')
if (gene_idx > 0) then
    ! Gene found at position gene_idx
else
    ! Gene not found
end if
```

   - **Get Family Index**
     Finds the array index for a given family identifier. Call the `get_family_index` function with the following arguments:

**Input arguments:**
– `family_ids character(len=*)`: Array of family identifiers
– `family_id character(len=*)`: Family ID to find
**Return value:**
– `index integer(int32)`: Array index (1-based) or 0 if not found

Listing 13: Find Family Index

```
integer(int32) :: fam_idx

fam_idx = get_family_index(family_ids, 'OG0000001')
```

- **Get Family for Gene Index**
Retrieves the family index for a given gene index. Call the `get_family_for_gene_index` subroutine with the following arguments:
**Input arguments:**
– `gene_index integer(int32)`: Gene array index (1-based)
– `gene_to_family integer(int32)`: Gene to family mapping array
**Output arguments:**
– `family_index integer(int32)`: Family array index (1-based)
– `ierr integer(int32)`: Error code

Listing 14: Get Family for Gene

```
integer(int32) :: gene_idx, fam_idx, ierr

gene_idx = get_gene_index(gene_ids, 'NP_001000001.1')
call get_family_for_gene_index(gene_idx, gene_to_fam, fam_idx, ierr)
```

- **Get Family Centroid**
Retrieves the centroid expression profile for a given family. Call the `get_family_centroid` subroutine with the following arguments:
**Input arguments:**
– `family_index integer(int32)`: Family array index (1-based)
– `family_centroids real(real64)`: Family centroids matrix
**Output arguments:**
– `ierr integer(int32)`: Error code
– `centroid_vector real(real64)`: Centroid expression profile

Listing 15: Get Family Centroid

```
real(real64) :: centroid_vector(n_samples)
integer(int32) :: fam_idx, ierr

fam_idx = get_family_index(family_ids, 'OG0000001')
call get_family_centroid(fam_idx, centroids, centroid_vector, ierr)
```

**Complete Validation Workflow:**

Listing 16: Complete Data Validation Workflow

```
integer(int32) :: ierr

! 1. Filter unassigned genes
logical :: unassigned_mask(n_genes)
```

```
integer(int32) :: n_kept
call get_unassigned_mask(gene_to_fam, unassigned_mask, n_kept)
call apply_unassigned_mask(gene_ids, expr_data, gene_to_fam, &
unassigned_mask, n_kept, ierr)

! 2. Validate individual components
call validate_empty_strings(gene_ids, "Gene IDs", ierr)
call validate_empty_strings(family_ids, "Family IDs", ierr)
call validate_string_array_uniqueness(gene_ids, ierr)
call validate_string_array_uniqueness(family_ids, ierr)
call validate_gene_to_family_mapping(gene_to_fam, n_families, ierr)
call validate_expression_data(expr_data, .false., ierr)

! 3. Comprehensive structure validation
call validate_data_structure(n_genes, n_families, n_samples, gene_ids,
    &
family_ids, gene_to_fam, expr_data, &
centroids, shift_vectors, ierr)

! 4. Use accessors for data retrieval
integer(int32) :: gene_idx, fam_idx
real(real64) :: centroid(n_samples)

gene_idx = get_gene_index(gene_ids, 'NP_001000001.1')
call get_family_for_gene_index(gene_idx, gene_to_fam, fam_idx, ierr)
call get_family_centroid(fam_idx, centroids, centroid, ierr)
```

### 3.1.3 Data Persistence

1. **Array Serialization and Deserialization Module**
   The array serialization and deserialization module provides comprehensive routines for efficiently storing and retrieving multi-dimensional arrays of various data types.
   (a) **General Architecture**
   The module supports five data types (integer, real, character, logical and complex) across dimensions 1 through 5. All routines follow a consistent naming convention and parameter structure for ease of use.
   (b) **Supported Functions**
   - `serialize_int_Nd(arr, filename, ierr)` - Serialize N-dimensional integer arrays.
   - `deserialize_int_Nd(arr, filename, ierr)` - Deserialize N-dimensional integer arrays.
   - `serialize_real_Nd(arr, filename, ierr)` - Serialize N-dimensional real arrays.
   - `deserialize_real_Nd(arr, filename, ierr)` - Deserialize N-dimensional real arrays.
   - `serialize_char_Nd(arr, filename, ierr)` - Serialize N-dimensional character arrays.
   - `deserialize_char_Nd(arr, filename, ierr)` - Deserialize N-dimensional character arrays.
   - `serialize_logical_Nd(arr, filename, ierr)` - Serialize N-dimensional logical arrays.
   - `deserialize_logical_Nd(arr, filename, ierr)` - Deserialize N-dimensional logical arrays.
   - `serialize_complex_Nd(arr, filename, ierr)` - Serialize N-dimensional complex arrays.
   - `deserialize_complex_Nd(arr, filename, ierr)` - Deserialize N-dimensional complex arrays.

- `get_array_metadata(filename, dims, max_dims, ndims, ierr, [clen])` - Retrieve array metadata from files

Where N represents the array dimension (1-5).

(c) **Detailed Parameter Specifications**

**Serialization Functions Parameters:**

- `arr` (input): The array to be serialized.
  **Type:** Allocatable array of type `integer(int32)`, `real(real64)`, `character(len=clen)`, (logical) or `complex`
  **Dimensions:** 1D to 5D
  **Intent:** `in`
  **Note:** *clen* has to be the size of the arrays elements
- `filename` (input): The name of the binary file to create.
  **Type:** `character(len=*)`
  **Intent:** `in`
- `ierr` (output): Error code indicating operation status.
  **Type:** `integer(int32)`
  **Intent:** `out`
  **Values:** 0 indicates success, non-zero values indicate specific error conditions

Listing 17: Example usage of a serialize function

```
call serialize_int_2d(array, "test_file.bin", ierr)
```

(d) **Metadata Retrieval Function Parameters:**

- `filename` (input): The name of the binary file to read metadata from.
  **Type:** `character(len=*)`
  **Intent:** `in`
- `dims` (output): Array containing the dimensions of the stored array.
  **Type:** `integer(int32), dimension(max_dims)`
  **Intent:** `out` **Note:** Must be preallocated, recommended with size 5
- `max_dims` (input): Size of the dims array (typically 5 for maximum supported dimensions).
  **Type:** `integer(int32)`
  **Intent:** `in`
- `ndims` (output): Number of dimensions actually used by the array.
  **Type:** `integer(int32)`
  **Intent:** `out`
- `ierr` (output): Error code indicating operation status.
  **Type:** `integer(int32)`
  **Intent:** `out`
  **Values:** 0 indicates success, non-zero values indicate specific error conditions
- `clen` (output, optional): For character arrays, the length of character elements.
  **Type:** `integer(int32)`
  **Intent:** `out`
  **Note:** This parameter is only used and required for character arrays

Listing 18: Usage of metadata retrieval

```
call get_array_metadata(filename, dims, max_dims, ndims, ierr, clen)
```

**Deserialization Functions Parameters:**

- `arr` (output): The array to be populated with deserialized data.
  **Type:** Allocatable array of type `integer(int32)`, `real(real64)`, `character(len=clen)`, `logical`, or `complex`
  **Dimensions:** 1D to 5D
  **Intent:** `out`
  **Note:** The array must be allocated with correct dimensions and correct element length before calling deserialization routines
- `filename` (input): The name of the binary file to read.
  **Type:** `character(len=*)`
  **Intent:** `in`
- `ierr` (output): Error code indicating operation status.
  **Type:** `integer(int32)`
  **Intent:** `out`
  **Values:** 0 indicates success, non-zero values indicate specific error conditions

Listing 19: Example usage of a deserialize function

```
call deserialize_int_2d(array, "test_file.bin", ierr)
```

Listing 20: Full example

```
integer(int32), allocatable :: kallisto_expression(:,:)
integer(int32), allocatable :: kallisto_expression_2(:,:)
integer(int32) :: dims(5)
integer(int32) :: ndims, ierr, max_dims
character(len=64) :: fname

!Assume array is filled with data

call serialize_real_2d(kallisto_expression, &
                       "kallisto_data_v1.bin", ierr)
if(.not. is_ok(ierr)) error stop ierr

!Reading the data again
call get_array_metadata("kallisto_data_v1.bin", dims, max_dims, &
                        ndims, ierr)
if(.not. is_ok(ierr)) error stop ierr
allocate(kallisto_expression_2(dims(1), dims(2)))

call deserialize_real_2d(kallisto_expression_2, &
                       "kallisto_data_v1.bin", ierr)
if(.not. is_ok(ierr)) error stop ierr
```

(e) **Error Handling**
All functions return an error code through the `ierr` parameter. The error handling utility tox errors provides functions to check and interpret these codes.

(f) **Implementation Notes**
- All routines are implemented in standard Fortran for interoperability
- The module uses allocatable arrays for flexible memory management
- File operations use Fortran's native unformatted I/O for efficiency
- Error handling is consistent across all functions for predictable behavior

2. **Standard Archive Operations**

- **Save Tox Data Archive**
  Saves multiple data arrays to a ZIP archive with automatic manifest creation and temporary file management. Handles any combination of available standard data arrays. This function can only be used with standard gene expression data. If other data needs to be saved, see section "Non-standard archive operations". Call the `save_tox_data` subroutine with the following arguments:
  **Input arguments:**
  – `zip_filename character(len=*)`: Output ZIP file name
  – `ierr integer(int32)`: Error code
  **Optional input arguments (provide both array and filename for each data type):**
  – `gene_ids character(len=*)`: Gene IDs array
  – `gene_ids_file character(len=*)`: Internal filename for gene IDs
  – `expression real(real64)`: Expression data matrix
  – `expression_file character(len=*)`: Internal filename for expression data
  – `gene_to_family integer(int32)`: Gene to family mapping
  – `gene_to_family_file character(len=*)`: Internal filename for mapping
  – `family_ids character(len=*)`: Family IDs array
  – `family_ids_file character(len=*)`: Internal filename for family IDs
  – `family_centroids real(real64)`: Family centroids matrix
  – `family_centroids_file character(len=*)`: Internal filename for centroids
  – `shift_vectors real(real64)`: Shift vectors matrix
  – `shift_vectors_file character(len=*)`: Internal filename for shift vectors

Listing 21: Save Complete Data Archive

```
integer(int32) :: ierr

! Save all available data arrays
call save_tox_data("complete_data.zip", ierr, &
                   gene_ids=gene_ids, &
                   gene_ids_file="genes.bin", &
                   expression=expr_data, &
                   expression_file="expression.bin", &
                   gene_to_family=gene_to_fam, &
                   gene_to_family_file="mapping.bin", &
                   family_ids=family_ids, &
                   family_ids_file="families.bin", &
                   family_centroids=centroids, &
                   family_centroids_file="centroids.bin", &
                   shift_vectors=shift_vecs, &
                   shift_vectors_file="shifts.bin")
```

Listing 22: Save Partial Data Archive

```
! Save only gene IDs and expression data
call save_tox_data("expression_only.zip", ierr, &
                   gene_ids=gene_ids, &
                   gene_ids_file="genes.bin", &
                   expression=expr_data, &
                   expression_file="expression.bin")

! Save only family-related data
```

```
call save_tox_data("families_only.zip", ierr, &
                   family_ids=family_ids, &
                   family_ids_file="families.bin", &
                   family_centroids=centroids, &
                   family_centroids_file="centroids.bin")
```

- **Read Tox Data Archive**
  Reads data arrays from a ZIP archive created with `save_tox_data`. Automatically handles array allocation based on archive contents. The function will try to read all requested arrays (optional arguments that are provided) from the given archive. If an array can not be found in the archive, the output arrays wont be allocated or returned. Call the `read_tox_data` subroutine with the following arguments:
  **Input arguments:**
  – `zip_filename character(len=*)`: Input ZIP file name
  – `ierr integer(int32)`: Error code
  **Optional output arguments:**
  – `gene_ids character(len=:), allocatable`: Gene IDs array
  – `expression real(real64), allocatable`: Expression data matrix
  – `gene_to_family integer(int32), allocatable`: Gene to family mapping
  – `family_ids character(len=:), allocatable`: Family IDs array
  – `family_centroids real(real64), allocatable`: Family centroids matrix
  – `shift_vectors real(real64), allocatable`: Shift vectors matrix
  **Optional filename output arguments:**
  – `gene_ids_file character(len=:), allocatable`: Internal filename used
  – `expression_file character(len=:), allocatable`: Internal filename used
  – `gene_to_family_file character(len=:), allocatable`: Internal filename used
  – `family_ids_file character(len=:), allocatable`: Internal filename used
  – `family_centroids_file character(len=:), allocatable`: Internal filename used
  – `shift_vectors_file character(len=:), allocatable`: Internal filename used

Listing 23: Read Complete Data Archive

```
character(len=:), allocatable :: loaded_gene_ids(:), loaded_family_ids
   (:)
real(real64), allocatable :: loaded_expr(:,:), loaded_centroids(:,:)
real(real64), allocatable :: loaded_shifts(:,:)
integer(int32), allocatable :: loaded_gene_to_fam(:)
integer(int32) :: ierr

! Read all available data from archive
call read_tox_data("complete_data.zip", ierr, &
                   gene_ids=loaded_gene_ids, &
                   expression=loaded_expr, &
                   gene_to_family=loaded_gene_to_fam, &
                   family_ids=loaded_family_ids, &
                   family_centroids=loaded_centroids, &
                   shift_vectors=loaded_shifts)
```

Listing 24: Read Partial Data Archive

```
! Read only specific arrays (others remain unallocated)
call read_tox_data("expression_only.zip", ierr, &
```

```
                    gene_ids=loaded_gene_ids, &
                    expression=loaded_expr)
```

Listing 25: Read with Filename Retrieval

```
character(len=:), allocatable :: actual_gene_file
character(len=:), allocatable :: actual_expr_file
integer(int32) :: ierr

! Get both data and internal filenames
call read_tox_data("complete_data.zip", ierr, &
                    gene_ids=loaded_gene_ids, &
                    gene_ids_file=actual_gene_file, &
                    expression=loaded_expr, &
                    expression_file=actual_expr_file)
```

3. **Non-Standard Archive Operations**
   - **Create Custom ZIP Archive**
     Creates a ZIP archive from arbitrary files with key-based manifest for non-standard data. Call the `create_zip_archive` subroutine with the following arguments:
     **Input arguments:**
     – `zip_filename character(len=*)`: Output ZIP file name
     – `keys character(len=*)`: Array of keys for manifest entries
     – `filenames character(len=*)`: Array of file paths to include
     – `ierr integer(int32)`: Error code

Listing 26: Create Custom Archive

```
character(len=32) :: keys(3) = ['test_data_1', 'test_data_2', &
                                'test_data_3']
character(len=256) :: files(3) = ['test_data_1.bin', 'test_2.bin', &
                                  'test_3.bin']
integer(int32) :: ierr

call create_zip_archive("custom_data.zip", keys, files, ierr)
```

   - **Extract ZIP Archive**
     Extracts all files from a ZIP archive to the disk in the current directory and returns key-value pairs from the manifest. Call the `extract_zip_archive` subroutine with the following arguments:
     **Input arguments:**
     – `zip_filename character(len=*)`: Input ZIP file name
     – `ierr integer(int32)`: Error code
     **Output arguments:**
     – `keys character(len=:), allocatable`: Array of keys from manifest
     – `filenames character(len=:), allocatable`: Array of extracted filenames

Listing 27: Extract Custom Archive

```
character(len=:), allocatable :: archive_keys(:), archive_files(:)
integer(int32) :: ierr

call extract_zip_archive("custom_data.zip", archive_keys, &
                         archive_files, ierr)
```

**Complete Archive Workflow:**

Listing 28: Complete Archive Management Workflow

```
integer(int32) :: ierr

! 1. Save processed data
call save_tox_data("analysis_results.zip", ierr, &
gene_ids=gene_ids, gene_ids_file="genes.bin", &
expression=expr_data, expression_file="expression.bin", &
family_centroids=centroids, family_centroids_file="centroids.bin")

! 2. Later, read the data back
character(len=:), allocatable :: loaded_genes(:)
real(real64), allocatable :: loaded_expr(:,:), loaded_centroids(:,:)
call read_tox_data("analysis_results.zip", ierr, &
                   gene_ids=loaded_genes, &
                   expression=loaded_expr, &
                   family_centroids=loaded_centroids)

! 3. Create custom archive with additional results
character(len=32) :: custom_keys(2) = ['data_1', 'data_2']
character(len=256) :: custom_files(2) = ['data_1_v2.bin', &
                                         'data_2_v1.bin']
call create_zip_archive("full_analysis.zip", custom_keys, &
                        custom_files, ierr)

! 4. Extract and verify custom archive
character(len=:), allocatable :: extracted_keys(:), extracted_files(:)
call extract_zip_archive("full_analysis.zip", extracted_keys, &
                        extracted_files, ierr)
```

**Key Features of Archive Operations:**

- **Automatic Memory Management**: Arrays automatically allocated to correct sizes
- **Flexible Data Selection**: Save/read any combination of data arrays
- **Cross-Platform Compatibility**: Archives work across R, Python, and Fortran implementations
- **Manifest-Based**: Automatic tracking of file contents and relationships
- **Temporary File Handling**: Automatic cleanup of intermediate files
- **Error Recovery**: Comprehensive error checking and reporting

**Archive Structure:**

```
archive.zip
|- manifest.txt          (key=filename mappings)
|- genes.bin             (gene IDs, if provided)
|- expression.bin        (expression data, if provided)
|- mapping.bin           (gene to family, if provided)
|- families.bin          (family IDs, if provided)
|- centroids.bin         (family centroids, if provided)
|- shifts.bin            (shift vectors, if provided)
```

4. **Individual Array Save/Load Operations**
   - **Save Gene IDs**

Saves a gene IDs array to a binary file with automatic character length preservation. Call the `save_gene_ids` subroutine with the following arguments:
**Input arguments:**
– `gene_ids character(len=*)`: Array of gene identifiers
– `filename character(len=*)`: Output binary file name
– `ierr integer(int32)`: Error code

Listing 29: Save Gene IDs Array

```
character(len=256) :: gene_ids(10000)
integer(int32) :: ierr

call save_gene_ids(gene_ids, 'gene_ids.bin', ierr)
```

- **Load Gene IDs**
Loads a gene IDs array from a binary file with automatic allocation and character length detection. Call the `load_gene_ids` subroutine with the following arguments:
**Input arguments:**
– `filename character(len=*)`: Input binary file name
– `ierr integer(int32)`: Error code
**Output arguments:**
– `gene_ids character(len=:), allocatable`: Loaded gene IDs array

Listing 30: Load Gene IDs Array

```
character(len=:), allocatable :: loaded_gene_ids(:)
integer(int32) :: ierr

call load_gene_ids(loaded_gene_ids, 'gene_ids.bin', ierr)
! loaded_gene_ids automatically allocated with correct size
! and character length
```

- **Save Expression Vectors**
Saves an expression data matrix to a binary file. Call the `save_expression_vectors` subroutine with the following arguments:
**Input arguments:**
– `expression real(real64)`: 2D expression data matrix
– `filename character(len=*)`: Output binary file name
– `ierr integer(int32)`: Error code

Listing 31: Save Expression Data

```
real(real64) :: expr_data(n_samples, n_genes)
integer(int32) :: ierr

call save_expression_vectors(expr_data, 'expression.bin', ierr)
```

- **Load Expression Vectors**
Loads an expression data matrix from a binary file with automatic allocation. Call the `load_expression_vectors` subroutine with the following arguments:
**Input arguments:**
– `filename character(len=*)`: Input binary file name
– `ierr integer(int32)`: Error code
**Output arguments:**

– `expression real(real64), allocatable`: Loaded expression data matrix

Listing 32: Load Expression Data

```
real(real64), allocatable :: loaded_expr(:,:)
integer(int32) :: ierr

call load_expression_vectors(loaded_expr, 'expression.bin', ierr)
! loaded_expr automatically allocated as (samples x genes)
```

- **Save Gene to Family Mapping**
  Saves a gene to family mapping array to a binary file. Call the `save_gene_to_family` subroutine with the following arguments:
  **Input arguments:**
  – `gene_to_family integer(int32)`: Gene to family mapping array
  – `filename character(len=*)`: Output binary file name
  – `ierr integer(int32)`: Error code

Listing 33: Save Gene-Family Mapping

```
integer(int32) :: gene_to_fam(n_genes)
integer(int32) :: ierr

call save_gene_to_family(gene_to_fam, 'gene_to_fam.bin', ierr)
```

- **Load Gene to Family Mapping**
  Loads a gene to family mapping array from a binary file with automatic allocation. Call the `load_gene_to_family` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Input binary file name
  – `ierr integer(int32)`: Error code
  **Output arguments:**
  – `gene_to_family integer(int32), allocatable`: Loaded gene to family mapping

Listing 34: Load Gene-Family Mapping

```
integer(int32), allocatable :: loaded_gene_to_fam(:)
integer(int32) :: ierr

call load_gene_to_family(loaded_gene_to_fam, 'gene_to_fam.bin', ierr)
```

- **Save Family IDs**
  Saves a family IDs array to a binary file with automatic character length preservation. Call the `save_family_ids` subroutine with the following arguments:
  **Input arguments:**
  – `family_ids character(len=*)`: Array of family identifiers
  – `filename character(len=*)`: Output binary file name
  – `ierr integer(int32)`: Error code

Listing 35: Save Family IDs

```
character(len=256) :: family_ids(n_families)
integer(int32) :: ierr

call save_family_ids(family_ids, 'family_ids.bin', ierr)
```

- **Load Family IDs**
  Loads a family IDs array from a binary file with automatic allocation and character length detection. Call the `load_family_ids` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Input binary file name
  – `ierr integer(int32)`: Error code
  **Output arguments:**
  – `family_ids character(len=:), allocatable`: Loaded family IDs array

Listing 36: Load Family IDs

```
character(len=:), allocatable :: loaded_family_ids(:)
integer(int32) :: ierr

call load_family_ids(loaded_family_ids, 'family_ids.bin', ierr)
```

- **Save Family Centroids**
  Saves a family centroids matrix to a binary file. Call the `save_family_centroids` subroutine with the following arguments:
  **Input arguments:**
  – `family_centroids real(real64)`: 2D family centroids matrix
  – `filename character(len=*)`: Output binary file name
  – `ierr integer(int32)`: Error code

Listing 37: Save Family Centroids

```
real(real64) :: centroids(67, 15512)
integer(int32) :: ierr

call save_family_centroids(centroids, 'centroids.bin', ierr)
```

- **Load Family Centroids**
  Loads a family centroids matrix from a binary file with automatic allocation. Call the `load_family_centroids` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Input binary file name
  – `ierr integer(int32)`: Error code
  **Output arguments:**
  – `family_centroids real(real64), allocatable`: Loaded family centroids matrix

Listing 38: Load Family Centroids

```
real(real64), allocatable :: loaded_centroids(:,:)
integer(int32) :: ierr

call load_family_centroids(loaded_centroids, 'centroids.bin', ierr)
```

- **Save Shift Vectors**
  Saves a shift vectors matrix to a binary file. Call the `save_shift_vectors` subroutine with the following arguments:
  **Input arguments:**
  – `shift_vectors real(real64)`: 2D shift vectors matrix
  – `filename character(len=*)`: Output binary file name

– `ierr integer(int32)`: Error code

Listing 39: Save Shift Vectors

```
real(real64) :: shift_vecs(134, 88327)  ! 2xsamples x genes
integer(int32) :: ierr

call save_shift_vectors(shift_vecs, 'shift_vectors.bin', ierr)
```

- **Load Shift Vectors**
  Loads a shift vectors matrix from a binary file with automatic allocation. Call the `load_shift_vectors` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Input binary file name
  – `ierr integer(int32)`: Error code
  **Output arguments:**
  – `shift_vectors real(real64), allocatable`: Loaded shift vectors matrix

Listing 40: Load Shift Vectors

```
real(real64), allocatable :: loaded_shifts(:,:)
integer(int32) :: ierr

call load_shift_vectors(loaded_shifts, 'shift_vectors.bin', ierr)
```

- **Get Array Metadata**
  Retrieves metadata (dimensions, character length) from a binary file without loading the entire array. Call the `get_array_metadata` subroutine with the following arguments:
  **Input arguments:**
  – `filename character(len=*)`: Binary file name to inspect
  – `max_dims integer(int32)`: Maximum number of dimensions to return
  – `ierr integer(int32)`: Error code
  **Output arguments:**
  – `dims integer(int32)`: Array dimensions
  – `ndims integer(int32)`: Number of dimensions
  – `char_len integer(int32), optional`: Character length for string arrays

Listing 41: Inspect Array File Metadata

```
integer(int32) :: dims(5), ndims, char_len, ierr

! Get metadata for gene IDs file
call get_array_metadata('gene_ids.bin', dims, 5, ndims, &
                        ierr, char_len)

if (is_ok(ierr)) then
    print *, "Dimensions:", dims(1:ndims)
    print *, "Character length:", char_len
end if

! Get metadata for expression data file
call get_array_metadata('expression.bin', dims, 5, ndims, ierr)
if (is_ok(ierr)) then
    print *, "Expression data shape:", dims(1), "x", dims(2)
end if
```

**Complete Individual Array Workflow:**

Listing 42: Individual Array Save/Load Workflow

```
integer(int32) :: ierr

! 1. Save individual arrays
call save_gene_ids(gene_ids, 'gene_ids.bin', ierr)
call save_expression_vectors(expr_data, 'expression.bin', ierr)
call save_gene_to_family(gene_to_fam, 'mapping.bin', ierr)
call save_family_ids(family_ids, 'families.bin', ierr)
call save_family_centroids(centroids, 'centroids.bin', ierr)
call save_shift_vectors(shift_vecs, 'shifts.bin', ierr)

! 2. Check file metadata before loading
integer(int32) :: dims(5), ndims, char_len
call get_array_metadata('expression.bin', dims, 5, ndims, ierr)

! 3. Load arrays (automatic allocation)
character(len=:), allocatable :: loaded_genes(:)
real(real64), allocatable :: loaded_expr(:,:)
integer(int32), allocatable :: loaded_mapping(:)
character(len=:), allocatable :: loaded_families(:)
real(real64), allocatable :: loaded_centroids(:,:)
real(real64), allocatable :: loaded_shifts(:,:)

call load_gene_ids(loaded_genes, 'gene_ids.bin', ierr)
call load_expression_vectors(loaded_expr, 'expression.bin', ierr)
call load_gene_to_family(loaded_mapping, 'mapping.bin', ierr)
call load_family_ids(loaded_families, 'families.bin', ierr)
call load_family_centroids(loaded_centroids, 'centroids.bin', ierr)
call load_shift_vectors(loaded_shifts, 'shifts.bin', ierr)
```

**Manual Archive Creation with Individual Arrays:**

Listing 43: Manual Archive Creation

```
integer(int32) :: ierr

! 1. Save arrays to individual files
call save_gene_ids(gene_ids, 'temp_genes.bin', ierr)
call save_expression_vectors(expr_data, 'temp_expr.bin', ierr)

! 2. Create custom archive with specific keys
character(len=32) :: keys(2) = ['gene_data', 'expression_data']
character(len=256) :: files(2) = ['temp_genes.bin', 'temp_expr.bin']
call create_zip_archive('manual_archive.zip', keys, files, ierr)

! 3. Clean up temporary files (optional)
call delete_file('temp_genes.bin', ierr)
call delete_file('temp_expr.bin', ierr)
```

**Key Features of Individual Array Operations:**

- **Automatic Allocation**: Output arrays automatically allocated to correct sizes
- **Character Length Preservation**: String arrays maintain original character lengths
- **Metadata Inspection**: Check array properties without loading data

– **Binary Format**: Efficient storage for large datasets
– **Error Handling**: Comprehensive error checking for file operations
– **Memory Efficient**: Can process arrays larger than available memory

**Performance Considerations:**

– Binary format provides fast I/O for large arrays
– Automatic dimension detection eliminates manual size tracking
– Character length preservation avoids fixed-width string limitations
– Suitable for datasets with millions of genes and thousands of samples

#### 3.1.4 Data Processing

1. **Normalization of Expression Values**

The subroutine runs a complete normalization pipeline on gene expression data. It first applies standard deviation normalization, then quantile normalization, followed by replicate averaging, and finally a log2 transformation. The result is returned in the `buf_log` array, which contains the fully normalized expression values. Additionally intermediate results of the performed calculations are available in output buffer arrays. Call the `normalization_pipeline` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_tissues integer(int32)`: Number of axes (tissues / dimensions)
- `input_matrix real(real64)`: Expression vector matrix with size `n_genes` × `n_tissues`
- `max_stack integer(int32)`: Stack size for quicksort
- `group_s integer(int32)`: Start column index for each replicate group (`n_grps`)
- `group_c integer(int32)`: Number of columns per replicate group (`n_grps`)
- `n_grps integer(int32)`: Number of replicate groups

**Output arguments:**

- `buf_stddev real(real64)`: Buffer for std dev normalization (`n_genes` * `n_tissues`)
- `buf_quant real(real64)`: Buffer for quantile normalization (`n_genes` * `n_tissues`)
- `buf_avg real(real64)`: Buffer for replicate averaging (`n_genes` * `n_grps`)
- `buf_log real(real64)`: Buffer for log2(x+1) transformation (`n_genes` * `n_grps`)
- `temp_col real(real64)`: Temporary column vector for sorting (`n_genes`)
- `rank_means real(real64)`: Buffer for rank means (`n_genes`)
- `perm integer(int32)`: Permutation vector for sorting (`n_genes`)
- `stack_left integer(int32)`: Left stack for quicksort (`max_stack`)
- `stack_right integer(int32)`: Right stack for quicksort (`max_stack`)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 44: Normalization Pipeline

```
call normalization_pipeline(n_genes, n_tissues, input_matrix, &
                            buf_stddev, buf_quant, buf_avg, buf_log, &
                            temp_col, rank_means, perm, stack_left, &
                            stack_right, max_stack, group_s, &
                            group_c, n_grps, ierr)
```

**Alternatively you can calculate each step of the normalization pipeline manually by calling the following subroutines in sequence:**

(a) **Normalize by Standard Deviation**

The subroutine normalizes each gene's expression vector using `sqrt(mean(x^2))` across tis-

sues (not classical standard deviation). Call the `normalize_by_std_dev` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Number of genes (rows)
- `n_tissues integer(int32)`: Number of tissues (columns)
- `input_matrix real(real64)`: Flattened input matrix of gene expression values (column-major)

**Output arguments:**

- `output_matrix real(real64)`: Output normalized matrix (same shape as input)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 45: Standard Deviation Normalization

```
call normalize_by_std_dev(n_genes, n_tissues, input_matrix,
   output_matrix, ierr)
```

(b) **Quantile Normalization**

The subroutine performs quantile normalization of a gene expression matrix (F42-compliant) and computes average expression per rank across tissues. Call the `quantile_normalization` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Number of genes (rows)
- `n_tissues integer(int32)`: Number of tissues (columns)
- `input_matrix real(real64)`: Flattened input matrix (column-major)
- `max_stack integer(int32)`: Stack size passed from R

**Output arguments:**

- `output_matrix real(real64)`: Output normalized matrix (same shape as input)
- `temp_col real(real64)`: Temporary vector for column sorting (size `n_genes`)
- `rank_means real(real64)`: Preallocated vector to store rank means (size `n_genes`)
- `perm integer(int32)`: Permutation vector (size `n_genes`)
- `stack_left integer(int32)`: Manual quicksort stack ($\geq log2($`n_genes`$) + 10$)
- `stack_right integer(int32)`: Manual quicksort stack (same size as stack_left)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 46: Quantile Normalization

```
call quantile_normalization(n_genes, n_tissues, input_matrix,
   output_matrix, temp_col, rank_means, perm, stack_left, stack_right
   , max_stack, ierr)
```

(c) **Calculate Tissue Averages**

The subroutine calculates tissue averages by averaging replicates within each group. For each group of tissue replicates, it computes the average expression per gene. The input matrix is column-major, flattened as a 1D array. Call the `calc_tiss_avg` subroutine with the following arguments:

**Input arguments:**

- `n_gene integer(int32)`: Number of genes (rows)
- `n_grps integer(int32)`: Number of tissue groups
- `group_s integer(int32)`: Start column index for each group (length: `n_grps`)
- `group_c integer(int32)`: Number of columns per group (length: `n_grps`)
- `input_matrix real(real64)`: Flattened input matrix (length: `n_gene` * sum(`group_c`))

**Output arguments:**

- `output_matrix real(real64)`: Flattened output matrix (length: `n_gene` * `n_grps`)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 47: Tissue Averages Calculation

```
call calc_tiss_avg(n_gene, n_grps, group_s, group_c, input_matrix, &
                   output_matrix, ierr)
```

(d) **Log2 Transformation**

The subroutine applies `log2(x + 1)` transformation to each element of the input matrix. This is computed via `log(x + 1) / log(2)` for compatibility with WebAssembly (WASM). Call the `log2_transformation` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Number of genes (rows)
- `n_tissues integer(int32)`: Number of tissues (columns)
- `input_matrix real(real64)`: Flattened input matrix (size: `n_genes` * `n_tissues`)

**Output arguments:**

- `output_matrix real(real64)`: Output matrix (same size as input)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 48: Log2 Transformation

```
call log2_transformation(n_genes, n_tissues, input_matrix, &
                         output_matrix, ierr)
```

2. **Calculate Fold Change**

If fold change calculation is needed, this subroutine can be used after normalization. The subroutine calculates `log2` fold changes between condition and control columns. For each control-condition pair, this subroutine computes the `log2` fold change by subtracting the expression value in the control column from the corresponding value in the condition column, for all genes. Call the `calc_fchange` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_cols integer(int32)`: Number of columns in the input matrix
- `n_pairs integer(int32)`: Number of control-condition pairs
- `control_cols integer(int32)`: Control column indices (length `n_pairs`)
- `cond_cols integer(int32)`: Condition column indices (length `n_pairs`)
- `i_matrix real(real64)`: Input matrix, flattened (length: `n_genes` × `n_cols`)

**Output arguments:**

- `o_matrix real(real64)`: Output matrix for fold changes (length: `n_genes` × `n_pairs`)
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 49: Fold Change Calculation

```
call calc_fchange(n_genes, n_cols, n_pairs, control_cols, cond_cols, &
                  i_matrix, o_matrix, ierr)
```

### 3.1.5 Family-Based Analysis

1. **Calculation of family Centroids**

The subroutine computes the centroid (mean expression vector) for each gene family in a gene expression dataset. It iterates over all families, selects the relevant genes for each family and

calculates the mean vector for each family. There are two possible modes to use. To use all genes for calculation, select `all` mode. If you want to specify relevant genes for calculation, select `orthologs` mode. It is important that you provide a logical `ortholog_set` array when using `orthologs` mode. Call the `group_centroid` subroutine with the following arguments:

**Input arguments:**

- `expression_vectors real(real64)`: Expression vector matrix with size `n_axes` × `n_genes`
- `n_axes integer(int32)`: Number of axes (tissues / dimensions)
- `n_genes integer(int32)`: Total number of genes
- `gene_to_family integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
- `n_families integer(int32)`: Total number of gene families
- `mode integer(int32)`: Calculation mode ("GROUP_ALL" or "GROUP_ORTHOLOGS") where "GROUP_ALL" = 1 and "GROUP_ORTHOLOGS" = 0 are parameters
- (Optional) `ortholog_set logical`: Logical array indicating if a gene is part of the calculation subset (only used in `GROUP_ORTHOLOGS` mode)

**Output arguments:**

- `centroid_matrix real(real64)`: Matrix of calculated family centroid vectors with size `n_axes` × `n_families`
- `selected_indices integer(int32)`: Array of gene indices used for the calculation with length of `n_genes`
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 50: Calculation of Family Centroids

```
call group_centroid(expression_vectors, n_axes, n_genes, &
            gene_to_family, n_families, centroid_matrix, &
            mode, selected_indices, ierr, ortholog_set)
```

2. **Compute Shift Vector Field**

Computes shift vectors by subtracting corresponding family centroids from gene expression vectors. The output stores both centroids and shift vectors in a single matrix.

**Mathematical Operation:**

$$\text{shift\_vectors}(d+i, j) = \text{expression\_vectors}(i, j) - \text{family\_centroids}(i, \text{gene\_to\_centroid}(j))$$

$$\text{shift\_vectors}(1:d, j) = \text{family\_centroids}(:, \text{gene\_to\_centroid}(j))$$

**Arguments:**

- `d integer(int32)`: Expression vector dimension
- `n_genes integer(int32)`: Total number of genes
- `n_families integer(int32)`: Total number of families
- `expression_vectors real(real64)`: Gene expression matrix [d × n_genes]
- `family_centroids real(real64)`: Family centroid matrix [d × n_families]
- `gene_to_centroid integer(int32)`: Mapping from genes to family centroids [n_genes]
- `shift_vectors real(real64)`: Output matrix [2*d × n_genes] storing centroids (rows 1-d) and shift vectors (rows d+1-2d)
- `ierr integer(int32)`: Error code

Listing 51: Shift Vector Field Computation

```
call compute_shift_vector_field(d, n_genes, n_families, &
                    expression_vectors, family_centroids, &
                    gene_to_centroid, shift_vectors, ierr)
```

**Output Structure:**

- `shift_vectors(1:d, :)`: Contains the family centroids for each gene
- `shift_vectors(d+1:2*d, :)`: Contains the shift vectors (expression vector - family centroid)

3. **Calculate Mean Vector**

Alternatively you can calculate a single mean vector for a given set of vectors by calling the `mean_vector` subroutine directly with the following arguments:

**Input arguments:**

- `expression_vectors real(real64)`: Expression vector matrix with size `n_axes` × `n_genes`
- `n_axes integer(int32)`: Number of axes (tissues / dimensions)
- `n_genes integer(int32)`: Total number of genes
- `gene_indices integer(int32)`: An array containing the column indices of the selected genes in `expression_vectors`
- `n_selected_genes integer(int32)`: Total number of genes in the current family to be calculated

**Output arguments:**

- `centroid real(real64)`: Calculated mean vector (centroid) with length of `n_axes`
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 52: Mean Vector Calculation

```
call mean_vector(expression_vectors, n_axes, n_genes, gene_indices,&
        n_selected_genes, centroid, ierr)
```

4. **Calculate Distance to Centroid**

For each gene in the expression vector matrix, the subroutine computes the Euclidean distance to its corresponding family centroid and returns a distances array containing the distance value for each expression vector to its family centroid. Call the `distance_to_centroid` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_families integer(int32)`: Total number of gene families
- `genes real(real64)`: Gene expression matrix (`d` × `n_genes`)
- `centroids real(real64)`: Family centroid matrix (`d` × `n_genes`)
- `gene_to_fam integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
- `d integer(int32)`: Expression vector dimension

**Output arguments:**

- `distances real(real64)`: Array of distances for each gene with length of `n_genes`

Listing 53: Distance to Centroid Calculation

```
call distance_to_centroid(n_genes, n_families, genes, centroids, &
                    gene_to_fam, distances, d)
```

(a) **Calculate Euclidean Distance**

Alternatively you can calculate a single Euclidean distance between two vectors manually by calling `euclidean_distance` subroutine with the following arguments:

**Input arguments:**

- `vec1 real(real64)`: First expression vector as array with length of dimension `d`
- `vec2 real(real64)`: Second expression vector as array with length of dimension `d`
- `d integer(int32)`: Dimension value

**Output arguments:**

- `result real(real64)`: Euclidean distance value between `vec1` and `vec2`

Listing 54: Euclidean distance calculation

```
call euclidean_distance(vec1, vec2, d, result)
```

5. **Detect Gene Outliers**

   The subroutine first computes family scaling, then calculates relative distance indices (RDI) and identifies outliers based on the specified percentile threshold. It returns a boolean array indicating whether each gene is an outlier. Call the `detect_outliers` subroutine with the following arguments:

   **Input arguments:**

   - `n_genes integer(int32)`: Total number of genes
   - `n_families integer(int32)`: Total number of gene families
   - `distances real(real64)`: Array of distances for each gene to its centroid with length of `n_genes`
   - `gene_to_fam integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
   - **(Optional)** `percentile real(real64)`: Percentile threshold value for outlier detection (default is 95)

   **Input / Output arguments:**

   - `work_array real(real64)`: Work array for sorting with length of `n_genes`
   - `perm integer(int32)`: Permutation array for sorting with length of `n_genes`
   - `stack_left integer(int32)`: Stack array for left indices during sorting with length of `n_genes`
   - `stack_right integer(int32)`: Stack array for right indices during sorting with length of `n_genes`
   - `loess_x real(real64)`: Reference x-coordinates for loess smoothing with length of `n_families`
   - `loess_y real(real64)`: Reference y-coordinates for loess smoothing with length of `n_families`
   - `loess_n integer(int32)`: Indices of reference points used for smoothing with length of `n_families`

   **Output arguments:**

   - `is_outlier logical`: Boolean array with length of `n_genes` indicating whether each gene is an outlier
   - `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 55: Gene Outlier Calculation

```
call detect_outliers(n_genes, n_families, distances, gene_to_fam, &
            work_array, perm, stack_left, stack_right, &
            is_outlier, loess_x, loess_y, loess_n, ierr, &
            percentile)
```

**Alternatively you can calculate each step of `detect_outliers` manually with the following subroutine:**

(a) **Compute Family Scaling**

The subroutine calculates a scaling factor for each gene family by computing the median and standard deviation of gene-to-centroid distances within each family, then applies LOESS smoothing to these values. Call the `compute_family_scaling` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_families integer(int32)`: Total number of gene families
- `distances real(real64)`: Array of distances for each gene to its centroid with length of `n_genes`
- `gene_to_fam integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)

**Input / Output arguments:**

- `loess_x real(real64)`: Reference x-coordinates for loess smoothing with length of `n_families`
- `loess_y real(real64)`: Reference y-coordinates for loess smoothing with length of `n_families`
- `indices_used integer(int32)`: Indices of reference points used for smoothing with length of `n_families`
- `perm_tmp integer(int32)`: Permutation array for sorting with length of `n_genes`

**Output arguments:**

- `dscale real(real64)`: Array of scaling factors per family with length of `n_families`
- `family_distances real(real64)`: Temporary work array with length of `n_genes` to store distances of genes within each family during calculation
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 56: Compute Family Scaling

```
call compute_family_scaling(n_genes, n_families, distances, &
                gene_to_fam, dscale, loess_x, loess_y, &
                indices_used, perm_tmp, stack_left_tmp, &
                stack_right_tmp, family_distances, ierr)
```

(b) **Compute Family Scaling Helper**

This helper subroutine allocates internal arrays for easier usage and calls `compute_family_scaling`. Call the `compute_family_scaling_alloc` subroutine with the following arguments:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_families integer(int32)`: Total number of gene families
- `distances real(real64)`: Array of distances for each gene to its centroid with length of `n_genes`
- `gene_to_fam integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)

**Input / Output arguments:**

- `loess_x real(real64)`: Reference x-coordinates for loess smoothing with length of `n_families`
- `loess_y real(real64)`: Reference y-coordinates for loess smoothing with length of `n_families`
- `indices_used integer(int32)`: Indices of reference points used for smoothing with length of `n_families`

**Output arguments:**

- `dscale real(real64)`: Array of scaling factors per family with length of `n_families`
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 57: Compute Family Scaling

```
call compute_family_scaling_alloc(n_genes, n_families, distances, &
                        gene_to_fam, dscale, loess_x, &
                        loess_y, indices_used, ierr)
```

(c) **Compute Relative Distance Index (RDI)**
The subroutine calculates the Relative Distance Index (RDI) for each gene by dividing its Eculidean distance to the family centroid by the scaling factor of its family. Call the `compute_rdi` subroutine with the following arguments:
**Input arguments:**
- `n_genes integer(int32)`: Total number of genes
- `distances real(real64)`: Array of distances for each gene to its centroid with length of `n_genes`
- `gene_to_fam integer(int32)`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
- `dscale real(real64)`: Array of scaling factors per family with length of `n_families`

**Input / Output arguments:**
- `sorted_rdi real(real64)`: Work array for sorting with length of `n_genes`
- `perm integer(int32)`: Pre-initialized (1: `n_genes`) permutation array for sorting with length of `n_genes`
- `stack_left integer(int32)`: Stack array for sorting with length of `n_genes`
- `stack_right integer(int32)`: Stack array for sorting with length of `n_genes`

**Output arguments:**
- `rdi real(real64)`: Array of RDI values for each gene with length of `n_genes`

Listing 58: Compute Relative Distance Index (RDI)

```
call compute_rdi(n_genes, distances, gene_to_fam, dscale, rdi, &
        sorted_rdi, perm, stack_left, stack_right)
```

(d) **Identify Outliers**
The subroutine identifies outliers based on the top percentile of RDI values. Call the `identify_outliers` subroutine with the following arguments:
**Input arguments:**
- `n_genes integer(int32)`: Total number of genes
- `rdi real(real64)`: Array of RDI values for each gene with length of `n_genes`
- `sorted_rdi real(real64)`: Array of sorted RDI values for each gene with legnth of `n_genes` - **this array must be filtered to remove negatives and be sorted in ascending order!**
- **(Optional)** `percentile real(real64)`: Percentile threshold value for outlier detection (default is 95)

**Output arguments:**
- `is_outlier logical`: Boolean array with length of `n_genes` indicating whether each gene is an outlier
- `threshold`: Actual threshold value used for outlier detection

Listing 59: Identify Outliers

```
call identify_outliers(n_genes, rdi, sorted_rdi, is_outlier, &
                threshold, percentile)
```

6. **Compute Normalized Tissue Versatility**
The subroutine calculates a normalized tissue versatility score for selected gene expression vectors. It is based on the angle between each gene expression vector and the space diagonal. Versatility is normalized to [0, 1], where 0 means uniform expression 1 means expression in only one axis. Call the `compute_tissue_versatility` subroutine with the following parameters:

**Input arguments:**

- `n_genes integer(int32)`: Total number of genes
- `n_vectors integer(int32)`: Total number of expression vectors
- `n_selected_axes integer(int32)`: Total number of selected axes
- `n_selected_vectors integer(int32)`: Total number of selected vectors
- `expression_vectors real(real64)`: Expression vector matrix with size `n_axes` × `n_vectors`
- `exp_vecs_selection_index logical`: Logical array with length of `n_vectors` to specify which vectors should be included in the calculation
- `axes_selection logical`: Logical array with length of `n_axes` to specify which axes should be included in the calculation

**Output arguments:**

- `tissue_versatilities real(real64)`: Array with the length of `n_selected_vectors` containing the calculated tissue versatilities
- `tissue_angles_deg real(real64)`: Array with the length of `n_selected_vectors` containing the calculated angles in degrees
- `ierr integer(int32)`: Error code (for error details please check error handling section )

Listing 60: Tissue Versatility Calculation

```
call compute_tissue_versatility(n_axes, n_vectors, &
        expression_vectors, exp_vecs_selection_index, &
        n_selected_vectors, axes_selection, &
        n_selected_axes, tissue_versatilities, &
        tissue_angles_deg, ierr)
```

### 3.1.6 RAP Projection and Analysis Functions

The Fortran module provides comprehensive routines for RAP (Relative Axes Projection) analysis, including vector projection, angle calculation, and axis contribution analysis.

**Key Features:**

- **RAP Projection**: Removes diagonal component to focus on relative differences
- **Signed Angles**: Calculates both magnitude and directionality of angular separation
- **Dimensional Flexibility**: Handles 2D, 3D, and higher-dimensional cases
- **Axis Contribution Analysis**: Quantifies relative importance of each axis

1. **Omics Vector RAP Projection**
   Projects selected expression vectors onto the RAP constructed from a selected set of axes. This performs both vector selection and RAP projection in a single operation.
   **Arguments:**
   - `vecs real(real64)`: Matrix with expression vectors [n_axes × n_vecs]
   - `n_axes integer(int32)`: Number of axes
   - `n_vecs integer(int32)`: Number of vectors per axis
   - `vecs_selection_mask logical`: Mask for vectors where projection is computed [n_vecs]
   - `n_selected_vecs integer(int32)`: Count of selected vectors
   - `axes_selection_mask logical`: Mask for axes included in RAP [n_axes]
   - `n_selected_axes integer(int32)`: Count of selected axes
   - `projections real(real64)`: Output projected vectors [n_selected_axes × n_selected_vecs]
   - `ierr integer(int32)`: Error code

Listing 61: Vector RAP Projection

```
call omics_vector_RAP_projection(vecs, n_axes, n_vecs, &
                                 vecs_selection_mask, n_selected_vecs, &
                                 axes_selection_mask, n_selected_axes, &
                                 projections, ierr)
```

2. **Omics Field RAP Projection**
   Projects selected vector fields (e.g., shift vectors) onto the RAP constructed from a selected set of axes. Computes shift vectors as differences between origins and targets before projection.
   **Arguments:**
   - `vecs real(real64)`: Matrix with vector fields [2*n_axes × n_vecs] (first n_axes rows: origins, last n_axes rows: targets)
   - `n_axes integer(int32)`: Number of axes
   - `n_vecs integer(int32)`: Number of vectors per axis
   - `vecs_selection_mask logical`: Mask for vectors where projection is computed [n_vecs]
   - `n_selected_vecs integer(int32)`: Count of selected vectors
   - `axes_selection_mask logical`: Mask for axes included in RAP [n_axes]
   - `n_selected_axes integer(int32)`: Count of selected axes
   - `projections real(real64)`: Output projected vectors [n_selected_axes × n_selected_vecs]
   - `ierr integer(int32)`: Error code

Listing 62: Vector Field RAP Projection

```
call omics_field_RAP_projection(vecs, n_axes, n_vecs, &
                                vecs_selection_mask, &
                                n_selected_vecs, axes_selection_mask, &
                                n_selected_axes, projections, ierr)
```

3. **Project Selected Vectors onto RAP**
   Core RAP projection routine that subtracts the diagonal component from selected vectors.
   **Mathematical Operation:**

$$\text{projection} = \text{vector} - \frac{\sum_{i=1}^{n} \text{vector}_i}{n}$$

   **Arguments:**
   - `selected_vecs real(real64)`: Matrix with vectors for selected axes [n_selected_axes × n_selected_vecs] (input/output)
   - `n_selected_axes integer(int32)`: Number of selected axes
   - `n_selected_vecs integer(int32)`: Number of selected vectors

Listing 63: Core RAP Projection

```
call project_selected_vecs_onto_rap(selected_vecs, n_selected_axes, &
                                    n_selected_vecs)
```

4. **Clock Hand Angle Between Vectors**
   Computes the signed rotation angle between two RAP-projected and normalized vectors. Handles 2D, 3D, and higher-dimensional cases with automatic directionality calculation.
   **Arguments:**
   - `v1 real(real64)`: First normalized vector in RAP space [n_dims]
   - `v2 real(real64)`: Second normalized vector in RAP space [n_dims]
   - `n_dims integer(int32)`: Dimension of both vectors
   - `signed_angle real(real64)`: Signed angle between vectors in radians [$-\pi$,$\pi$]

- `selected_axes_for_signed integer(int32)`: Indices of 3 axes for directionality calculation [3] (ignored if n_dims $\leq 3$)
- `ierr integer(int32)`: Error code

Listing 64: Signed Angle Calculation

```
call clock_hand_angle_between_vectors(v1, v2, n_dims, signed_angle, &
                                      selected_axes_for_signed, ierr)
```

5. **Clock Hand Angles for Shift Vectors**
   Computes signed rotation angles between corresponding pairs of RAP-projected and normalized vectors (e.g., expression centroids and paralogs).
   **Arguments:**
   - `origins real(real64)`: First set of RAP-projected vectors (e.g., centroids) [n_dims × n_vecs]
   - `targets real(real64)`: Second set of RAP-projected vectors (e.g., paralogs) [n_dims × n_vecs]
   - `n_dims integer(int32)`: Dimension of each vector in RAP space
   - `n_vecs integer(int32)`: Number of vector pairs
   - `vecs_selection_mask logical`: Mask for vector pairs where angle should be computed [n_vecs]
   - `n_selected_vecs integer(int32)`: Count of selected vector pairs
   - `selected_axes_for_signed integer(int32)`: Indices of 3 axes for directionality [3]
   - `signed_angles real(real64)`: Output signed angles in radians $[-\pi,\pi]$ [n_selected_vecs]
   - `ierr integer(int32)`: Error code

Listing 65: Batch Angle Calculation

```
call clock_hand_angles_for_shift_vectors(origins, targets, n_dims, &
                                         n_vecs, vecs_selection_mask, &
                                         n_selected_vecs, &
                                         selected_axes_for_signed, &
                                         signed_angles, ierr)
```

6. **Compute Relative Axis Contributions**
   Computes fractional contribution of each axis to a RAP-projected and normalized vector. Values range [0,1] and sum to 1.
   **Arguments:**
   - `vec real(real64)`: RAP-projected and normalized vector [n_axes]
   - `n_axes integer(int32)`: Number of axes
   - `contributions real(real64)`: Fractional contribution of each axis [n_axes]
   - `ierr integer(int32)`: Error code

Listing 66: Axis Contribution Analysis

```
call compute_relative_axis_contributions(vec, n_axes, &
                                         contributions, ierr)
```

7. **Relative Axes Changes from Shift Vector**
   Wrapper for computing axis contributions from shift vectors.
   **Arguments:**
   - `vec real(real64)`: RAP-projected and normalized shift vector [n_axes]
   - `n_axes integer(int32)`: Number of axes

- `contributions real(real64)`: Fractional contribution of each axis [n_axes]
- `ierr integer(int32)`: Error code

Listing 67: Shift Vector Axis Contributions

```
call relative_axes_changes_from_shift_vector(vec, n_axes, &
                                             contributions, ierr)
```

8. **Relative Axes Expression from Expression Vector**
   Wrapper for computing axis contributions from expression vectors.
   **Arguments:**
   - `vec real(real64)`: RAP-projected and normalized expression vector [n_axes]
   - `n_axes integer(int32)`: Number of axes
   - `contributions real(real64)`: Fractional contribution of each axis [n_axes]
   - `ierr integer(int32)`: Error code

Listing 68: Expression Vector Axis Contributions

```
call relative_axes_expression_from_expression_vector(vec, n_axes, &
                                                     contributions, ierr)
```

### 3.1.7 Trajectory Contribution Analysis

1. **Fortran Core Contribution Analysis Functions**
   The Fortran module provides core routines for trajectory contribution analysis using cosine similarity and spike detection.

   (a) **Trajectory Contribution Calculation**
   Calculates integrated trajectory contribution using cosine similarity between factor and dependent vectors.
   **Mathematical Formula:**

$$\text{contribution} = \frac{\text{factor} \cdot \text{dependent}}{\|\text{factor}\| \cdot \|\text{dependent}\|}$$

   **Arguments:**
   - `n_timepoints integer(int32)`: Number of timepoints
   - `factor real(real64)`: Vector of independent variable [n_timepoints]
   - `dependent real(real64)`: Vector of dependent variable [n_timepoints]
   - `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
   - `contribution real(real64)`: Output contribution value
   - `ierr integer(int32)`: Error code

Listing 69: Trajectory Contribution Calculation

```
call trajectory_contribution(factor, dependent, n_timepoints, mode, &
                             contribution, ierr)
```

   (b) **Spike Contribution Calculation**
   Calculates timepoint-wise spike contributions using cosine similarity for each individual timepoint.
   **Mathematical Formula:**

$$\text{contribution}(i) = \frac{\text{factor}(i) \cdot \text{dependent}(i)}{\|\text{factor}\| \cdot \|\text{dependent}\|} \quad \text{for } 1 \leq i \leq n\_timepoints$$

   **Arguments:**

- `n_timepoints integer(int32)`: Number of timepoints
- `factor real(real64)`: Vector of independent variable [n_timepoints]
- `dependent real(real64)`: Vector of dependent variable [n_timepoints]
- `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
- `contribution real(real64)`: Output spike contributions [n_timepoints]
- `ierr integer(int32)`: Error code

Listing 70: Spike Contribution Calculation

```
call spike_contribution(factor, dependent, n_timepoints, mode, &
                        contribution, ierr)
```

(c) **Calculate Contributions (Expert Version)**
Calculates both spike and integrated contributions for a specific factor with pre-allocated work arrays.
**Arguments:**
- `n_factors integer(int32)`: Number of factors in trajectories
- `n_samples integer(int32)`: Number of samples in trajectories
- `n_timepoints integer(int32)`: Number of timepoints in trajectories
- `trajectories real(real64)`: 3D trajectories array [n_factors, n_samples, n_timepoints]
- `i_factor integer(int32)`: Factor index to calculate contributions for
- `dependent_idx integer(int32)`: Dependent variable index
- `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
- `integrated_contribs real(real64)`: Output integrated contributions [n_samples]
- `spike_contribs real(real64)`: Output spike contributions [n_timepoints, n_samples]
- `temp_factor_vector real(real64)`: Work array [n_timepoints]
- `temp_dependent_vector real(real64)`: Work array [n_timepoints]
- `ierr integer(int32)`: Error code

Listing 71: Expert Contributions Calculation

```
call calc_contributions(trajectories, n_factors, n_samples, &
                n_timepoints, i_factor, dependent_idx, mode, &
                spike_contribs, integrated_contribs, &
                temp_factor_vector, temp_dependent_vector, ierr)
```

(d) **Calculate Contributions (Allocation Version)**
Calculates both spike and integrated contributions with internal memory allocation.
**Arguments:**
- `n_factors integer(int32)`: Number of factors in trajectories
- `n_samples integer(int32)`: Number of samples in trajectories
- `n_timepoints integer(int32)`: Number of timepoints in trajectories
- `trajectories real(real64)`: 3D trajectories array [n_factors, n_samples, n_timepoints]
- `i_factor integer(int32)`: Factor index to calculate contributions for
- `dependent_idx integer(int32)`: Dependent variable index
- `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
- `integrated_contribs real(real64)`: Output integrated contributions [n_samples]
- `spike_contribs real(real64)`: Output spike contributions [n_timepoints, n_samples]
- `ierr integer(int32)`: Error code

Listing 72: Allocation-Based Contributions Calculation

```
call calc_contributions_alloc(trajectories, n_factors, n_samples, &
                    n_timepoints, i_factor, dependent_idx, mode, &
                    spike_contribs, integrated_contribs, ierr)
```

(e) **Vector Accessor Routines**

Extract specific slices from the 3D trajectories array.

**Arguments for Sample Extraction:**

- `n_factors integer(int32)`: Number of factors
- `n_samples integer(int32)`: Number of samples
- `n_timepoints integer(int32)`: Number of timepoints
- `trajectories real(real64)`: 3D trajectories array
- `i_factor integer(int32)`: Factor index
- `i_timepoint integer(int32)`: Timepoint index
- `result_vector real(real64)`: Output vector [n_samples]
- `ierr integer(int32)`: Error code

Listing 73: Extract Samples Vector

```
call get_vec_across_samples(trajectories, n_factors, n_samples, &
                        n_timepoints, i_factor, i_timepoint, &
                        result_vector, ierr)
```

**Arguments for Timepoint Extraction:**

- `n_factors integer(int32)`: Number of factors
- `n_samples integer(int32)`: Number of samples
- `n_timepoints integer(int32)`: Number of timepoints
- `trajectories real(real64)`: 3D trajectories array
- `i_factor integer(int32)`: Factor index
- `i_sample integer(int32)`: Sample index
- `result_vector real(real64)`: Output vector [n_timepoints]
- `ierr integer(int32)`: Error code

Listing 74: Extract Timepoints Vector

```
call get_vec_across_timepoints(trajectories, n_factors, n_samples, &
                            n_timepoints, i_factor, i_sample, &
                            result_vector, ierr)
```

(f) **Outlier detection**

The outlier detection workflow consists of two main pathways: integrated (trajectory-level) analysis and spike (timepoint-level) analysis. You can perform outlier detection by calling the following subroutines in sequence:

i. **Calculate Integrated Threshold**

The subroutine calculates an empirical threshold for integrated (trajectory-level) contributions using pre-computed permutations. This determines which samples are significant overall across all genes. Call the `calc_integrated_threshold` subroutine with the following arguments:

**Input arguments:**

- `n_samples integer(int32)`: Number of samples
- `contributions real(real64)`: 1D array of integrated contributions (size: `n_samples`)
- `percentile_val real(real64)`: Percentile value for threshold (0.0–100.0)

- `permutation integer(int32)`: Pre-computed permutation indices for sorted contributions (size: `n_samples`)

**Output arguments:**

- `threshold real(real64)`: Scalar threshold value
- `ierr integer(int32)`: Error code (for error details please check error handling section)

Listing 75: Integrated Threshold Calculation

```
call calc_integrated_threshold(contributions, n_samples, &
                               percentile_val, threshold, &
                               permutation, ierr)
```

ii. **Detect Integrated Outliers**

The subroutine identifies outlier samples where the integrated contribution exceeds the empirical threshold. Used to find trajectories with significant overall explanatory contributions. Call the `detect_outliers_integrated` subroutine with the following arguments:

**Input arguments:**

- `n_samples integer(int32)`: Number of samples
- `contributions real(real64)`: Array of integrated contributions (size: `n_samples`)
- `threshold real(real64)`: Scalar threshold value for outlier detection

**Output arguments:**

- `outlier_mask logical`: 1D logical array indicating outliers (size: `n_samples`)
- `ierr integer(int32)`: Error code (for error details please check error handling section)

Listing 76: Integrated Outlier Detection

```
call detect_outliers_integrated(contributions, n_samples,&
                                threshold, outlier_mask, ierr)
```

iii. **Calculate Spike Thresholds**

The subroutine calculates empirical thresholds for spike contributions using pre-sorted permutations. Computes percentile-based thresholds for each timepoint in spike contribution data. Call the `calc_spike_thresholds` subroutine with the following arguments:

**Input arguments:**

- `n_timepoints integer(int32)`: Number of timepoints
- `n_samples integer(int32)`: Number of samples
- `spike_contribs real(real64)`: 2D array of spike contributions (size: `n_timepoints` $\times$ `n_samples`)
- `percentile_val real(real64)`: Percentile value for threshold (0.0–100.0)
- `permutation integer(int32)`: Pre-computed permutation indices (size: `n_samples` $\times$ `n_timepoints`).

**Output arguments:**

- `thresholds real(real64)`: 1D array of thresholds for each timepoint (size: `n_timepoints`)
- `ierr integer(int32)`: Error code (for error details please check error handling section)

Listing 77: Spike Thresholds Calculation

```
call calc_spike_thresholds(spike_contribs, n_timepoints, &
                           n_samples, percentile_val, thresholds, &
                           permutation, ierr)
```

iv. **Detect Spike Outliers**
The subroutine identifies outliers in spike contribution data by comparing against timepoint-specific thresholds. Performs element-wise comparison across all timepoints and samples. Call the `detect_outliers_spike` subroutine with the following arguments:
**Input arguments:**
- `n_timepoints integer(int32)`: Number of timepoints
- `n_samples integer(int32)`: Number of samples
- `spike_contribs real(real64)`: 2D array of spike contributions (size: `n_timepoints` × `n_samples`)
- `thresholds real(real64)`: Array of thresholds for each timepoint (size: `n_timepoints`)

**Output arguments:**
- `outlier_mask logical`: 2D logical array indicating outliers (size: `n_timepoints` × `n_samples`)
- `ierr integer(int32)`: Error code (for error details please check error handling section)

Listing 78: Spike Outlier Detection

```
call detect_outliers_spike(spike_contribs, n_timepoints, &
                           n_samples, thresholds, outlier_mask, ierr)
```

**For convenience, allocation-friendly versions are also available:**
- `calc_integrated_threshold_alloc`: Handles internal allocation and sorting
- `calc_spike_thresholds_alloc`: Handles internal allocation and sorting

(g) **Process Trajectories with Per-Timepoint Percentiles**
Complete pipeline processing with timepoint-specific spike thresholds.
**Arguments:**
- `n_factors integer(int32)`: Number of factors
- `n_samples integer(int32)`: Number of samples
- `n_timepoints integer(int32)`: Number of timepoints
- `factor_mask_count integer(int32)`: Number of true values in factor mask
- `trajectories real(real64)`: 3D trajectories array
- `factor_mask logical`: Mask for included factors [n_factors]
- `dependent_idx integer(int32)`: Dependent variable index
- `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
- `percentile real(real64)`: Percentile value (0.0–100.0)
- `integrated_contribs real(real64)`: Output integrated contributions [n_samples, factor_mask_count]
- `spike_contribs real(real64)`: Output spike contributions [n_timepoints, n_samples, factor_mask_count]
- `thresholds_integrated_contrib real(real64)`: Integrated thresholds [factor_mask_count]
- `thresholds_spike_contrib real(real64)`: Spike thresholds [n_timepoints, factor_mask_count]
- `outliers_integrated_contrib logical`: Integrated outliers [n_samples, factor_mask_count]
- `outliers_spike_contrib logical`: Spike outliers [n_timepoints, n_samples, factor_mask_count]
- `ierr integer(int32)`: Error code

Listing 79: Complete Pipeline with Per-Timepoint Thresholds

```
call process_trajectories_alloc(trajectories, n_factors, n_samples, &
                    n_timepoints, factor_mask, factor_mask_count, &
                    dependent_idx, mode, percentile, &
```

```
                        integrated_contribs,spike_contribs, &
                        thresholds_integrated_contrib, &
                        outliers_integrated_contrib, &
                        thresholds_spike_contrib, &
                        outliers_spike_contrib, ierr)
```

(h) **Process Trajectories with Global Percentile**
Complete pipeline processing with global spike thresholds (flattened approach).
**Arguments:**

- `n_factors integer(int32)`: Number of factors
- `n_samples integer(int32)`: Number of samples
- `n_timepoints integer(int32)`: Number of timepoints
- `factor_mask_count integer(int32)`: Number of true values in factor mask
- `trajectories real(real64)`: 3D trajectories array
- `factor_mask logical`: Mask for included factors [n_factors]
- `dependent_idx integer(int32)`: Dependent variable index
- `mode integer(int32)`: Processing mode (1 = Normal, 2 = RAP)
- `percentile real(real64)`: Percentile value (0.0–100.0)
- `integrated_contribs real(real64)`: Output integrated contributions [n_samples, factor_mask_count]
- `spike_contribs real(real64)`: Output spike contributions [n_timepoints, n_samples, factor_mask_count]
- `thresholds_integrated_contrib real(real64)`: Integrated thresholds [factor_mask_count]
- `thresholds_spike_contrib real(real64)`: Spike thresholds [factor_mask_count] (1D)
- `outliers_integrated_contrib logical`: Integrated outliers [n_samples, factor_mask_count]
- `outliers_spike_contrib logical`: Spike outliers [n_timepoints, n_samples, factor_mask_count]
- `ierr integer(int32)`: Error code

Listing 80: Complete Pipeline with Global Threshold

```
call process_trajectories_flat_alloc(trajectories, n_factors, &
                    n_samples, n_timepoints, factor_mask, &
                    factor_mask_count, dependent_idx, mode, &
                    percentile, integrated_contribs, &
                    spike_contribs, thresholds_integrated_contrib, &
                    outliers_integrated_contrib, &
                    thresholds_spike_contrib, &
                    outliers_spike_contrib, ierr)
```

**Processing Modes:**

- `MODE_NORMAL = 1`: Returns cosine similarity for normal vectors
- `MODE_RAP = 2`: Returns arccos of cosine similarity for RAP projected vectors

**Key Features:**

- **Pure Subroutines**: Most routines are pure with no side effects
- **Robust Error Handling**: Comprehensive error checking and validation
- **Memory Efficient**: Expert versions allow pre-allocated work arrays
- **Mathematically Sound**: Uses cosine similarity with proper normalization
- **Flexible Processing**: Supports both per-timepoint and global thresholding

### 3.1.8 Fortran Utils

1. **Binary Search Trees for 1D Range Queries**
   Binary Search Trees provide efficient indexing and range query capabilities for one-dimensional data using flat array implementations for optimal memory performance.
   **Fortran BST Implementation**

   (a) **Build BST Index**
   Constructs a Binary Search Tree index by sorting the input values and storing permutation indices. Uses an efficient stack-based sorting algorithm.
   **Input:**
   - `values real(real64)`: 1D array of values to index
   - `num_values integer(int32)`: Number of elements

   **Output:**
   - `sorted_indices integer(int32)`: Permutation indices after sorting (1-based)
   - `left_stack, right_stack integer(int32)`: Sorting workspace
   - `ierr integer(int32)`: Error code

```
call build_bst_index(values, num_values, sorted_indices, left_stack, &
                     right_stack, ierr)
```

   (b) **Get Sorted Value**
   Retrieves the value at a specific position in the sorted order defined by the BST index.
   **Input:**
   - `values real(real64)`: Original values array
   - `sorted_indices integer(int32)`: BST index array (1-based)
   - `position integer(int32)`: Position in sorted order (1-based)

   **Output:**
   - `sorted_value real(real64)`: Value at specified position
   - `ierr integer(int32)`: Error code

```
sorted_value = get_sorted_value(values, sorted_indices, &
                                position, ierr)
```

   (c) **BST Range Query**
   Efficiently finds all values within a specified range using the precomputed BST index.
   **Input:**
   - `values real(real64)`: Original values array
   - `sorted_indices integer(int32)`: BST index array (1-based)
   - `num_values integer(int32)`: Number of elements
   - `lower_bound, upper_bound real(real64)`: Range boundaries

   **Output:**
   - `output_indices integer(int32)`: Indices of matching values (1-based)
   - `num_matches integer(int32)`: Number of matches found
   - `ierr integer(int32)`: Error code

```
call bst_range_query(values, sorted_indices, num_values, &
                     lower_bound, upper_bound, output_indices, &
                     num_matches, ierr)
```

2. **k-d Trees for Multi-Dimensional Indexing**
   k-d trees provide efficient space partitioning for multi-dimensional data with support for both Euclidean and spherical geometries.

**Fortran k-d Tree Implementation**

(a) **Build k-d Tree Index**

Constructs a k-d tree index using stack-based non-recursive partitioning along specified dimensions.

**Input:**

- `points real(real64)`: Data points matrix (dimensions × points)
- `num_dimensions integer(int32)`: Number of dimensions
- `num_points integer(int32)`: Number of points
- `dimension_order integer(int32)`: Dimension ordering for splitting (1-based)

**Output:**

- `kd_indices integer(int32)`: Output index array (1-based)
- `workspace integer(int32)`: Workspace array
- `value_buffer real(real64)`: Value buffer for sorting
- `permutation integer(int32)`: Permutation array
- `left_stack, right_stack integer(int32)`: Sorting stacks
- `recursion_stack integer(int32)`: Recursion stack
- `ierr integer(int32)`: Error code

```
call build_kd_index(points, num_dimensions, num_points, kd_indices, &
                    dimension_order, workspace, value_buffer, &
                    permutation, left_stack, right_stack, &
                    recursion_stack, ierr)
```

(b) **Build Spherical k-d Tree**

Specialized k-d tree construction optimized for unit vectors on hyperspheres.

**Input:**

- `vectors real(real64)`: Unit vectors matrix (dimensions × vectors)
- `num_dimensions integer(int32)`: Number of dimensions
- `num_vectors integer(int32)`: Number of vectors
- `dimension_order integer(int32)`: Dimension ordering for splitting (1-based)

**Output:**

- `sphere_indices integer(int32)`: Output index array (1-based)
- Various workspace arrays (same as build_kd_index)
- `ierr integer(int32)`: Error code

```
call build_spherical_kd(vectors, num_dimensions, num_vectors, &
                        sphere_indices, dimension_order, workspace, &
                        value_buffer, permutation, left_stack, &
                        right_stack, recursion_stack, ierr)
```

(c) **Get Point from k-d Index**

Retrieves point coordinates from specified position in k-d tree ordering.

**Input:**

- `points real(real64)`: Original points matrix
- `kd_indices integer(int32)`: k-d tree index array (1-based)
- `position integer(int32)`: Position in index (1-based)

**Output:**

- `point_values real(real64)`: Retrieved point values
- `ierr integer(int32)`: Error code

```
call get_kd_point(points, kd_indices, position, point_values, ierr)
```

3. **Hashing**

The TensorOmics package provides high-performance hashing utilities using the XXH3 algorithm for both hash maps and hash sets. These utilities are implemented in Fortran with separate chaining collision resolution and automatic resizing.

(a) **Hashmap**

The hashmap implementation provides key-value storage with string keys and integer values, using the XXH3 hashing algorithm for optimal performance.

- **Type Definition:**

```
type(hashmap_type) :: map
```

- **Create Hashmap:** Initialize a new hashmap with optional initial size. The Hashmap size will be set to the next greater power of two.

```
call hashmap_create(map, initial_size)
```

  - `map`: Hashmap object to create
  - **(Optional)** `initial_size`: Initial size of the hashmap

- **Insert Key-Value Pair:** Insert or update a key-value pair in the hashmap.

```
call hashmap_put(map, key, value)
```

  - `map`: Hashmap to insert into
  - `key`: String key to store
  - `value`: Integer value to store

- **Lookup Key:** Retrieve the value associated with a key.

```
value = hashmap_get(map, key)
```

  - `map`: Hashmap to search
  - `key`: String key to look for
  - **Returns:** Integer value, or -1 if key not found

- **Destroy Hashmap:** Clean up and deallocate the hashmap. It is important to always call this function when the hashmap is no longer in use to avoid memory leaks.

```
call hashmap_destroy(map)
```

  - `map`: Hashmap to destroy

**Hashmap Usage Example:**

```
use xxh3_hashmap_module

type(hashmap_type) :: gene_map
integer :: gene_index

! Create hashmap for gene IDs
call hashmap_create(gene_map, initial_size=1000)

! Store gene indices
call hashmap_put(gene_map, "Gene_001", 1)
call hashmap_put(gene_map, "Gene_002", 2)
call hashmap_put(gene_map, "Gene_003", 3)

! Lookup gene index
```

```
gene_index = hashmap_get(gene_map, "Gene_002")
! gene_index = 2

! Clean up
call hashmap_destroy(gene_map)
```

(b) **Hashset**

The hashset implementation provides unique string storage with fast membership testing, using the same XXH3 hashing algorithm as the hashmap.

- **Type Definition:**

```
type(hashset_type) :: set
```

- **Create Hashset:** Initialize a new hashset with optional initial size. The hashset size will be increased to the next greatest power of two.

```
call hashset_create(set, initial_size)
```

  - `set`: Hashset object to create
  - **(Optional)** `initial_size`: Initial size of the hashset

- **Insert Key:** Insert a unique key into the hashset.

```
call hashset_put(set, key, ierr)
```

  - `set`: Hashset to insert into
  - `key`: String key to store
  - `ierr`: Error code (0 if successful, error if duplicate)

- **Check Membership:** Test if a key exists in the hashset.

```
exists = is_in_hashset(set, key)
```

  - `set`: Hashset to search
  - `key`: String key to check
  - **Returns:** Logical indicating membership

- **Destroy Hashset:** Clean up and deallocate the hashset. It is important that this function is always called when the hashset is no longer in use to avoid memory leaks.

```
call hashset_destroy(set)
```

  - `set`: Hashset to destroy

**Hashset Usage Example:**

```
use xxh3_hashmap_module

type(hashset_type) :: unique_genes
integer :: ierr
logical :: exists

! Create hashset for unique gene validation
call hashset_create(unique_genes, initial_size=5000)

! Add genes to set
call hashset_put(unique_genes, "Gene_001", ierr)
call hashset_put(unique_genes, "Gene_002", ierr)
call hashset_put(unique_genes, "Gene_003", ierr)
```

```
! Check for duplicates (will return error)
call hashset_put(unique_genes, "Gene_001", ierr)
! ierr != 0 indicates duplicate key

! Test membership
exists = is_in_hashset(unique_genes, "Gene_002")
! exists = .true.

! Clean up
call hashset_destroy(unique_genes)
```

**Technical Features:**

- Uses XXH3 non-cryptographic hash algorithm for optimal performance
- Automatic resizing when load factor exceeds 0.75
- Separate chaining collision resolution
- Table sizes are powers of two for efficient modulo operations
- Keys are automatically trimmed and normalized
- Memory efficient with proper cleanup procedures
- Thread-safe for read operations (concurrent writes not supported)

**Performance Characteristics:**

- Average case O(1) for insertions and lookups
- Memory usage proportional to number of elements + overhead
- Resizing operations are O(n) but amortized over many insertions

4. **Sorting Algorithms**

The TensorOmics package provides high-performance quicksort implementations for various data types using iterative algorithms with manual stack management. These sorting routines operate indirectly through permutation vectors to preserve the original data order.

(a) **Generic Sorting Interface**

A unified interface for sorting different data types through the `sort_array` generic procedure.

- **Generic Procedure:**

```
call sort_array(array, perm, stack_left, stack_right)
```

  - `array`: Input array to sort (real, integer, or character)
  - `perm`: Permutation vector that will be reordered
  - `stack_left`: Work array for left indices (size = array size)
  - `stack_right`: Work array for right indices (size = array size)

**Supported Types:**

```
! Real arrays
real(real64) :: data_real(:)
! Integer arrays
integer(int32) :: data_int(:)
! Character arrays
character(len=*) :: data_char(:)
```

(b) **Type-Specific Sorting Procedures**

Direct access to type-specific sorting routines for explicit control.

- **Sort Real Arrays:**

```
call sort_real(array, perm, stack_left, stack_right)
```

- `array`: Real(real64) input array to sort
- `perm`: Permutation vector that will be sorted
- `stack_left`: Manual stack of left indices
- `stack_right`: Manual stack of right indices

- **Sort Integer Arrays:**

```
call sort_integer(array, perm, stack_left, stack_right)
```

- `array`: Integer(int32) input array to sort
- `perm`: Permutation vector that will be sorted
- `stack_left`: Manual stack of left indices
- `stack_right`: Manual stack of right indices

- **Sort Character Arrays:**

```
call sort_character(array, perm, stack_left, stack_right)
```

- `array`: Character input array to sort (lexicographic order)
- `perm`: Permutation vector that will be sorted
- `stack_left`: Manual stack of left indices
- `stack_right`: Manual stack of right indices

**Sorting Usage Example:**

```
use f42_utils
use iso_fortran_env, only: real64, int32

real(real64) :: expression_data(1000)
integer(int32) :: perm(1000), stack_left(1000), stack_right(1000)
integer :: i

! Initialize permutation
do i = 1, 1000
perm(i) = i
end do

! Sort expression data indirectly
call sort_real(expression_data, perm, stack_left, stack_right)

! Access sorted data through permutation
! expression_data(perm(1)) is the smallest value
! expression_data(perm(1000)) is the largest value
```

(c) **Technical Implementation Details**

- **Algorithm:** Iterative quicksort with manual stack management
- **Sorting Method:** Indirect sorting via permutation vectors
- **Pivot Selection:** Median-of-three (center element)
- **Memory:** Requires two work arrays of same size as input
- **Performance:** Average case O(n log n), worst case O($n^2$)
- **Stability:** Not stable (order of equal elements not preserved)

(d) **Work Array Requirements**

For sorting an array of size `n`, you must provide:

- `perm(n)`: Permutation vector (initialize with 1, 2, ..., n)
- `stack_left(n)`: Work array for stack operations

- `stack_right(n)`: Work array for stack operations

**Initialization Pattern:**

```
do i = 1, n
    perm(i) = i          ! Identity permutation
end do
```

(e) **Advanced Usage: Direct Algorithm Access**

For maximum performance in tight loops, you can call the internal quicksort procedures directly:

```
! Internal quicksort for real arrays
call quicksort_real(array, perm, n, stack_left, stack_right)

! Internal quicksort for integer arrays
call quicksort_int(array, perm, n, stack_left, stack_right)

! Internal quicksort for character arrays
call quicksort_char(array, perm, n, stack_left, stack_right)
```

- These procedures require explicit array size parameter `n`
- Work arrays must be properly initialized
- Provides slightly better performance by skipping interface overhead

**Performance Considerations:**

- Manual stack management avoids recursion limits for large arrays
- Indirect sorting preserves original data and allows multiple sort orders
- Character sorting uses Fortran's intrinsic lexicographic comparison
- Memory usage is $4n$ for all data including input, work array, and both stacks.
- In case of memory considerations, heapsort might be used.

**Error Handling:**

- All sorting procedures are `pure` (no side effects)
- No explicit error codes - assumes valid input dimensions
- User must ensure work arrays are properly sized
- Invalid permutations may result in incorrect sorting

## 3.2 Python Pipeline

### 3.2.1 Overview

The Python workflow is exposed through the `tensoromics_functions.py` module. The functions provide a high-level interface that mirrors the Fortran pipeline.

### 3.2.2 Data Management

1. **Data Reading and Processing**
   - **Read Gene IDs from TSV File**

     The function reads gene identifiers from a tab-separated value (TSV) file, extracting specific gene IDs from a designated column while skipping header rows. This function is typically used as the first step in processing gene expression data to obtain the complete list of gene identifiers. Call the `read_gene_ids_from_tsv_file` function with the following arguments:
     - `filename`: Path to the TSV file containing gene IDs (string or list with single file)
     - `n_genes`: Total number of genes in the file

- `gene_ids_len`: Maximum character length for each gene ID
- `n_header_rows`: Number of header rows to skip at the beginning of the file
- `gene_col`: Column index (1-based) where gene IDs are located

**Returns:**

- **gene_ids**: Numpy array of shape `(n_genes)` containing gene ID strings

Listing 81: Python Read Gene IDs from TSV File

```
gene_ids = read_gene_ids_from_tsv_file(filename, n_genes,
                                gene_ids_len, n_header_rows, gene_col)
```

- **Read Expression Vectors**
  The function reads gene expression data from multiple tabular files (CSV/TSV format), extracting expression values for specified genes across multiple samples. This function consolidates expression data from multiple files into a single 2D array. Call the `read_expression_vectors` function with the following arguments:
  - `file_list`: List of file paths containing expression data
  - `gene_ids`: Array of gene IDs to extract expression values for
  - `n_samples`: Number of samples
  - `n_header_rows`: Number of header rows to skip in each file
  - `gene_col`: Column index (1-based) containing gene identifiers
  - `value_cols`: List of column indices (1-based) containing expression values
  - **(Optional)** `delimiter`: Delimiter used in the files (default: tab)

  **Returns:**

  - **expression_vectors**: 2D numpy array of shape `(n_samples, n_genes)` containing expression values as 64-bit floats

Listing 82: Python Read Expression Vectors

```
expression_vectors = read_expression_vectors(file_list, gene_ids,
                                n_samples, n_header_rows, gene_col,
                                value_cols, delimiter='\t')
```

- **Read OrthoFinder File**
  The function processes an OrthoFinder output file to map genes to their respective orthologous families. This function establishes the gene-family relationships essential for downstream orthology-based analyses. Call the `read_orthofinder_file` function with the following arguments:
  - `filename`: Path to the OrthoFinder TSV file (string or list with single file)
  - `gene_ids`: Complete list of gene identifiers to map
  - `family_ids_len`: Maximum character length for family IDs
  - `n_families`: Total number of gene families expected

  **Return dictionary:**

  - **family_ids**: Numpy array of shape `(n_families,)` containing family ID strings
  - **gene_to_fam**: Numpy array of shape `(n_genes,)` containing family indices for each gene (0 = unassigned)

Listing 83: Python Read OrthoFinder File

```
family_result = read_orthofinder_file(filename, gene_ids,
                                family_ids_len, n_families)
```

**Complete Data Loading Workflow Example:**

Listing 84: Python Complete Data Loading Workflow

```
# Step 1: Load gene identifiers
gene_ids = read_gene_ids_from_tsv_file(
    filename="data/expression_data.tsv",
    n_genes=50000,
    gene_ids_len=32,
    n_header_rows=1,
    gene_col=1
)

# Step 2: Load expression data from multiple samples
samples = ["sample1.tsv", "sample2.tsv", "sample3.tsv", "sample4.tsv"]
expression_vectors = read_expression_vectors(
    file_list=samples,
    gene_ids=gene_ids,
    n_samples=12, # assuming 3 samples per file
    n_header_rows=1,
    gene_col=1,
    value_cols=[2, 3]
)

# Step 3: Load orthology information
orthology_data = read_orthofinder_file(
    filename="data/Orthogroups.tsv",
    gene_ids=gene_ids,
    family_ids_len=32,
    n_families=15000
)
```

2. **Data Filtering and Validation**
   - **Filter Unassigned Genes**
     The function filters out genes that are not assigned to any family (where gene_to_fam = 0). This is essential for cleaning data before orthology-based analyses, ensuring only genes with valid family assignments are processed. Call the `filter_unassigned_genes` function with the following arguments:
     – `gene_to_fam`: Family assignment array where 0 indicates unassigned genes
     **Return dictionary:**
     – **mask**: Boolean array indicating which genes to keep (1 = assigned to family, 0 = unassigned)
     – **n_genes_kept**: Number of genes kept after filtering

Listing 85: Python Filter Unassigned Genes

```
filtered_genes = filter_unassigned_genes(gene_to_fam)
```

   - **Validate Gene to Family Mapping**
     The function validates the gene-to-family mapping array, ensuring all family indices are within valid range and properly assigned. This prevents downstream errors from invalid family indices. Call the `validate_gene_to_family_mapping` function with the following arguments:
     – `gene_to_fam`: Array mapping each gene to a family index (0 = unassigned)
     – `n_families`: Total number of families

Listing 86: Python Validate Gene to Family Mapping

```
validate_gene_to_family_mapping(gene_to_fam, n_families)
```

- **Validate Expression Data**
  The function validates expression data, checking for NaN/Inf values and optionally verifying non-negative values. This ensures data quality before computational analyses. Call the `validate_expression_data` function with the following arguments:
  - `expression_vectors`: 2D array of expression data (n_sampels x n_genes)
  - **(Optional)** `check_non_negative`: Whether to check for non-negative values (default: True)

Listing 87: Python Validate Expression Data

```
validate_expression_data(expression_vectors, check_non_negative=True)
```

- **Validate Family Centroids**
  The function validates family centroids data, checking for NaN/Inf values and proper data structure. Centroids represent the central tendency of each gene family's expression profile. Call the `validate_family_centroids` function with the following arguments:
  - `family_centroids`: 2D array of family centroids (samples x families)

Listing 88: Python Validate Family Centroids

```
validate_family_centroids(family_centroids)
```

- **Validate Shift Vectors**
  The function validates shift vectors, ensuring data types are correct and structure matches expected patterns. Shift vectors represent the deviation of each gene from its family centroid. Call the `validate_shift_vectors` function with the following arguments:
  - `shift_vectors`: 2D array of shift vectors (samples × genes)
  - `expression_vectors`: 2D array of expression data (samples × genes)
  - `family_centroids`: 2D array of family centroids (samples × families)
  - `gene_to_fam`: Array mapping each gene to a family index
  - `n_genes`: Number of genes
  - `n_samples`: Number of samples
  - `n_families`: Number of families

Listing 89: Python Validate Shift Vectors

```
validate_shift_vectors(shift_vectors, expression_vectors,
                       family_centroids, gene_to_fam, n_genes,
                       n_samples, n_families)
```

- **Validate String Array Uniqueness**
  The function validates that all strings in an array are unique, using a hashset internally. Note: This may increase memory usage temporarily for large datasets. Call the `validate_string_array_uniquenes` function with the following arguments:
  - `strings`: Array of strings to validate (typically gene IDs or family IDs)

Listing 90: Python Validate String Array Uniqueness

```
validate_string_array_uniqueness(strings)
```

- **Validate Data Structure**
  The function performs comprehensive validation of the overall data structure consistency, confirming sizes and dependencies between different data components as far as possible. Call the `validate_data_structure` function with the following arguments:
  - `n_genes`: Number of genes
  - `n_families`: Number of families
  - `n_samples`: Number of samples
  - `gene_ids`: Array of gene IDs
  - `gene_family_ids`: Array of family IDs
  - `gene_to_fam`: Array mapping each gene to a family index
  - `expression_vectors`: 2D array of expression data (samples × genes)
  - `family_centroids`: 2D array of family centroids (samples × families)
  - `shift_vectors`: 2D array of shift vectors (genes × samples)

Listing 91: Python Validate Data Structure

```
validate_data_structure(n_genes, n_families, n_samples, gene_ids,
                gene_family_ids, gene_to_fam, expression_vectors,
                family_centroids, shift_vectors)
```

- **Validate All Data**
  The function performs comprehensive validation of all data components in one call. This function executes all individual validations sequentially for complete data quality assurance. Call the `validate_all_data` function with the following arguments:
  - `n_genes`: Number of genes
  - `n_families`: Number of families
  - `n_samples`: Number of samples
  - `gene_ids`: Array of gene IDs
  - `gene_family_ids`: Array of family IDs
  - `gene_to_fam`: Array mapping each gene to a family index
  - `expression_vectors`: 2D array of expression data (samples × genes)
  - `family_centroids`: 2D array of family centroids (samples × families)
  - `shift_vectors`: 2D array of shift vectors (samples × genes)

Listing 92: Python Validate All Data

```
validate_all_data(n_genes, n_families, n_samples, gene_ids,
                    gene_family_ids, gene_to_fam, expression_vectors,
                    family_centroids, shift_vectors)
```

**Data Filtering and Validation Workflow Example:**

Listing 93: Python Data Filtering and Validation Workflow

```
# After loading data, filter unassigned genes
filter_result = filter_unassigned_genes(gene_to_fam)
mask = np.array(filter_result['mask'], dtype=bool)
n_genes_kept = filter_result['n_genes_kept']

# Apply filter to all gene-based arrays
filtered_gene_ids = gene_ids[mask]
filtered_expression = expression_vectors[:, mask]
filtered_gene_to_fam = gene_to_fam[mask]
```

```
# Run comprehensive validations
validate_string_array_uniqueness(filtered_gene_ids)
validate_string_array_uniqueness(family_ids)
validate_expression_data(filtered_expression, check_non_negative=True)
validate_gene_to_family_mapping(filtered_gene_to_fam, n_families)

# For complete analysis with centroids and shift vectors
validate_data_structure(
    n_genes_kept, n_families, n_samples,
    filtered_gene_ids, family_ids, filtered_gene_to_fam,
    filtered_expression, family_centroids, shift_vectors
)

# Or use the comprehensive validation
validate_all_data(
    n_genes_kept, n_families, n_samples,
    filtered_gene_ids, family_ids, filtered_gene_to_fam,
    filtered_expression, family_centroids, shift_vectors
)
```

### 3.2.3 Data Persistence

1. **Python Interface for Array Serialization and Deserialization**
   The Python interface provides bindings to the Fortran serialization and deserialization routines, enabling efficient handling of multi-dimensional arrays.This interface supports NumPy arrays with native data type compatibility and Fortran-style column-major memory layout.
   (a) **General Architecture**
   The Python module `tensoromics_functions` provides ten main functions for array handling:
   - `tox_serialize_int_nd(array, filename)` - Serialize N-dimensional integer arrays.
   - `tox_deserialize_int_nd(filename)` - Deserialize N-dimensional integer arrays.
   - `tox_serialize_real_nd(array, filename)` - Serialize N-dimensional real arrays.
   - `tox_deserialize_real_nd(filename)` - Deserialize N-dimensional real arrays.
   - `tox_serialize_char_nd(array, filename)` - Serialize N-dimensional character arrays.
   - `tox_deserialize_char_nd(filename)` - Deserialize N-dimensional character arrays.
   - `tox_serialize_logical_nd(array, filename)` - Serialize N-dimensional logical arrays.
   - `tox_deserialize_logical_nd(filename)` - Deserialize N-dimensional logical arrays.
   - `tox_serialize_complex_nd(array, filename)` - Serialize N-dimensional complex arrays.
   - `tox_deserialize_complex_nd(filename)` - Deserialize N-dimensional complex arrays.
   - `get_array_metadata(filename)` - Retrieve array dimensions and metadata

   (b) **Serialization Functions:**
   - `array` (input): NumPy array to be serialized
     **Type:** `numpy.ndarray` with dtype:
     – `np.int32` for integer
     – `np.float64` for float values
     – `U5` for characters
     – `boolean` for logical
     – `np.complex128` for complex numbers
     **Layout:** Column-major (Fortran) order (`order='F'`)
     **Dimensions:** Since the array is being passed flat, theoretically all dimensions are sup-

ported, but practical use cases are typically 1D to 5D
- `filename` (input): Name of the binary file to create
  **Type:** `str`

Listing 94: Example usage of serialization function

```
tox_serialize_int_nd(int_array, filename)
tox_serialize_real_nd(real_array, filename)
```

(c) **Deserialization Functions:**
- `filename` (input): Name of the binary file to read
  **Type:** `str`
- **Return Value:** Deserialized NumPy array
  **Type:** `numpy.ndarray` with original dtype and dimensions
  **Layout:** Column-major (Fortran) order

Listing 95: Example usage of deserialization function

```
restored_int = tox_deserialize_int_nd(filename)
restored_real = tox_deserialize_real_nd(filename)
```

(d) **Implementation Details**
- The Python interface uses Fortran-style column-major array ordering for optimal compatibility
- All arrays are converted to the appropriate Fortran data types before serialization
- The interface automatically handles metadata including dimensions and data types
- Error handling is implemented through Python exceptions

(e) **Usage Example**

Listing 96: Full example of serialization and deserialization

```
# Real array example
real_array = np.array([1.5, 2.3, 3.2, 4.0, 5.0], dtype=np.float64,
   order='F')
tox_serialize_real_nd(real_array, "test_real_1d.bin")
restored_real = tox_deserialize_real_nd("test_real_1d.bin")

# Character array example with metadata
char_array = np.asfortranarray(["hello", "world"], dtype='U5')
tox_serialize_char_nd(char_array, "test_char_1d.bin")

restored_char = tox_deserialize_char_nd("test_char_1d.bin")

# Multi-dimensional examples
int_2d = np.array([[1, 2, 3], [4, 5, 6]], dtype=np.int32, order='F')
tox_serialize_int_nd(int_2d, "test_int_2d.bin")

restored_2d = tox_deserialize_int_nd("test_int_2d.bin")
```

(f) **Compatibility Notes**
- Requires NumPy installation
- Arrays must use Fortran-style column-major ordering
- Character arrays must use fixed-length string data types
- The interface supports N dimensions, but practical use cases are typically 1D to 5D

- Data types are restricted to int32, float64, and U5 for characters

2. **Standard Archive Operations**
   - **Create Zip Archive (Low-Level)**
     The low-level function creates a zip archive from keys and filenames, directly calling the Fortran backend. Use this function for custom data. Note that the identifiers at position $i$ belongs to position $i$ of the filenames. All files named in the filenames have to be saved to the disk before the function is called. For more details on how to save arrays, see section array serialization and deserialization. Call the `create_zip_archive` function with the following arguments:
     - `zip_filename`: Name of the zip file to create
     - `keys`: List of keys for the manifest (identifiers for each file)
     - `filenames`: List of filenames to include in archive

Listing 97: Python Create Zip Archive (Low-Level)

```
create_zip_archive(zip_filename, keys, filenames)
```

   - **Extract Zip Archive**
     The function extracts a zip archive created by `create_zip_archive` and returns a dictionary mapping data keys to extracted filenames. All extracted files will be written to the disk. For more details on how to continue working with the files, see section array serialization and deserialization. Call the `extract_zip_archive` function with the following arguments:
     - `zip_filename`: Path to the zip file to extract

     **Returns:**
     - Dictionary mapping data keys to extracted temporary filenames

Listing 98: Python Extract Zip Archive

```
extract_zip_archive(zip_filename)
```

   - **Save TOX Data (High-Level)**
     The high-level function saves TOX data to a zip archive, handling serialization, and archive creation for standard-conform tox gene data. This function automatically manages temporary files and cleanup. Call the `save_tox_data` function with the following arguments:
     - `zip_filename`: Name of the zip file to create
     - **(Optional)** `gene_ids`: Array of gene IDs
     - **(Optional)** `expression_vectors`: 2D array of expression data
     - **(Optional)** `gene_to_fam`: Array mapping genes to families
     - **(Optional)** `family_ids`: Array of family IDs
     - **(Optional)** `family_centroids`: 2D array of family centroids
     - **(Optional)** `shift_vectors`: 2D array of shift vectors
     - Corresponding `*_name` parameters for temporary filenames (e.g., `gene_ids_name`, `expression_vectors_na` etc.)

Listing 99: Python Save TOX Data

```
save_tox_data(zip_filename, gene_ids=None, expression_vectors=None,
        gene_to_fam=None, family_ids=None, family_centroids=None,
        shift_vectors=None, gene_ids_name=None,
        expression_vectors_name=None, gene_to_fam_name=None,
        family_ids_name=None, family_centroids_name=None,
        shift_vectors_name=None)
```

- **Read TOX Data**
  The function reads data from a zip archive created by `save_tox_data`, extracting and deserializing the requested data components for standard-conform tox gene data. This function automatically handles file extraction, cleanup and array allocation. Call the `read_tox_data` function with the following arguments:
  - `zip_filename`: Name of the zip file to read
  - **(Optional)** `load_gene_ids`: Whether to load gene IDs (default: False)
  - **(Optional)** `load_expression_vectors`: Whether to load expression vectors (default: False)
  - **(Optional)** `load_gene_to_fam`: Whether to load gene-to-family mapping (default: False)
  - **(Optional)** `load_family_ids`: Whether to load family IDs (default: False)
  - **(Optional)** `load_family_centroids`: Whether to load family centroids (default: False)
  - **(Optional)** `load_shift_vectors`: Whether to load shift vectors (default: False)

  **Return dictionary:**
  - **gene_ids**: Loaded gene IDs array (if requested)
  - **expression_vectors**: Loaded expression vectors array (if requested)
  - **gene_to_fam**: Loaded gene-to-family mapping array (if requested)
  - **family_ids**: Loaded family IDs array (if requested)
  - **family_centroids**: Loaded family centroids array (if requested)
  - **shift_vectors**: Loaded shift vectors array (if requested)

Listing 100: Python Read TOX Data

```
read_tox_data(zip_filename, load_gene_ids=False,
   load_expression_vectors=False,
            load_gene_to_fam=False, load_family_ids=False,
            load_family_centroids=False, load_shift_vectors=False)
```

**Data Archiving Workflow Examples:**

Listing 101: Python Standard TOX Data Archiving

```
# Save complete TOX dataset
save_tox_data(
    zip_filename="complete_tox_dataset.zip",
    gene_ids=filtered_gene_ids,
    gene_ids_name="gene_ids.bin",
    expression_vectors=filtered_expression,
    expression_vectors_name="expression.bin",
    gene_to_fam=filtered_gene_to_fam,
    gene_to_fam_name="gene_to_fam.bin",
    family_ids=family_ids,
    family_ids_name="family_ids.bin",
    family_centroids=family_centroids,
    family_centroids_name="centroids.bin",
    shift_vectors=shift_vectors,
    shift_vectors_name="shift_vectors.bin"
)

# Save partial dataset
save_tox_data(
    zip_filename="basic_data.zip",
    gene_ids=filtered_gene_ids,
```

```
    gene_ids_name="gene_ids.bin",
    expression_vectors=filtered_expression,
    expression_vectors_name="expression.bin"
)

# Read data back with selective loading
loaded_data = read_tox_data(
    zip_filename="complete_tox_dataset.zip",
    load_gene_ids=True,
    load_expression_vectors=True,
    load_gene_to_fam=True
)
```

Listing 102: Python Custom Archive Creation and Extraction

```
# Create custom archive with non-standard data
create_zip_archive(
    zip_filename="custom_data.zip",
    keys=["3d_tensor", "results"],
    filenames=["tensor_data.bin", "analysis_results.bin"]
)

# Extract and access custom archive
file_mapping = extract_zip_archive("custom_data.zip")
print("Files in archive:", file_mapping)
# Output: {'3d_tensor': 'tensor_data.bin', 'results': '
   analysis_results.bin'}
```

Listing 103: Python Mixed Standard and Custom Data Archiving

```
# Serialize custom arrays
tox_serialize_real_nd(custom_array, "custom_data.bin")
tox_serialize_int_nd(another_array, "another_data.bin")

# Create mixed archive with both standard and custom data
create_zip_archive(
    zip_filename="mixed_archive.zip",
    keys=["standard_expression", "custom_feature",
            "analysis_results"],
    filenames=["expression.bin", "custom_data.bin",
            "another_data.bin"]
)

# Later, extract and process
mapping = extract_zip_archive("mixed_archive.zip")
expression_data = tox_deserialize_real_nd(
    mapping["standard_expression"])

custom_features = tox_deserialize_real_nd(
    mapping["custom_feature"])

results = tox_deserialize_int_nd(mapping["analysis_results"])
```

### 3.2.4 Data Processing

1. **Normalization of Expression Values**
   The function runs a complete normalization pipeline on gene expression data. It first applies standard deviation normalization, then quantile normalization, followed by replicate averaging, and finally a log2 transformation. The result is returned in an array, which contains the fully normalized expression values. Call the `tox_normalization_pipeline` function with the following arguments:
   - `input_matrix`: Numeric expression vector matrix with size `genes` × `tissues`
   - `group_starts`: Integer array, start column index for each replicate group (1-based)
   - `group_counts`: Integer array, number of columns per replicate group

   **Return:**
   - Numpy array with log2(x+1) normalized expression with size (genes × groups)

   Listing 104: Python Normalization Pipeline

```
tox_normalization_pipeline(input_matrix, group_starts, group_counts)
```

   **Alternatively you can calculate each step of the normalization pipeline manually by calling the following functions in sequence:**

   (a) **Normalize by Standard Deviation**
   The function normalizes each gene's expression vector using `sqrt(mean(x^2))` across tissues (not classical standard deviation). Call the `tox_normalize_by_std_dev` function with the following arguments:
   - `input_matrix`: A numeric matrix with genes as rows and tissues as columns

   **Returns:**
   - Numpy array: Contains a normalized matrix with same dimensions as input

   Listing 105: Python Standard Deviation Normalization

```
tox_normalize_by_std_dev(input_matrix)
```

   (b) **Quantile Normalization**
   The function performs quantile normalization of a gene expression matrix (F42-compliant) and computes average expression per rank across tissues. Call the `tox_quantile_normalization` function with the following arguments:
   - `input_matrix`: A numeric matrix with genes as rows and tissues as columns

   **Returns:**
   - Numpy array: Quantile-normalized matrix with same dimensions as input

   Listing 106: Python Quantile Normalization

```
tox_quantile_normalization(input_matrix)
```

   (c) **Calculate Tissue Averages**
   The function calculates tissue averages by averaging replicates within each group. For each group of tissue replicates, it computes the average expression per gene. The input matrix is column-major, flattened as a 1D array. Call the `tox_calculate_tissue_averages` function with the following arguments:
   - `input_matrix`: A numeric matrix with genes as rows and tissue replicates as columns
   - `group_starts`: Array of starting column indices for each group (1-based for Fortran)
   - `group_counts`: Array of counts for each group

**Returns:**

- Numpy array: Matrix with genes as rows and averaged tissues as columns

Listing 107: Python Tissue Averages Calculation

```
tox_calculate_tissue_averages(input_matrix, group_starts,
                              group_counts)
```

(d) **Log2 Transformation**

The function applies `log2(x + 1)` transformation to each element of the input matrix. This is computed via `log(x + 1) / log(2)` for compatibility with WebAssembly (WASM). Call the `tox_log2_transformation` function with the following arguments:

- `input_matrix`: A numeric matrix with genes as rows and tissues as columns

**Returns:**

- Numpy array: Log2-transformed matrix with same dimensions as input

Listing 108: Python Log2 Transformation

```
tox_log2_transformation(input_matrix)
```

2. **Calculate Fold Change**

If fold change calculation is needed, this function can be used after normalization. The function calculates `log2` fold changes between condition and control columns. For each control-condition pair, this function computes the `log2` fold change by subtracting the expression value in the control column from the corresponding value in the condition column, for all genes. Call the `tox_calculate_fold_changes` function with the following arguments:

- `input_matrix`: A numeric matrix with genes as rows and tissues/conditions as columns
- `control_cols`: Array of control column indices (1-based for Fortran)
- `condition_cols`: Array of condition column indices (1-based for Fortran)

**Returns:**

- Numpy array: Matrix with genes as rows and fold change values as columns

Listing 109: Python Fold Change Calculation

```
tox_calculate_fold_changes(input_matrix, control_cols, condition_cols)
```

### 3.2.5 Family-Based Analysis

1. **Calculation of family Centroids**

The function computes the centroid (mean expression vector) for each gene family in a gene expression dataset. It iterates over all families, selects the relevant genes for each family and calculates the mean vector for each family. There are two possible modes to use. To use all genes for calculation, select `all` mode. If you want to specify relevant genes for calculation, select `orthologs` mode. It is important that you provide a logical `ortholog_set` array when using `orthologs` mode. Call the `tox_group_centroid` function with the following arguments:

- `expression_vectors`: Expression vector matrix with size `n_axes` $\times$ `n_genes`
- `gene_to_family`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
- `n_families`: Total number of gene families
- `mode`: Calculation mode ("all" or "orthologs")
- (Optional) `ortholog_set`: Logical array indicating if a gene is part of the calculation subset (only used in `orthologs` mode)

**Return:**

- `centroids_out`: Matrix of calculated family centroid vectors with size `n_axes` × `n_families` (read-only)

Listing 110: Python Calculation of Family Centroids

```
tox_group_centroid(expression_vectors, gene_to_family, n_families,
                   mode, ortholog_set)
```

(a) **Calculate Mean Vector**

Alternatively you can calculate a single mean vector for a given set of vectors by calling the `mean_vector` function directly with the following arguments:

- `expression_vectors real(real64)`: Expression vector matrix with size `n_axes` × `n_genes`
- `gene_indices integer(int32)`: An array containing the column indices of the selected genes in `expression_vectors`

**Return:**

- `centroid:` Calculated mean vector (centroid) with length of `n_axes` (read-only)

Listing 111: Python Mean Vector Calculation

```
tox_mean_vector(expression_vectors, gene_indices)
```

2. **Compute Shift Vector Field**

Calculates the shift vector field for each gene expression vector based on its family centroid. The shift vector represents the difference between the gene expression vector and its corresponding family centroid, starting at the expression vector and pointing to its family centroid.

**Mathematical Definition:**

$$\text{shift\_vector} = \text{expression\_vector} - \text{family\_centroid}$$

**Arguments:**

- `expression_vectors`: 2D numpy array of shape `(n_axes, n_vectors)` where each column is a gene expression vector
- `family_centroids`: 2D numpy array of shape `(n_axes, n_families)` where each column is a family centroid vector
- `gene_to_centroid`: 1D numpy array of length `n_vectors` containing 1-based family indices mapping each gene to its centroid

**Returns:**

- `shift_vectors`: 2D numpy array of shape `(2*n_axes, n_vectors)` containing centroids (rows 0:n_axes-1) and shift vectors (rows n_axes:2*n_axes-1) (read-only)

Listing 112: Python Shift Vector Field Computation

```
shift_vectors = tox_compute_shift_vector_field(expression_vectors,
                                family_centroids, gene_to_centroid)
```

3. **Calculate Distance to Centroid**

For each gene in the gene expression matrix, the function computes the Euclidean distance to its corresponding family centroid and returns a read-only distances array containing the distance value for each expression vector to its family centroid. Call the `tox_distance_to_centroid` function with the following arguments:

- `genes`: Gene expression matrix array with size of (`n_genes` × `d`)

- `centroids`: Family centroid matrix array with size of (`n_families` × `d`)
- `gene_to_fam`: Gene-to-family mapping array with the length of `n_genes` (0 = no family, >0 = family index)
- `d`: Gene expression matrix dimension as number

Listing 113: Python Distance to Centroid Calculation

```
tox_distance_to_centroid(genes, centroids, gene_to_fam, d)
```

(a) **Calculate Euclidean Distance**
Alternatively you can calculate a single Euclidean distance between two vectors manually by calling `tox_euclidean_distance` function with the following arguments:
- `vec1`: First vector as array
- `vec2`: Second vector as array

**Both vectors must have same length!**

Listing 114: Python Euclidean distance calculation

```
tox_euclidean_distance(vec1, vec2)
```

4. **Detect Gene Outliers**
The function first computes family scaling, then calculates relative distance indices (RDI) and identifies outliers based on the specified percentile threshold. It returns a read-only dictionary containing the outlier boolean values and intermediate results. Call the `tox_detect_outliers` function with the following arguments:
- `distances`: Array of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping array with the same length as the distances array (0 = no family, >0 = family index)
- **(Optional)** `percentile`: Percentile threshold value for outlier detection (default is 95)

**Return dictionary:**
- **outliers**: Boolean array indicating whether each gene in an outlier
- **loess_x**: Array of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Array of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **loess_n**: Array with numbers of genes in each family used to compute the corresponding median and standard deviation

Listing 115: Python Gene Outlier Calculation

```
tox_detect_outliers(distances, gene_to_fam, percentile=95.0)
```

**Alternatively you can calculate each step of `tox_detect_outliers` manually with the following functions:**

(a) **Compute Family Scaling**
The function calculates a scaling factor for each gene family by computing the median and standard deviation of gene-to-centroid distances within each family, then applies LOESS smoothing to these values. Call the `tox_compute_family_scaling` function with the following arguments:
- `distances`: Array of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping array with the same length as the distances array (0 = no family, >0 = family index)

**Return dictionary:**

- **dscale**: Array of scaling factors per family
- **loess_x**: Array of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Array of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **indices_used**: Array of indices of families that have been included in the calculation

Listing 116: Python Compute Family Scaling

```
tox_compute_family_scaling(distances, gene_to_fam)
```

(b) **Compute Family Scaling (Expert Version)**

This function is the expert version of `tox_detect_outliers` and requires pre-allocated work arrays for maximum performance and control. It can be used when you need fine-grained control over memory allocation or you are calling this function many times in a tight loop. Call the `tox_compute_family_scaling_expert` function with the following arguments:

- `distances`: Array of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping array with the same length as the distances array (0 = no family, >0 = family index)
- `perm_tmp`: Permutation array for sorting with the same length as the distances array
- `stack_left_tmp`: Stack array for sorting with the same length as the distances array
- `stack_right_tmp`: Stack array for sorting with the same length as the distances array
- `family_distances`: Work array for sorting with the same length as the distances array

**Return dictionary:**

- **dscale**: Array of scaling factors per family
- **loess_x**: Array of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Array of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **indices_used**: Array of indices of families that have been included in the calculation
- **perm_tmp**: Permutation array for sorting
- **stack_left_tmp**: Stack array for sorting
- **stack_right_tmp**: Stack array for sorting
- **family_distances**: Work array for sorting

Listing 117: Python Compute Family Scaling (Expert Version)

```
tox_compute_family_scaling_expert(distances, gene_to_fam, perm_tmp,
                stack_left_tmp, stack_right_tmp, family_distances)
```

(c) **Compute Relative Distance Index (RDI)**

The function calculates the Relative Distance Index (RDI) for each gene by dividing its Euclidean distance to the family centroid by the scaling factor of its family. The function returns a numpy array with RDI values for each gene. Call the `tox_compute_rdi` function with the following arguments:

- `distances`: Array of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping array with the same length as the distances array (0 = no family, >0 = family index)
- **dscale**: Array of scaling factors per family

Listing 118: Python Compute Relative Distance Index (RDI)

```
tox_compute_rdi(distances, gene_to_fam, dscale)
```

(d) **Identify Outliers**
The function identifies outliers based on the top percentile of RDI values. Call the `tox_identify_outliers` function with the following arguments:

- `rdi`: Array of RDI values for each gene
- **(Optional)** `threshold`: Fixed RDI threshold number (if None, percentile value is used)
- **(Optional)** `percentile`: Percentile threshold number for outlier detection (default is 95)

**Return dictionary:**

- `outliers`: Boolean array indicating whether each gene is an outlier
- `threshold`: Actual threshold value used for outlier detection

Listing 119: Python Identify Outliers

```
tox_identify_outliers(rdi, threshold=None, percentile=95.0)
```

5. **Compute Normalized Tissue Versatility:**
The function calculates a normalized tissue versatility score for selected gene expression vectors. It is based on the angle between each gene expression vector and the space diagonal. Versatility is normalized to [0, 1], where 0 means uniform expression 1 means expression in only one axis. Call the `tox_compute_tissue_versatility` function with the following parameters:

- `expression_vectors`: Expression vector matrix array with size `n_axes` $\times$ `n_vectors`
- `vector_selection`: Logical array with length of `n_vectors` to specify which vectors should be included in the calculation
- `axes_selection`: Logical array with length of `n_axes` to specify which axes should be included in the calculation

**Return dictionary:**

- `tissue_versatilities`: Array containing the calculated tissue versatilities for selected vectors
- `tissue_angles_deg`: Array containing the calculated angles in degrees for selected vectors
- `n_selected_vectors`: Number of vectors processed
- `n_selected_axes`: Number of axes used in calculation

Listing 120: Python Tissue Versatility Calculation

```
tox_calculate_tissue_versatility(expression_vectors, vector_selection,
                                 axis_selection)
```

### 3.2.6 Python RAP Projection and Analysis Functions

The Python interface provides comprehensive wrappers for RAP (Relative Axes Projection) analysis with automatic memory management, input validation, and error handling.

**Python Implementation Features:**

- **Automatic Memory Layout**: Uses Fortran order for matrices and C order for vectors as required by underlying Fortran code
- **Comprehensive Input Validation**: Validates array dimensions, types, and consistency before Fortran calls
- **Flexible Mask Input**: Accepts both boolean and integer arrays for selection masks

- **Automatic Dimension Handling**: Infers dimensions from input arrays and handles 2D/3D edge cases
- **Read-only Outputs**: All return arrays are marked as read-only to prevent accidental modification
- **Error Conversion**: Converts Fortran error codes to informative Python exceptions

**Validation Checks:**

- Vector dimensions must match between inputs
- Selection mask lengths must match corresponding array dimensions
- For vector field projection, input must have exactly 2*n_axes rows
- For dimensions ¿ 3, selected axes must be valid indices and have exactly 3 elements
- All arrays are converted to appropriate data types (float64 for vectors, int32 for masks)

**Usage Example:**

Listing 121: Complete Python RAP Analysis Workflow

```
import numpy as np

# Example: 4D vectors, 8 vector pairs
n_dims, n_vecs = 4, 8

# Create sample data
origins = np.random.rand(n_dims, n_vecs).astype(np.float64)
targets = np.random.rand(n_dims, n_vecs).astype(np.float64)

# Single vector angle calculation
v1 = origins[:, 0]
v2 = targets[:, 0]
selected_axes = np.array([1, 2, 3], dtype=np.int32)
angle = tox_clock_hand_angle_between_vectors(v1, v2, selected_axes)

# Batch angle calculation
vecs_mask = np.array([True, True, False, True, False, True, True, False])
angles = tox_clock_hand_angles_for_shift_vectors(
    origins,
    targets,
    vecs_mask,
    selected_axes
)

# Axis contribution analysis
shift_vector = v2 - v1
axis_contributions = relative_axes_changes_from_shift_vector(shift_vector)

# RAP projection
expression_matrix = np.random.rand(6, 10).astype(np.float64)
vecs_mask = np.ones(10, dtype=bool)  # Select all vectors
axes_mask = np.array([1, 1, 1, 1, 0, 0], dtype=bool)  # Select first 4
    axes
projections = tox_vector_RAP_projection(expression_matrix, vecs_mask,
    axes_mask)
```

1. **Vector RAP Projection**
   Projects selected expression vectors onto the RAP constructed from a selected set of axes.

**Arguments:**

- `vecs`: 2D numpy array of expression vectors [n_axes × n_vecs]
- `vecs_selection_mask`: Boolean or integer array of length n_vecs indicating which vectors to project
- `axes_selection_mask`: Boolean or integer array of length n_axes indicating which axes to include in RAP

**Returns:**

- `projections`: 2D numpy array of projected vectors [n_selected_axes × n_selected_vecs] (read-only)

Listing 122: Vector RAP Projection

```
projections = tox_vector_RAP_projection(vecs, vecs_selection_mask,
                                        axes_selection_mask)
```

2. **Field RAP Projection**
   Projects selected vector fields (e.g., shift vectors) onto the RAP constructed from a selected set of axes. Automatically computes shift vectors as differences between origins and targets.
   **Arguments:**
   - `vecs`: 2D numpy array of vector fields [2*n_axes × n_vecs] (first n_axes rows: origins, last n_axes rows: targets)
   - `vecs_selection_mask`: Boolean or integer array of length n_vecs indicating which vectors to project
   - `axes_selection_mask`: Boolean or integer array of length n_axes indicating which axes to include in RAP

   **Returns:**
   - `projections`: 2D numpy array of projected vectors [n_selected_axes × n_selected_vecs] (read-only)

Listing 123: Vector Field RAP Projection

```
projections = tox_field_RAP_projection(vecs, vecs_selection_mask,
                                       axes_selection_mask)
```

3. **Clock Hand Angle Between Vectors**
   Calculates the signed rotation angle between two RAP-projected and normalized vectors. Handles 2D, 3D, and higher-dimensional cases with automatic directionality calculation.
   **Arguments:**
   - `v1`: First normalized vector in RAP space (1D numpy array)
   - `v2`: Second normalized vector in RAP space (1D numpy array)
   - `selected_axes_for_signed`: Integer array of 3 axes to use for directionality calculation

   **Returns:**
   - `signed_angle`: Signed angle between vectors in radians $[-\pi, \pi]$ (read-only float)

Listing 124: Signed Angle Between Vectors

```
angle = tox_clock_hand_angle_between_vectors(v1, v2,
                                     selected_axes_for_signed)
```

4. **Clock Hand Angles for Shift Vectors**
   Computes signed rotation angles between corresponding pairs of RAP-projected and normalized vectors (e.g., expression centroids and paralogs).
   **Arguments:**

- `origins`: 2D numpy array of origin vectors [n_dims × n_vecs] (e.g., centroids)
- `targets`: 2D numpy array of target vectors [n_dims × n_vecs] (e.g., paralogs)
- `vecs_selection_mask`: Boolean array of length n_vecs indicating which vector pairs to compute
- `selected_axes_for_signed`: Integer array of 3 axes to use for directionality calculation

**Returns:**

- `signed_angles`: 1D numpy array of signed angles in radians $[-\pi, \pi]$ (read-only)

Listing 125: Batch Angle Calculation for Vector Pairs

```
angles = tox_clock_hand_angles_for_shift_vectors(origins, targets,
                                  vecs_selection_mask,
                                     selected_axes_for_signed)
```

5. **Relative Axis Contributions from Shift Vector**
   Computes fractional contribution of each axis to a RAP-projected and normalized shift vector. Values range [0,1] and sum to 1.
   **Arguments:**
   - `shift_vector`: RAP-projected and normalized shift vector (1D numpy array)

   **Returns:**
   - `contrib`: 1D numpy array of relative axis contributions (sums to 1, read-only)

Listing 126: Shift Vector Axis Contributions

```
contributions = relative_axes_changes_from_shift_vector(shift_vector)
```

6. **Relative Axis Contributions from Expression Vector**
   Computes fractional contribution of each axis to a RAP-projected and normalized expression vector. Values range [0,1] and sum to 1.
   **Arguments:**
   - `expression_vector`: RAP-projected and normalized expression vector (1D numpy array)

   **Returns:**
   - `contrib`: 1D numpy array of relative axis contributions (sums to 1, read-only)

Listing 127: Expression Vector Axis Contributions

```
contributions = relative_axes_expression_from_expression_vector(
    expression_vector)
```

### 3.2.7 Trajectory Contribution Analysis

1. **Fortran Core Contribution Analysis Functions**
2. **Trajectory Contribution Calculation**
   Computes integrated trajectory-level contribution between two vectors using cosine similarity.
   **Arguments:**
   - `factor`: 1D numpy array of shape `(n_timepoints,)` — independent variable
   - `dependent`: 1D numpy array of shape `(n_timepoints,)` — dependent variable
   - `mode`: Processing mode (1 = cosine similarity, 2 = angle/acos)

   **Returns:**
   - `contribution`: Scalar contribution value (float)

Listing 128: Trajectory-Level Contribution Calculation

```
contribution = tox_trajectory_contribution(factor, dependent, mode)
```

3. **Spike Contribution Calculation**
   Computes timepoint-wise spike contributions between two vectors.
   **Arguments:**
   - `factor`: 1D numpy array of shape `(n_timepoints,)` — independent variable
   - `dependent`: 1D numpy array of shape `(n_timepoints,)` — dependent variable
   - `mode`: Processing mode (1 = Normal, 2 = RAP)

   **Returns:**
   - `contribution`: 1D numpy array of shape `(n_timepoints,)` with contribution values per timepoint (read-only)

Listing 129: Spike-Wise Contribution Calculation

```
spike_contributions = tox_spike_contribution(factor, dependent, mode)
```

4. **Calculate Contributions (Allocation Version)**
   Calculates both spike and integrated contributions for a specific factor with internal memory allocation.
   **Arguments:**
   - `trajectories`: 3D numpy array of shape `(n_factors, n_samples, n_timepoints)` in Fortran order
   - `i_factor`: 0-based index of the independent variable
   - `dependent_idx`: 0-based index of the dependent variable
   - `mode`: Processing mode (1 = Normal, 2 = RAP)

   **Returns:**
   - Dictionary containing:
     - `spikes`: Spike contributions `[n_timepoints, n_samples]` (read-only)
     - `trajectory`: Integrated contributions `[n_samples]` (read-only)

Listing 130: Contributions Calculation with Internal Allocation

```
result = tox_calc_contributions(trajectories, i_factor,
                                dependent_idx, mode)

# Access results
spike_contribs = result['spikes']         # [n_timepoints, n_samples]
traj_contribs = result['trajectory']      # [n_samples]
```

5. **Calculate Contributions (Expert Version)**
   Calculates both spike and integrated contributions using caller-provided work arrays for optimal performance.
   **Arguments:**
   - `trajectories`: 3D numpy array of shape `(n_factors, n_samples, n_timepoints)` in Fortran order
   - `i_factor`: 0-based index of the independent variable
   - `dependent_idx`: 0-based index of the dependent variable
   - `mode`: Processing mode (1 = Normal, 2 = RAP)
   - `temp_factor_vector`: 1D work array of shape `(n_timepoints,)`
   - `temp_dependent_vector`: 1D work array of shape `(n_timepoints,)`

   **Returns:**
   - Dictionary containing:
     - `spikes`: Spike contributions `[n_timepoints, n_samples]` (read-only)
     - `trajectory`: Integrated contributions `[n_samples]` (read-only)

Listing 131: Expert Contributions Calculation with Work Arrays

```
result = tox_calc_contributions_expert(
    trajectories, i_factor, dependent_idx, mode,
    temp_factor_vector, temp_dependent_vector
)

# Access results (same structure as tox_calc_contributions)
spike_contribs = result['spikes']
traj_contribs = result['trajectory']
```

**Processing Modes:**

- `mode = 1` (Normal): Returns cosine similarity for normal vectors
- `mode = 2` (RAP): Returns arccos of cosine similarity for RAP projected vectors

**Key Features of Python Interface:**

- **Automatic Memory Management**: Handles Fortran memory layout and data type conversion automatically
- **Comprehensive Error Handling**: Converts Fortran error codes to Python exceptions
- **Memory Efficient**: Output arrays are marked as read-only to prevent accidental modification
- **Flexible Input**: Accepts both lists and numpy arrays with automatic conversion
- **Performance Optimized**: Expert versions allow pre-allocated work arrays for critical code paths

**Usage Example:**

Listing 132: Complete Contribution Analysis Workflow

```
import numpy as np

# Example data
n_factors, n_samples, n_timepoints = 5, 100, 50
trajectories = np.random.rand(n_factors, n_samples, n_timepoints).astype(
    np.float64)

# Single vector analysis
factor_vec = np.random.rand(n_timepoints)
dependent_vec = np.random.rand(n_timepoints)

# Compute trajectory contribution
traj_contrib = tox_trajectory_contribution(factor_vec, dependent_vec,
    mode=1)

# Compute spike contributions
spike_contribs = tox_spike_contribution(factor_vec, dependent_vec, mode=1)

# Full trajectory analysis
result = tox_calc_contributions(trajectories, i_factor=0,
    dependent_idx=1, mode=1)
spikes = result['spikes']        # [50, 100]
trajectory = result['trajectory'] # [100]

# Expert version with pre-allocated work arrays
temp_factor = np.empty(n_timepoints, dtype=np.float64)
temp_dependent = np.empty(n_timepoints, dtype=np.float64)
result_expert = tox_calc_contributions_expert(
```

```
    trajectories, i_factor=0, dependent_idx=1, mode=1,
    temp_factor, temp_dependent
)
```

1. **Python Interface for Outlier Detection**
   The Python interface provides wrappers for the Fortran outlier detection routines, handling data type conversion, memory layout, and error checking automatically.

   (a) **Calculate Integrated Threshold (Expert Version)**
   Calculate empirical threshold for integrated contributions using pre-computed permutations for optimal performance.
   **Arguments:**
   - `contributions`: 1D numpy array of integrated contributions [n_samples] in Fortran order
   - `percentile_val`: Percentile value for threshold (0.0–100.0)
   - `permutation`: Pre-computed permutation indices for sorted contributions [n_samples] in Fortran order

   **Returns:**
   - `threshold`: Scalar threshold value

   Listing 133: Integrated Threshold Calculation (Expert)
   ```
   threshold = calc_integrated_threshold_expert(
       contributions, percentile_val, permutation
   )
   ```

   (b) **Calculate Integrated Threshold (Convenience Version)**
   Calculate empirical threshold for integrated contributions with internal allocation and sorting.
   **Arguments:**
   - `contributions`: 1D numpy array of integrated contributions [n_samples] in Fortran order
   - `percentile_val`: Percentile value for threshold (0.0–100.0)

   **Returns:**
   - `threshold`: Scalar threshold value

   Listing 134: Integrated Threshold Calculation
   ```
   threshold = calc_integrated_threshold(contributions, percentile_val)
   ```

   (c) **Detect Integrated Outliers**
   Identify outlier samples where integrated contributions exceed the empirical threshold.
   **Arguments:**
   - `contributions`: 1D numpy array of integrated contributions [n_samples] in Fortran order
   - `threshold`: Scalar threshold value for outlier detection

   **Returns:**
   - `outlier_mask`: 1D boolean array indicating outlier samples [n_samples] (read-only)

   Listing 135: Integrated Outlier Detection
   ```
   outlier_mask = detect_outliers_integrated(contributions, threshold)
   ```

   (d) **Calculate Spike Thresholds (Expert Version)**
   Calculate empirical thresholds for spike contributions using pre-sorted permutations for optimal performance.
   **Arguments:**

- `spike_contribs`: 2D numpy array of spike contributions [n_timepoints, n_samples] in Fortran order (rows=timepoints, columns=samples)
- `percentile_val`: Percentile value for threshold (0.0–100.0)
- `permutation`: Pre-computed permutation indices [n_samples, n_timepoints] in Fortran order (each column contains sorted indices for a timepoint)

**Returns:**

- `thresholds`: 1D numpy array of thresholds for each timepoint [n_timepoints] (read-only)

Listing 136: Spike Thresholds Calculation (Expert)

```
thresholds = calc_spike_thresholds_expert(
    spike_contribs, percentile_val, permutation
)
```

(e) **Calculate Spike Thresholds (Convenience Version)**

Calculate empirical thresholds for spike contributions with internal allocations and sorting.

**Arguments:**

- `spike_contribs`: 2D numpy array of spike contributions [n_timepoints, n_samples] in Fortran order (rows=timepoints, columns=samples)
- `percentile_val`: Percentile value for threshold (0.0–100.0)

**Returns:**

- `thresholds`: 1D numpy array of thresholds for each timepoint [n_timepoints] (read-only)

Listing 137: Spike Thresholds Calculation

```
thresholds = calc_spike_thresholds(spike_contribs, percentile_val)
```

(f) **Detect Spike Outliers**

Identify outliers in spike contributions by comparing against timepoint-specific thresholds.

**Arguments:**

- `spike_contribs`: 2D numpy array of spike contributions [n_timepoints, n_samples] in Fortran order (rows=timepoints, columns=samples)
- `thresholds`: 1D numpy array of thresholds for each timepoint [n_timepoints] in Fortran order

**Returns:**

- `outlier_mask`: 2D boolean array indicating outliers [n_timepoints, n_samples] (read-only)

Listing 138: Spike Outlier Detection

```
outlier_mask = detect_outliers_spike(spike_contribs, thresholds)
```

**Key Features of the Python Interface:**

- **Automatic Type Conversion**: Input arrays automatically converted to `np.float64` and `np.int32` with Fortran memory layout
- **Dimension Validation**: Input dimensions are validated before calling Fortran routines
- **Error Handling**: Fortran error codes are converted to Python exceptions via `check_err_code()`
- **Memory Efficiency**: Output arrays are marked as read-only to prevent accidental modification
- **Boolean Conversion**: C integer arrays (0/1) are automatically converted to Python boolean arrays

**Usage Notes:**

- Use **expert** versions when you have pre-computed permutations for better performance

- Use **convenience** versions for simpler workflows where internal allocation is acceptable
- All input arrays should be in **Fortran order** (column-major) for optimal performance
- Output arrays are **read-only** to maintain data integrity

2. **Complete Pipeline Functions**
   The Python interface provides two complete pipeline functions for processing trajectories with integrated outlier detection workflows.

   (a) **Process Trajectories with Per-Timepoint Percentiles**
   Processes multiple trajectories with percentile thresholds calculated separately for each timepoint. This provides timepoint-specific sensitivity for spike contribution analysis.
   **Arguments:**
   - `trajectories`: 3D numpy array of shape `(n_factors, n_samples, n_timepoints)` in Fortran order
   - `factor_mask`: 1D boolean array of shape `(n_factors,)` indicating which factors to process
   - `dependent_idx`: 1-based index of the dependent variable (will be excluded from processing)
   - `mode`: Processing mode (1 = Normal, 2 = RAP)
   - `percentile`: Percentile value for threshold calculation (0.0–100.0)

   **Returns:**
   - Dictionary containing:
     - `integrated_contribs`: Integrated contributions `[n_samples, n_processed_factors]`
     - `spike_contribs`: Spike contributions `[n_timepoints, n_samples, n_processed_factors]`
     - `thresholds_integrated`: Thresholds for integrated contributions `[n_processed_factors]`
     - `thresholds_spike`: Thresholds for spike contributions `[n_timepoints, n_processed_factors]`
     - `outliers_integrated`: Outliers for integrated contributions `[n_samples, n_processed_factors]` (boolean)
     - `outliers_spike`: Outliers for spike contributions `[n_timepoints, n_samples, n_processed_factors` (boolean)

Listing 139: Complete Trajectory Processing with Per-Timepoint Thresholds

```
results = tox_process_trajectories(
    trajectories, factor_mask, dependent_idx, mode, percentile
)

# Access results
integrated_contribs = results['integrated_contribs']
# [n_samples, n_processed]

spike_contribs = results['spike_contribs']
# [n_timepoints, n_samples, n_processed]

thresholds_integrated = results['thresholds_integrated']
# [n_processed]

thresholds_spike = results['thresholds_spike']
# [n_timepoints, n_processed]

outliers_integrated = results['outliers_integrated']
# [n_samples, n_processed] (bool)

outliers_spike = results['outliers_spike']
```

```
# [n_timepoints, n_samples, n_processed] (bool)
```

(b) **Process Trajectories with Global Percentile**
Processes trajectories using a single global percentile threshold for all timepoints in spike contributions. This provides consistent sensitivity across all timepoints.
**Arguments:**
- `trajectories`: 3D numpy array of shape `(n_factors, n_samples, n_timepoints)` in Fortran order
- `factor_mask`: 1D boolean array of shape `(n_factors,)` indicating which factors to process
- `dependent_idx`: 1-based index of the dependent variable (will be excluded from processing)
- `mode`: Processing mode (1 = Normal, 2 = RAP)
- `percentile`: Percentile value for threshold calculation (0.0–100.0)

**Returns:**
- Dictionary containing:
  - `integrated_contribs`: Integrated contributions `[n_samples, n_processed_factors]`
  - `spike_contribs`: Spike contributions `[n_timepoints, n_samples, n_processed_factors]`
  - `thresholds_integrated`: Thresholds for integrated contributions `[n_processed_factors]`
  - `thresholds_spike`: Thresholds for spike contributions `[n_processed_factors]` (1D array)
  - `outliers_integrated`: Outliers for integrated contributions `[n_samples, n_processed_factors]` (boolean)
  - `outliers_spike`: Outliers for spike contributions `[n_timepoints, n_samples, n_processed_factors` (boolean)

Listing 140: Complete Trajectory Processing with Global Threshold

```
results = tox_process_trajectories_flat(
    trajectories, factor_mask, dependent_idx, mode, percentile
)

# Access results - note thresholds_spike is 1D in flat version
integrated_contribs = results['integrated_contribs']
# [n_samples, n_processed]

spike_contribs = results['spike_contribs']
# [n_timepoints, n_samples, n_processed]

thresholds_integrated = results['thresholds_integrated']
# [n_processed]

thresholds_spike = results['thresholds_spike']
# [n_processed] (1D)

outliers_integrated = results['outliers_integrated']
# [n_samples, n_processed] (bool)

outliers_spike = results['outliers_spike']
# [n_timepoints, n_samples, n_processed] (bool)
```

**Key Differences Between Pipeline Functions:**
- `tox_process_trajectories`: Uses **per-timepoint percentiles** for spike thresholds (`thresholds_spike`

shape: [n_timepoints, n_processed])
- tox_process_trajectories_flat: Uses **global percentile** for spike thresholds (thresholds_spike shape: [n_processed])

**Pipeline Features:**

- **Automatic Factor Filtering**: Processes only factors marked in factor_mask, excluding the dependent variable
- **Memory Efficient**: All output arrays use Fortran memory layout and are marked as read-only
- **Error Handling**: Comprehensive error checking with automatic exception conversion
- **Boolean Output**: Outlier masks are automatically converted from C integers to Python boolean arrays
- **Dimension Validation**: Input dimensions and factor mask consistency are validated

**Usage Example:**

Listing 141: Typical Pipeline Usage

```
import numpy as np

# Example data: 10 factors, 100 samples, 50 timepoints
trajectories = np.random.rand(10, 100, 50).astype(np.float64)
factor_mask = np.array([True, True, False, True, True, False,
    True, True, True, False])
dependent_idx = 5  # 1-based index
mode = 1  # Normal mode
percentile = 95.0

# Process with per-timepoint thresholds
results = tox_process_trajectories(
    trajectories, factor_mask, dependent_idx, mode, percentile
)

# Process with global threshold
results_flat = tox_process_trajectories_flat(
    trajectories, factor_mask, dependent_idx, mode, percentile
)
```

3. **Python Core Contribution Analysis Functions**
   **The Python interface provides comprehensive wrappers for trajectory contribution analysis, including EDF computation and various contribution calculation modes.**

   (a) **Empirical Distribution Function (EDF) Computation**
   Computes the empirical cumulative distribution function for observed data values.
   **Arguments:**
   - values: Array of observed data values (list or numpy array)

   **Returns:**
   - Dictionary containing:
     - unique_values: Sorted unique data values (read-only numpy array)
     - cdf_values: Corresponding cumulative frequencies between 0 and 1 (read-only)
     - n_unique: Number of unique values found (int)

Listing 142: Empirical Distribution Function Computation

```
result = compute_edf(values)
```

```
# Access results
unique_vals = result['unique_values']
# Sorted unique values

cdf_vals = result['cdf_values']
# Cumulative distribution values

n_unique = result['n_unique']
# Number of unique values
```

(b) **Empirical Distribution Function (Expert Version)**
Computes EDF using pre-sorted permutation for optimal performance.
**Arguments:**
- `values`: Array of observed data values (list or numpy array)
- `perm`: Pre-sorted permutation indices (1-based Fortran style, must be sorted by values[perm])

**Returns:**
- Dictionary containing:
  - `unique_values`: Sorted unique data values (read-only numpy array)
  - `cdf_values`: Corresponding cumulative frequencies between 0 and 1 (read-only)
  - `n_unique`: Number of unique values found (int)

Listing 143: Expert EDF Computation with Pre-sorted Permutation

```
result = compute_edf_expert(values, perm)

# Access results (same structure as compute_edf)
unique_vals = result['unique_values']
cdf_vals = result['cdf_values']
n_unique = result['n_unique']
```

### 3.2.8 Python Utils

1. **Python BST Interface**

(a) **Build BST Index**
Python wrapper for building BST index from NumPy arrays. Note that indices are 1-based an need to be converted for correct usage in python.
**Input:**
- `values numpy.ndarray`: 1D array of float64 values

**Output:**
- `np.array`: Permutation indices (1-based Fortran indices)

```
# - 1 at the end converts from fortrans 1-based indexing to pythons 0-
    based
indices = build_bst_index(values) - 1
```

(b) **BST Range Query**
Performs range queries on BST index. Accepts and returns Fortran 1-based indices.
**Input:**
- `values numpy.ndarray`: Original values array
- `indices numpy.ndarray`: BST index array from build_bst_index (1-based)
- `lower_bound float`: Lower bound of range (inclusive)

- `upper_bound float`: Upper bound of range (inclusive)

**Output:**

- `Dictionary`: (matching_indices, count) where indices are 1-based

```
# + 1 is added because of 0-based indexing. If the indices are already
    1 based, this is not necessary
res = bst_range_query(values, indices + 1, lower_bound, upper_bound)
```

(c) **Get Sorted Value**

**Note:** This function is not implemented as a separate Python function. Use direct array indexing instead:

```
value = values[indices[position]]  # position is 1-based
```

2. **Python k-d Tree Interface**

(a) **Build k-d Tree Index**

Python interface for constructing k-d trees. Requires Fortran-ordered arrays and returns 1-based indices.

**Input:**

- `points numpy.ndarray`: 2D array of points (dimensions × n_points) in Fortran order
- `dimension_order numpy.ndarray`: Dimension ordering (1-based Fortran indices, optional)

**Output:**

- `np.array`: Permutation indices (1-based Python indices)

```
kd_indices = build_kd_index(points, dimension_order)
```

(b) **Build Spherical k-d Tree**

Alias for build_kd_index with the same parameters and behavior.

**Input:** Same as build_kd_index **Output:** Same as build_kd_index

```
sphere_indices = build_spherical_kd(vectors, dimension_order)
```

(c) **Get Point from k-d Index**

**Note:** This function is not implemented as a separate Python function. Use direct array indexing instead:

```
point = points[:, kd_indices[position - 1]]  # position is 1-based
```

## 3.3 R Pipeline

### 3.3.1 Overview

Placeholder

### 3.3.2 Data Management

1. **Data Reading and processing**

- **Read Gene IDs from TSV File (R)**

The function reads gene identifiers from a tab-separated value (TSV) file, extracting specific gene IDs from a designated column while skipping header rows. This function is typically used as the first step in processing gene expression data to obtain the complete list of gene identifiers. Call the `read_gene_ids_from_tsv_file` function with the following arguments:

- `filename`: Character string of the filename
- `ngenes`: Number of gene IDs to read
- `gene_len`: Maximum length of each gene ID
- **(Optional)** `n_header_rows`: Number of header rows to skip
- **(Optional)** `gene_col`: Column index (1-based) of gene IDs in the file

**Return list:**

- **gene_ids**: Character vector of gene IDs read from the file
- **ierr**: Integer error code (0 if successful)

Listing 144: R Read Gene IDs from TSV File

```
read_gene_ids_from_tsv_file(filename, ngenes, gene_len,
    n_header_rows = 1, gene_col = 1)
```

- **Read Expression Vectors (R)**
  The function reads gene expression data from multiple tabular files (CSV/TSV format), extracting expression values for specified genes across multiple samples. This function consolidates expression data from multiple files into a single matrix. Call the `read_expression_vectors` function with the following arguments:
  - `file_list`: Character vector of filenames
  - `gene_ids`: Character vector of gene IDs to match
  - `n_header_rows`: Number of header rows to skip in each file
  - `gene_col`: Column index (1-based) of gene IDs in each file
  - `value_cols`: Vector of column indices (1-based) of expression values in each file
  - `n_samples`: Total number of samples (rows) to read across all files
  - **(Optional)** `delimiter`: Delimiter used in the files (default: tab)

  **Return list:**

  - **expression_vectors**: Numeric matrix of dimensions (n_samples × n_genes)
  - **ierr**: Integer error code (0 if successful)

Listing 145: R Read Expression Vectors

```
read_expression_vectors(file_list, gene_ids, n_header_rows, gene_col,
    value_cols, n_samples, delimiter = "\t")
```

- **Read OrthoFinder File (R)**
  The function processes an OrthoFinder output file to map genes to their respective orthologous families. This function establishes the gene-family relationships essential for downstream orthology-based analyses. Call the `read_orthofinder_file` function with the following arguments:
  - `filename`: Character string of the filename
  - `gene_ids`: Character vector of gene IDs to match
  - `n_families`: Number of unique gene families expected
  - `family_len`: Maximum length of each family ID

  **Return list:**

  - **family_ids**: Character vector of family IDs read from the file
  - **gene_to_fam**: Integer vector mapping each gene to its family index (0 = unassigned)
  - **ierr**: Integer error code (0 if successful)

  **Note:** If genes are not found in the gene IDs list a message will be printed but NO error code is thrown.

Listing 146: R Read OrthoFinder File

```
read_orthofinder_file(filename, gene_ids, n_families, family_len)
```

**Complete R Data Loading Workflow Example:**

Listing 147: R Complete Data Loading Workflow

```
# Step 1: Load gene identifiers
gene_result <- read_gene_ids_from_tsv_file(
    filename = "data/expression_data.tsv",
    ngenes = 50000,
    gene_len = 32,
    n_header_rows = 1,
    gene_col = 1
)
gene_ids <- gene_result$gene_ids

# Step 2: Load expression data from multiple samples
samples <- c("sample1.tsv", "sample2.tsv",
    "sample3.tsv", "sample4.tsv")

expression_result <- read_expression_vectors(
    file_list = samples,
    gene_ids = gene_ids,
    n_header_rows = 1,
    gene_col = 1,
    value_cols = 2,
    n_samples = 4
)
expression_vectors <- expression_result$expression_vectors

# Step 3: Load orthology information
family_result <- read_orthofinder_file(
    filename = "data/Orthogroups.tsv",
    gene_ids = gene_ids,
    n_families = 15000,
    family_len = 32
)
family_ids <- family_result$family_ids
gene_to_fam <- family_result$gene_to_fam
```

2. **Data Filtering and Validation**
   - **Filter Unassigned Genes (R)**
     The function filters out genes that are not assigned to any family (where gene_to_fam = 0). This is essential for cleaning data before orthology-based analyses, ensuring only genes with valid family assignments are processed. Call the `filter_unassigned_genes` function with the following arguments:
     - `gene_ids`: Character vector of gene IDs
     - `expression_vectors`: Numeric matrix of expression values (n_samples × n_genes)
     - `gene_to_fam`: Integer vector mapping each gene to its family index (0 = unassigned)

     **Return list:**
     - **gene_ids**: Filtered character vector of gene IDs
     - **expression_vectors**: Filtered numeric matrix of expression values

- **gene_to_fam**: Filtered integer vector mapping each gene to its family index
- **n_genes_kept**: Number of genes kept after filtering

Listing 148: R Filter Unassigned Genes

```
filter_unassigned_genes(gene_ids, expression_vectors, gene_to_fam)
```

- **Validate Gene to Family Mapping (R)**
  The function validates the gene-to-family mapping array, ensuring all family indices are within valid range and properly assigned. This prevents downstream errors from invalid family indices. Call the `validate_gene_to_family_mapping` function with the following arguments:
  - `gene_to_fam`: Integer vector mapping each gene to its family index (0 = unassigned)
  - `n_genes`: Number of genes
  - `n_families`: Number of gene families

Listing 149: R Validate Gene to Family Mapping

```
validate_gene_to_family_mapping(gene_to_fam, n_genes, n_families)
```

- **Validate Expression Data (R)**
  The function validates expression data, checking for NaN/Inf values and optionally verifying non-negative values. This ensures data quality before computational analyses. Call the `validate_expression_data` function with the following arguments:
  - `expression_vectors`: Numeric matrix of expression values (n_samples × n_genes)
  - `n_genes`: Number of genes
  - `n_samples`: Number of samples
  - **(Optional)** `check_non_negative`: Logical flag to check for non-negative values (default: TRUE)

Listing 150: R Validate Expression Data

```
validate_expression_data(expression_vectors, n_genes, n_samples,
    check_non_negative = TRUE)
```

- **Validate Family Centroids (R)**
  The function validates family centroids data, checking for NaN/Inf values and proper data structure. Centroids represent the central tendency of each gene family's expression profile. Call the `validate_family_centroids` function with the following arguments:
  - `family_centroids`: Numeric matrix of family centroids (n_samples × n_families)
  - `n_families`: Number of gene families
  - `n_samples`: Number of samples

Listing 151: R Validate Family Centroids

```
validate_family_centroids(family_centroids, n_families, n_samples)
```

- **Validate Shift Vectors (R)**
  The function validates shift vectors, ensuring data types are correct and structure matches expected patterns. Shift vectors represent the deviation of each gene from its family centroid. Call the `validate_shift_vectors` function with the following arguments:
  - `shift_vectors`: Numeric matrix of shift vectors (2*n_samples × n_genes)
  - `expression_vectors`: Numeric matrix of expression values (n_samples × n_genes)
  - `family_centroids`: Numeric matrix of family centroids (n_samples × n_families)
  - `gene_to_fam`: Integer vector mapping each gene to its family index

- `n_samples`: Number of samples

Listing 152: R Validate Shift Vectors

```
validate_shift_vectors(shift_vectors, expression_vectors,
    family_centroids, gene_to_fam, n_samples)
```

- **Validate String Array Uniqueness (R)**
  The function validates that all strings in an array are unique, using a hashset internally. Note: This may increase memory usage temporarily for large datasets. Call the `validate_string_array_uniquenes` function with the following arguments:
  - `string_arr`: Character vector of gene IDs
  - `n_strings`: Number of genes

Listing 153: R Validate String Array Uniqueness

```
validate_string_array_uniqueness(string_arr, n_strings)
```

- **Validate All Data (R)**
  The function performs comprehensive validation of all data components in one call. This function executes all individual validations sequentially for complete data quality assurance. Call the `validate_all_data` function with the following arguments:
  - `n_genes`: Number of genes
  - `n_families`: Number of gene families
  - `n_samples`: Number of samples
  - `gene_ids`: Character vector of gene IDs
  - `gene_family_ids`: Character vector of gene family IDs
  - `gene_to_fam`: Integer vector mapping each gene to its family index (0 = unassigned)
  - `expression_vectors`: Numeric matrix of expression values (n_samples × n_genes)
  - `family_centroids`: Numeric matrix of family centroids (n_samples × n_families)
  - `shift_vectors`: Numeric matrix of shift vectors (2*n_samples × n_genes)

Listing 154: R Validate All Data

```
validate_all_data(n_genes, n_families, n_samples, gene_ids,
    gene_family_ids, gene_to_fam, expression_vectors,
    family_centroids, shift_vectors)
```

**R Data Filtering and Validation Workflow Example:**

Listing 155: R Data Filtering and Validation Workflow

```
# After loading data, filter unassigned genes
filter_result <- filter_unassigned_genes(gene_ids, expression_vectors,
    gene_to_fam)

gene_ids <- filter_result$gene_ids
expression_vectors <- filter_result$expression_vectors
gene_to_fam <- filter_result$gene_to_fam
n_genes_kept <- filter_result$n_genes_kept

# Run comprehensive validations
validate_string_array_uniqueness(gene_ids, n_genes_kept)
validate_string_array_uniqueness(family_ids, n_families)
validate_expression_data(expression_vectors, n_genes_kept,
```

```
    n_samples, check_non_negative = TRUE)

validate_gene_to_family_mapping(gene_to_fam, n_genes_kept, n_families)

# For complete analysis with centroids and shift vectors
validate_all_data(
    n_genes_kept, n_families, n_samples,
    gene_ids, family_ids, gene_to_fam,
    expression_vectors, family_centroids, shift_vectors
)
```

### 3.3.3 Data Persistence

1. **R Interface for Array Serialization and Deserialization**
   The R interface provides bindings to the Fortran serialization and deserialization routines, enabling efficient handling of multi-dimensional arrays. This interface supports R arrays, matrices, and vectors with automatic type conversion to compatible Fortran data types.
   (a) General Architecture
   The R package provides ten main functions for array handling:
   - `tox_serialize_int_array(array, filename)` - Serialize N-dimensional integer arrays
   - `tox_deserialize_int_array(filename)` - Deserialize N-dimensional integer arrays
   - `tox_serialize_real_array(array, filename)` - Serialize N-dimensional real arrays
   - `tox_deserialize_real_array(filename)` - Deserialize N-dimensional real arrays
   - `tox_serialize_char_array(array, filename)` - Serialize N-dimensional character arrays
   - `tox_deserialize_char_array(filename)` - Deserialize N-dimensional character arrays
   - `tox_serialize_logical_array(array, filename)` - Serialize N-dimensional logical array
   - `tox_deserialize_logical_array(filename)` - Deserialize N-dimensional logical array
   - `tox_serialize_complex_array(array, filename)` - Serialize N-dimensional complex array
   - `tox_deserialize_complex_array(filename)` - Deserialize N-dimensional complex array

   (b) **Array Functions**
   **Serialization Functions:**
   - `array` (input): R array, matrix, or vector to be serialized
     **Type:**
     – `Integer`
     – `Numeric` (double precision)
     – `Characters`
     – `Logical`
     – `Complex`
     **Dimensions:** Theoretically are N dimensions supported, but typical use cases should not exceed 5 dimensions

   - `filename` (input): Name of the binary file to create
     **Type:** `character`

Listing 156: R Array Serialization Example

```
tox_serialize_int_array(array, filename)
```

```
tox_serialize_real_array(array, filename)
tox_serialize_char_array(array, filename)
```

**Deserialization Functions:**

- `filename` (input): Name of the binary file to read
  **Type:** `character`
- **Return Value:** Deserialized R array with original dimensions
  **Type:** `array`, `matrix`, or `vector`
  **Data Type:** Same as original

Listing 157: R Array Deserialization Example

```
restored_int <- tox_deserialize_int_array(filename)
restored_real <- tox_deserialize_real_array(filename)
restored_char <- tox_deserialize_char_array(filename)
```

(c) **Implementation Details**

- The R interface automatically converts between R data types and Fortran-compatible formats
- Integer vectors are converted to 32-bit integers
- Numeric vectors are converted to 64-bit floating point
- Character arrays handle variable-length strings with automatic padding
- All array dimensions are preserved during serialization/deserialization
- The interface handles both regular arrays and matrices seamlessly

**Usage Example**

Listing 158: Full example of serialization and deserialization in R

```
tox_serialize_int_array(arr1, fn("int1d.bin"))
restored <- tox_deserialize_int_array(fn("int1d.bin"))

# Real array example
arr2 <- matrix(runif(12), nrow = 3, ncol = 4)
tox_serialize_real_array(arr2, fn("real2d.bin"))
restored <- tox_deserialize_real_array(fn("real2d.bin"))

# Character array example
arr3 <- c("GENE1", "BRCA1", "TP53", "EGFR")
tox_serialize_char_array(arr3, fn("char1d.bin"))
restored <- tox_deserialize_char_array(fn("char1d.bin"))
```

(d) **Compatibility Notes**

- Requires R with appropriate Fortran bindings
- Supports standard R data types (integer, numeric, character, logical, complex)
- Preserves array attributes and dimensions during serialization
- Character arrays maintain content but may have padding removed upon deserialization

2. **Create Zip Archive (Low-Level) (R)**
   The low-level function creates a zip archive from keys and filenames, directly calling the Fortran backend. Use this function for custom data serialization scenarios or when you need fine-grained control over archive creation. Call the `create_zip_archive` function with the following arguments:

- `zip_filename`: Name of the zip file to create
- `keys`: Vector of keys for the manifest (identifiers for each file)
- `filenames`: Vector of filenames to include in archive

Listing 159: R Create Zip Archive (Low-Level)

```
create_zip_archive(zip_filename, keys, filenames)
```

3. **Extract Zip Archive (R)**
   The function extracts a zip archive created by `create_zip_archive` and returns a list mapping data keys to extracted filenames. This is useful for accessing individual files from custom archives. Call the `extract_zip_archive` function with the following arguments:

   - `zip_filename`: Path to the zip file to extract

   **Returns:**
   - List mapping data keys to extracted temporary filenames

Listing 160: R Extract Zip Archive

```
extract_zip_archive(zip_filename)
```

4. **Save TOX Data (High-Level) (R)**
   The high-level function saves TOX data to a zip archive, handling validation, serialization, and archive creation for standard-conform tox gene data. This function automatically manages temporary files and cleanup. Call the `save_tox_data` function with the following arguments:

   - `zip_filename`: Name of the zip file to create
   - **(Optional)** `gene_ids`: Character vector of gene IDs
   - **(Optional)** `gene_ids_name`: Filename for gene IDs in the archive
   - **(Optional)** `expression_vectors`: Numeric matrix of expression values (n_samples × n_genes)
   - **(Optional)** `expression_vectors_name`: Filename for expression vectors in the archive
   - **(Optional)** `gene_to_fam`: Integer vector mapping each gene to its family index (0 = unassigned)
   - **(Optional)** `gene_to_fam_name`: Filename for gene to family mapping in the archive
   - **(Optional)** `family_ids`: Character vector of family IDs
   - **(Optional)** `family_ids_name`: Filename for family IDs in the archive
   - **(Optional)** `family_centroids`: Numeric matrix of family centroids (n_samples × n_families)
   - **(Optional)** `family_centroids_name`: Filename for family centroids in the archive
   - **(Optional)** `shift_vectors`: Numeric matrix of shift vectors (2*n_samples × n_genes)
   - **(Optional)** `shift_vectors_name`: Filename for shift vectors in the archive

Listing 161: R Save TOX Data

```
save_tox_data(zip_filename,
              gene_ids = NULL, gene_ids_name = NULL,
              expression_vectors = NULL, expression_vectors_name = NULL,
              gene_to_fam = NULL, gene_to_fam_name = NULL,
              family_ids = NULL, family_ids_name = NULL,
              family_centroids = NULL, family_centroids_name = NULL,
              shift_vectors = NULL, shift_vectors_name = NULL)
```

5. **Read TOX Data (R)**
   The function reads data from a zip archive created by `save_tox_data`, extracting and deserializing the requested data components for standard-conform tox gene data. This function

automatically handles file extraction and cleanup. Call the `read_tox_data` function with the following arguments:

- `zip_filename`: Name of the zip file to read from
- **(Optional)** `gene_ids`: If not NULL, will attempt to read gene IDs from archive
- **(Optional)** `expression_vectors`: If not NULL, will attempt to read expression vectors from archive
- **(Optional)** `gene_to_fam`: If not NULL, will attempt to read gene to family mapping from archive
- **(Optional)** `family_ids`: If not NULL, will attempt to read family IDs from archive
- **(Optional)** `family_centroids`: If not NULL, will attempt to read family centroids from archive
- **(Optional)** `shift_vectors`: If not NULL, will attempt to read shift vectors from archive

**Return list:**

- **gene_ids**: Loaded gene IDs vector (if requested)
- **expression_vectors**: Loaded expression vectors matrix (if requested)
- **gene_to_fam**: Loaded gene-to-family mapping vector (if requested)
- **family_ids**: Loaded family IDs vector (if requested)
- **family_centroids**: Loaded family centroids matrix (if requested)
- **shift_vectors**: Loaded shift vectors matrix (if requested)

Listing 162: R Read TOX Data

```r
read_tox_data(zip_filename,
              gene_ids = NULL,
              expression_vectors = NULL,
              gene_to_fam = NULL,
              family_ids = NULL,
              family_centroids = NULL,
              shift_vectors = NULL)
```

**R Data Archiving Workflow Examples:**

Listing 163: R Standard TOX Data Archiving

```r
# Save complete TOX dataset
save_tox_data(
    zip_filename = "complete_tox_dataset.zip",
    gene_ids = gene_ids,
    gene_ids_name = "gene_ids.bin",
    expression_vectors = expression_vectors,
    expression_vectors_name = "expression.bin",
    gene_to_fam = gene_to_fam,
    gene_to_fam_name = "gene_to_fam.bin",
    family_ids = family_ids,
    family_ids_name = "family_ids.bin",
    family_centroids = family_centroids,
    family_centroids_name = "centroids.bin",
    shift_vectors = shift_vectors,
    shift_vectors_name = "shift_vectors.bin"
)

# Save partial dataset
save_tox_data(
```

```
    zip_filename = "basic_data.zip",
    gene_ids = gene_ids,
    gene_ids_name = "gene_ids.bin",
    expression_vectors = expression_vectors,
    expression_vectors_name = "expression.bin"
)

# Read data back with selective loading
loaded_data <- read_tox_data(
    zip_filename = "complete_tox_dataset.zip",
    gene_ids = TRUE,
    expression_vectors = TRUE,
    gene_to_fam = TRUE
)
```

Listing 164: R Custom Archive Creation and Extraction

```
# Create custom archive with non-standard data
create_zip_archive(
    zip_filename = "custom_data.zip",
    keys = c("3d_tensor", "results"),
    filenames = c("tensor_data.bin", "analysis_results.bin")
)

# Extract and access custom archive
file_mapping <- extract_zip_archive("custom_data.zip")
cat("Files in archive:\n")
print(file_mapping)
# Output: $3d_tensor = "tensor_data.bin", $results = "analysis_results.
   bin"
```

Listing 165: R Mixed Standard and Custom Data Archiving

```
# Serialize custom arrays
tox_serialize_real_array(custom_array, "custom_data.bin")
tox_serialize_int_array(another_array, "another_data.bin")

# Create mixed archive with both standard and custom data
create_zip_archive(
    zip_filename = "mixed_archive.zip",
    keys = c("standard_expression", "custom_feature",
        "analysis_results"),
    filenames = c("expression.bin", "custom_data.bin",
        "another_data.bin")
)

# Later, extract and process
mapping <- extract_zip_archive("mixed_archive.zip")
expression_data <- tox_deserialize_real_array(
    mapping[["standard_expression"]])
custom_features <- tox_deserialize_real_array(
    mapping[["custom_feature"]])
results <- tox_deserialize_int_array(
    mapping[["analysis_results"]])
```

**Important Notes for R Archive Functions:**

- All archive functions automatically handle temporary file cleanup
- The `save_tox_data` function validates data dimensions before serialization
- Both `save_tox_data` and `read_tox_data` use the standard TOX data keys: "gene_ids", "expression", "gene_to_family", "family_ids", "family_centroids", "shift_vectors"
- Archives created with R functions are compatible with Python and Fortran implementations
- Error codes are automatically checked and converted to informative error messages

### 3.3.4 Data Processing

1. **Normalization of Expression Values**
   The function runs a complete normalization pipeline on gene expression data. It first applies standard deviation normalization, then quantile normalization, followed by replicate averaging, and finally a log2 transformation. The result is returned in an array, which contains the fully normalized expression values. Call the `tox_normalization_pipeline` function with the following arguments:
   - `input_matrix`: Numeric expression vector matrix with size `genes` $\times$ `tissues`
   - `group_s`: Integer vector: start column index for each replicate group (1-based)
   - `group_c`: Integer vector: number of columns per replicate group

   **Return:**
   - Numeric matrix: log2(x+1) normalized expression

   Listing 166: R Normalization Pipeline

```
tox_normalization_pipeline(input_matrix, group_s, group_c)
```

   **Alternatively you can calculate each step of the normalization pipeline manually by calling the following functions in sequence:**

   (a) **Normalize by Standard Deviation**
   The function normalizes each gene's expression vector using `sqrt(mean(x^2))` across tissues (not classical standard deviation). Call the `tox_normalize_by_std_dev` function with the following arguments:
   - `input_matrix`: A numeric matrix with genes as rows and tissues as columns

   **Returns:**
   - A normalized numeric matrix with the same dimensions and names as the input

   Listing 167: R Standard Deviation Normalization

```
tox_normalize_by_std_dev(input_matrix)
```

   (b) **Quantile Normalization**
   The function performs quantile normalization of a gene expression matrix (F42-compliant) and computes average expression per rank across tissues. Call the `tox_quantile_normalization` function with the following arguments:
   - `input_matrix`: A numeric matrix with genes as rows and tissues as columns

   **Returns:**
   - A quantile-normalized numeric matrix with the same dimensions and names as the input

   Listing 168: R Quantile Normalization

```
tox_quantile_normalization(input_matrix)
```

(c) **Calculate Tissue Averages**
The function calculates tissue averages by averaging replicates within each group. For each group of tissue replicates, it computes the average expression per gene. The input matrix is column-major, flattened as a 1D array. Call the `tox_calculate_tissue_averages` function with the following arguments:
- `df`: A data frame or matrix with genes as rows and tissue replicates as columns

**Returns:**
- A data frame with genes as rows and averaged tissues as columns

Listing 169: R Tissue Averages Calculation

```
tox_calculate_tissue_averages(df)
```

(d) **Log2 Transformation**
The function applies `log2(x + 1)` transformation to each element of the input matrix. This is computed via `log(x + 1) / log(2)` for compatibility with WebAssembly (WASM). Call the `tox_log2_transformation` function with the following arguments:
- `input_matrix`: A numeric matrix with genes as rows and tissues as columns

**Returns:**
- A numeric matrix with log2-transformed expression values, preserving the same dimensions and names as the input.

Listing 170: R Log2 Transformation

```
tox_log2_transformation(input_matrix)
```

**Additionally there are two helpfer functions to improve the data quality and prevent calculation errors:**

(a) **Diagnose Data Quality**
The function checks your gene expression matrix for common data quality issues, such as missing values (NA), infinite values, NaNs, zeros, and negative values. It provides a summary of these problems, lists affected genes, and reports basic statistics like minimum, maximum, and mean values. Use this function to quickly assess the quality of your data before running normalization or analysis steps. Call the `tox_diagnose_data_quality` function with the following arguments:
- `input_matrix`: A numeric matrix with genes as rows and tissues as columns
- (Optional) `show_details`: Logical indicating whether to show detailed information (default is TRUE)

**Returns:**
- A list with diagnostic information about the data quality

Listing 171: R Diagnose Data Quality

```
tox_diagnose_data_quality(input_matrix, show_details)
```

(b) **Clean Data for Normalization**
The function prepares your gene expression matrix for normalization by handling problematic values. It can remove or impute NA, NaN, and Inf values, filter out genes with all zero values, and optionally convert very small values to zero. You can choose different strategies for dealing with missing data, ensuring your matrix is clean and ready for downstream analysis. Call the `tox_clean_data_for_normalization` function with the following arguments:
- `df_matrix`: A numeric matrix with genes as rows and tissues as columns

- (Optional) `remove_all_zero_genes`: Logical, whether to remove genes that are all zeros (default = TRUE)
- (Optional) `na_strategy`: Strategy for handling NA values: "remove_genes", "remove_samples", "impute_zero", "impute_mean" (default = "remove_genes"
- (Optional) `min_expression_threshold`: Minimum expression value to consider (values below this become 0 and default is 0)
- (Optional) `convert_small_to_zero`: Logical, wheter very small numbers should be converted to zero (default = FALSE)

**Returns:**

- A cleaned matrix ready for normalization

Listing 172: R Clean Data for Normalization

```
tox_clean_data_for_normalization(df_matrix, remove_all_zero_genes,
    na_strategy, min_expression_threshold, convert_small_to_zero)
```

2. **Calculate Fold Change**

   If fold change calculation is needed, this function can be used after normalization. The function calculates `log2` fold changes between condition and control columns. For each control-condition pair, this function computes the `log2` fold change by subtracting the expression value in the control column from the corresponding value in the condition column, for all genes. Call the `tox_calculate_fold_changes` function with the following arguments:

   - `df`: A data frame with genes as rows and tissues/conditions as columns
   - `control_pattern`: A string pattern to detect control columns
   - `condition_patterns`: A character vector with patterns to detect condition columns

   **Returns:**

   - A data frame with genes as rows and log2 fold change values as columns

Listing 173: R Fold Change Calculation

```
tox_calculate_fc_by_patterns(df, control_pattern, condition_patterns)
```

### 3.3.5 Family Based Analysis

1. **Calculation of family Centroids**

   The function computes the centroid (mean expression vector) for each gene family in a gene expression dataset. It iterates over all families, selects the relevant genes for each family and calculates the mean vector for each family. There are two possible modes to use. To use all genes for calculation, select `all` mode. If you want to specify relevant genes for calculation, select `orthologs` mode. It is important that you provide a logical `ortholog_set` array when using `orthologs` mode. Call the `tox_group_centroid` function with the following arguments:

   - `expression_vectors`: Expression vector matrix with size `n_axes` $\times$ `n_genes`
   - `gene_to_family`: Gene-to-family mapping array with the length of `n_genes` (1-based indexing)
   - `n_families`: Total number of gene families
   - `mode`: Calculation mode ("all" or "orthologs")
   - (Optional) `ortholog_set`: Logical array indicating if a gene is part of the calculation subset (only used in `orthologs` mode)

   **Return:**

- `centroid_matrix`: Matrix of calculated family centroid vectors with size `n_axes` × `n_families`

Listing 174: R Calculation of Family Centroids

```
tox_group_centroid(expression_vectors, gene_to_family, n_families, mode,
    ortholog_set)
```

(a) **Calculate Mean Vector**
Alternatively you can calculate a single mean vector for a given set of vectors by calling the `mean_vector` function directly with the following arguments:
- `expression_vectors real(real64)`: Expression vector matrix with size `n_axes` × `n_genes`
- `gene_indices integer(int32)`: An array containing the column indices of the selected genes in `expression_vectors`

**Return:**
- `centroid`: Calculated mean vector (centroid) with length of `n_axes`

Listing 175: R Mean Vector Calculation

```
tox_mean_vector(expression_vectors, gene_indices)
```

2. **Compute Shift Vector Field**
Calculates the shift vector field for each gene expression vector based on its family centroid. The shift vector represents the difference between the gene expression vector and its corresponding family centroid.
**Mathematical Definition:**

$$\text{shift\_vector} = \text{expression\_vector} - \text{family\_centroid}$$

**Arguments:**
- `expression_vectors`: Matrix of size `(n_axes_genes × n_vectors)` where each column is a gene expression vector
- `family_centroids`: Matrix of size `(n_axes_centroids × n_families)` where each column is a family centroid vector
- `gene_to_centroid`: Integer vector of length `n_vectors` containing 1-based family indices mapping each gene to its centroid

**Returns:**
- `shift_vectors`: Matrix of size `(2*n_axes_genes × n_vectors)` containing centroids (rows 1:n_axes_genes) and shift vectors (rows (n_axes_genes+1):(2*n_axes_genes))

Listing 176: R Shift Vector Field Computation

```
shift_vectors <- tox_compute_shift_vector_field(expression_vectors,
    family_centroids, gene_to_centroid)
```

3. **Calculate Distance to Centroid**
For each gene in the gene expression matrix, the function computes the Euclidean distance to its corresponding family centroid and returns a numeric vector of distances from each gene to its family centroid. Call the `tox_distance_to_centroid` function with the following arguments:
- `genes`: Gene expression matrix with size of (`n_genes` × `d`)
- `centroids`: Family centroid matrix with size of (`n_families` × `d`)
- `gene_to_fam`: Gene-to-family mapping integer vector with the length of `n_genes` (0 = no family, >0 = family index)

- `d`: Gene expression matrix dimension as integer

Listing 177: R Distance to Centroid Calculation

```
tox_distance_to_centroid(genes, centroids, gene_to_fam, d)
```

(a) **Calculate Euclidean Distance**
Alternatively you can calculate a single Euclidean distance between two vectors manually by calling `tox_euclidean_distance` function with the following arguments:
- `vec1`: First vector
- `vec2`: Second vector

**Both vectors must have same length!**

Listing 178: R Euclidean distance calculation

```
tox_euclidean_distance(vec1, vec2)
```

4. **Detect Gene Outliers**
The function first computes family scaling, then calculates relative distance indices (RDI) and identifies outliers based on the specified percentile threshold. It returns a list of components containing the outlier boolean values and intermediate results. Call the `tox_detect_outliers` function with the following arguments:
- `distances`: Numeric vector of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping integer vector mapping with the same length as the distances vector (0 = no family, >0 = family index)
- `n_families`: Integer number of families
- **(Optional)** `percentile`: Percentile threshold value for outlier detection (default is 95.0)

**Return list:**
- **is_outlier**: Logical vector indicating whether each gene in an outlier
- **loess_x**: Numeric vector of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Numeric vector of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **loess_n**: Integer vector with numbers of genes in each family used to compute the corresponding median and standard deviation

Listing 179: R Gene Outlier Calculation

```
tox_detect_outliers(distances, gene_to_fam, n_families, percentile)
```

**Alternatively you can calculate each step of `tox_detect_outliers` manually with the following functions:**

(a) **Compute Family Scaling**
The function calculates a scaling factor for each gene family by computing the median and standard deviation of gene-to-centroid distances within each family, then applies LOESS smoothing to these values. Call the `tox_compute_family_scaling` function with the following arguments:
- `distances`: Numeric vector of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping integer vector mapping with the same length as the distances vector (0 = no family, >0 = family index)
- `n_families`: Integer number of families

**Return dictionary:**

- **dscale**: Numeric vector of scaling factors per family
- **loess_x**: Numeric vector of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Numeric vector of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **indices_used**: Integer vector of indices of families that have been included in the calculation

Listing 180: R Compute Family Scaling

```
tox_compute_family_scaling(distances, gene_to_fam, n_families)
```

(b) **Compute Family Scaling (Expert Version)**

This function is the expert version of `tox_detect_outliers` and requires pre-allocated work arrays for maximum performance and control. It can be used when you need fine-grained control over memory allocation or you are calling this function many times in a tight loop. Call the `tox_compute_family_scaling_expert` function with the following arguments:

- `distances`: Numeric vector of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping integer vector mapping with the same length as the distances vector (0 = no family, >0 = family index)
- `n_families`: Integer number of families
- `perm_tmp`: Permutation integer vector for sorting with the same length as distances
- `stack_left_tmp`: Stack integer vector for sorting with the same length as distances
- `stack_right_tmp`: Stack integer vector for sorting with the same length as distances
- `family_distances`: Work integer vector for sorting with the same length as distances

**Return list:**

- **dscale**: Numeric vector of scaling factors per family
- **loess_x**: Numeric vector of x coordinates used as reference points for LOESS smoothing (median distance)
- **loess_y**: Numeric vector of y coordinates used as reference points for LOESS smoothing (standard deviation)
- **indices_used**: Integer vector of indices of families that have been included in the calculation
- **perm_tmp**: Permutation vector for sorting
- **stack_left_tmp**: Stack vector for sorting
- **stack_right_tmp**: Stack vector for sorting
- **family_distances**: Work vector for sorting

Listing 181: R Compute Family Scaling (Expert Version)

```
tox_compute_family_scaling_expert(distances, gene_to_fam, n_families,
    perm_tmp, stack_left_tmp, stack_right_tmp, family_distances)
```

(c) **Compute Relative Distance Index (RDI)**

The function calculates the Relative Distance Index (RDI) for each gene by dividing its Euclidean distance to the family centroid by the scaling factor of its family. Call the `tox_compute_rdi` function with the following arguments:

- `distances`: Numeric vector of distances for each gene to its centroid
- `gene_to_fam`: Gene-to-family mapping integer vector mapping with the same length as the distances vector (0 = no family, >0 = family index)

- **dscale**: Numeric vector of scaling factors per family

**Return list:**

- `rdi`: Numeric vector containing the RDI value for each gene
- `sorted_rdi`: Numeric vector containing the RDI values sorted in ascending order

Listing 182: R Compute Relative Distance Index (RDI)

```
tox_compute_rdi(distances, gene_to_fam, dscale)
```

(d) **Identify Outliers**

The function identifies outliers based on the top percentile of RDI values. Call the `tox_identify_outliers` function with the following arguments:

- `rdi`: Numeric vector containing the RDI value for each gene
- **(Optional)** `percentile`: Percentile threshold number for outlier detection (default is 95.0)

**Return list:**

- `is_outlier`: Logical vector indicating whether each gene is an outlier
- `threshold`: Actual threshold value used for outlier detection

Listing 183: R Identify Outliers

```
tox_identify_outliers(rdi, percentile)
```

5. **Compute Normalized Tissue Versatility:**

The function calculates a normalized tissue versatility score for selected gene expression vectors. It is based on the angle between each gene expression vector and the space diagonal. Versatility is normalized to [0, 1], where 0 means uniform expression 1 means expression in only one axis. Call the `tox_compute_tissue_versatility` function with the following parameters:

- `expression_vectors`: Numeric matrix array with size `n_axes` $\times$ `n_vectors`
- `vector_selection`: Logical vector with length of `n_vectors` to specify which vectors should be included in the calculation
- `axes_selection`: Logical vector with length of `n_axes` to specify which axes should be included in the calculation

**Return list:**

- `tissue_versatilities`: Numeric vector containing the calculated tissue versatilities for selected vectors
- `tissue_angles_deg`: Numeric vector containing the calculated angles in degrees for selected vectors
- `n_selected_vectors`: Integer number of vectors processed
- `n_selected_axes`: Integer number of axes used in calculation

Listing 184: R Tissue Versatility Calculation

```
tox_calculate_tissue_versatility(expression_vectors, vector_selection,
    axis_selection)
```

### 3.3.6 R RAP Projection and Analysis Functions

The R interface provides user-friendly wrappers for RAP (Relative Axes Projection) analysis, including vector projection, angle calculation, and axis contribution analysis.

**R Implementation Features:**

- **Automatic Dimension Handling**: Automatically infers dimensions from input data
- **Flexible Mask Input**: Accepts both logical and integer masks for vector/axis selection
- **Smart Defaults**: Provides sensible defaults for optional parameters
- **Comprehensive Validation**: Validates input dimensions, types, and consistency
- **Error Conversion**: Converts Fortran error codes to informative R errors

**Validation Checks:**

- Input vectors must be numeric and have same dimensions
- Matrices must have consistent dimensions between origins and targets
- Selection masks must have appropriate lengths
- For dimensions $> 3$, selected axes must be valid and unique
- All input validation occurs in R before Fortran calls

1. **Clock Hand Angle Between Vectors**
   Calculates the signed rotation angle between two RAP-projected and normalized vectors. Automatically handles 2D, 3D, and higher-dimensional cases.
   **Arguments:**
   - `v1`: First normalized vector in RAP space (numeric vector)
   - `v2`: Second normalized vector in RAP space (numeric vector)
   - `selected_axes_for_signed`: Indices of 3 axes for directionality calculation (default: `c(1, 2, 3)`, ignored if dimension $\leq 3$)

   **Returns:**
   - Signed angle between vectors in radians $[-\pi, \pi]$ (numeric)

Listing 185: Signed Angle Between Vectors

```
angle <- tox_clock_hand_angle_between_vectors(v1, v2,
    selected_axes_for_signed = c(1, 2, 3))
```

2. **Clock Hand Angles for Shift Vectors**
   Computes signed rotation angles between corresponding pairs of RAP-projected and normalized vectors (e.g., expression centroids and paralogs).
   **Arguments:**
   - `origins`: Matrix of origin vectors (n_dims $\times$ n_vecs) - e.g., centroids
   - `targets`: Matrix of target vectors (n_dims $\times$ n_vecs) - e.g., paralogs
   - `vecs_selection_mask`: Logical vector indicating which vector pairs to compute (default: all TRUE)
   - `selected_axes_for_signed`: Indices of 3 axes for directionality calculation (default: `c(1, 2, 3)`)

   **Returns:**
   - Vector of signed angles in radians $[-\pi, \pi]$ (numeric vector)

Listing 186: Batch Angle Calculation for Vector Pairs

```
angles <- tox_clock_hand_angles_for_shift_vectors(
    origins, targets,
    vecs_selection_mask = NULL,
    selected_axes_for_signed = c(1, 2, 3))
```

3. **Relative Axis Contributions from Shift Vector**
   Computes fractional contribution of each axis to a RAP-projected and normalized shift vector. Values range [0,1] and sum to 1.
   **Arguments:**

- `vec`: RAP-projected and normalized shift vector (numeric vector)

**Returns:**

- Numeric vector of relative axis contributions (sums to 1)

Listing 187: Shift Vector Axis Contributions

```
contributions <- relative_axes_changes_from_shift_vector(shift_vector)
```

4. **Relative Axis Contributions from Expression Vector**
   Computes fractional contribution of each axis to a RAP-projected and normalized expression vector. Values range [0,1] and sum to 1.
   **Arguments:**
   - `vec`: RAP-projected and normalized expression vector (numeric vector)

   **Returns:**
   - Numeric vector of relative axis contributions (sums to 1)

Listing 188: Expression Vector Axis Contributions

```
contributions <- relative_axes_expression_from_expression_vector(
    expression_vector
)
```

5. **Omics Vector RAP Projection**
   Projects selected expression vectors onto the RAP constructed from a selected set of axes.
   **Arguments:**
   - `vecs`: Matrix with expression vectors (n_axes × n_vecs)
   - `vecs_selection_mask`: Logical or integer mask for vectors to project
   - `axes_selection_mask`: Logical or integer mask for axes to include in RAP

   **Returns:**
   - Matrix of projected vectors (n_selected_axes × n_selected_vecs)

Listing 189: Vector RAP Projection

```
projections <- omics_vector_RAP_projection(vecs, vecs_selection_mask,
    axes_selection_mask)
```

6. **Omics Field RAP Projection**
   Projects selected vector fields (e.g., shift vectors) onto the RAP constructed from a selected set of axes. Automatically computes shift vectors as differences between origins and targets.
   **Arguments:**
   - `vecs`: Matrix with vector fields (2*n_axes × n_vecs) - first n_axes rows: origins, last n_axes rows: targets
   - `vecs_selection_mask`: Logical or integer mask for vectors to project
   - `axes_selection_mask`: Logical or integer mask for axes to include in RAP

   **Returns:**
   - Matrix of projected vectors (n_selected_axes × n_selected_vecs)

Listing 190: Vector Field RAP Projection

```
projections <- omics_field_RAP_projection(vecs, vecs_selection_mask,
    axes_selection_mask)
```

### 3.3.7 Trajectory Contribution Analysis

Placeholder

### 3.3.8 R Utils

1. **R BST Interface**

   (a) **Build BST Index**

   R interface for building BST index. Uses R's native 1-based indexing.

   **Input:**

   - `x numeric`: Vector of real values

   **Output:**

   - `integer`: Permutation indices (1-based R indices)

   ```
   ix <- build_bst_index(x)
   ```

   (b) **BST Range Query**

   Performs range queries on BST index. Returns a list with components.

   **Input:**

   - `x numeric`: Original values vector
   - `ix integer`: BST index vector from build_bst_index (1-based)
   - `lo numeric`: Lower bound of range (inclusive)
   - `hi numeric`: Upper bound of range (inclusive)

   **Output:**

   - `list`: Contains indices and count components

   ```
   result <- bst_range_query(x, ix, lo, hi)
   indices <- result$indices  # 1-based indices
   count <- result$count
   ```

   (c) **Get Sorted Value**

   Retrieves value from sorted position using R 1-based indexing.

   **Input:**

   - `x numeric`: Original values vector
   - `ix integer`: BST index vector (1-based)
   - `position integer`: Position in sorted order (1-based)

   **Output:**

   - `numeric`: Value at specified position

   ```
   value <- get_sorted_value(x, ix, position)
   ```

2. **R k-d Tree Interface**

   (a) **Build k-d Tree Index**

   R interface for k-d tree construction. Input matrix dimensions are rows=dimensions, columns=points.

   **Input:**

   - `X matrix`: Matrix of points (nrow = dimensions, ncol = n_points)
   - `dim_order integer`: Dimension ordering (1-based, optional)

   **Output:**

   - `integer`: Permutation indices (1-based R indices)

   ```
   kd_ix <- build_kd_index(X, dim_order)
   ```

   (b) **Build Spherical k-d Tree**

   R interface for spherical k-d tree construction with separate implementation.

   **Input:**

   - `V matrix`: Matrix of vectors (nrow = dimensions, ncol = n_vectors)

- `dim_order integer`: Dimension ordering (1-based, optional)

**Output:**

- `integer`: Permutation indices (1-based R indices)

```
sphere_ix <- build_spherical_kd(V, dim_order)
```

(c) **Get Point from k-d Index**

Retrieves point from k-d tree using R matrix indexing.

**Input:**

- `X matrix`: Original points matrix
- `kd_ix integer`: k-d tree index vector (1-based)
- `position integer`: Position in k-d tree order (1-based)

**Output:**

- `numeric`: Point values as vector

```
point <- get_kd_point(X, kd_ix, position)
```