




Dataset: circular_arc_noise_high | k= 500 , iter= 21




Dataset: circular_arc_noise_low | k= 500 , iter= 21




Dataset: circular_arc_noise_medium | k= 500 , iter= 21



Dataset: cubic_noise_high | k= 500 , iter= 21



Dataset: cubic_noise_low | k= 500 , iter= 21



Dataset: cubic_noise_medium | k= 500 , iter= 21

Local Sigma

-1.0

-0.5

0.0


0.5

1.0


X

2


1




Dataset: exponential_noise_high | k= 500 , iter= 21




Dataset: exponential_noise_low | k= 500 , iter= 21




Dataset: exponential_noise_medium | k= 500 , iter= 21




Dataset: heteroscedastic_noise_high | k= 500 , iter= 21




Dataset: heteroscedastic_noise_low | k= 500 , iter= 21




Dataset: heteroscedastic_noise_medium | k= 500 , iter= 21




Dataset: kinked_curve_noise_high | k= 500 , iter= 21




Dataset: kinked_curve_noise_low | k= 500 , iter= 21




Dataset: kinked_curve_noise_medium | k= 500 , iter= 21




Dataset: linear_noise_high | k= 500 , iter= 21




Dataset: linear_noise_low | k= 500 , iter= 21




Dataset: linear_noise_medium | k= 500 , iter= 21




Dataset: mixed_generators_noise_high | k= 500 , iter= 21




Dataset: mixed_generators_noise_low | k= 500 , iter= 21




Dataset: mixed_generators_noise_medium | k= 500 , iter= 21



Dataset: s_curve_noise_high | k= 500 , iter= 21



Dataset: s_curve_noise_low | k= 500 , iter= 21



Dataset: s_curve_noise_medium | k= 500 , iter= 21

