



Common Azure Resources Using Dynamic Blocks

Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.

- Azure Resource Manager (ARM) templates
- Azure PowerShell cmdlets
- Azure CLI commands
- Azure SDK for .NET
- Azure SDK for Java
- Azure SDK for Python
- Azure SDK for Go
- Azure SDK for Node.js
- Azure SDK for Rust
- Azure SDK for C++



Resource	Dynamic Block
Azure Resource Manager (ARM) templates	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure PowerShell cmdlets	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure CLI commands	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for .NET	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for Java	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for Python	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for Go	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for Node.js	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for Rust	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.
Azure SDK for C++	Dynamic blocks are used to create resources in Azure. They are used to create resources in Azure.