




























State - Store of Terraform resource - if loss of state about resource state
Argument - Properties which describe the configuration of the resource
Always create the resource explicitly first in the Plan



Common Azure Resources Using Dynamic Blocks

Some Azure resources where `dynamic` is commonly used:

- `azure_network_security_group`
 - `security_rule`
- `azure_application_gateway`
 - `backend_address_pool`
 - `http_listener`
 - `request_routing_rule`
- `azure_linux_virtual_machine`
 - `admin_ssh_key`
- `azure_storage_account`
 - `blob_properties`



Property	Explanation
Name	A unique name within the network security group. The name can be up to 80 characters long. It must begin with a word character, and it must end with a word character or with a hyphen. The name can contain word characters, hyphens, or underscores.
Priority	A number between 100 and 4096. Rules are processed in priority order, with lower numbers processed before higher numbers because lower numbers have higher priority. Once traffic matches a rule, processing stops. As a result, any rules that end with lower priorities (higher numbers) that have the same attributes as rules with higher priorities aren't processed. Azure default security rules are given the lowest priority (highest number) to ensure your custom rules are always processed first.
Source or destination	You can specify Any, an individual IP address, a CIDR block (for example, 10.0.0.0/24), a service tag, or an application security group. To specify a particular Azure resource, use the private IP address assigned to the resource. For inbound traffic, network security groups process traffic after Azure translates public IP addresses to private IP addresses. For outbound traffic, network security groups process traffic before translating private IP addresses to public IP addresses. Enter a range, service tag, or application security group to reduce the number of security rules needed. Augmented security rules allow specifying multiple individual IP addresses and ranges in a single rule. However, you can't specify multiple service tags or application groups in a single rule. Augmented security rules are only available in network security groups created through the Resource Manager deployment model. In the classic deployment model, multiple IP addresses and ranges can't be specified in a single rule. For example, if the source is subnet 10.0.0.0/24 (where VM1 is located) and the destination is subnet 10.0.2.0/24 (where VM2 is located), the network security group filters traffic for VM2. This behavior occurs because the NSG is associated with VM2's network interface.
Protocol	TCP, UDP, ICMP, ESP, AH, or Any. The ESP and AH protocols aren't currently available via the Azure portal but can be used via ARM templates.
Direction	Whether the rule applies to inbound or outbound traffic.
Port range	You can specify an individual port or ranges of ports. For example, you could specify 80 or 10000-10005, or for a mix of individual ports and ranges, you can separate them with commas, such as 80, 10000-10005. Specifying ranges and comma separation empowers you to create lower security rules. Augmented security rules can only be created in network security groups created through the Resource Manager deployment model. You can't specify multiple ports or port ranges in the same security rule in network security groups created through the classic deployment model.
Action	Allow or deny your specified traffic.

