
CitiSevik

DEMO USER MANUAL

A section-by-section guide to the prototype interface



The Map overview is the main spatial workspace: switch map layers, inspect signals and review a selected record.

Live demo: https://citisevik-deployment.onrender.com/

Purpose of this guide: explain what is displayed in each workspace section and how a demo user can interact with it.

Important: CitiSevik is a prototype using illustrative and synthetic demonstration records. Values, costs, schedules, workflow metrics and screening scores shown in the interface are not verified municipal performance data.

1. Getting started

Open the live demo using the link on the cover. The application is organised as a left-hand workspace navigation and a main content area. Select a workspace item from the sidebar to move between the five main sections.

Workspace section	What it is for
Map	Explore infrastructure projects, civic signals, environmental screening layers and submit a demo civic-issue report.
Cases & Workflow	Review the case register and filter illustrative complaints by department, priority and status.
Decision Support & Budget	Rank sample areas, draft an indicative investment plan, compare interventions and explore other-city references.
Analytics	Review illustrative coordination, completion, project-delivery, conflict and outcome measures.
Data & Audit	Inspect data sources, implementation status, location-alignment checks and sample audit events.

Some pages also show a role selector (for example, Planner demo or Department Officer demo) and, on selected pages, a department selector. These are prototype viewing controls. The role selector is not authentication or production access control.

A small **Illustrative data** label appears throughout the interface. Treat it as a reminder that the records and calculations are seeded for demonstration.


2. Map

The Map workspace is the spatial overview of the sample area. It brings together project locations, reported civic issues and contextual screening layers so a user can inspect where activity is concentrated.

2.1 Map layers and controls

- **Projects:** displays sample infrastructure project locations and their map signals.
- **Flood:** switches on a flood-exposure screening view. It is an indicator layer, not a calibrated flood forecast.
- **Traffic:** displays the traffic-related contextual layer in the map.
- **People:** displays the people/population context layer.
- **Air quality:** displays an air-quality screening layer. The on-map tooltip explicitly describes it as a relative indicator, not a live measurement.
- **Complaints:** displays mapped complaint signals and clusters.
- **Priority areas:** highlights areas with higher screening priority.

Click a layer button to change the map view. Hover over a map signal to see a quick tooltip; click a signal to open its full record in the Map details panel. When a record is selected, the panel can show its type, identifier, lead department, schedule, progress and potential coordination alerts.



Example: a project signal is selected. The tooltip gives a short project summary; the Map details panel shows the record.

2.2 Map details panel


- **Selected record:** identifies the selected project or map signal.
- **Lead department:** shows the department assigned as the lead in the sample record.
- **Schedule and progress:** shows the illustrative start/end period and completion percentage.
- **Potential coordination alerts:** highlights possible schedule or excavation overlaps that may need review.

2.3 Report a civic issue

The right-side panel includes a demo reporting form. Choose an issue category (the visible default is Pothole / damaged road), enter a description, and provide the map location as longitude and latitude. The page instructs the user to click the map to choose a location before submitting. Select **Submit demo report** to submit the demonstration report.

- Use the issue-category dropdown to classify the report.
- Describe what was observed in the description field.
- Choose a point on the map; the longitude and latitude fields show the selected coordinates.
- Submit the demo report. The interface includes summary counts such as mapped complaints, complaint clusters and potential work clashes.

The report form demonstrates a reporting and routing workflow. It should not be described as a live municipal complaint channel or as connected to a municipal control room.



Example of the Air quality layer and the report-a-civic-issue form in the map details area.

3. Cases & Workflow


This page is a register of sample civic cases. It is intended to show how a reported issue can be assigned to a lead department, shared with partner departments and tracked through a status.

3.1 Filters

- **Department:** narrow the register to a selected department or keep All departments.
- **Priority order:** sort the displayed records, for example High → low.
- **Status:** narrow the list by workflow status or keep All statuses.

3.2 Case register columns

Column	Meaning
Case ID	Unique sample identifier for the case.
Issue	Issue category, such as construction dust, waterlogging or pothole / damaged road.
Lead department	Department shown as primarily responsible in the sample workflow.
Partners	Partner acknowledgement count, such as 1/1 acked or 0/1 acked.
Status	Current sample workflow state, such as submitted, acknowledged or in_progress.
Priority	Priority label such as high or routine.
Source	Indicates the record is illustrative.



The Cases & Workflow page, with department, priority-order and status filters above the case register.

Use the filters to focus on a subset of cases and inspect how lead ownership, partner acknowledgement and status are represented. The screenshot shows the register as a table; it does not establish that every row opens an editable case-detail view.


4. Decision Support & Budget

This workspace helps a planner explore sample-area priorities and compare indicative intervention packages. The page explicitly states that scores and costs are screening estimates, not engineering predictions or municipal quotations.

4.1 Build a draft investment plan

- **Total available budget (■ lakh):** enter the notional budget available for the plan.
- **Planning horizon:** choose the time period for the draft plan (the screenshot shows 12 months).
- **What should the plan prioritise?** choose the planning preference (the screenshot shows Balanced).
- **Build draft plan:** generate an indicative allocation using the entered assumptions.

The results panel displays the budget available, draft plan cost and unallocated amount. It then lists candidate interventions by area, estimated placeholder cost, screening benefit and whether the item fits within the illustrative budget. A 'Fits budget' label means only that the estimated package cost fits the remaining demo budget; it does not mean the work is approved or funded.



Illustrative draft plan output: budget totals and candidate intervention allocations.

4.2 Areas ranked for attention

The page lists sample areas in ranked order. Each entry includes a rank, priority-rank percentile, selected risk/context indicators and an approximate locality reference. Select **Compare** beside an area to use it as the selected area for intervention comparison.

The page notes that labels such as Near Sion, Matunga or Wadala are approximate references, not official ward boundaries. A priority score is a screening signal, not a measured level of danger.



Ranked sample areas with Compare controls.


4.3 Compare local interventions

After selecting an area, the comparison section places intervention options side by side. The visible options include Green / blue retention, Drainage upgrade, Combined coordinated package and Targeted road repair. The table compares option cost, separate and coordinated scenarios where shown, a risk-adjusted screening score, rupees per score point, re-excavation level and rationale.

- **Option cost:** indicative placeholder cost for the intervention.
- **Base** – **penalty + benefit = adjusted:** the displayed screening-score calculation.

- ■ **/ score point:** a relative cost-to-score comparison for the option.
- **Re-excavation:** a qualitative screening field.
- **Rationale:** explains why the option may or may not suit the selected area.

The comparison may also show a coordination cost scenario and an illustrative schedule check. In the example, it explains how sequencing drainage or utility work before final road resurfacing may reduce the risk of reopening a newly resurfaced road. These are scenario calculations, not measured savings or contractor quotations.




Intervention comparison: options, screening formula, indicative costs and coordination scenario.

4.4 Similar situations & solutions from other cities

Choose a problem type from the dropdown to explore reference cases from other cities. The visible example is Waterlogging / urban flooding. The cards describe an approach, what CitiSevik can learn from it, possible local relevance and limitations. Examples shown include Bishan–Ang Mo Kio Park (Singapore), Hindmata & King's Circle holding tanks / pumping (Mumbai) and Copenhagen's Cloudburst Management Plan.

These references are learning material. The interface states that they are not automatic recommendations for Mumbai; local engineering, land availability, maintenance and other conditions still need assessment.



Other-city reference cards, with approach, potential local relevance and limitations.

5. Analytics

The Analytics workspace summarises the sample workflow from coordination through case completion, project delivery, conflict review and outcomes. The page explicitly warns that seeded workflow, schedule and cost figures are illustrative, not live municipal performance.

5.1 Coordination


The coordination panel shows the percentage and count of required partner acknowledgements received (the screenshot shows 73%, or 24 / 33). A 'Waiting on' table lists open cases, the issue, the department being awaited and the number of days waiting. Use this to identify sample cases where partner acknowledgement is still pending.

5.2 Completion funnel

The funnel displays counts at workflow stages: Submitted, Acknowledged, In progress and Resolved. It also shows the verified subset of resolved cases, overdue open cases and total cases. The page notes that stages are cumulative and that verified is a subset of resolved.

5.3 Project delivery

This panel shows counts of projects On track, Delayed and Completed, followed by schedule slippage and dependent projects at risk. The example shows a road-repair delay and a drainage-upgrade dependency. The recommended sequence is to complete drainage and underground utility work before final road resurfacing.




Analytics: coordination acknowledgement, waiting-on table and completion funnel.

5.4 Conflict pipeline and review trail

The conflict pipeline shows counts for Flagged, Verified and Coordinated conflicts, plus an illustrative potential rework-avoided figure. The Conflict register & review trail lists the linked project IDs, conflict type, status, owning departments, acknowledgements, rework link and notes. A cost scenario explains the separate versus coordinated figures for the specific road-repair / drainage example.

5.5 Outcomes

The Outcomes panel displays follow-up complaints after a fix, median time to acknowledge and the percentage acknowledged within 48 hours. The interface labels the response-time distribution illustrative and not measured service-level performance.



Analytics: conflict register, illustrative cost scenario and outcome measures.


How to interpret the analytics: partner acknowledgements track coordination, not completion. Conflicts require review before verification, and project dependencies are schedule-screening flags. Zero records do not prove that nothing happened in reality.

6. Data & Audit

This section explains where the prototype's information comes from, how it is classified and what still requires validation or integration. It is useful for understanding the limits of the demo rather than treating every map layer or score as verified ground truth.

6.1 Data source register

Source shown	Classification / note
OpenStreetMap roads, water bodies, buildings and green areas	Imported map data; currency and completeness are not independently verified.
SRTM-derived terrain indicators	Imported terrain proxy; not a hydrological model.
Derived flood / air / density indices	Modelled screening indicators only; not validated predictions.
Seed projects and complaints	Illustrative synthetic demonstration records.
Intervention cost bands	Illustrative placeholder ■ lakh values, not procurement estimates.
Publicly reported chronic waterlogging localities	External reference; approximate locality references, not exact geocoded incident points.




Data source register: sources, classifications, validation status and notes.

6.2 Public-location alignment check

The page compares approximate locality references against the supplied map extract. It reports how many of the geocoded localities match within selected map-cell thresholds (the screenshot shows 2 of 3 at the top 10% threshold and 3 of 3 at the top 20% threshold). It also displays the locality, coordinates used, match status, distance and source reference.

This is an exploratory alignment check, not model validation or an accuracy measure. The page explains that locality centroids are approximate, some places are not geocoded in the supplied map extract, and terrain proxies cannot capture all causes of flooding such as drainage capacity and tide.



Public-location alignment check and its limitations.

6.3 Implementation status and audit trail

The capability summary provided with the demo distinguishes implemented prototype features, partial capabilities, demo-only analytics and capabilities not implemented. The audit trail records illustrative actions such as coordinate_clash and verify_clash, with timestamps, departments and notes.

Capability	Status in the supplied capability summary
Map dataset and rendering; project register and overlays; complaint submission and prototype, with plausible synthetic records	Implemented in the prototype, with plausible synthetic records
Intervention comparison; budget planning	Partial; screening scores and placeholder cost bands require engineering / procurement
Coordination & completion analytics	Demo only; calculated from synthetic workflow records and prototype actions.
Live municipal integrations; validated flood / air / traffic models; authentication and production security	Not implemented

The role switcher is a prototype convenience, not access control. Operational use would require permissions, APIs, data-sharing agreements, validated models and production security.

7. Suggested walkthrough

For a short guided demonstration, follow this sequence:

- **Start on Map:** switch between Projects, Flood, Traffic, People, Air quality, Complaints and Priority areas. Hover over and click a few map signals to inspect their details.
- **Demonstrate reporting:** choose an issue category, enter a short description, select a map location and submit a demo report.
- **Open Cases & Workflow:** filter the case register by department, priority order and status. Point out lead departments and partner acknowledgements.
- **Open Decision Support & Budget:** enter an illustrative budget, select a planning horizon and priority, then build a draft plan. Compare a ranked area and review the intervention options.
- **Show city references:** select a problem type and explain how the case cards provide learning references rather than automatic recommendations.
- **Open Analytics:** trace a case through coordination and completion, then show the project dependency and conflict review trail.
- **Finish in Data & Audit:** show source classifications, validation notes, implementation status and audit events to make the prototype's scope transparent.

The strongest demonstration is not to present every number as a result. Instead, show how the interface links a spatial signal to a case, departmental coordination, an intervention decision and an audit trail—while being transparent about what is still illustrative.

8. Important interpretation notes

- All visible demo records, workflow counts, schedules, progress values and outcome metrics should be treated as illustrative unless independently replaced with verified operational data.
- Flood, air-quality, traffic, density and priority indicators are screening layers; they are not validated forecasts or engineering assessments.
- Area labels and locality coordinates may be approximate. The alignment check is exploratory, not proof of model accuracy.
- Intervention costs are placeholder estimates, not procurement quotations. Budget fit does not mean a project has been approved or funded.
- Potential clashes and schedule dependencies are prompts for human review, not confirmed underground-utility conflicts.
- Live municipal integrations, validated environmental models, production authentication and production security are not implemented in this prototype.

End of manual — CitiSevik demo user guide.