


Feature		Scenario		Step					
Name	Duration	T	P	F	S	T	P	F	S
hooks_test	9.730 s	1	0	1	0	3	2	1	0

Tag	Scenario		Feature					
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	hooks_test	1	0	1	0	9.730 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	<u>TC_01_</u>	3	2	1	0	9.728 s

DETAILED SECTION -- 6 --

## hooks\_test

FAILED	DURATION - 9.730 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 8:32:31.131 PM //	8:32:40.861 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 🎽
		Skip - 0		Skip - 0	
		Skip - U		Skip - U	

## TC\_01\_



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	2.641 s
2	And user enters customer_email and customer_password	PASSED	1.155 s
	username password jack@gmail.com 12345		
3	Then verify the next page url contains login keyword	FAILED	5.025 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:42) at ?.verify the next page url contains login keyword(file:///C:/Users/can07/IdeaProjects/my-cucumber-project/./src/test/resources/features/ day26_failed_test_cases.feature:8)  * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.894 s
	failed_scenarioTC_01_		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	BULL OFFICE AND ADDRESS AND AD		