


5 Additional Features on How tos



2). Video Modal






```
<div id="myModal" class="modal">
       <div class="modal-content">
         <!-- Close button -->
         <span class="close">&times;</span>
         <div class="feature-img">
            <video loop muted class="clip" id="modalVideo">
              <source src="obj/clip.mp4" type="video/mp4">
            </video>
         </div>
       </div>
     </div>
Style
.modal {
   display: none;
   position: fixed;
   z-index: 9999;
   left: 0;
   top: 0;
   width: 100%;
   height: 100%;
   background-color: rgba(0, 0, 0, 0.7);
   overflow: auto;
  .modal-content {
   position: relative;
   margin: auto;
   padding: 20px;
   width: 80%;
   max-width: 800px;
   background-color: #fefefe;
   border-radius: 5px;
 .close {
   color: #aaa;
   float: right;
   font-size: 28px;
   font-weight: bold;
 .close:hover,
 .close:focus {
   color: black;
   text-decoration: none;
   cursor: pointer;
```

```
.modal-content .feature-img video {
    width: 100%;
   height: auto;
    border-radius: 5px;
      JavaScript
var initialVideo = document.getElementById("initialVideo");
var modalVideo = document.getElementById("modalVideo");
initialVideo.onclick = function() {
  var modal = document.getElementById("myModal");
  modal.style.display = "block";
  modalVideo.play();
  initialVideo.pause();
};
var modal = document.getElementById("myModal");
var span = document.getElementsByClassName("close")[0];
span.onclick = function() {
  modal.style.display = "none";
  modalVideo.pause();
};
window.onclick = function(event) {
  if (event.target == modal) {
    modal.style.display = "none";
    modalVideo.pause();
};
```

3).Cards




```
<div id="hiddenContent4" class="hidden-content4">
       <span class="close-btn" onclick="toggleHiddenContent4()">X</span>
       <h3>Tours</h3>
       this is the only available tours
<div class="box-container">
   <div class="box">
       <div class="carousel">
          <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
       </div>
       <h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
       <button class="learn-more-btn">Learn More</button>
   </div>
   <div class="box">
       <div class="carousel">
          <img src="obj/pic6.jpg" alt="Adventure 2 Image 2">
       </div>
       <h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
       <button class="learn-more-btn">Learn More</button>
   </div>
   <div class="box">
       <div class="carousel">
           <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
       </div>
       <h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
       <button class="learn-more-btn">Learn More</button>
   </div>
   <div class="box">
       <div class="carousel">
           <img src="obj/pic6.jpg" alt="Adventure 2 Image 2">
       </div>
       <h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
```


```
<button class="learn-more-btn">Learn More</button>
</div>
<div class="box">
   <div class="carousel">
       <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
   </div>
   <h3>Adventure Title 2</h3>
   Duration: 7 days
   Place: Forest Exploration
   Date: February 10 - 17
   Price: $700
   <button class="learn-more-btn">Learn More</button>
</div>
<div class="box">
   <div class="carousel">
       <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
   </div>
   <h3>Adventure Title 2</h3>
   Duration: 7 days
   Place: Forest Exploration
   Date: February 10 - 17
   Price: $700
   <button class="learn-more-btn">Learn More</button>
</div>
<div class="box">
   <div class="carousel">
       <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
   </div>
   <h3>Adventure Title 2</h3>
   Duration: 7 days
   Place: Forest Exploration
   Date: February 10 - 17
   Price: $700
   <button class="learn-more-btn">Learn More</button>
</div>
<div class="box">
   <div class="carousel">
       <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
   </div>
   <h3>Adventure Title 2</h3>
   Duration: 7 days
   Place: Forest Exploration
   Date: February 10 - 17
   Price: $700
   <button class="learn-more-btn">Learn More</button>
</div>
<div class="box">
   <div class="carousel">
       <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
   </div>
```

```
<h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
       <button class="learn-more-btn">Learn More</button>
   </div>
   <div class="box">
       <div class="carousel">
           <img src="obj/pic7.jpg" alt="Adventure 2 Image 1">
       </div>
       <h3>Adventure Title 2</h3>
       Duration: 7 days
       Place: Forest Exploration
       Date: February 10 - 17
       Price: $700
       <button class="learn-more-btn">Learn More</button>
   </div>
</div>
   </div>
.box-container {
   display: grid;
   grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
   grid-gap: 20px;
   padding: 20px;
.box:hover {
   transform: translateY(-5px);
   box-shadow: 0 5px 15px rgba(0, 0, 0, 0.3);
.box {
   border: 1px solid #ccc;
   border-radius: 8px;
   overflow: hidden;
   box-shadow: 0 0 10px rgba(0, 0, 0, \overline{0.1});
   background-color: #fff;
   transition: transform 0.3s ease;
   display: flex;
   flex-direction: column;
.box img {
   width: 100%;
   height: 150px; /* Adjust height as needed for a better appearance */
   object-fit: cover;
   border-top-left-radius: 8px;
```

```
border-top-right-radius: 8px;
.box-content {
   padding: 15px;
   flex-grow: 1;
   display: flex;
   flex-direction: column;
   justify-content: space-between;
.box h3 {
   font-size: 18px;
   margin-bottom: 10px;
   color: #333;
   text-align: center;
.box p {
   margin-bottom: 8px;
   text-align: center;
   color: #666;
.learn-more-btn {
   padding: 8px 16px;
   background-color: transparent;
   border: 2px solid #0593ac;
   border-radius: 5px;
   color: #0593ac;
   cursor: pointer;
   transition: background-color 0.3s ease, color 0.3s ease;
   align-self: center;
.learn-more-btn:hover {
   background-color: #0593ac;
   color: #fff;
.box-container::-webkit-scrollbar {
   display: none;
```



```
.testi-row {
   width: 80%;
   margin: auto;
   display: flex;
   justify-content: space-between;
   align-items: flex-start;
   flex-wrap: wrap;
.testi-col {
   flex-basis: 28%;
   padding: 10px;
   margin-bottom: 30px;
   border-radius: 5px;
   transition: 0.5s;
   box-shadow: 0 10px 20px 3px #00968814;
.testi-col p{
    font-size: 14px;
.user{
   display: flex;
   align-items: center;
   margin: 20px 0;
.user img{
   width: 40px;
   margin-right: 20px;
   border-radius: 3px;
.user-info .fa{
   margin-left: 10px;
   color: #27c0ff;
   font-size: 20px;
.user-info small{
    color: #009688;
.testi-col:hover{
    transform: translate(7px);
```



```
<button onclick="topFunction()" id="scrollTopBtn" title="Go to top">&#x2191;</button>
function scrollFunction() {
 var scrollTopButton = document.getElementById("scrollTopBtn");
 if (document.body.scrollTop > 20 || document.documentElement.scrollTop > 20) {
    scrollTopButton.style.display = "block";
 } else {
    scrollTopButton.style.display = "none";
#scrollTopBtn {
    display: none; /* Hide the button by default */
   position: fixed;
   bottom: 20px;
   right: 20px;
   z-index: 99;
   border: none;
   outline: none;
   background-color: #333;
   color: white;
    cursor: pointer;
    padding: 15px;
   border-radius: 50%;
    font-size: 18px;
 #scrollTopBtn:hover {
    background-color: #555;
```

```
function topFunction() {
  document.body.scrollTop = 0; // For Safari
  document.documentElement.scrollTop = 0; // For Chrome, Firefox, IE and Opera
}
```