```
*{
    margin: 0;
    padding: 0;
#banner {
    background:linear-gradient(rgba(0,0,0,0.5),#4ebff3), url(obj/bgg.jpg);
    background-size: cover;
    background-position: center;
    height: 100vh;
.logo img{
    width: 135px;
    color: rgb(4, 10, 10);
    position: fixed;;
    top: 20px;
    left: 0;
.banner-text{
    text-align: center;
    color: #fff;
    padding-top: 180px;
.banner-text h1{
    font-size: 130px;
.banner-text p{
    font-size: 20px;
font-style: italic;
.btn{
    margin: 70px auto;
.btn a{
   width: 150px;
    text-decoration: none;
    display: inline-block;
    margin: 0 10px;
    padding: 12px 0;
    color: #fff;
    border: .5px solid #fff;
    position: relative;
    z-index: 1;
    transition: 0.5s;
.learnmore {
    width: 250px;
```

```
height: 100vh;
    position: fixed;
    right: -250px;
    top: 0;
    background: #009688;
    z-index: 2;
    transition: 0.5s;
    padding: 20px;
    overflow-y: scroll;
    box-sizing: border-box;
    color: #fff;
.learnmore p {
    text-align: justify;
.btn a span{
    width: 0;
    height: 100%;
    position: absolute;
    top: 0;
    left: 0;
    background: #fff;
    z-index: -1;
    transition: 0.5s;
.btn a:hover span{
    width:100%
.btn a:hover {
    color: #000;
#learnmore {
    width: 250px;
    height: 100vh;
    position: fixed;
    right: -250px;
    top: 0;
    background: #009688;
    z-index: 2;
    transition: 0.5s;
#learnmore p{
    text-align: center;
    margin-top: 70px;
    font-size: 18px;
```

```
#sidenav{
    width: 250px;
    height: 100vh;
    position: fixed;
    right: -250;
    top: 0;
    background: #009688;
    z-index: 2;
    transition: 0.5s;
nav ul li{
    list-style: none;
    margin: 50px 20px;
nav ul li a{
    text-decoration: none;
    color: #fff;
#menubtn {
    width: 50px;
    height: 50px;
    background: #009688;
    text-align: center;
    position: fixed;
    right: 30px;
    top: 20px;
    border-radius: 3px;
    z-index: 3;
    cursor: pointer;
#menubtn img{
    width: 20px;
    margin-top: 15px;
@media screen and (max-width: 770px){
    .banner-text h1{
        font-size: 44px;
.btn a{
    display: block;
    margin: 20px auto;
#about {
    width: 100%;
```

```
padding: 70px 0;
.title-text {
text-align: center;
padding-bottom: 70px;
.title-text p{
    margin: auto;
    font-size: 20px;
    color: #009688;
    font-weight: bold;
position: relative;
z-index: 1;
display: inline-block;
.title-text p::after{
    content: '';
    width: 50px;
    height: 35px;
    position: absolute;
    top: -20px;
    left: 0;
    z-index: -1;
    transform: rotate(10deg);
    border-top-left-radius: 35px;
    border-bottom-right-radius: 35px;
    background: linear-gradient(#019587, #fff);
.title-text h1{
font-size: 50px;
.features-box {
    width: 80%;
   margin: auto;
    display: flex;
   flex-wrap: wrap;
    align-items: center;
    text-align: center;
.feature {
    flex-basis: 50%;
```

```
.feature-img {
    flex-basis: 50%;
    margin: auto;
.clip{
    flex-basis: 50%;
    margin: auto;
    border-radius: 5px;
    height: 100%;
    width: 50%;
.feature h1{
   text-align: left;
    margin-bottom: 10px;
    font-weight: 10px;
    color: #009688;
.feature-des {
   display: flex;
    align-items: center;
    margin-bottom: 40px;
.feature-icon {
    width: 20px;
   height: 20px;
    font-size: 15px;
    line-height: 20px;
    border-radius: 2px;
    border: 1px solid #009688;
    color: #009688;
.feature-text p{
padding: 0 20px;
text-align: initial;
@media screen and (max-width: 770px){
    .title-text h1{
        font-size: 35px;
    .feature {
        flex-basis: 100%;}
        .feature-img {
            flex-basis: 100%;
            width: 100%;
```

```
/*---service*/
#services {
    width: 100%;
    padding: 70px 0;
    background: #efefef;
.service-box{
    width: 80%;
    display: flex;
    flex-wrap: wrap;
    justify-content: space-around;
    margin: auto;
.single-service {
    flex-basis: calc(50% - 20px);
    text-align: center;
    border-radius: 7px;
    margin-bottom: 20px;
    color: white;
    position: relative;
.single-service img {
    width: 100%;
    border-radius: 7px;
    transition: transform 0.3s ease-in-out;
.single-service img:hover {
    transform: scale(1.08);
.overlay {
    width: 100%;
    height: 100%;
    position: absolute;
    top: 0;
    border-radius: 7px;
    cursor: pointer;
    background: linear-gradient(rgba(0,0,0,0.5),#0593ac);
    opacity: 0;
    transition: 1s;
.single-service:hover .overlay{
    opacity: 0.9;
.service-des {
```

```
width: 80%;
    position: absolute;
    bottom: 0%;
    left: 50%;
    transform: translate(-50%);
    transition: 1s;
    color: #fff;
    opacity: 0;
hr {
    background: #fff;
    height: 2px;
   border: 0;
    margin: 15px auto;
    width: 60%;
.service-des p{
    font-size: 14px;
.single-service:hover .service-des{
    bottom: 40%;
    opacity: 1;
button {
    padding: 10px 20px;
    background-color: #0593ac;
    border: none;
    border-radius: 25px;
    color: white;
    font-size: 16px;
    padding: 12px 24px;
    cursor: pointer;
    transition: background-color 0.3s ease, transform 0.2s ease;
    button:hover {
        background-color: #046c83;
        transform: scale(1.05);
    .service-des h3 {
        font-size: 20px;
        margin-bottom: 10px;
    .service-des hr {
        background: #fff;
        height: 2px;
        border: 0;
        width: 30%;
        margin: 8px auto;
```

```
.service-des p {
        font-size: 14px;
        line-height: 1.6;
       margin-bottom: 15px;
.hidden-content {
   display: none;
   position: fixed;
   top: 0;
   right: -250px;
   width: 450px;
   max-height: 100vh;
   background-color: #009688;
   transition: right 0.5s ease-in-out;
   padding: 20px;
   color: #fff;
   overflow-y: auto;
.hidden-content h3 {
   margin-top: 20px;
   text-align: center;
    color: #fff;
.hidden-content p {
   text-align: center;
   font-size: 18px;
    color: #fff;
.hidden-content .image-grid {
   display: grid;
   grid-template-columns: repeat(auto-fill, minmax(200px, 1fr));
   grid-gap: 10px;
   margin-top: 20px;
.hidden-content .image-grid figure {
   margin: 0;
   position: relative;
.hidden-content .image-grid img {
   width: 100%;
```

```
height: auto;
    display: block;
    border-radius: 5px;
    box-shadow: 0 0 5px rgba(0, 0, 0, 0.3);
.hidden-content .image-grid figcaption {
    position: absolute;
    bottom: 0;
    left: 0;
    right: 0;
    background-color: rgba(0, 0, 0, 0.7);
    color: #fff;
    padding: 8px;
    margin: 0;
    font-size: 14px;
    border-bottom-left-radius: 5px;
    border-bottom-right-radius: 5px;
.hidden-content .no-more-content {
    margin-top: 20px;
    font-size: 14px;
    font-style: italic;
    margin-bottom: 20px;
.hidden-content.active {
    display: block;
    right: 0;
@media screen and (max-width: 770px){
    .single-service {
        flex-basis: 100%;
        margin-bottom: 30px;
    .service-des p{
        font-size: 12px;
    hr {
        background: #fff;
    margin: 5px auto;
    .single-service:hover .service-des{
        bottom: 25%;
```

```
@media screen and (max-width: 768px) {
    .hidden-content,
    .hidden-content2,
    .hidden-content3,
    .hidden-content4 {
        width: 90%;
        max-width: 90%;
        padding: 10px;
        right: -90%;
    .hidden-content h3,
    .hidden-content2 h3,
    .hidden-content3 h3,
    .hidden-content4 h3 {
        font-size: 22px;
        margin-top: 15px;
    .hidden-content p,
    .hidden-content2 p,
    .hidden-content3 p,
    .hidden-content4 p {
        font-size: 14px;
        margin-bottom: 10px;
    .carousel-controls {
        width: 100%;
    .hidden-content .image-grid {
        grid-template-columns: repeat(auto-fill, minmax(120px, 1fr));
        grid-gap: 5px;
        margin-top: 10px;
/*---testimonials*/
#Testimonial {
    width: 100%;
    padding: 70px 0;
.testi-row {
    width: 80%;
```

```
margin: auto;
    display: flex;
    justify-content: space-between;
    align-items: flex-start;
    flex-wrap: wrap;
.testi-col {
    flex-basis: 28%;
    padding: 10px;
    margin-bottom: 30px;
    border-radius: 5px;
    transition: 0.5s;
    box-shadow: 0 10px 20px 3px #00968814;
.testi-col p{
    font-size: 14px;
.user{
    display: flex;
    align-items: center;
    margin: 20px 0;
.user img{
    width: 40px;
    margin-right: 20px;
    border-radius: 3px;
.user-info .fa{
    margin-left: 10px;
    color: #27c0ff;
    font-size: 20px;
.user-info small{
    color: #009688;
.testi-col:hover{
    transform: translate(7px);
@media screen and (max-width: 770px){
    .testi-col{
        flex-basis: 100%;
 .hidden-content,
```

```
.hidden-content2,
    .hidden-content3,
    .hidden-content4 {
        display: none;
#footer {
    padding: 100px 0 20px;
    background: #bebdbd;
.footer-row{
   width: 80%;
    margin: 0 auto;
   display: flex;
    justify-content: space-between;
    flex-wrap: wrap;
.footer-L,.footer-R{
    flex-basis: 45px;
    padding: 10px;
    margin-bottom: 20px;
footer-R{
    text-align: right;
footer-row h1{
    margin: 10px 0;
footer-row p{
    line-height: 35px;
.hidden-content2 {
    align-items: center;
    display: none;
    position: fixed;
    top: 0;
    right: -250px;
    width: 450px;
```

```
max-height: 100vh; /* Set maximum height */
    background-color: #009688;
    transition: right 0.5s ease-in-out;
    padding: 20px;
    color: #fff;
    overflow-y: auto;
.hidden-content2 h3{
    margin-top: 20px;
    text-align: center;
.hidden-content2 p{
    text-align: center;
    font-size: 18px;
.hidden-content2.active {
    display: block;
    right: 0;
.slideshow-container img{
    align-items: centers;
/* Slideshow Styles */
.fade {
   display: none;
    animation-name: fade;
    animation-duration: 1.5s;
@keyframes fade {
    from { opacity: 0.4; }
    to { opacity: 1; }
    .hidden-content3 {
        align-items: center;
        display: none;
        position: fixed;
        top: 0;
        right: -250px;
        width: 50%; /* Adjust width for better readability */
        max-height: 80vh; /* Modify maximum height */
        background-color: #009688; /* Change background color to white */
        box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.2); /* Add shadow for depth */
        transition: right 0.5s ease-in-out;
        padding: 20px;
        color: #333; /* Update text color */
        overflow-y: auto;
        z-index: 1000; /* Set higher z-index to ensure visibility */
        border-radius: 10px;
```

```
.hidden-content3 ul {
   list-style-type: disc; /* Use disc style bullets */
   margin-left: 20px; /* Adjust margin for indentation */
.hidden-content3 li {
   margin-bottom: 10px; /* Add spacing between list items */
.hidden-content3 h3{
   margin-top: 20px;
   text-align: center;
   font-size: 24px; /* Increase font size for headings */
   color: #ebfcfa; /* Adjust heading color */
   margin-bottom: 15px;
.hidden-content3 p{
   text-align: justify; /* Justify text for better readability */
   font-size: 16px; /* Adjust font size for content */
   line-height: 1.6; /* Increase line height for better readability */
   margin-bottom: 15px;
.hidden-content3.active {
   display: block;
   right: 0;
.close-btn {
   position: absolute;
   top: 10px;
   right: 10px;
   cursor: pointer;
   font-size: 20px;
   color: #555;
/* Style close button on hover */
.close-btn:hover {
   color: #333;
.hidden-content4 {
   align-items: center;
   display: none;
   position: fixed;
   top: 0;
   right: -250px;
   width: 50%; /* Adjust width for better readability */
   max-height: 80vh; /* Modify maximum height */
   background-color: #009688; /* Change background color to white */
```

```
box-shadow: 0px 0px 10px rgba(0, 0, 0, 0.2); /* Add shadow for depth */
    transition: right 0.5s ease-in-out;
    padding: 20px;
    color: #333; /* Update text color */
    overflow-y: auto;
    z-index: 1000;
    border-radius: 10px;
.hidden-content4 h3{
margin-top: 20px;
text-align: center;
font-size: 24px;
color: #ebfcfa;
margin-bottom: 15px;
.hidden-content4 p{
    margin-top: 20px;
    text-align: center;
   font-size: 20px;
    font: italic;
    color: #ebfcfa;
    margin-bottom: 15px;
.hidden-content4.active {
display: block;
right: 0;
.box-container {
    display: grid;
    grid-template-columns: repeat(auto-fit, minmax(250px, 1fr));
    grid-gap: 20px;
    padding: 20px;
.box:hover {
    transform: translateY(-5px);
    box-shadow: 0 5px 15px rgba(0, 0, 0, 0.3);
.box {
    border: 1px solid #ccc;
    border-radius: 8px;
    overflow: hidden;
    box-shadow: 0 0 10px rgba(0, 0, 0, 0.1);
    background-color: #fff;
    transition: transform 0.3s ease;
    display: flex;
    flex-direction: column;
```

```
.box img {
   width: 100%;
   height: 150px; /* Adjust height as needed for a better appearance */
   object-fit: cover;
   border-top-left-radius: 8px;
   border-top-right-radius: 8px;
.box-content {
   padding: 15px;
   flex-grow: 1;
   display: flex;
   flex-direction: column;
   justify-content: space-between;
.box h3 {
   font-size: 18px;
   margin-bottom: 10px;
   color: #333;
   text-align: center;
.box p {
   margin-bottom: 8px;
   text-align: center;
   color: #666;
.learn-more-btn {
   padding: 8px 16px;
   background-color: transparent;
   border: 2px solid #0593ac;
   border-radius: 5px;
   color: #0593ac;
   cursor: pointer;
   transition: background-color 0.3s ease, color 0.3s ease;
   align-self: center;
.learn-more-btn:hover {
   background-color: #0593ac;
   color: #fff;
.box-container::-webkit-scrollbar {
   display: none;
```

```
/* CSS for Footer Icons */
.fa {
   margin-left: 5px;
   font-size: 18px;
    color: #009688;
.fa-envelope:hover {
    color: #3b5998; /* Change color on hover for Email icon */
/* Style for the social icons */
#footer .additional-info {
   position: relative;
   text-align: center;
   margin-bottom: 20px; /* Adjust this for spacing between text and icons */
.social-icons {
   position: absolute;
   bottom: 0;
   left: 50%;
   transform: translateX(-50%);
.social-icons a {
   font-size: 30px; /* Change the size of the icons */
   margin: 0 10px; /* Adjust this for spacing between icons */
   transition: transform 0.3s ease; /* Transition effect for hover */
    color: #009688;
.user-info h4 {
   margin-bottom: 5px;
.user-info h4 i {
   margin-right: 5px;
.social-icons a:hover {
    transform: translateY(-5px); /* Move icons up slightly on hover */
```