

**ASJID TAHIR**

**19p-0085**

**DATABASE LAB**



### VIEWS:

A view is a **virtual table** based on a SELECT query. The query can contain columns, computed columns, aliases, and aggregate functions from one or more tables. The tables on which the view is based are called **base tables**.

```
--Creating Views !!!
CREATE VIEW EMP_WORKED AS
SELECT E.EMP_LNAME, E.EMP_FNAME, H.ATTRACT_NO,H.DATE_WORKED
FROM employee E JOIN hours H
ON E.EMP_NUM = H.EMP_NUM;

--Calling view
SELECT * FROM EMP_WORKED;
```

```
MariaDB [19p0085_asjidthahir]> CREATE VIEW EMP_WORKED AS
-> SELECT E.EMP_LNAME, E.EMP_FNAME, H.ATTRACT_NO,H.DATE_WORKED
-> FROM employee E JOIN hours H
-> ON E.EMP_NUM = H.EMP_NUM;
Query OK, 0 rows affected (0.031 sec)
```

```
MariaDB [19p0085_asjidthahir]> SELECT * FROM EMP_WORKED;
```

| EMP_LNAME  | EMP_FNAME | ATTRACT_NO | DATE_WORKED |
|------------|-----------|------------|-------------|
| Calderdale | Emma      | 10034      | 2007-05-18  |
| Calderdale | Emma      | 10034      | 2007-05-20  |
| Ricardo    | Marshel   | 10034      | 2007-05-18  |
| Arshad     | Arif      | 30012      | 2007-05-23  |
| Arshad     | Arif      | 30044      | 2007-05-21  |
| Arshad     | Arif      | 30044      | 2007-05-22  |
| Denver     | Enrica    | 30011      | 2007-05-21  |
| Denver     | Enrica    | 30012      | 2007-05-22  |
| Namowa     | Mirrelle  | 10078      | 2007-05-18  |
| Namowa     | Mirrelle  | 10098      | 2007-05-18  |
| Namowa     | Mirrelle  | 10098      | 2007-05-19  |

```
11 rows in set (0.047 sec)
```

```
DESCRIBE EMP_WORKED;
```

```
MariaDB [19p0085_asjdtahir]> DESCRIBE EMP_WORKED;
```

| Field       | Type          | Null | Key | Default | Extra |
|-------------|---------------|------|-----|---------|-------|
| EMP_LNAME   | varchar(15)   | NO   |     | NULL    |       |
| EMP_FNAME   | varchar(15)   | NO   |     | NULL    |       |
| ATTRACT_NO  | decimal(10,0) | NO   |     | NULL    |       |
| DATE_WORKED | date          | NO   |     | NULL    |       |

```
4 rows in set (0.028 sec)
```

```
--Creating View
CREATE VIEW EMPFR AS
SELECT *
FROM EMPLOYEE
WHERE PARK_CODE = 'FR1001'
WITH CHECK OPTION;
--We can't update this view because we implement the check option
--We update but it will not
UPDATE EMPFR
SET PARK_CODE = 'UK3452' WHERE EMP_NUM = 100;
```

```
MariaDB [19p0085_asjdtahir]> CREATE VIEW EMPFR AS
```

```
-> SELECT *
-> FROM EMPLOYEE
-> WHERE PARK_CODE = 'FR1001'
-> WITH CHECK OPTION;
```

```
Query OK, 0 rows affected (0.004 sec)
```

```
MariaDB [19p0085_asjdtahir]> UPDATE EMPFR
-> SET PARK_CODE = 'UK3452' WHERE EMP_NUM = 100;
ERROR 1369 (44000): CHECK OPTION failed `19p0085_asjdtahir`.`empfr`
MariaDB [19p0085_asjdtahir]>
```

```
SELECT DISTINCT(SALE_DATE )
FROM SALES;
MariaDB [19p0085_asjdtahir]> SELECT DISTINCT(SALE_DATE )
-> FROM SALES;
```

| SALE_DATE  |
|------------|
| 2007-05-18 |

```
1 row in set (0.011 sec)
```

```
SELECT DISTINCT(SALE_DATE )
FROM SALES;
SELECT DISTINCT(DATE_FORMAT(SALE_DATE, '%D %b %Y')) FROM SALES;
MariaDB [19p0085_asjdtahir]> SELECT DISTINCT(DATE_FORMAT(SALE_DATE, '%D %b %Y')) FROM SALES;
```

| (DATE_FORMAT(SALE_DATE, '%D %b %Y')) |
|--------------------------------------|
| 18th May 2007                        |

```
1 row in set (0.002 sec)
```

```

SELECT DAYOFMONTH(EMP_DOB) AS 'Day', MONTH(EMP_DOB) AS 'Month',
YEAR(EMP_DOB) AS 'Year' FROM EMPLOYEE;

MariaDB [19p0085_asjdtahir]> SELECT DAYOFMONTH(EMP_DOB) AS 'Day', MONTH(EMP_DOB) AS 'Month',
-> YEAR(EMP_DOB) AS 'Year' FROM EMPLOYEE;
+-----+-----+-----+
| Day | Month | Year |
+-----+-----+-----+
| 15 | 6 | 1972 |
| 19 | 3 | 1978 |
| 14 | 11 | 1969 |
| 16 | 10 | 1974 |
| 8 | 11 | 1980 |
| 14 | 3 | 1990 |
| 12 | 2 | 1968 |
+-----+-----+-----+
7 rows in set (0.003 sec)

MariaDB [19p0085_asjdtahir]>

```

## LAB-TASKS:

```

--EXERCISES
--1):
--FIRST CREATED VIEW THAT I ALREADY CREATED
CREATE VIEW EMPFR AS SELECT * FROM EMPLOYEE
WHERE PARK_CODE='FR1001' WITH CHECK OPTION;
--UPDATE
UPDATE EMPFR SET EMP_PHONE='324-9652' WHERE EMP_NUM=100;
--DISPLAY
SELECT * FROM EMPFR;
--DROP THE VIEW
DROP VIEW EMPFR;

```

```

MariaDB [19p0085_asjdtahir]> CREATE VIEW EMPFR AS SELECT * FROM EMPLOYEE
-> WHERE PARK_CODE='FR1001' WITH CHECK OPTION;
ERROR 1050 (42S01): Table 'EMPFR' already exists
MariaDB [19p0085_asjdtahir]> UPDATE EMPFR SET EMP_PHONE='324-9652' WHERE EMP_NUM=100;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [19p0085_asjdtahir]> SELECT * FROM EMPFR;
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| EMP_NUM | EMP_TITLE | EMP_LNAME | EMP_FNAME | EMP_DOB | EMP_HIRE_DATE | EMP_AREA_CODE | EMP_PHONE | PARK_CODE |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
| 100 | Ms | Calderdale | Emma | 1972-06-15 | 1992-03-15 | 0181 | 324-9652 | FR1001 |
| 102 | Mr | Arshad | Arif | 1969-11-14 | 1990-12-20 | 7253 | 675-8993 | FR1001 |
| 105 | Ms | Namowa | Mirrelle | 1990-03-14 | 2006-11-08 | 0181 | 890-3243 | FR1001 |
+-----+-----+-----+-----+-----+-----+-----+-----+-----+
3 rows in set (0.001 sec)

MariaDB [19p0085_asjdtahir]>

```

```

--2):
CREATE VIEW EMP_WORKED AS SELECT
EMP_NUM, PARK_CODE, PARK_NAME, EMP_LNAME, EMP_FNAME, EMP_HIRE_DATE, EMP_DOB
FROM EMPLOYEE NATURAL JOIN THEPARK;
--DISPLAY
SELECT * FROM EMP_WORKED;

```

```
MariaDB [19p0085_asjdtahir]> CREATE VIEW EMP_WORKED AS SELECT EMP_NUM,PARK_CODE,PARK_NAME,EMP_LNAME,EMP_FNAME,EMP_HIRE_
DATE,EMP_DOB FROM EMPLOYEE NATURAL JOIN THEMPARK;
Query OK, 0 rows affected (0.003 sec)
```

```
MariaDB [19p0085_asjdtahir]> SELECT * FROM EMP_WORKED;
```

| EMP_NUM | PARK_CODE | PARK_NAME    | EMP_LNAME  | EMP_FNAME | EMP_HIRE_DATE | EMP_DOB    |
|---------|-----------|--------------|------------|-----------|---------------|------------|
| 100     | FR1001    | FairyLand    | Calderdale | Emma      | 1992-03-15    | 1972-06-15 |
| 101     | UK3452    | PleasureLand | Ricardo    | Marshel   | 1996-04-25    | 1978-03-19 |
| 102     | FR1001    | FairyLand    | Arshad     | Arif      | 1990-12-20    | 1969-11-14 |
| 103     | UK3452    | PleasureLand | Roberts    | Anne      | 1994-08-16    | 1974-10-16 |
| 104     | ZA1342    | GoldTown     | Denver     | Enrica    | 2001-10-20    | 1980-11-08 |
| 105     | FR1001    | FairyLand    | Namowa     | Mirrelle  | 2006-11-08    | 1990-03-14 |
| 106     | ZA1342    | GoldTown     | Smith      | Gemma     | 1989-01-05    | 1968-02-12 |

7 rows in set (0.001 sec)

```
--3):
```

```
SELECT EMP_FNAME,EMP_LNAME,PARK_NAME FROM EMP_WORKED;
```

```
MariaDB [19p0085_asjdtahir]> SELECT EMP_FNAME,EMP_LNAME,PARK_NAME FROM EMP_WORKED;
```

| EMP_FNAME | EMP_LNAME  | PARK_NAME    |
|-----------|------------|--------------|
| Emma      | Calderdale | FairyLand    |
| Marshel   | Ricardo    | PleasureLand |
| Arif      | Arshad     | FairyLand    |
| Anne      | Roberts    | PleasureLand |
| Enrica    | Denver     | GoldTown     |
| Mirrelle  | Namowa     | FairyLand    |
| Gemma     | Smith      | GoldTown     |

7 rows in set (0.001 sec)

```
--4):
```

```
SELECT PARK_NAME,MIN(LINE_PRICE),MAX(LINE_PRICE),AVG(LINE_PRICE)
FROM THEMPARK NATURAL JOIN SALES NATURAL JOIN SALES_LINE
GROUP BY PARK_NAME;
```

```
MariaDB [19p0085_asjdtahir]> SELECT PARK_NAME,MIN(LINE_PRICE),MAX(LINE_PRICE),AVG(LINE_PRICE)
-> FROM THEMPARK NATURAL JOIN SALES NATURAL JOIN SALES_LINE
-> GROUP BY PARK_NAME;
```

| PARK_NAME    | MIN(LINE_PRICE) | MAX(LINE_PRICE) | AVG(LINE_PRICE) |
|--------------|-----------------|-----------------|-----------------|
| FairyLand    | 14.99           | 139.96          | 50.232500       |
| GoldTown     | 12.12           | 114.68          | 47.637778       |
| PleasureLand | 21.98           | 168.40          | 60.785714       |

3 rows in set (0.014 sec)

```
--5):
```

```
SELECT DISTINCT(DATE_FORMAT(SALE_DATE,'%a %d %m %Y')) FROM SALES;
```

```
MariaDB [19p0085_asjdtahir]> SELECT DISTINCT(DATE_FORMAT(SALE_DATE,'%a %d %m %Y')) from sales;
```

| (DATE_FORMAT(SALE_DATE,'%a %d %m %Y')) |
|--|
| Fri 18 05 2007                         |

1 row in set (0.001 sec)

```
--6):
select
emp_fname,emp_lname,emp_dob,concat(date_format(emp_dob,'%m'),'01',UPPER(SUBSTR
(EMP_LNAME, 1, 6))) as user_id from employee;
```

```
MariaDB [19p0085_asjiddtahir]> select emp_fname,emp_lname,emp_dob,concat(date_format(emp_dob,'%m'),'01',UPPER(SUBSTR(EMP_LNAME, 1, 6))) as user_id from employee;
```

| emp_fname | emp_lname  | emp_dob    | user_id    |
|-----------|------------|------------|------------|
| Emma      | Calderdale | 1972-06-15 | 0601CALDER |
| Marshel   | Ricardo    | 1978-03-19 | 0301RICARD |
| Arif      | Arshad     | 1969-11-14 | 1101ARSHAD |
| Anne      | Roberts    | 1974-10-16 | 1001ROBERT |
| Enrica    | Denver     | 1980-11-08 | 1101DENVER |
| Mirrelle  | Namowa     | 1990-03-14 | 0301NAMOWA |
| Gemma     | Smith      | 1968-02-12 | 0201SMITH  |

```
--7):
select emp_lname, emp_fname, emp_dob, date_format(emp_dob, '%D') as day from
employee
where day(emp_dob) = '14';
```

```
MariaDB [19p0085_asjiddtahir]> --7):
```

```
MariaDB [19p0085_asjiddtahir]> select emp_lname, emp_fname, emp_dob, date_format(emp_dob, '%D') as day from employee
-> where day(emp_dob) = '14';
```

| emp_lname | emp_fname | emp_dob    | day  |
|-----------|-----------|------------|------|
| Arshad    | Arif      | 1969-11-14 | 14th |
| Namowa    | Mirrelle  | 1990-03-14 | 14th |

```
2 rows in set (0.001 sec)
```

```
--8):
select emp_fname,emp_phone,concat(substr(emp_phone,1,3),
substr(emp_fname,1,2))
as user_id from employee;
```

```
MariaDB [19p0085_asjiddtahir]> select emp_fname,emp_phone,concat(substr(emp_phone,1,3), substr(emp_fname,1,2))
-> as user_id from employee;
```

| emp_fname | emp_phone | user_id |
|-----------|-----------|---------|
| Emma      | 324-9652  | 324Em   |
| Marshel   | 324-4472  | 324Ma   |
| Arif      | 675-8993  | 675Ar   |
| Anne      | 898-3456  | 898An   |
| Enrica    | 504-4434  | 504En   |
| Mirrelle  | 890-3243  | 890Mi   |
| Gemma     | 324-7845  | 324Ge   |

```
7 rows in set (0.001 sec)
```