

ASJID TAHIR

19P-0085

DATABASE LAB # 03:

```
C:\XAMPP for Windows - mysql -u root

Setting environment for using XAMPP for Windows.
Asjid Tahir@AJJI c:\xampp
# CREATE DATABASE P190085_ASJIDTAHIR
'CREATE' is not recognized as an internal or external command,
operable program or batch file.

Asjid Tahir@AJJI c:\xampp
# ;
Asjid Tahir@AJJI c:\xampp
# CREATE DATABASE P190085ASJIDTAHIR
'CREATE' is not recognized as an internal or external command,
operable program or batch file.

Asjid Tahir@AJJI c:\xampp
#
Asjid Tahir@AJJI c:\xampp
# MYSQL -U ROOT
ERROR 1045 (28000): Access denied for user 'Asjid Tahir'@'localhost' (using password: NO)

Asjid Tahir@AJJI c:\xampp
# mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 9
Server version: 10.4.22-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> SHOW DATABASES
-> ;
+-----+
| Database |
+-----+
| 19p0085_asjdtahir |
| information_schema |
| mysql |
| performance_schema |
| phpmyadmin |
| test |
+-----+
6 rows in set (0.032 sec)

MariaDB [(none)]> DROP DATABASE 19p0085_asjdtahir;
Query OK, 7 rows affected (0.212 sec)

MariaDB [(none)]> CREATE DATABASE 19P0085_ASJIDTAHIR;
Query OK, 1 row affected (0.001 sec)
```

```
MariaDB [(none)]> CREATE DATABASE 19P0085_ASJIDTAHIR;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> USE 19P0085_ASJIDTAHIR;
Database changed
MariaDB [19P0085_ASJIDTAHIR]> SOURCE C:\Users\ENVY\Downloads\Data_Base\LAB # 03
ERROR: Failed to open file 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03', error: 13
MariaDB [19P0085_ASJIDTAHIR]> SOURCE C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql
ERROR 1051 (42S02) at line 10 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.sales_line'
ERROR 1051 (42S02) at line 11 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.sales'
ERROR 1051 (42S02) at line 12 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.hours'
ERROR 1051 (42S02) at line 13 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.attraction'
ERROR 1051 (42S02) at line 14 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.ticket'
ERROR 1051 (42S02) at line 15 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.employee'
ERROR 1051 (42S02) at line 16 in file: 'C:\Users\ENVY\Downloads\Data_Base\LAB # 03\themepark.sql': Unknown table '19p0085_asjdtahir.themepark'
Query OK, 0 rows affected (0.028 sec)

Query OK, 0 rows affected (0.024 sec)

Query OK, 0 rows affected (0.034 sec)

Query OK, 0 rows affected (0.025 sec)

Query OK, 0 rows affected, 1 warning (0.029 sec)

Query OK, 0 rows affected (0.034 sec)

Query OK, 0 rows affected, 1 warning (0.028 sec)

Query OK, 0 rows affected (0.012 sec)
Records: 0 Duplicates: 0 Warnings: 0

Query OK, 1 row affected (0.004 sec)

Query OK, 1 row affected (0.002 sec)

Query OK, 1 row affected (0.003 sec)

Query OK, 1 row affected (0.002 sec)

Query OK, 1 row affected (0.003 sec)

Query OK, 1 row affected (0.001 sec)

Query OK, 1 row affected (0.001 sec)

Query OK, 1 row affected (0.001 sec)
```

```
Select XAMPP for Windows - mysql -u root
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM themepark
-> ;
+-----+-----+-----+-----+
| PARK_CODE | PARK_NAME | PARK_CITY | PARK_COUNTRY |
+-----+-----+-----+-----+
| FR1001 | FairyLand | PARIS | FR |
| NL1202 | Efling | NOORD | NL |
| SP4533 | AdventurePort | BARCELONA | SP |
| SW2323 | Labyrinthe | LAUSANNE | SW |
| UK2622 | Miniland | WINDSOR | UK |
| UK3452 | PleasureLand | STOKE | UK |
| ZA1342 | GoldTown | JOHANNESBURG | ZA |
+-----+-----+-----+-----+
7 rows in set (0.000 sec)

MariaDB [19P0085_ASJIDTAHIR]> sSHOW TABLES
-> ;
ERROR 1064 (42000): You have an error in your SQL syntax; check the manual that corresponds to your MariaDB server version for the right
MariaDB [19P0085_ASJIDTAHIR]> SHOW TABLES;
+-----+
| Tables_in_19p0085_asjdtahir |
+-----+
| attraction |
| employee |
| hours |
| sales |
| sales_line |
| themepark |
| ticket |
+-----+
7 rows in set (0.001 sec)

MariaDB [19P0085_ASJIDTAHIR]> DESCRIBE THEMEPARK;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| PARK_CODE | varchar(10) | NO | PRI | NULL | |
| PARK_NAME | varchar(35) | NO | | NULL | |
| PARK_CITY | varchar(50) | YES | | NULL | |
| PARK_COUNTRY | char(2) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.015 sec)

MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_NO, TICKET_TYPE, ROUND
-> (TICKET_PRICE,1), TICKET_PRICE + ROUND((TICKET_PRICE
-> *0.1),2)
-> ;
ERROR 1054 (42S22): Unknown column 'PARK_CODE' in 'field list'
MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_NO, TICKET_TYPE, ROUND
```

TASK3.1

```
mysql Select XAMPP for Windows - mysql -u root
7 rows in set (0.001 sec)

MariaDB [19P0085_ASJIDTAHIR]> DESCRIBE THEMEPARK;
+-----+-----+-----+-----+-----+-----+
| Field | Type | Null | Key | Default | Extra |
+-----+-----+-----+-----+-----+-----+
| PARK_CODE | varchar(10) | NO | PRI | NULL | |
| PARK_NAME | varchar(35) | NO | | NULL | |
| PARK_CITY | varchar(50) | YES | | NULL | |
| PARK_COUNTRY | char(2) | NO | | NULL | |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.015 sec)

MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_NO, TICKET_TYPE, ROUND
-> (TICKET_PRICE,1), TICKET_PRICE + ROUND((TICKET_PRICE
-> *0.1),2)
-> ;
ERROR 1054 (42S22): Unknown column 'PARK_CODE' in 'field list'
MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_NO, TICKET_TYPE, ROUND
-> (TICKET_PRICE,1), TICKET_PRICE + ROUND((TICKET_PRICE
-> *0.1),2)
-> FROM TICKET;
+-----+-----+-----+-----+-----+-----+
| PARK_CODE | TICKET_NO | TICKET_TYPE | ROUND
(TICKET_PRICE,1) | TICKET_PRICE + ROUND((TICKET_PRICE
*0.1),2) |
+-----+-----+-----+-----+-----+-----+
| SP4533 | 11001 | Adult | 25.0 | 27.49 |
| SP4533 | 11002 | Child | 15.0 | 16.49 |
| SP4533 | 11003 | Senior | 11.0 | 12.09 |
| FR1001 | 13001 | Child | 19.0 | 20.89 |
| FR1001 | 13002 | Adult | 35.0 | 38.49 |
| FR1001 | 13003 | Senior | 21.0 | 23.09 |
| ZA1342 | 67832 | Child | 18.6 | 20.42 |
| ZA1342 | 67833 | Adult | 28.7 | 31.54 |
| ZA1342 | 67855 | Senior | 12.1 | 13.33 |
| UK3452 | 88567 | Child | 22.5 | 24.75 |
| UK3452 | 88568 | Adult | 42.1 | 46.31 |
| UK3452 | 89720 | Senior | 11.0 | 12.09 |
+-----+-----+-----+-----+-----+-----+
12 rows in set (0.001 sec)

MariaDB [19P0085_ASJIDTAHIR]>
```

TASK 3.2 & 3.3

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_TYPE, TICKET_PRICE  
-> FROM TICKET  
-> WHERE TICKET_PRICE > 20;
```

PARK_CODE	TICKET_TYPE	TICKET_PRICE
SP4533	Adult	24.99
FR1001	Adult	34.99
FR1001	Senior	20.99
ZA1342	Adult	28.67
UK3452	Child	22.50
UK3452	Adult	42.10

5 rows in set (0.001 sec)

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, TICKET_TYPE, TICKET_PRICE  
-> FROM TICKET  
-> WHERE TICKET_PRICE < 30;
```

PARK_CODE	TICKET_TYPE	TICKET_PRICE
SP4533	Adult	24.99
SP4533	Child	14.99
SP4533	Senior	10.99
FR1001	Child	18.99
FR1001	Senior	20.99
ZA1342	Child	18.56
ZA1342	Adult	28.67
ZA1342	Senior	12.12
UK3452	Child	22.50
UK3452	Senior	10.99

10 rows in set (0.000 sec)

```
MariaDB [19P0085_ASJIDTAHIR]>
```

TASK 3.4

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT PARK_CODE, PARK_NAME, PARK_COUNTRY  
-> FROM THEMEPARK  
-> WHERE PARK_CODE<'UK2262';
```

PARK_CODE	PARK_NAME	PARK_COUNTRY
FR1001	FairyLand	FR
NL1202	Efling	NL
SP4533	AdventurePort	SP
SW2323	Labyrinthe	SW

4 rows in set (0.001 sec)

```
MariaDB [19P0085_ASJIDTAHIR]>
```

```

MariaDB [19P0085_ASJIDTAHIR]> SELECT *
  -> FROM TICKET
  -> WHERE TICKET_PRICE BETWEEN 30.00 AND 50.00;
+-----+-----+-----+-----+
| TICKET_NO | TICKET_PRICE | TICKET_TYPE | PARK_CODE |
+-----+-----+-----+-----+
|      13002 |         34.99 | Adult      | FR1001    |
|      88568 |         42.10 | Adult      | UK3452    |
+-----+-----+-----+-----+
2 rows in set (0.000 sec)

MariaDB [19P0085_ASJIDTAHIR]>

```

TASK 3.5

```

MariaDB [19P0085_ASJIDTAHIR]> SELECT EMP_NUM, ATTRACT_NO, HOURS_PER_ATTRACT
  -> FROM HOURS
  -> WHERE HOURS_PER_ATTRACT BETWEEN 5 AND 10;
+-----+-----+-----+
| EMP_NUM | ATTRACT_NO | HOURS_PER_ATTRACT |
+-----+-----+-----+
|      100 |      10034 |                  6 |
|      100 |      10034 |                  6 |
|      101 |      10034 |                  6 |
|      102 |      30044 |                  6 |
|      104 |      30011 |                  6 |
|      104 |      30012 |                  6 |
|      105 |      10098 |                  6 |
+-----+-----+-----+
7 rows in set (0.000 sec)

```

```

MariaDB [19P0085_ASJIDTAHIR]> SELECT *
  -> FROM SALES_LINE
  -> WHERE TRANSACTION_NO IN (12781, 67593);
+-----+-----+-----+-----+-----+
| TRANSACTION_NO | LINE_NO | TICKET_NO | LINE_QTY | LINE_PRICE |
+-----+-----+-----+-----+-----+
|      12781    |      1 |      13002 |      2   |      69.98 |
|      12781    |      2 |      13001 |      1   |      14.99 |
|      67593    |      1 |      67833 |      2   |      57.34 |
|      67593    |      2 |      67832 |      2   |      37.12 |
+-----+-----+-----+-----+-----+
4 rows in set (0.000 sec)

MariaDB [19P0085_ASJIDTAHIR]>

```

TASK 3.7

```
C:\XAMPP for Windows - mysql -u root
Database changed
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM ATTRACTION;
+-----+-----+-----+-----+-----+
| ATTRACT_NO | ATTRACT_NAME | ATTRACT_AGE | ATTRACT_CAPACITY | PARK_CODE |
+-----+-----+-----+-----+-----+
| 10034 | ThunderCoaster | 11 | 34 | FR1001 |
| 10056 | SpinningTeacups | 4 | 62 | FR1001 |
| 10067 | FlightToStars | 11 | 24 | FR1001 |
| 10078 | Ant-Trap | 23 | 30 | FR1001 |
| 10082 | NULL | 10 | 40 | ZA1342 |
| 10098 | Carnival | 3 | 120 | FR1001 |
| 20056 | 3D-Lego_Show | 3 | 200 | UK3452 |
| 30011 | BlackHole2 | 12 | 34 | UK3452 |
| 30012 | Pirates | 10 | 42 | UK3452 |
| 30044 | UnderSeaWord | 4 | 80 | UK3452 |
| 98764 | GoldRush | 5 | 80 | ZA1342 |
+-----+-----+-----+-----+-----+
11 rows in set (0.001 sec)

MariaDB [19P0085_ASJIDTAHIR]> SELECT *
-> FROM ATTRACTION
-> WHERE ATTRACT_NAME IS NULL;
+-----+-----+-----+-----+-----+
| ATTRACT_NO | ATTRACT_NAME | ATTRACT_AGE | ATTRACT_CAPACITY | PARK_CODE |
+-----+-----+-----+-----+-----+
| 10082 | NULL | 10 | 40 | ZA1342 |
+-----+-----+-----+-----+-----+
1 row in set (0.000 sec)
```

TASK 3.8

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT EMP_NUM, ATTRACT_NO
-> FROM HOURS
-> WHERE HOURS_PER_ATTRACT > 3
-> AND DATE_WORKED > '2007-05-18';
+-----+-----+
| EMP_NUM | ATTRACT_NO |
+-----+-----+
| 100 | 10034 |
| 102 | 30044 |
| 104 | 30011 |
| 104 | 30012 |
| 105 | 10098 |
+-----+-----+
5 rows in set (0.000 sec)

MariaDB [19P0085_ASJIDTAHIR]>
```

LAB-MARKING-TASKS:

TASK1:

```
SELECT * FROM THEMEPARK WHERE PARK_COUNTRY!="UK";
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM THEMEPARK;
```

PARK_CODE	PARK_NAME	PARK_CITY	PARK_COUNTRY
FR1001	FairyLand	PARIS	FR
NL1202	Efling	NOORD	NL
SP4533	AdventurePort	BARCELONA	SP
SW2323	Labyrinthe	LAUSANNE	SW
UK2622	MiniLand	WINDSOR	UK
UK3452	PleasureLand	STOKE	UK
ZA1342	GoldTown	JOHANNESBURG	ZA

```
7 rows in set (0.001 sec)
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM THEMEPARK WHERE PARK_COUNTRY!="UK";
```

PARK_CODE	PARK_NAME	PARK_CITY	PARK_COUNTRY
FR1001	FairyLand	PARIS	FR
NL1202	Efling	NOORD	NL
SP4533	AdventurePort	BARCELONA	SP
SW2323	Labyrinthe	LAUSANNE	SW
ZA1342	GoldTown	JOHANNESBURG	ZA

```
5 rows in set (0.000 sec)
```

TASK02:

```
SELECT * FROM SALES WHERE SALE_DATE="2007-05-18";
```



```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM SALES;
```

TRANSACTION_NO	PARK_CODE	SALE_DATE
12781	FR1001	2007-05-18
12782	FR1001	2007-05-18
12783	FR1001	2007-05-18
12784	FR1001	2007-05-18
12785	FR1001	2007-05-18
12786	FR1001	2007-05-18
34534	UK3452	2007-05-18
34535	UK3452	2007-05-18
34536	UK3452	2007-05-18
34537	UK3452	2007-05-18
34538	UK3452	2007-05-18
34539	UK3452	2007-05-18
34540	UK3452	2007-05-18
34541	UK3452	2007-05-18
67589	ZA1342	2007-05-18
67590	ZA1342	2007-05-18
67591	ZA1342	2007-05-18
67592	ZA1342	2007-05-18
67593	ZA1342	2007-05-18

```
19 rows in set (0.001 sec)
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM SALES WHERE SALE_DATE="2007-05-18";
```

TRANSACTION_NO	PARK_CODE	SALE_DATE
12781	FR1001	2007-05-18
12782	FR1001	2007-05-18
12783	FR1001	2007-05-18
12784	FR1001	2007-05-18
12785	FR1001	2007-05-18
12786	FR1001	2007-05-18
34534	UK3452	2007-05-18
34535	UK3452	2007-05-18
34536	UK3452	2007-05-18
34537	UK3452	2007-05-18
34538	UK3452	2007-05-18
34539	UK3452	2007-05-18
34540	UK3452	2007-05-18
34541	UK3452	2007-05-18
67589	ZA1342	2007-05-18
67590	ZA1342	2007-05-18
67591	ZA1342	2007-05-18

TASK 03:

```
SELECT * FROM TICKET WHERE TICKET_PRICE BETWEEN 20 AND 30;
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM TICKET;
```

TICKET_NO	TICKET_PRICE	TICKET_TYPE	PARK_CODE
11001	24.99	Adult	SP4533
11002	14.99	Child	SP4533
11003	10.99	Senior	SP4533
13001	18.99	Child	FR1001
13002	34.99	Adult	FR1001
13003	20.99	Senior	FR1001
67832	18.56	Child	ZA1342
67833	28.67	Adult	ZA1342
67855	12.12	Senior	ZA1342
88567	22.50	Child	UK3452
88568	42.10	Adult	UK3452
89720	10.99	Senior	UK3452

```
12 rows in set (0.001 sec)
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM TICKET WHERE TICKET_PRICE BETWEEN 20 AND 30 ;
```

TICKET_NO	TICKET_PRICE	TICKET_TYPE	PARK_CODE
11001	24.99	Adult	SP4533
13003	20.99	Senior	FR1001
67833	28.67	Adult	ZA1342
88567	22.50	Child	UK3452

```
4 rows in set (0.001 sec)
```

TASK 04:

```
SELECT * FROM ATTRACTION WHERE ATTRACT_CAPACITY > 60 AND PARK_CODE = "FR1001";
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM ATTRACTION;
```

ATTRACT_NO	ATTRACT_NAME	ATTRACT_AGE	ATTRACT_CAPACITY	PARK_CODE
10034	ThunderCoaster	11	34	FR1001
10056	SpinningTeacups	4	62	FR1001
10067	FlightToStars	11	24	FR1001
10078	Ant-Trap	23	30	FR1001
10082	NULL	10	40	ZA1342
10098	Carnival	3	120	FR1001
20056	3D-Lego_Show	3	200	UK3452
30011	BlackHole2	12	34	UK3452
30012	Pirates	10	42	UK3452
30044	UnderSeaWord	4	80	UK3452
98764	GoldRush	5	80	ZA1342

```
11 rows in set (0.001 sec)
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM ATTRACTION WHERE ATTRACT_CAPACITY>60 AND PARK_CODE='FR1001';
```

ATTRACT_NO	ATTRACT_NAME	ATTRACT_AGE	ATTRACT_CAPACITY	PARK_CODE
10056	SpinningTeacups	4	62	FR1001
10098	Carnival	3	120	FR1001

```
2 rows in set (0.001 sec)
```

TASK 05:

```
SELECT ATTRACT_NO, ROUND(HOUR_RATE,1),ROUND(HOUR_RATE + (HOUR_RATE * 0.2),1)
INCREMENT FROM HOURS;
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT ATTRACT_NO, ROUND(HOUR_RATE,1),ROUND(HOUR_RATE + (HOUR_RATE * 0.2),1)
-> INCREMENT FROM HOURS;
```

ATTRACT_NO	ROUND(HOUR_RATE,1)	INCREMENT
10034	6.5	7.8
10034	6.5	7.8
10034	6.5	7.8
30012	6.0	7.2
30044	6.0	7.2
30044	6.0	7.2
30011	7.2	8.6
30012	7.2	8.6
10078	8.5	10.2
10098	8.5	10.2
10098	8.5	10.2

```
11 rows in set (0.001 sec)
```

```
MariaDB [19P0085_ASJIDTAHIR]>
```

TASK 06:

```
--TASK6
```

```
--In Operator is used for the fetching the data of multiple values from the
given table.
```

```
--Example Fetching the f_name and L_name start with the A.
```

```
--Between Operator is used to fetch the data between the range of two given
values.
```

```
--Example Range between 60 and 80.
```

TASK 07:

```
SELECT * FROM HOURS GROUP BY EMP_NUM;
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM HOURS GROUP BY EMP_NUM;
```

EMP_NUM	ATTRACT_NO	HOURS_PER_ATTRACT	HOUR_RATE	DATE_WORKED
100	10034	6	6.50	2007-05-18
101	10034	6	6.50	2007-05-18
102	30012	3	5.99	2007-05-23
104	30011	6	7.20	2007-05-21
105	10078	3	8.50	2007-05-18

```
5 rows in set (0.001 sec)
```

TASK 8:

```
SELECT * FROM SALES ORDER BY SALE_DATE DESC;
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT * FROM SALES  
-> ORDER BY SALE_DATE DESC;
```

TRANSACTION_NO	PARK_CODE	SALE_DATE
12781	FR1001	2007-05-18
67592	ZA1342	2007-05-18
67591	ZA1342	2007-05-18
67590	ZA1342	2007-05-18
67589	ZA1342	2007-05-18
34541	UK3452	2007-05-18
34540	UK3452	2007-05-18
34539	UK3452	2007-05-18
34538	UK3452	2007-05-18
34537	UK3452	2007-05-18
34536	UK3452	2007-05-18
34535	UK3452	2007-05-18
34534	UK3452	2007-05-18
12786	FR1001	2007-05-18
12785	FR1001	2007-05-18
12784	FR1001	2007-05-18
12783	FR1001	2007-05-18
12782	FR1001	2007-05-18
67593	ZA1342	2007-05-18

```
19 rows in set (0.000 sec)
```

TASK 9:

```
SELECT TRANSACTION_NO, LINE_PRICE FROM SALES_LINE WHERE LINE_PRICE > 50;
```

```
MariaDB [19P0085_ASJIDTAHIR]> SELECT TRANSACTION_NO, LINE_PRICE FROM SALES_LINE WHERE LINE_PRICE > 50;
```

TRANSACTION_NO	LINE_PRICE
12781	69.98
12782	69.98
12785	139.96
34534	168.40
34535	84.20
34537	84.20
34539	84.20
34540	168.40
34541	84.20
67589	57.34
67590	57.34
67592	114.68
67593	57.34

```
13 rows in set (0.000 sec)
```