

Agenda



- ► Selectors
- ► Box Model
- ► Block Types and Position

Elements, Class and Id



```
<nav class="menu">
     <u1>
2
       <a href="#">Pictures</a>
3
       <a href="#">Users</a>
4
     5
   </nav>
   <div class="wrapper">
     <div class="content">
8
       <div class="user" id="UserAdmin">
Q
         User dude thing
10
       </div><div class="user" id="Pleb">
1.1
         User dude thing
12
       </div>
13
     </div>
14
   </div>
15
```

Selection

Elements, Class and Id



```
Element.Class#Id {
                                     <nav class="menu">
     color: black:
                                       <u1>
                                         <a href="#">Pictures</a>
                                  3
                                         <a href="#">Users</a>
   .user {
                                       5
     background-color: #c1c1c1;
                                     </nav>
                                     <div class="wrapper">
   .user#UserAdmin {
                                       <div class="content">
                                         <div class="user" id="UserAdmin">
     background-color: #aaaaaa;
9
                                           User dude thing
10
                                 10
   a:hover {
                                         </div><div class="user" id="Pleb">
                                 1.1
     color: lightblue;
                                           User dude thing
12
                                 12
                                         </div>
13
                                 13
                                       </div>
                                 14
                                     </div>
                                 1.5
```

Specificity
You get a point and you get a point, everybody gets a point




Selector	Specificity	Specificity in base 10
-		
!important p{}	1,0,0,0,1	10001
Style=""	0,1,0,0,0	1000
<pre>#wrapper #content {}</pre>	0,0,2,0,0	200
<pre>#content .datePosted {}</pre>	0,0,1,1,0	110
<pre>div#content {}</pre>	0,0,1,0,1	101
<pre>#content {}</pre>	0,0,1,0,0	100
<pre>p.comment .dateposted {}</pre>	0,0,0,2,1	21
<pre>p.comment {}</pre>	0,0,0,1,1	11
div p {}	0,0,0,0,2	2
p {}	0,0,0,0,1	1

Box Model Margin, Borders and Padding



```
Element.Class#Id {
 margin-top: 2px;
 border: 1px solid;
 padding: 2px;
```



Block types and Position Blocks, Inline-blocks & Inline



```
li {
   display: block;
   text-align: center;
   padding: 5px;
}
```

Pictures Users

Block types and Position Blocks, Inline-blocks & Inline



```
li {
    display: inline-block;
    text-align: center;
    padding: 5px;
}
```

Pictures Users

Block types and Position Blocks, Inline-blocks & Inline



```
li {
   display: inline;
   text-align: center;
   padding: 5px;
}
```

Pictures Users