Lecture4Solutions

Kishore Hari

2022-08-19

Write programs to achieve the following tasks using a for loop.

1. Print the first 10 letters of the alphabet. Make use of the LETTERS vector pre-defined in R.

```
for (i in 1:10) {
    val <- LETTERS[i]</pre>
    print(val)
}
## [1] "A"
## [1] "B"
## [1] "C"
## [1] "D"
       "F"
## [1]
## [1] "G"
## [1] "H"
## [1]
       "I"
## [1] "J"
## Another way to do it, without using for loop, is:
LETTERS [1:10]
```

```
## [1] "A" "B" "C" "D" "E" "F" "G" "H" "I" "J"
```

2. Construct a right-angled traingle, using asteriscs (*). The pattern would look as follows:

There are multiple ways to do this: I am list three here, one of them involves a function (paste0) we have not learned in class yet. Read about the function

```
## Method 1: nested for loops
numRows <- 5
for (i in 1:numRows){
    stars <- c()
    for (j in 1:i) {
        stars <- c(stars, "*")
    print(stars)
}
## [1] "*"
## [1] "*" "*"
## [1] "*" "*" "*"
## [1] "*" "*" "*" "*"
## Method 2: single for loop. It is essentially the same as the previous method. How?
numRows <- 5
stars <- c()
for (i in 1:numRows) {
    stars <- c(stars, "*")
    print(stars)
}
## [1] "*"
## [1] "*" "*"
## [1] "*" "*" "*"
## [1] "*" "*" "*" "*"
## [1] "*" "*" "*" "*" "*"
## Method 3: Using the paste function
numRows <- 5
stars <- ""
for (i in 1:numRows) {
    stars <- paste0(stars, "*")</pre>
    print(stars)
}
## [1] "*"
## [1] "**"
## [1] "***"
## [1] "****"
## [1] "****
# Note that the output is different from the previous methods!
```

3. Calculate the factorial of a given number. See the formula give here: https://en.wikipedia.org/wiki/Factorial

```
fact <- 1
num <- 10
for (i in 1:num) {
    fact <- fact*i
}
print(fact)</pre>
```

[1] 3628800

4. A person has taken a loan from the bank worth Rs 1,00,000, at an interest rate of 6% per annum. Assuming the interest is simple, write a program to calculate the amount owed to the bank at the end of 5 years. Write a similar program, assuming compound interest.

```
numYears <- 5
principleAmount <- 100000
interest <- 6
# Simple interest
amountOwed <- principleAmount
for (i in 1:numYears) {
    amountOwed <- amountOwed + (6/100)*principleAmount
}
amountOwed</pre>
```

[1] 130000

```
# Compound interest
amountOwed <- principleAmount
for (i in 1:numYears) {
    amountOwed <- amountOwed + (6/100)*amountOwed
}
amountOwed</pre>
```

[1] 133822.6