

The crowdoc Showcase

Every feature on a few pages

Ada Example, Jānis Paraugs

Example Institute

8 October 2026

Abstract

This document exercises *every* construct crowdoc understands, so each style can be checked at a glance: text formatting, lists, tables, figures, mathematics, code, callouts, footnotes, cross-references and citations.

Keywords: typesetting, markdown, documents

Contents

1 Text	1
2 Lists	1
3 Figures and tables	2
4 Mathematics	3
5 Code	3
6 Callouts and theorems	3
7 Citations	3
References	3

1 Text

Regular text with **bold**, *italic*, ***both***, ~~struck~~, inline code, highlighted, H₂O written as H₂O, E = mc², `Ctrl` + `C`, underlined and a [link](#). Quotes “like this” and ‘this’ follow the document language; dashes – and – and ellipses... become proper punctuation. Latvian: Ģirts ēda ķiļķenus ar šķēpu. Emoji ✓ ☕ and symbols € § ¶ © ® ™ ±.

A footnote¹ and an inline one². See Section 3 for figures and Table 1 for a table with merged cells.

A block quotation set apart from the text, with a second sentence to show how lines wrap inside it.

Line blocks keep
their line breaks
even indentation.

2 Lists

1. First item
2. Second item with a nested list
 - bullet one
 - bullet two
 - a) deeper numbered
3. Third item

- ☒ A finished task
- ☐ An open task

Term — A definition of the term.

Another term — Its first definition.

¹Footnotes can contain *formatting* and `code`.

²Written right here.

Its second definition.

3 Figures and tables




Figure 1: Revenue by quarter, drawn with matplotlib at natural size.




Figure 2: A photograph at 60 % width.




Figure 3: A vector diagram (SVG).

Figure 1, Figure 2 and 3 are numbered automatically.

Table 1: Quarterly figures, right-aligned automatically.

Region	Q1	Q2	Q3	Total
North	1 200	1 350	1 410	3 960
South	980	1 020	1 115	3 115
Sum	2 180	2 370	2 525	7 075

Table 2: A table with merged cells (from HTML)

Item	Price	
	Net	Gross
Licence	9.99	12.09
Support (included)		0.00

4 Mathematics

Inline $e^{i\pi} + 1 = 0$, and a numbered display equation:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}$$

(1)

Equation 1 is the Gaussian integral. Matrices and cases work too:

$$A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}, \quad |x| = \begin{cases} x & x \geq 0 \\ -x & x < 0 \end{cases}$$

5 Code

```
1 func main() {
2     fmt.Println("Hello, typeset world")
3 }
```

Listing 1: A shell session.

```
crowdoc --style article --colors oxford paper.md
```

6 Callouts and theorems

- Note

A note with **formatting**.
- Shortcut

A tip with its own title.
- Warning

Warnings stand out.
- Important

GitHub-style alerts work as well.

Theorem 1. *Every bounded monotone sequence of real numbers converges.*
Proof. Take the supremum of its terms. □

7 Citations

Soil holds an enormous diversity of microbes (Bardgett & van der Putten, 2014; Fierer, 2017), and tillage disrupts fungal networks (Six et al., 2006, p. 557). Lal (2020) argues for regenerative practice.

References

Bardgett, R. D., & van der Putten, W. H. (2014). Belowground biodiversity and ecosystem functioning. *Nature*, 515(7528), 505–511. <https://doi.org/10.1038/nature13855>

- Fierer, N. (2017). Embracing the unknown: disentangling the complexities of the soil microbiome. *Nature Reviews Microbiology*, 15(10), 579–590. <https://doi.org/10.1038/nrmicro.2017.87>
- Lal, R. (2020). Regenerative agriculture for food and climate. *Journal of Soil and Water Conservation*, 75(5), 123A–124A. <https://doi.org/10.2489/jswc.2020.0620A>
- Six, J., Frey, S. D., Thiet, R. K., & Batten, K. M. (2006). Bacterial and fungal contributions to carbon sequestration in agroecosystems. *Soil Science Society of America Journal*, 70(2), 555–569. <https://doi.org/10.2136/sssaj2004.0347>