

PROJECT DOCUMENTATION

(FEBRUARY 2024-JULY 2024)

Social Media Analytics and Central Media Dashboard(Telegram)

Submitted by

Mohamed Aslam M(211721104083)

Keerthika R (211721104070)



Under the mentorship of

Mr.Solai Murugan V-Joint Director

**Center for Development of Advanced Computing
Chennai**

**Department of Computer Science and Engineering
Rajalakshmi Institute of Technology
Chennai**

July 2024

ABSTRACT

In the age of digital communication, Telegram has emerged as a prominent platform for private and public messaging, creating a need for sophisticated tools to analyse and monitor social media activities. This documentation presents a comprehensive social media analytics and monitoring dashboard specifically designed for Telegram, integrating advanced data analytics with real-time monitoring capabilities to deliver actionable insights into user engagement, content performance, and community demographics. The dashboard features scraping of messages and storing it in MongoDB database, detailed analysis on telegram users and their messages and significant insights on telegram channels. Leveraging MongoDB for robust data storage and Flask for a responsive web interface, the dashboard provides a scalable solution for managing and analysing Telegram channel data. Asynchronous tasks enhance data scraping and processing efficiency, making the tool a valuable asset for administrators and content creators aiming to make data-driven decisions, optimise engagement strategies, and improve overall channel performance and behaviour.

TECHNOLOGIES USED

1)HTML

2)CSS

3)Javascript

4)Python

4.1)The libraries used:telethon,asyncio,pytz,pymongo,
datetime,nltk,os,corpus,flask


5)Telegram API ID and API Hash

6)MongoDB


For obtaining telegram API, refer:

https://core.telegram.org/api/obtaining_api_id

WORKFLOW



1)USER AUTHENTICATION


A screenshot of a web form titled "User Authentication" centered on a light blue background. The form itself is a light gray rectangle. It contains a title "User Authentication" in bold black text. Below the title is a section labeled "Username" in bold black text, followed by a white input field with the placeholder text "Enter your username". Below that is a section labeled "Password" in bold black text, followed by a white input field with the placeholder text "Enter your password". At the bottom of the form are two blue buttons: "Submit" and "Create User", both in white text.

User Authentication Page


In the first phase, users enter their username, password, and role, which are stored in a MongoDB collection. Roles can be either Admin or User.

If the credentials are valid and the user is an Admin, they are redirected to a page with options to add keywords, add a channel name, or perform analysis. If the user is a User, they are redirected to the same page but only have the analysis option available.

If the credentials are invalid, the user is redirected to re-enter their details. If a user has no credentials, administrators can create them by clicking on the "Create User" button. This action directs the administrator to a page where they can enter and store new user details in the MongoDB collection holding user credentials.



Admin Role



User Role

<div>Authentication_Details</div> <div>Credentials</div> <div>First</div> <div>admin</div> <div>channel_database</div> <div>config</div> <div>local</div> <div>sample</div> <div>scraping_database</div>	<div>ADD DATA</div> <div>EXPORT DATA</div> <div>UPDATE</div> <div>DELETE</div>
<div> <div>_id: ObjectId('66320e928cfa7adc9ecb7b99')</div> <div>Password : "123456"</div> <div>Role : "Admin"</div> <div>Username : "TS001"</div> </div>	
<div> <div>_id: ObjectId('66320efd8cfa7adc9ecb7b9a')</div> <div>Password : "abcdef"</div> <div>Role : "User"</div> <div>Username : "TS002"</div> </div>	

MongoDB Collection with user credentials

User Registration

Username:

User4323

Password:

.....

Role:

Admin

Admin

User

Register

User Creation/Registration

2)SCRAPING OF MESSAGES

Once an admin gets logged in,he can access features to scrape messages,to add keywords and to view detailed analytics.In order to scrape messages,the admin has to click “Add channel name” button where upon clicking it ,the admin is redirect to a form where they first enter their phone number or any phone number with international code and channel username.In addition they can also select duration for scraping(for every 5 mins,for every hour etc) and submit the form by clicking send login code button.

Telegram Scraper

Enter phone number with international code*:

+911234567098

Enter the Channel Name*:

killingshop

Select Time: Minutes


Select Sub-Time: 5 minutes

Send Login Code

Reset

After submitting their form the user gets navigated to a new page where they enter the login code sent to the phone number linked to a telegram account.This is done with the help of Telegram API ID and Telegram API Hash.The admins enter login code and two factor password if enabled and submits form .If the user is validated based on login code and 2FA then scraping starts based

on time duration specified previously till all messages are scraped from the channel.



Login code sent to user

Authentication Details

Login code will be sent to your Telegram account. Please wait!

Enter two-factor password if enabled.

Enter the login code:

Two Factor Authentication Password:

Once the scraping is completed,the channel information is displayed to the user in a table.

Authentication Details

Login code will be sent to your Telegram account. Please wait!

Enter two-factor password if enabled.

Enter the login code:

Enter login code

Two Factor Authentication Password:

Enter the 2FA passcode


Submit

Details	Data
Channel Name	Sickipedia
Channel Description	The sickest, rudest, most offensive, inappropriate & politically incorrect jokes — we've got them all!
Channel Access Hash	2140466380762987982
Usercounts	13964
Admin Count	None
Kicked Count	None
Banned Count	None
Linked Chat Type	Unknown Type
Linked Chat Title	None
Megagroup	False
Gigagroup	False
Verified	False
Restriction Reason	None

2.1)Message Analysis

During scraping of messages,for each message we check whether the message contains a specified set of keywords where each of them belongs to a category of keywords and unparliamentary words where words of these types are stored in separate collection ,where admin can update them .The message containing these offensive words or unparliamentary words are stored in separate collections.

The text messages from each channel are stored in a collection where other types of messages such as video,images and audio in telegram channels are downloaded and stored in separate folders where their local paths and url are stored in the same collection used for text messages.



The screenshot displays a database interface. On the left, a tree view under 'channel_database' shows several folders: 'FilteredMessages', 'FrequentWords', 'Keywords', 'MessageCountPerDa...', 'Message_Collection' (highlighted in green), 'ReplyMessages', 'Unparliamentary_Words', 'UserCountCollection', 'User_Details', and 'unparliamentary_words_...'. Below this is a 'config' folder. On the right, two message details are shown. The first message (ID 3) is a video with a local file path 'Videos/IMG_5634.MP4' and a URL 'https://t.me/notcoin/3', dated '14-11-2023 00:39:31'. The second message (ID 5) is a photo with a local file path 'Images/notcoin' and a URL 'https://t.me/notcoin/5', dated '16-11-2023 02:58:41'. Both messages have a null user ID and username.

```
Message_ID : 3
User ID : null
Username : null
Type : "Video"
Local_file_path : "Videos/IMG_5634.MP4"
URL : "https://t.me/notcoin/3"
Date and Time : "14-11-2023 00:39:31"

_id: ObjectId('65f3dd12e5d7e530fe153229')
Channel Name : "notcoin"
Message_ID : 5
User ID : null
Username : null
Type : "Photo"
Local_file_path : "Images/notcoin"
URL : "https://t.me/notcoin/5"
Date and Time : "16-11-2023 02:58:41"
```

All the messages from all channels are stored in “Message_Collection”.Each message is stored with its message id which helps us to keep track of most recent message scraped from a channel.

FilteredMessages ...

FrequentWords

Keywords

MessageCountPerDa... ...

Message_Collection

ReplyMessages

Unparliamentary_Words

UserCountCollection

User_Details

unparliamentary_words_...

config

local

sample

Sent By CoE Anna University

Sir/M..."

Keyword : Array (empty)

Option : "option4"

Count : 1

User_ID : 1197660309

Username : null

_id: ObjectId('66142c5225796cb3d6c9459b')

Channel Name : "SpamFake_56"

Text : ""exclusive offer! get 50% off on stolen goods"

Keyword : Array (1)

0: "stolen"

Option : "option1"

Count : 1

User_ID : null

Username : null

Messages which consist of keywords which are offensive and belong to a category of keywords are stored in “Filtered_Messages” collection.

channel_database

FilteredMessages

FrequentWords

Keywords

MessageCountPerDayC...

Message_Collection

ReplyMessages

Unparliamentary_Words

UserCountCollection

User_Details

unparliamentary_wor... ...

config

local

Channel Name : Sickipedia

Words : Array (67)

Day : "24-04-2024"

Count : 67

_id: ObjectId('662f6812b3e0702bfba3b204')

Channel Name : "CDACIntern"

Words : Array (1)

0: "false"

Day : "29-04-2024"

Count : 1

_id: ObjectId('662f77eb52137441448b4373')

Channel Name : "Sickipedia"

Words : Array (67)


Day : "29-04-2024"

Count : 67

Messages which consist of unparliamentary keywords are stored in a collection known as “unparliamentary_words_in_messages” .

2.2)User Analysis

From a message we can track their ID and username if they have made it public. This could be useful to identify more information about the user such as their bio, recent status (when they were online or offline), profile photo, channels which they are a member of etc. For channels which a user is a member of, we track them based on messages they have sent to multiple channels and store each channel in an array. Certain user information requires admin privileges.



```
_id: ObjectId('661e576982768f7ab526298a')
User_ID : 2071240071
UserName : null
FirstName : "Kiki"
LastName : "Ravi"
Bio : "All the lights are sparking for me it seems.."
Status : "16-04-2024 16:22:24"
AccessHash : 5336874706949447128
Status Type : "Offline"
Profile Photo Path : null
Channels : Array (1)
  0: "CDACIntern"
```

The user demographics are stored in “User_Details” collection

Based on the number of channels which a user is a member of, we store the top ten users who are participants of the most number of channels.

channel_database

FilteredMessages

FrequentWords

Keywords

MessageCountPerDa... ...

Message_Collection

ReplyMessages

Unparliamentary_Words

UserCountCollection ...

User_Details

unparliamentary_words_...

channels : Array (2)

username : null

profile_photo_path : "Mohamed (4).jpg"

_id: 1484373805

channel_count : 1

channels : Array (1)

username : null

profile_photo_path : "No Photo Available"

_id: 1749283142

channel_count : 1

channels : Array (1)

username : null

profile_photo_path : "No Photo Available"

Top ten users are stored in “UserCountCollection” collection

If an admin wants to identify whether someone has replied to their messages, or whether action is taken by replying to their messages, this is done by checking whether they have replied to the specific message using that message’s id. If yes, the corresponding message and response can be stored in a collection.

channel_database

FilteredMessages

FrequentWords

Keywords

MessageCountPerDayC...

Message_Collection

ReplyMessages ...

Unparliamentary_Words

UserCountCollection

User_Details

unparliamentary_words_...

channel name : "CDACIntern"

Message : "Ok nice"

Message ID : 95

User_ID : 5559914153

Username : "Aslam_200356"

Origin Time : "2024-04-25 12:06:11"

Action : "Yes"

Reply : "Ok nice"

Reply Message ID : 103

Reply_User_ID : 2071240071

Reply_Username : null

Reply_Type : "Text"

Reply Time : "29-04-2024 11:50:59"

Message_Type : "Text"

_id: ObjectId('662f680bb3e0702bfba3b1f8')

Channel Name : "CDACIntern"

Message : "Ok aslam"

Reply to messages are stored in the ReplyMessages collection.

2.3)Channel Analysis

Based on channel name,we can get more information about the channel such as description,user count,linked chats etc.These information could be stored in a collection which can be useful for reference.However,certain information about the channel requires admin privileges.

```

▶ _id: ObjectId('6620f2ab0b055a10a737ab03')
Channel Name : "Sickipedia"
Channel Description : "The sickest, rudest, most offensive, inappropriate & politically incor..."
Channel_Access_Hash : 2140466380762987982
Channel_Username : "Sickipedia"
Start_date : "18-04-2024"
Recent_Date : "28-07-2024"
Number of Users : 13964
Admin_Count : null
Kicked_Count : null
Banned_Count : null
Linked Chat Title : null
Linked_Chat_Type : "Unknown Type"
Megagroup : false
Gigagroup : false
Verified : false
Restriction_reasons : null
Status : true
Count : 8866
Channel_Username : "Sickipedia"
false
```

Channel demographics are stored in the “scrapping_status” collection.

3)ADDING KEYWORDS

If the user logged in as admin,by clicking on “Add Keywords” button,he is navigated to a webpage where the existing keywords of different categories which are offensive and unparliamentary are separately shown in a table where these words are used to

filter messages. In addition, admin can add new words to these categories which are automatically updated to the collections holding them.

Keywords Table

Category	Keywords
Unauthorised use of Information	[unauthorized, 'stolen', 'illegitimate', 'plagiarism', 'copyright']
Offensive and inappropriate content	[erotic, 'porn', 'explicit', 'abusive', 'lewd', 'sexual']
Harmful to children	[vulnerable, 'drugs', 'violence', 'suicide', 'crime', 'gambling']
Violates intellectual property rights	[violates, 'breaches', 'contravenes']

Enter Keyword and Select Option

Select Option:

Violates intellectual property rights

Unauthorised use of Information

Offensive and inappropriate content

Harmful to children

Violates intellectual property rights

Submit

Unparliamentary Words

Unparliamentary Keywords

[abused, 'ashamed', 'ballarat', 'baloney', 'batshit crazy', 'beaten with shoes', 'betrayal', 'betrayed', 'bikies', 'bloodshed', 'bloody', 'bossy pants', 'bullshit', 'chamacha', 'chamachagiri', 'cheat', 'cheated', 'chelas', 'childishness', 'chhokra', 'circumventing', 'closeau', 'cockroaches', 'conversion', 'conversions', 'corrupt', 'corruption', 'coward', 'covid spreader', 'criminal', 'crock', 'crocodile tears', 'cruel', 'debacle', 'decieved', 'derogatory', 'disgrace', 'dogdy', 'dog', 'donkey', 'drama', 'dump', 'duplicitiy', 'erroneous', 'eyewash', 'fake', 'false', 'fabrication', 'fool', 'foolish', 'fraud', 'frighten', 'gag', 'gaslighting', 'goons', 'goose', 'gossipers', 'greasy', 'greed', 'groper', 'grubby', 'gun', 'gundas', 'hack', 'heckler', 'hooliganism', 'humiliated', 'hunter', 'hypocrisy', 'hypocrite', 'ignores', 'ignores', 'illegally', 'incompetent', 'interjecting', 'irresponsible', 'jack-all', 'jumble jim', 'kick out', 'liar', 'lie', 'lollipops', 'looting', 'mafia', 'mamas', 'mate', 'menzies', 'mess', 'misaligned', 'misinformation', 'mislead', 'murder', 'negligence', 'ophidian', 'paedophiles', 'partisan', 'penguin', 'petdog', 'phoney', 'pig-headed', 'poster-boy', 'prostitute', 'psychiatrist', 'racist', 'rankin', 'rape', 'rascal', 'recalcitrant', 'ridicule', 'rort', 'rowdy', 'rubbish', 'rudd', 'ruthless', 'saleswoman', 'sanctimonious', 'scammed', 'scandal', 'scoundrel', 'shame', 'shit', 'shorts culture', 'show off', 'slapping', 'slush fund', 'snake charmers', 'snoopgate', 'species', 'stench', 'stuff up', 'stuffed', 'stupidity', 'suck', 'theft', 'touts', 'traitor', 'treacherous', 'untrue', 'weasel words', 'whippet', 'wicked', 'windbag', 'witch', 'worst', 'yapping', 'jumlajeevi', 'covid spreader']

Enter unparliamentary Word:

Submit

Keywords page

- Authentication_Details
- First
- admin
- channel_database
 - FilteredMessages
 - FrequentWords
 - Keywords**
 - MessageCountPerDay...
 - Message_Collection
 - ReplyMessages
 - Unparliamentary_Words
 - UserCountCollection
 - User_Details
 - unparliamentary_word...

ADD DATA
EXPORT DATA
UPDATE
DELETE

_id: ObjectId('6620bcf07588e96bf1219767')
Category: "Unauthorised use of Information"
Keywords: Array (5)
0: "unauthorized"
1: "stolen"
2: "illegitimate"
3: "plagiarism"
4: "copyright"

_id: ObjectId('6620bcf07588e96bf1219768')
Category: "Offensive and inappropriate content"
Keywords: Array (6)
0: "erotic"
1: "porn"
2: "explicit"
3: "abusive"
4: "lewd"
5: "sexual"

Offensive keywords of different categories are stored in the Keywords collection.

- Authentication_Details
- First
- admin
- channel_database
 - FilteredMessages
 - FrequentWords
 - Keywords
 - MessageCountPerDay...
 - Message_Collection
 - ReplyMessages
 - Unparliamentary_W...**
 - UserCountCollection
 - User_Details
 - unparliamentary_word...

ADD DATA
EXPORT DATA
UPDATE
DELETE

_id: ObjectId('6698a05e4e88793675216b33')
Keywords: Array (147)
0: "abused"
1: "ashamed"
2: "ballarat"
3: "baloney"
4: "batshit crazy"
5: "beaten with shoes"
6: "betrayal"
7: "betrayed"
8: "bikies"
9: "bloodshed"
10: "bloody"
11: "bossy pants"
12: "bullshit"
13: "chamacha"
14: "chamachagiri"
15: "cheat"
16: "cheated"
17: "chelas"

Unparliamentary keywords are stored in the “Unparliamentary_words” collection.

4)Analysis Dashboard

Whether the user logged in is an admin or normal user,he/she can access the analysis dashboard by clicking the “Analysis “ button.They are various tables which are displayed in the dashboard.

The first table is “Scraping of Channels” where it displays the channel demographics which are stored in “scrapping_status” collection.We can also search for specific channel by entering their name in the search bar and also click on specific field to display the field entries in ascending or descending order.

Scraping of Channels							
<input type="text" value="Search for channel..."/>		<input type="button" value="Search"/>					
Channel Name	Channel Description	Start Date ▲	Recent Date	Number of Users	Status	Messages Scraping Count	
iplbh	आज कोण जितेगा ? आज कौन सी टीम जिथेगी ? और कोई नहीं बतायेगा ? सिर्फ हम बतायेगे ? #IPLभविष्यवाणी 🔥	01-04-2024	23-04-2024	29	True	23	
KANYEsol	Excuse me! Did you say something? https://kanyecoin.site	01-04-2024	01-04-2024	585	True	2	
Government_Jobs_Sarkari_Naukari	India's Best Telegram Channel for Free Government Job Alert. Government Jobs Sarkari Naukri [Latest Vacancy Alert for Freshers HR LAW Police Bharti Free Job Alert Employment News]	01-04-2024	01-04-2024	2	True	3	
warmonitors	Breaking News Geopolitics Buy ads: @orthodoxplant Discussion: @WarMonitors_Discussion Appeal a ban: @WarMonitorsAppeal	01-07-2024	18-07-2024	104264	True	32	


The next table displays the number of messages which are scraped in a daily basis with channel name and count of messages which are scraped.The search and ordering functionalities of previous are also incorporated here.

Daily Scraping Count

Channel Name ▼	Day	Scraping Count
x_movies_adult_videos_18_english	03-04-2024	0
x_movies_adult_videos_18_english	16-04-2024	0
x_movies_adult_videos_18_english	24-04-2024	0
taylor	08-04-2024	2
real_madrid	31-03-2024	18
real_madrid	01-04-2024	5
killingshop	07-04-2024	58
kanyesolxyz	04-07-2024	7
iplbh	01-04-2024	0
iplbh	08-04-2024	0
iplbh	16-04-2024	0
iplbh	18-04-2024	0
iplbh	23-04-2024	0

The next table displays the top 10 users based on number of channels they are a member of

Top 10 users

UserID	UserName	Profile Photo	Channels	ChannelsCount
5559914153	None	 <p>10 Rules to upgrade your life:</p> <ol style="list-style-type: none"> 1. Lift weights 2. Eat real foods 3. Face your fears 4. Positive self-talk 5. Never stop learning 6. Prioritize your sleep 7. Lower your screentime 8. Wake up with gratitude 9. Enjoy the present moment 10. Choose your circle carefully 	['SpamFake_56', 'CDACIntern']	2
1484373805	None	No Photo Available	['anna_university_cse']	1
1749283142	None	No Photo Available	['Vikram_Singh_Ranbir_Roy']	1
1013583367	None	No Photo Available	['anna_university_cse']	1

The following table displays the filtered messages which are filtered based on keywords in the “Keywords” collection. We can also view them in separate pages with the help of pagination.

Messages filtered from channel

☐ Violates intellectual property rights
 ☐ Harmful to children
 ☐ Offensive and inappropriate content
 ☐ Unauthorised use of Information

Submit

Channel Name	Message	Keyword	Count	User_ID	UserName
SpamFake_56	: "get the hottest deals on erotic content! watch free porn videos! explicit offers for adults.	['erotic', 'porn', 'explicit']	1	None	Not Available
CDACIntern	: "get the hottest deals on erotic content! watch free porn videos! explicit offers for adults.	['erotic', 'porn', 'explicit']	1	5559914153	Not Available
Sickipedia	i couldn't believe it when my mum confided in me about how her father sexually abused her as a child. then my sisters told me about being sexually abused by our dad. i got home shocked and was telling my wife about this, and she too told me about being sexually abused as a child by her father. fuck it, i can't wait for my daughter to get home from school, i'm not going to be the one to break a family tradition. #sexandshit	['sex']	1	None	Not Available
Sickipedia	the pope calls for action on sex abuse. sex abuse. directed by his holiness is now available to stream on netflix. #sexandshit	['sex']	1	None	Not Available
Sickipedia	i was once abused by a prolific sex offender, but he wasn't very good at it. #mehtoo #sexandshit	['sex']	1	None	Not Available

The keywords are:

erotic

porn

explicit

abusive

lewd

sexual

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 Next

By hovering the cursor on the options ,we can view the keywords for each category.By clicking the number below we can view different messages which belong to same category of offensive messages.

The following two tables displays the most frequent words and unparliamentary words in a channel,where in case of frequent words we display each frequent word along with their count and in case of unparliamentary words we display the unparliamentary words,the channel name in which we observed those words and the count of them.

Frequent Words in Channels

Channel Name	Word
CDACIntern	[{'hi': 4}, {'children': 4}, {'sexual': 2}, {'harm': 2}, {'violates': 2}]
notcoin	[{'notcoin': 17}, {'new': 8}, {'fun': 8}, {'beta': 8}, {'get': 7}]
techbossindian	[{'buy': 2}, {'12hrs': 1}, {'uv': 1}, {'speaker': 1}, {'hi': 1}]
Sickipedia	[{'said': 2276}, {'says': 2251}, {'man': 1989}, {'\nthe': 1596}, {'one': 1418}, {'said': 2279}, {'says': 2259}, {'man': 1993}, {'one': 1424}]

Unparliamentary Words in Channels

Channel Name	Day	Words	Count
Sickipedia	24-04-2024	['shame', 'rubbish', 'corruption', 'slapping', 'fraud', 'bloodshed', 'scandal', 'grubby', 'incompetent', 'murder', 'goose', 'stupidity', 'frighten', 'betrayed', 'betrayal', 'bloody', 'corrupt', 'coward', 'liar', 'humiliated', 'yapping', 'mess', 'stench', 'fool', 'cheated', 'false', 'suck', 'dog', 'gaslighting', 'sanctimonious', 'mate', 'prostitute', 'abused', 'fake', 'shit', 'ashamed', 'penguin', 'species', 'ignores', 'wicked', 'gun', 'cruel', 'donkey', 'racist', 'bullshit', 'paedophiles', 'phoney', 'cockroaches', 'hunter', 'stuffed', 'lie', 'foolish', 'illegally', 'witch', 'mafia', 'mamas', 'traitor', 'cheat', 'rape', 'hack', 'dump', 'disgrace', 'gag', 'theft', 'criminal', 'worst', 'drama']	67
CDACIntern	29-04-2024	['false']	1
Sickipedia	29-04-2024	['donkey', 'gun', 'cruel', 'paedophiles', 'phoney', 'shit', 'hunter', 'bloodshed', 'stuffed', 'cheated', 'mamas', 'penguin', 'witch', 'bloody', 'corrupt', 'worst', 'ignores', 'shame', 'fraud', 'frighten', 'abused', 'gag', 'lie', 'false', 'rape', 'stench', 'yapping', 'scandal', 'fool', 'rubbish', 'betrayal', 'traitor', 'hack', 'goose', 'ashamed', 'mafia', 'stupidity', 'racist', 'betrayed', 'liar', 'disgrace', 'foolish', 'grubby', 'sanctimonious', 'bullshit', 'coward', 'mess', 'dog', 'corruption']	67

The last table in the analysis dashboard displays messages in “ReplyMessages” collection.

Reply to messages													
Channel Name	Message	Message ID	User ID	Username	Origin Time	Action	Reply	Reply Message ID	Reply_User_ID	Reply_Username	Reply_Type	Reply_Time	Message_Type
CDACIntern	Ok nice	95	5559914153	Aslam_200356	2024-04-25 12:06:11	Yes	Ok nice	103	2071240071	None	Text	29-04-2024 11:50:59	Text
CDACIntern	Ok aslam	49	5559914153	Aslam_200356	2024-03-26 19:53:43	Yes	Ok aslam	104	2071240071	None	Text	29-04-2024 11:51:20	Text
CDACIntern	Ok aslam	17	5559914153	Aslam_200356	2024-03-14 13:42:54	Yes	Why aslam sad	105	2071240071	None	Text	29-04-2024 11:51:42	Text
CDACIntern	Ok aslam	15	5559914153	Aslam_200356	2024-03-14 13:31:37	Yes	Mass uh	106	2071240071	None	Text	29-04-2024 11:52:21	Text
CDACIntern	Ok aslam	108	5559914153	Aslam_200356	2024-04-29 14:52:12	Yes	Es important questions	110	2071240071	None	Text	29-04-2024 14:52:38	Text
CDACIntern	Verified	112	5559914153	Aslam_200356	2024-04-29 14:53:27	Yes	Verified	113	2071240071	None	Text	29-04-2024 14:53:38	Text