

Endpoint test results

- 1. Get /rewards
 - a. When both id and list of months not provided

Expected: Return rewards for each month and total rewards for each customer

Request:

GET/rewardsEndpoint to retrieve customer's reward point

Retrieves total rewards of eachial customers for allispecified months

Parameters

Name	Description
months	array[string] (query) JANUARY FEBRUARY MARCH
customerId	integer(\$int32) (query) 0

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/rewards?customerId=0' \
-H 'accept: */*'
```

Response: [

```
{
  "customerDetails": {
    "customerId": 1,
    "name": "Aslam",
    "phoneNumber": 9876543210,
    "address": {
      "street": "601 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "MARCH",
      "rewardPoints": 35
    },
    {
      "month": "JANUARY",
      "rewardPoints": 25
    },
    {
      "month": "FEBRUARY",
      "rewardPoints": 140
    }
  ],
  "totalRewardPoints": 200
},
{
  "customerDetails": {
    "customerId": 2,
    "name": "Rahul",
    "phoneNumber": 9876543211,
    "address": {
      "street": "602 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "MARCH",
      "rewardPoints": 18
    },
    {
      "month": "JANUARY",
```

```
    "rewardPoints": 79
  },
  {
    "month": "FEBRUARY",
    "rewardPoints": 190
  }
],
"totalRewardPoints": 287
},
{
  "customerDetails": {
    "customerId": 3,
    "name": "Teja",
    "phoneNumber": 9876543212,
    "address": {
      "street": "603 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "MARCH",
      "rewardPoints": 290
    },
    {
      "month": "JANUARY",
      "rewardPoints": 0
    },
    {
      "month": "FEBRUARY",
      "rewardPoints": 189
    }
  ],
  "totalRewardPoints": 479
}
]
```

b. When customer id is provided and list of months is not provided

Expected: Return rewards for each month and total rewards for that customer

Request:

GET /rewards Endpoint to retrieve customer's reward point

Retrieves total rewards of each/all customers for all/specified months

Parameters

Cancel

Name	Description
months	
array[string]	
(query)	JANUARY FEBRUARY MARCH
customerId	
integer(int32)	
(query)	1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'http://localhost:8080/rewards?customerId=1' \
-H 'accept: */*'

```

Response: [

```
{
  "customerDetails": {
    "customerId": 1,
    "name": "Aslam",
    "phoneNumber": 9876543210,
    "address": {
      "street": "601 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
}
```

```
"monthlyRewardPoints": [
  {
    "month": "MARCH",
    "rewardPoints": 35
  },
  {
    "month": "JANUARY",
    "rewardPoints": 25
  },
  {
    "month": "FEBRUARY",
    "rewardPoints": 140
  }
],
"totalRewardPoints": 200
}
```

c. When customer id is not provided and list of months provided (JANUARY)

Expected: Return rewards details for all customer for January month

Request:

GET

/rewards

Endpoint to retrieve customer's reward point

Retrieves total rewards of each/all customers for all/specified months

Parameters

Cancel

Name	Description
months	-- JANUARY FEBRUARY MARCH APRIL
customerId	integer(\$int32) customerId

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'http://localhost:8080/rewards?months=JANUARY' \
  -H 'accept: */*'

```

Response: [

```
{
  "customerDetails": {
    "customerId": 1,
    "name": "Aslam",
    "phoneNumber": 9876543210,
    "address": {
      "street": "601 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "JANUARY",
      "rewardPoints": 25
    }
  ],
  "totalRewardPoints": 25
},
{
  "customerDetails": {
    "customerId": 2,
    "name": "Rahul",
    "phoneNumber": 9876543211,
    "address": {
      "street": "602 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  }
}
```

```
},
"monthlyRewardPoints": [
  {
    "month": "JANUARY",
    "rewardPoints": 79
  }
],
"totalRewardPoints": 79
},
{
  "customerDetails": {
    "customerId": 3,
    "name": "Teja",
    "phoneNumber": 9876543212,
    "address": {
      "street": "603 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "JANUARY",
      "rewardPoints": 0
    }
  ],
  "totalRewardPoints": 0
}
]
```

d. When both customer id and list of months provided

Expected: Return reward details of specified month for specified customer

Request:

GET/rewardsEndpoint to retrieve customer's reward point

Retrieves total rewards of each/all customers for all/specified months

Parameters

Name	Description
months	array[string] (query) JANUARY FEBRUARY MARCH
customerId	integer(\$int32) (query) 1

Execute

Clear

Responses

Curl

curl -X 'GET' \n'http://localhost:8080/rewards?months=JANUARY&months=FEBRUARY&customerId=1' \n-H 'accept: */*'

Response: [

```
{
  "customerDetails": {
    "customerId": 1,
    "name": "Aslam",
    "phoneNumber": 9876543210,
    "address": {
      "street": "601 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "JANUARY",
      "rewardPoints": 25
    },
  ],
}
```

```
{
  "month": "FEBRUARY",
  "rewardPoints": 140
},
"totalRewardPoints": 165
}
```

2. Get /rewards/period
- a. When customer id is not provided

Expected: Return rewards details of all customers for each month specified in period

Request:

GET

/rewards/period

Endpoint to retrieve customer's reward point for a time period

Retrieves total rewards of each/all customers for specified time period

Parameters

Cancel

Name	Description
startMonth * required	JANUARY
string (query)	
endMonth * required	MARCH
string (query)	
customerId	0
integer(\$int32) (query)	

Execute

Clear

Responses

Curl

curl -X 'GET' \nhttp://localhost:8080/rewards/period?startMonth=JANUARY&endMonth=MARCH&customerId=0 \n-H 'accept: */*' \n

Response: [

```
{
  "customerDetails": {
    "customerId": 1,
    "name": "Aslam",
    "phoneNumber": 9876543210,
    "address": {
      "street": "601 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "MARCH",
      "rewardPoints": 35
    },
    {
      "month": "JANUARY",
      "rewardPoints": 25
    },
    {
      "month": "FEBRUARY",
      "rewardPoints": 140
    }
  ],
  "totalRewardPoints": 200
},
{
  "customerDetails": {
    "customerId": 2,
    "name": "Rahul",
    "phoneNumber": 9876543211,
    "address": {
      "street": "602 Corner Meadows Way",
      "city": "Calgary",
```

```
    "province": "Alberta",
    "zip": "T3N 2C5"
  },
},
"monthlyRewardPoints": [
  {
    "month": "MARCH",
    "rewardPoints": 18
  },
  {
    "month": "JANUARY",
    "rewardPoints": 79
  },
  {
    "month": "FEBRUARY",
    "rewardPoints": 190
  }
],
"totalRewardPoints": 287
},
{
  "customerDetails": {
    "customerId": 3,
    "name": "Teja",
    "phoneNumber": 9876543212,
    "address": {
      "street": "603 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
},
"monthlyRewardPoints": [
  {
    "month": "MARCH",
    "rewardPoints": 290
  },
  {
    "month": "JANUARY",
    "rewardPoints": 0
  },
  {
    "month": "FEBRUARY",
    "rewardPoints": 189
  }
],
"totalRewardPoints": 479
}
]
```

b. When customer id is provided

Expected: Return reward details of specified customer in specified time period

Request:

GET

/rewards/period

Endpoint to retrieve customer's reward point for a time period

Retrieves total rewards of each/all customers for specified time period

Parameters

Cancel

Name	Description
startMonth * required	FEBRUARY
string	
(query)	
endMonth * required	MARCH
string	
(query)	
customerId	2
integer(\$int32)	
(query)	

Execute

Clear

Responses

Curl

curl -X 'GET' \n'http://localhost:8080/rewards/period?startMonth=FEBRUARY&endMonth=MARCH&customerId=2' \n-H 'accept: */*'

Response: [

```
{
  "customerDetails": {
    "customerId": 2,
    "name": "Rahul",
    "phoneNumber": 9876543211,
    "address": {
      "street": "602 Corner Meadows Way",
      "city": "Calgary",
      "province": "Alberta",
      "zip": "T3N 2C5"
    }
  },
  "monthlyRewardPoints": [
    {
      "month": "MARCH",
      "rewardPoints": 18
    },
    {
      "month": "FEBRUARY",
      "rewardPoints": 190
    }
  ],
  "totalRewardPoints": 208
}
```

]