

Clairo Mesh - Kraft Media for Paint Booth

Clairon offers good quality expanded paper filter media for overspray collection. This is available in three models - Clairo Mesh SC, Clairo Mesh HC and Clairo Mesh S. These overspray collector filters are constructed of layers of slit and expanded kraft with an optional final layer of duo-density synthetic polyester backing to maximize efficiency and strength. The front layers of this collector employ lar ger baffle openings followed with layers of progressively smaller "diamond" design and an optional final back layer of dense non wov en polyester. This filter design allows us to provide products that address the filtration goals of your specific application.

Clairon Models

Clairo Mesh SC


Expanded paper filter baffle type mini mesh collector with standard capacity

Clairo Mesh HC

Expanded paper filter baffle type mini mesh collector with high capacity


Clairo Mesh S


Expanded paper filter baffle type with an additional synthetic media layer.





Clairo Mesh HC also provides excellent efficiency and very high dust holding capacity. It utilizes eight layers of slit and expanded Kraft, again creating a multistage collection design. First three layers of this design employ extremely large baffle openings for maximum particulate holding capacity. Clairo Mesh HC is excellent to use with a wide range of coatings esp ecially with heavier, tacky-type coatings, conventional coatin gs and in situation requiring extended service life.

Filtro Mesh S employs along with the kraft media an addition al layer of Synthetic Non-woven filter media to increase the dust holding capacity.









Selection Data

Model	Initial Resistance (Pa) to Air Velocity (m/s)					
Air Velocity (m/s)	0.5	0.75	1	1.25	1.5	1.75
Clairo Mesh SC - Initial Resistance (Pa)	5	8	12	17	25	35
Clairo Mesh HC - Initial Resistance (Pa)	4	7	10	15	23	32

All data are average indicative values with usual manufacturing and testing tolerances. We reserve the right to modify performance data without prior notices due to the constant technical improvement.

© Copyright: Every effort has been made to ensure that the information contained in this publication is accurate at the time of publishing. We assumes no responsibility or liability for typographical errors or omissions or for any misinterpretation of the information within the publication and reserves the right to change without notice.

