## Homework 2

## Aslı Nil Aykal 20080470

Before attempting to solve these homework questions make sure that you've install tinytex package onto your system with install.packages(tinytex) and tinytex::install\_tinytex() commands.

Question 1 Calculate how many minutes in January.

```
date1 <- as.Date("2023-01-01 00:00:00")
date2 <- as.Date("2023-01-31 00:00:00")
date1

## [1] "2023-01-01"

date2

## [1] "2023-01-31"

difftime(date2, date1, units="mins")</pre>
```

## Time difference of 43200 mins

**##** [16] 0.5 0.6 0.7 0.8 0.9 1.0

Question 2 Add the numbers 3 1 4 1 5 9 2 6 without using the addition sign.

```
x <- c(3, 1, 4, 1, 5, 9, 2, 6)
x
```

## [1] 3 1 4 1 5 9 2 6

Question 3 Create a vector named x containing the series -1, -0.9, ..., 0, 0.1, ..., 0.9, 1 and print the result.

```
x <- c(-1:1)
seq(-1, 1, 0.1)
## [1] -1.0 -0.9 -0.8 -0.7 -0.6 -0.5 -0.4 -0.3 -0.2 -0.1 0.0 0.1 0.2 0.3 0.4
```

Question 4 How do we get R to print the text "SBF!" 30 times without repeatingly typing it?

```
x <- 'SBF'
rep(x,30)
```

```
## [1] "SBF" "SBF"
```

**Question 5** Create two vectors named "wizards" and "ranking". Let the "wizards" include the names Harry, Ron, Fred, George and Sirius, while the "ranking" includes the numbers 4, 2, 5, 1, and 3.

```
ranking <- c( 4, 2, 5, 1, 3)
wizards <- c("Harry", "Ron", "Fred", "George", "Sirius")</pre>
```

Question 6 Print/extract the second element of the wizards vector.

```
wizards
```

```
## [1] "Harry" "Ron" "Fred" "George" "Sirius"
wizards[2]
```

```
## [1] "Ron"
```

**Question 7** Replace the names Fred, George and Sirius in the vector 'wizards' with the names Hermione, Ginny, and Malfoy.

```
wizards <- c("Harry", "Ron", "Hermione", "Ginny", "Malfoy")
wizards</pre>
```

```
## [1] "Harry" "Ron" "Hermione" "Ginny" "Malfoy"
```

Question 8 Anyone who hasn't read Harry Potter (like the professor of this class) needs tags to know who these characters are. Name the elements of the wizards vector as Lead, Friend, Friend, Wife and Rival. Print the results.

```
wizards <- c("Harry = lead", "Ron = friend"," Hermione = friend", "Ginny = wife", "Malfoy = rival")
wizards</pre>
```

**Question 9** 26 students entered the PEC206 midterm exam. The grades of these students are: 18, 95, 76, 90, 84, 83, 80, 79, 63, 76, 55, 78, 90, 81, 88, 89, 92, 73, 83, 72, 85, 66, 77, 82, 99 and 87. Save test scores in a vector named 'scores'. Calculate the mean, median, and range of exam grades.

```
scores <- c(18, 95, 76, 90, 84, 83, 80, 79, 63, 76, 55, 78, 90, 81, 88, 89, 92,73, 83, 72, 85, 66, 77, 82, 99, 87) scores
```

```
## [1] 18 95 76 90 84 83 80 79 63 76 55 78 90 81 88 89 92 73 83 72 85 66 77 82 99 ## [26] 87
```

```
mean(scores)

## [1] 78.5

median(scores)

## [1] 81.5

range(scores)
```

## [1] 18 99

Question 10 In 2015, Nilay had an annual income of 22,000 TL, and total expenses of 3,000 TL. In 2016, his annual income was 67,000 TL, and his total expenses were 23,000 TL. In 2017, his annual income was 70,000 TL, and his total expenses were 32,000 TL. Finally, in 2018, his annual income was 72,000 TL and his total expenses were 35,000 TL. To save this information, create 3 different vectors named 'years', 'income' and 'expenses'. Calculate Nilay's annual savings and save these values in a vector named 'savings'.

```
df <- data.frame(</pre>
years = c(2015, 2016, 2017, 2018),
income = c(22000, 67000, 70000, 72000),
expenses = c(3000, 23000, 32000, 35000)
)
df
##
     years income expenses
            22000
                       3000
## 1
     2015
## 2
            67000
                      23000
      2016
## 3
      2017
            70000
                      32000
      2018 72000
## 4
                      35000
savings <- sum(df$income) - sum(df$expenses)</pre>
savings
```

## [1] 138000