

AsliJobs Design System Documentation

Product: AsliJobs
Scope: Frontend application (frontend/)
Audience: Developers, UI Designers, QA, Product
Source of truth: Current codebase only (no invented values)

1. Brand Identity

Item	Value	Source
Product / brand name	AsliJobs	src/app/layout.tsx (metadata.title)
Site name	AsliJobs.com	src/constants/site.ts (SITE_NAME)
Company (legal)	Propenu Solutions Pvt Ltd.	src/constants/site.ts (COMPANY_NAME)
Tagline	India's Trusted WhatsApp Job Network	src/constants/brand.ts (BRAND_TAGLINE)
Footer description	India's trusted WhatsApp job network for blue & grey collar jobs.	src/constants/site.ts (FOOTER_BRAND_DESCRIPTION)

Current logos

Asset	Path	Intrinsic size	Usage
Primary wordmark + mark (SVG)	src/assets/AsliLogo.svg	213 × 70 (viewBox="0 0 213 70")	Navbar, Footer, Employer/Job Seeker sidebars
Logo mark (PNG)	src/assets/logos/Frame 130.png	Rendered at 40 × 40 in sidebars	Collapsed sidebar mark; Post Job overlays / WhatsApp preview avatar
White logo (PNG)	src/assets/employer-register/logo-white.png	Image props 240 × 90	Employer / Job Seeker register branding panel
Inline SVG wordmark component	src/assets/logos/logos.tsx (Logos)	156 × 52	Present; not imported by any src consumer in scan
Alternate SVG asset	src/assets/logos/Frame 149.svg	Present on disk	Not referenced by TSX imports
Unused PNG	src/assets/post-job-whatsapp-logo.png	Present on disk	Not referenced by TSX imports
App icon	src/app/icon.png	Next.js App Router favicon convention	Favicon (layout.tsx does not set explicit metadata.icons)

Apple touch icon	src/app/apple-icon.png	Next.js apple-icon convention	iOS home screen
------------------	------------------------	-------------------------------	-----------------

Partner / carousel logos live under `src/assets/branding/` (e.g. Amazon, Flipkart, Tata, Zomato) and are wired via `src/constants/employers.ts` / `popular-jobs.ts` into `EmployerCarousel.tsx` (`fill` , `size="112px"` , `container h-12 sm:h-14`).

Logo brand colors (from SVG fills)

Observed in `AsliLogo.svg` and `logos.tsx` :

Color	Hex	Role in logo
Teal	#00BAA5 / #00baa5	Primary logo mark + wordmark
Accent yellow	#FFD54F	Logo accent corner

Logo usage guidelines (as implemented)

- Navbar: `AsliLogo.svg` at `width={213}` `height={70}` ; display heights `h-[32px]` / `mobile:h-[30px]` / `sm:h-[34px]` / `lg:h-[52px]` (`Navbar.tsx`). Decorative: `alt=""` , `aria-hidden` .
- Footer brand: same SVG; display heights `h-12 w-auto sm:h-[52px] lg:h-[60px]` (`FooterBrand.tsx`).
- Sidebars: expanded wordmark `h-9 w-auto` ; collapsed mark `Frame 130.png` at `40x40` with `size-9 object-contain` (`EmployerSidebar.tsx` , `JobSeekerSidebar.tsx`).
- Auth / register panel: white PNG `240x90` , CSS width `clamp(9.5rem, 38cqi, 12.5rem)` ; desktop optical `margin-left` compensates PNG transparent padding (`~27/217`) (`EmployerRegisterPanel.tsx` , `.employer-register-logo`).
- Post Job: mark also used in submitting overlay (`72x72`) and WhatsApp preview avatar (`size-8` , rounded).
- Accessible home links use `aria-label="AsliJobs home"` .

Brand icon

- App favicon / brand icon: `src/app/icon.png`
- Compact logo mark used in product chrome: `src/assets/logos/Frame 130.png`

2. Typography

Font family

Property	Value	Source
Approved family	Inter (only approved product font)	<code>src/constants/design-system.ts</code> , <code>.cursor/rules/design-system.mdc</code>
Import method	<code>next/font/google</code> → <code>Inter</code>	<code>src/app/layout.tsx</code>
CSS variable	<code>--font-inter</code>	<code>layout.tsx</code> (variable: <code>"--font-inter"</code>)
Tailwind / body mapping	<code>--font-sans: var(--font-inter), ui-sans-serif, system-ui, sans-serif</code>	<code>src/app/globals.css @theme</code>
Body application	<code>font-family: var(--font-sans) ON body;</code> <code>font-sans ON <body></code>	<code>globals.css</code> , <code>layout.tsx</code>

Subsets	latin	layout.tsx, design-system.ts
Display	swap	layout.tsx, design-system.ts

Font weights

Loaded and declared: **100, 200, 300, 400, 500, 600, 700, 800, 900**
(layout.tsx + DESIGN_SYSTEM_FONT_WEIGHTS).

Commonly observed utility weights in UI: font-medium (500), font-semibold (600), font-bold (700).

Font sizes (observed patterns — not a single type-scale file)

There is **no centralized type-scale token file**. Sizes come from Tailwind utilities and CSS.

Pattern	Examples	Sources
Body / UI text	text-sm (0.875rem), often with font-medium / font-semibold	Forms, tables, buttons
Card / section titles	text-lg, text-xl, font-bold	e.g. postJobCardHeadingClassName
Form headings (register)	clamp(1.375rem, 2.4vw, 1.75rem), font-weight: 700, letter-spacing: -0.025em	.employer-register-form-heading
Caption / meta	text-[10px], text-[7px]–text-[9px] (navbar tagline)	Navbar, status pills
Toast message	font-size: 0.875rem, font-weight: 500, line-height: 1.45, letter-spacing: -0.011em	.asli-toast__message

Line heights & letter spacing (documented where explicit)

Context	Line height	Letter spacing	Source
Register form heading	1.25	-0.025em	.employer-register-form-heading
Toast message	1.45	-0.011em	.asli-toast__message
Register document subtitle	1.45	—	.employer-register-document-subtitle
Navbar tagline	leading-tight	—	Navbar.tsx

3. Color Palette

Theme tokens (@theme inline in globals.css)

These are the **canonical semantic color tokens** (72 colors).

Primary colors

Token	Hex
primary	#0e8585

primary-hover	#0b6f6f
primary-soft	#00baa5
primary-soft-hover	#00a896
primary-light	#e8f5f5
hyderabad	#0e8585
hyderabad-dark	#0b6f6f

Accent / brand

Token	Hex
brand-accent	#ffd54f

WhatsApp

Token	Hex
whatsapp	#25d366
whatsapp-hover	#20ba5a
whatsapp-dark	#128c7e
whatsapp-darker	#0d6f63
whatsapp-cta	#d8f0de
whatsapp-cta-mid	#dcf2e3
whatsapp-icon-surface	#ffffff

Employer CTA / blue accent

Token	Hex
employer-cta	#dce8fc
employer-cta-mid	#d8e5fb
employer-cta-end	#e2ebfb
employer-button	#2563eb
employer-button-hover	#1d4ed8
employer-icon	#2563eb
employer-icon-surface	#ffffff
employer-welcome-surface	#fdfdfd
employer-register-panel	#014a42

employer-register-card	#026a5f
------------------------	---------

Background / surface

Token	Hex	Role
hero-bg	#f4f7f8	App / page background (common)
hero-glow	#dce8ea	Hero glow
surface	#ffffff	Cards / panels / white surfaces
workflow-neutral-surface	#f7f9fb	Neutral workflow surface
workflow-mint-surface	#f3faf5	Mint surface
workflow-mint-alt-surface	#f4faf5	Mint alt
Root body	bg-white	layout.tsx body class

Text / muted / nav

Token	Hex
foreground	#1a2b3c
muted	#5a6570
nav	#2d2d2d

Placeholder text commonly uses Tailwind `placeholder:text-muted` (same as muted).

Borders

Token	Hex
border	#e5e7eb
border-subtle	#eef1f3

Status / danger (tokenized)

Token	Hex	Notes
pin-state	#e53935	Used as danger / destructive accent in UI

There are **no** dedicated `@theme` tokens named `success` , `warning` , `error` , or `info` . Status styling also uses Tailwind palette utilities (e.g. `amber-*` , `red-*` , `slate-*`) and toast hardcodes (below).

Resource / benefit / category surfaces (marketing)

Token	Hex
resource-guide-surface	#f2fbf4
resource-guide-icon-surface	#dff0e3

resource-guide-icon	#55b95a
resource-resume-surface	#f5f2fd
resource-resume-icon-surface	#e4dff9
resource-resume-icon	#7257d9
resource-interview-surface	#fdf8f3
resource-interview-icon-surface	#f2e6d8
resource-interview-icon	#ef8b3a
resource-salary-surface	#f3f9fd
resource-salary-icon-surface	#ddeef8
resource-salary-icon	#4f7ff3
resource-career-surface	#f6f5fd
resource-career-icon-surface	#e5e4f8
resource-career-icon	#b3790e
location-chennai-icon-surface	#fce0ac
benefit-whatsapp-icon	#55b95a
benefit-whatsapp-surface	#eaf7eb
benefit-languages-icon	#7257d9
benefit-languages-surface	#efedfc
benefit-voice-icon	#ef8b3a
benefit-voice-surface	#faf0e6
benefit-verified-icon	#4f7ff3
benefit-verified-surface	#eaf1fd
benefit-ai-matching-icon	#e45b8b
benefit-ai-matching-surface	#f9eaeef
benefit-free-icon	#e8ae26
benefit-free-surface	#fcf5e3
post-job-step-surface-start	#a2eddc
post-job-step-surface-end	#ffffff
workflow-connector	#aec5c5
category-construction-surface	#faf0e3

Social

Token	Hex
social-facebook	#1877f2
social-linkedin	#0a66c2
social-youtube	#ff0000

Hardcoded colors outside @theme (selected)

Hex / value	Context	Source
#f58529, #dd2a7b, #8134af, #515bd4	Instagram gradient utility	.bg-social-instagram
#5acdb3, #eeffffb	Register document dropzone	.employer-register-document-dropzone*
#e11d48	Toast error icon	.asli-toast--error
#d97706	Toast warning icon	.asli-toast--warning
#ffffff, #e5e7eb	Salary range slider track/thumb	.job-search-salary-range*
Tailwind red-600 / red-700, amber-50 / amber-700, slate-*	Status pills / danger buttons	e.g. employer-jobs.ts, team management

Badge / status pill colors (constants)

From EMPLOYER_JOB_STATUS_PILL_CLASS (src/constants/employer-jobs.ts):

Status	Classes
active	bg-primary-light text-primary-soft
paused	bg-amber-50 text-amber-700
draft	bg-slate-100 text-slate-600
closed	bg-red-50 text-red-600
expired	bg-slate-50 text-slate-400

Additional pill maps exist in src/constants/employer-team-management.ts (MEMBER_STATUS_PILL_CLASS , ACCESS_LEVEL_PILL_CLASS , ROLE_STATUS_PILL_CLASS).

Hover / disabled (observed)

Pattern	Implementation
Primary soft hover	hover:bg-primary-soft-hover / token #00a896
Primary hover	hover:bg-primary/5, primary-hover token

Card hover	hover:shadow-md on many cards
Disabled controls	disabled:opacity-60, disabled:opacity-50, disabled:opacity-40, disabled:cursor-not-allowed; register submit :disabled { opacity: 0.45 }

4. Design Tokens

Semantic color tokens (Tailwind utility names)

Consumed as `bg-*`, `text-*`, `border-*`, `ring-*` utilities generated from `@theme --color-*` variables.

Semantic name	CSS variable	Typical utilities
Primary	<code>--color-primary</code>	<code>bg-primary</code> , <code>text-primary</code> , <code>border-primary</code> , <code>ring-primary</code>
Primary hover	<code>--color-primary-hover</code>	<code>hover:bg-primary-hover</code> (and CSS)
Primary soft	<code>--color-primary-soft</code>	<code>bg-primary-soft</code> , <code>text-primary-soft</code>
Primary soft hover	<code>--color-primary-soft-hover</code>	<code>hover:bg-primary-soft-hover</code>
Primary light	<code>--color-primary-light</code>	<code>bg-primary-light</code>
Brand accent	<code>--color-brand-accent</code>	<code>bg-brand-accent</code> , etc.
Foreground	<code>--color-foreground</code>	<code>text-foreground</code>
Muted	<code>--color-muted</code>	<code>text-muted</code> , <code>placeholder:text-muted</code>
Surface	<code>--color-surface</code>	<code>bg-surface</code>
Hero background	<code>--color-hero-bg</code>	<code>bg-hero-bg</code>
Border	<code>--color-border</code>	<code>border-border</code>
Border subtle	<code>--color-border-subtle</code>	<code>border-border-subtle</code>
Pin / danger	<code>--color-pin-state</code>	<code>bg-pin-state</code> , <code>text-pin-state</code>
WhatsApp family	<code>--color-whatsapp*</code>	CTA / brand WhatsApp UI
Employer CTA family	<code>--color-employer-*</code>	Employer marketing CTAs
Nav	<code>--color-nav</code>	Nav text contexts

Font tokens

Token	Value
<code>--font-inter</code>	Set by next/font on <html>
<code>--font-sans</code>	<code>var(--font-inter)</code> , <code>ui-sans-serif</code> , <code>system-ui</code> , <code>sans-serif</code>

Typography constants (TypeScript)

Constant	Value
DESIGN_SYSTEM_FONT_FAMILY	"Inter"
DESIGN_SYSTEM_FONT_CSS_VARIABLE	"--font-inter"
DESIGN_SYSTEM_FONT_WEIGHTS	[100...900]
DESIGN_SYSTEM TYPOGRAPHY	Aggregates family, variable, weights, subsets, display

Note: There are no TypeScript color token exports. Colors live only in CSS `@theme` .

Gradient / surface utilities (CSS `@utility`)

Defined in `globals.css` (non-exhaustive): `bg-whatsapp-cta-surface` , `bg-employer-cta-surface` , `bg-legal-hero-surface` , `bg-job-card-selected-surface` , `bg-post-job-step-active-surface` , `text-whatsapp-blend` , `bg-social-instagram` , `scrollbar-hidden` , `scrollbar-thin` .

5. Border Radius

No single radius token file. Observed values:

Surface	Values	Sources
Cards	<code>rounded-xl</code> , <code>rounded-2xl</code> common	Post Job cards <code>rounded-2xl</code> ; dashboard/settings/job cards <code>rounded-xl</code>
Buttons	<code>rounded-md</code> , <code>rounded-lg</code> , <code>rounded-xl</code>	Navbar / Post Job <code>rounded-md</code> ; modals <code>rounded-lg</code> ; some team actions <code>rounded-xl</code>
Inputs	<code>rounded-md</code> (0.375rem)	<code>postJobInputClassName</code> ; <code>.employer-register-form-input</code>
Checkboxes	<code>0.3rem</code>	<code>.job-search-filter-checkbox</code>
Radios / pills	<code>rounded-full</code> / 9999px	Status pills, radio, avatars
Modals / dialogs	<code>rounded-t-2xl</code> mobile → <code>sm:rounded-2xl</code>	Bulk delete, profile dialog
Mobile sheets	<code>rounded-t-[24px]</code> Or <code>rounded-t-2xl</code>	Job search filters; employer filter drawers
Toasts	<code>20px</code>	<code>.asli-toast</code>
Focus rings	<code>rounded-sm</code> on logo links	Navbar / footer

Frequency snapshot (matches in `src/`): `rounded-lg` (500), ~~`rounded-xl`~~ (349), `rounded-full` (215), ~~`rounded-md`~~ (95), `rounded-2xl` (~46).

6. Shadows

Tailwind utilities (observed)

Utility	Approx. usage count	Typical use
shadow-sm	~117	Cards at rest
shadow-md	~16	Card hover
shadow-lg	~23	Dialogs / drawers
shadow-xl	~6	Modals (e.g. bulk delete)

Custom box-shadows (CSS / arbitrary)

Name / context	Value	Source
Navbar	shadow-[0_1px_3px_rgba(15,23,42,0.08)]	Navbar.tsx
Mobile filter sheet	shadow-[0_-12px_40px_rgba(15,23,42,0.18)]	JobSearchMobileFilters.tsx
Toast	0 18px 40px rgba(26, 43, 60, 0.1), 0 6px 16px rgba(26, 43, 60, 0.06), ... inset highlights	.asli-toast
Register searchable select panel	0 10px 30px color-mix(in srgb, var(--color-foreground) 12%, transparent)	.employer-register-searchable-select-panel
Salary thumb	0 2px 6px rgba(15, 23, 42, 0.14), ...	.job-search-salary-range__input
Focus rings	0 0 0 2px / 3px with color-mix on primary	Form focus styles

7. Spacing

Page / container

Pattern	Value	Source
Site container max width	max-w-7xl	Container.tsx, job search, applied/saved jobs
Site container padding	px-4 sm:px-6 lg:px-8 xl:px-10	Container.tsx
Employer dashboard page	px-4 py-5 sm:px-6 sm:py-6 lg:px-8	EmployerDashboardHome.tsx
Employer dense workspace shell	max-w-[1600px] + px-3 py-5 sm:px-5 lg:px-6	Candidates, saved candidates, messages, interviews, settings, profile
Post Job content shell	px-4 py-4 sm:px-6 sm:py-5 lg:px-8 lg:py-6	postJobContentShellClassName
Post Job content max width	max-w-[1200px]	post-job-form-styles.ts / PostJobHeader.tsx

Job details layout	<code>max-w-[1440px] + px-4 ... xl:px-10</code>	<code>JobDetailsPageLayout.tsx</code>
Job seeker / resume	<code>max-w-7xl / max-w-6xl + px-4 sm:px-6 lg:px-8</code>	Applied jobs, resume, profile dashboard
Narrower content shells	<code>max-w-5xl, max-w-3xl</code>	Success / detail / empty / notifications states

Card / grid gaps

Pattern	Value	Source
Post Job card padding	<code>p-4 sm:p-5 lg:p-6</code>	<code>postJobCardClassName</code>
Dashboard stat card	<code>p-3.5 sm:p-4</code>	<code>DashboardStatCards.tsx</code>
Post Job form grid gap	<code>gap-4 sm:gap-5 lg:gap-6</code>	<code>postJobFormGridGapClassName</code>
Dashboard sections	<code>gap-4</code>	Employer dashboard home

8. Icons

Item	Detail	Source
Primary icon library	Lucide React (<code>lucide-react ^1.23.0</code>)	<code>package.json</code> ; ~167 files import it
Secondary icon library	Bootstrap Icons (<code>bootstrap-icons ^1.13.1</code>)	<code>package.json</code> ; CSS import in <code>globals.css</code>
Other icon packs	None in dependencies (<code>react-icons</code> / Heroicons / FA not present)	<code>package.json</code>
Bootstrap usage	Classes <code>bi bi-*</code> (e.g. <code>bi-whatsapp</code> , <code>bi-check2-all</code> , bottom nav fill icons)	<code>HeroIcons.tsx</code> , <code>HeroPhoneMessageBubble.tsx</code> , <code>floating-bottom-nav.ts</code> , <code>FloatingBottomNav.tsx</code>

Observed Lucide `size-*` frequencies (matches in `src/`)

Class	Approx. match count
<code>size-4</code>	263
<code>size-3</code>	208
<code>size-3.5</code>	161
<code>size-5</code>	79
<code>size-8</code>	70
<code>size-6</code>	23
<code>size-7</code>	22

Paired `w-4 h-4` / `w-5 h-5` / `w-6 h-6` icon sizing: **not used** in `src` (prefer `size-*`).

Observed explicit `strokeWidth` frequencies (Lucide JSX)

Value	Approx. count	Example contexts
2	131	Sidebars, category icons, most UI
2.25	20	Tables / filters
2.5	17	Chips, apply buttons
1.75	17	Job details, denser chrome
1.7	1	<code>FloatingBottomNav.tsx</code>
2.75	2	Selected category icons

Many Lucide usages omit `strokeWidth` (library default). There is **no** global stroke-width constant.

9. Buttons

No shared `Button` component exists under `src/components/ui` (or equivalent). Buttons are Tailwind `className` strings / `<Link>` / `<button>` patterns.

Primary (soft teal fill)

- Classes: `bg-primary-soft text-white hover:bg-primary-soft-hover rounded-md` (+ height/padding/focus ring)
- Examples: Navbar "Job Seeker"; `postJobContinueButtonClassName`

Secondary / outline

- Classes: `border border-primary` or `border-primary-soft` , `bg-transparent` / `bg-surface` , text in primary family, `hover:bg-primary/5` or `hover:bg-primary-light`
- Examples: Navbar "Employers"; `postJobBackButtonClassName`

Neutral outline

- Classes: `border border-border-subtle ... hover:bg-primary-light/30`
- Example: modal Cancel in `EmployerJobsBulkDeleteModal.tsx`

Ghost-like (icon / text actions)

- No named "ghost" variant; near-equivalent: transparent bg + `hover:bg-primary-light` (e.g. candidate list action buttons)

Danger

- Token-based: `bg-pin-state text-surface` (`EmployerJobsBulkDeleteModal.tsx`)
- Tailwind red: `bg-red-600 hover:bg-red-700` (team management)

Disabled

- `disabled:opacity-40|50|60` , `disabled:cursor-not-allowed` ; register submit CSS `opacity: 0.45`

Focus

- Common: `focus-visible:outline-none focus-visible:ring-2 focus-visible:ring-primary/30` or `/40`

10. Inputs

Text input (Post Job shared)

`postJobInputClassName` :

- Height `h-12` , `rounded-md` , `border-border` , `bg-surface` , `text-sm` , `placeholder:text-muted`
- Focus: `focus:border-primary focus:ring-2 focus:ring-primary/20`

Textarea (Post Job)

`postJobTextareaClassName` : same border/focus language; `min-h-[5.5rem]` / `sm:min-h-[6.5rem]`

Employer register / login inputs

CSS class `employer-register-form-input` :

- Height `3rem` (`3.25rem` $\geq 1024\text{px}$), radius `0.375rem` , padding-inline `0.875rem`
- Focus: thicker border + `box-shadow` using primary mix

Also: `.employer-register-form-textarea` , searchable select, place autocomplete control.

Checkbox / radio (job search filters)

- `.job-search-filter-checkbox` — square `1.05rem` , radius `0.3rem` , checked fill `primary-soft`
- `.job-search-filter-radio` — circle `9999px` , checked radial `primary-soft`

Search

- Embedded in searchable select panel and various toolbar search fields using the same border/surface/muted placeholder patterns (feature-specific components).

Dropdown / select

- Custom searchable select CSS under `.employer-register-searchable-select*`
- Feature selects (e.g. saved jobs sort) use Lucide + local classes

11. Cards

Shared Post Job card

`flex flex-col rounded-2xl border border-border-subtle bg-surface p-4 shadow-sm sm:p-5 lg:p-6`

(`postJobCardClassName`)

Other common card patterns

Component	Radius	Border	Shadow	Padding
SettingCard	<code>rounded-xl</code>	<code>border-border-subtle</code>	<code>shadow-sm</code> → <code>hover:shadow-md</code>	<code>p-3.5</code>
DashboardStatCards	<code>rounded-xl</code>	<code>border-border-subtle</code>	<code>shadow-sm</code> → <code>hover:shadow-md</code>	<code>p-3.5 sm:p-4</code>

JobCard (home)	rounded-x1	border-border-subtle	shadow-sm → hover:shadow-md	p-4
HeroCtaCard	rounded-2x1	border-border-subtle	—	p-4 sm:p-5

Selected job cards may use utility `bg-job-card-selected-surface` (gradient from primary-soft + brand-accent mixes).

12. Components

Important reusable / layout modules (paths relative to `frontend/src/`):

Area	Components / paths
Public navbar	<code>components/layout/Navbar.tsx</code> , <code>NavbarLanguageButton.tsx</code>
Container	<code>components/layout/Container.tsx</code>
Footer	<code>components/layout/footer/Footer.tsx</code> , <code>FooterBrand.tsx</code> , <code>FooterLinkColumn.tsx</code> , <code>FooterSocialLinks.tsx</code> , <code>FooterWhatsAppPanel.tsx</code> , <code>footer-social-icons.tsx</code>
Floating nav	<code>components/layout/FloatingBottomNav.tsx</code> , <code>constants/floating-bottom-nav.ts</code>
Employer shell	<code>components/employer-dashboard/EmployerDashboardLayout.tsx</code> , <code>EmployerNavbar.tsx</code> , <code>EmployerSidebar.tsx</code> , <code>EmployerSidebarItem.tsx</code> , <code>EmployerSearchBar.tsx</code> , <code>EmployerProfileMenu.tsx</code>
Job Seeker shell	<code>components/job-seeker-dashboard/JobSeekerSidebar.tsx</code> , <code>JobSeekerSidebarItem.tsx</code> , <code>JobSeekerTopBar.tsx</code>
Feature sidebars	Job search filters, applied/saved jobs, job seeker profile, legal, team members
Cards	Post Job styles; <code>SettingCard</code> ; dashboard stat cards; home <code>JobCard</code> ; hero CTA cards
Tables	e.g. <code>EmployerJobsTable</code> , <code>SavedCandidatesTable</code> , <code>DepartmentsTable</code> , <code>InterviewsTable</code>
Modals / dialogs	<code>EmployerJobsBulkDeleteModal</code> , <code>EmployerProfileDialog</code> , <code>EmployerJobPreviewModal</code> , interview/schedule modals
Drawers / sheets	Job search mobile filters; employer candidates / saved / interviews mobile filter sheets
Pagination	<code>components/shared/ListPagination.tsx</code> , <code>EmployerJobsPagination</code> , <code>JobSearchPagination</code> , <code>DepartmentsPagination</code>
Badges / pills	Status pill class maps in <code>constants/employer-jobs.ts</code> , <code>constants/employer-team-management.ts</code>
Alerts / toasts	<code>.asli-toast</code> CSS + <code>utils/share-job.ts</code> (<code>showAppToast</code>)
Notifications	<code>components/notifications/NotificationBell.tsx</code> , notifications page content
Forms	Post Job form modules; employer/job-seeker register & login forms
RBAC UI	<code>components/rbac/Can.tsx</code>

13. Responsive Breakpoints

Tailwind defaults (used throughout)

AsliJobs uses Tailwind v4 default breakpoint names in class prefixes (`sm:` , `md:` , `lg:` , `xl:` , etc.). Common usage observed: `sm` , `md` , `lg` , `xl` .

Custom variants (`globals.css`)

Variant	Media query
mobile	(width < 768px)
lg-short	(min-width: 1024px) and (max-height: 820px)
lg-compact	(min-width: 1024px) and (max-height: 760px)
lg-tight	(min-width: 1024px) and (max-height: 720px)

Practical layout breakpoints observed in CSS

Context	Breakpoint
Employer register stacked vs split	< 1024px VS ≥ 1024px
Job search "mobile" custom variant	< 768px
Many form grids	640px (<code>sm</code>) two-column

14. Theme Architecture

```
flowchart TD
    layoutTsx["src/app/layout.tsx\nInter via next/font\n--font-inter on html"]
    designTs["src/constants/design-system.ts\nTypography constants"]
    globalsCss["src/app/globals.css\n@import tailwindcss\n@theme inline colors + font-sans\n@utility + component CSS"]
    postcss["postcss.config.mjs\n@tailwindcss/postcss"]
    components["React components\nTailwind utilities\nbg-primary text-muted etc."]
    featureStyles["Feature style modules\neg. post-job-form-styles.ts"]

    layoutTsx --> globalsCss
    designTs --> layoutTsx
    postcss --> globalsCss
    globalsCss --> components
    globalsCss --> featureStyles
    featureStyles --> components
```

How it is organized

1. **Font:** Root layout loads Inter and exposes `--font-inter` . `@theme` maps `--font-sans` to that variable. Body uses `font-sans` .

- 2. **Colors:** Declared once in `globals.css` `@theme inline as --color-*` . Tailwind v4 generates utilities (`bg-primary` , `text-muted` , ...).
- 3. **Typography policy:** Documented in `design-system.ts` + Cursor rule `.cursor/rules/design-system.mdc` (Inter-only).
- 4. **Component styling:** Mostly utility classes in TSX; some shared string exports (Post Job); large auth/register and filter control styles live in `globals.css` `@layer components` / unlayered page CSS.
- 5. **No `tailwind.config.ts`** : Configuration is CSS-first (Tailwind v4).

Files that contain design tokens

File	Contains
<code>src/app/globals.css</code>	All color tokens, font-sans mapping, utilities, component CSS
<code>src/constants/design-system.ts</code>	Typography constants only
<code>src/app/layout.tsx</code>	Font loading + CSS variable attachment
Feature constants (e.g. <code>employer-jobs.ts</code>)	Status pill class maps (not hex tokens)

How components consume tokens

- Prefer semantic utilities: `bg-surface` , `text-foreground` , `border-border-subtle` , `bg-primary-soft` , ...
- CSS classes reference `var(--color-*)` directly in `globals.css`
- Some features still use Tailwind palette colors (`red-600` , `amber-50`) or raw hex for one-off graphics

Appendix

1. Files inspected

- `src/app/globals.css`
- `src/app/layout.tsx`
- `src/app/icon.png`
- `src/app/apple-icon.png`
- `src/constants/design-system.ts`
- `src/constants/brand.ts`
- `src/constants/site.ts`
- `src/constants/employer-jobs.ts`
- `src/constants/employer-team-management.ts`
- `src/constants/floating-bottom-nav.ts`
- `frontend/.cursor/rules/design-system.mdc`
- `frontend/package.json`
- `frontend/postcss.config.mjs`
- `src/assets/AsliLogo.svg`
- `src/assets/logos/logos.tsx`
- `src/assets/logos/Frame 130.png`
- `src/assets/logos/Frame 149.svg`
- `src/assets/employer-register/logo-white.png`
- `src/components/layout/Navbar.tsx`
- `src/components/layout/Container.tsx`
- `src/components/layout/footer/*`

- `src/components/employer-dashboard/EmployerSidebar.tsx`
- `src/components/job-seeker-dashboard/JobSeekerSidebar.tsx`
- `src/components/employer-register/EmployerRegisterPanel.tsx`
- `src/components/post-job/post-job-form-styles.ts`
- `src/components/employer-jobs/EmployerJobsBulkDeleteModal.tsx`
- `src/components/employer-profile/EmployerProfileDialog.tsx`
- `src/components/job-search/JobSearchMobileFilters.tsx`
- `src/components/shared/ListPagination.tsx`
- Representative card/button/icon consumer components across home, employer, and job-seeker surfaces

2. Logo file paths (SVG / PNG)

Path
<code>frontend/src/assets/AsliLogo.svg</code>
<code>frontend/src/assets/logos/logos.tsx</code> (inline SVG component)
<code>frontend/src/assets/logos/Frame 130.png</code>
<code>frontend/src/assets/logos/Frame 149.svg</code>
<code>frontend/src/assets/employer-register/logo-white.png</code>
<code>frontend/src/app/icon.png</code>
<code>frontend/src/app/apple-icon.png</code>

3. Font files used

- **No local font files** in the repo.
- Font is loaded at runtime via `next/font/google` → **Inter** in `src/app/layout.tsx` .

4. Theme files

- `frontend/src/app/globals.css` (primary theme registry)
- `frontend/postcss.config.mjs` (Tailwind PostCSS plugin)

5. Design system files

- `frontend/src/constants/design-system.ts`
- `frontend/.cursor/rules/design-system.mdc`

6. Tailwind configuration location

- **No `tailwind.config.ts` / `tailwind.config.js` .**
- Tailwind v4 is configured through:
 - `frontend/postcss.config.mjs` (`@tailwindcss/postcss`)
 - `frontend/src/app/globals.css` (`@import "tailwindcss" + @theme inline`)

7. Validation statement

All information in this document was extracted from the **current AsliJobs frontend codebase** as of documentation generation. Values that are not present as shared tokens or explicit constants are labeled as **observed patterns**. No colors, fonts, radii, or spacing values were invented, and this document does not recommend design changes.