Ex. No. 04 **Develop an application that makes use of database**

Date:

Aim:

To develop a Simple Android Application that makes use of Database.

Procedure:

Creating a New project:

Open Android Studio and then click on **File -> New -> New project**.

Then type the Application name as **"exno4"** and click Next.

Then **select the Minimum S**DK as shown below and click Next.

Then **select the Empty Activity** and click Next.

Finally click **Finish**.

It will take some time to build and load the project.

Designing layout for the Android Application:

Click on **app -> res -> layout -> activity_main.xml**.

Now click on Text.

Now click on Design and your application.

So now the designing part is completed.

Java Coding for the Android Application:

Click on **app -> java -> com.example.exno4 -> MainActivity**.

So the Coding part is also completed.

Run the application to see the output.

Code for Activity_main.xml:

```
<?xml version="1.0" encoding="utf-8"?>
<AbsoluteLayout xmlns:android="http://schemas.android.com/apk/res/android"
  android:layout_width="match_parent" android:layout_height="match_parent">
<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="50dp"
    android:layout_y="20dp"
    android:text="Student Details"
    android:textSize="30sp" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="110dp"
```

```
    android:text="Enter Rollno:"
    android:textSize="20sp" />
<EditText
    android:id="@+id/Rollno"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="175dp"
    android:layout_y="100dp"
    android:inputType="number"
    android:textSize="20sp" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="160dp"
    android:text="Enter Name:"
    android:textSize="20sp" />

<EditText
    android:id="@+id/Name"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="175dp"
    android:layout_y="150dp"
    android:inputType="text"
    android:textSize="20sp" />

<TextView
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_x="20dp"
    android:layout_y="210dp"
    android:text="Enter Marks:"
    android:textSize="20sp" />

<EditText
    android:id="@+id/Marks"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="175dp"
    android:layout_y="200dp"
    android:inputType="number"
    android:textSize="20sp" />

<Button
    android:id="@+id/Insert"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
```

```
    android:layout_x="25dp"
    android:layout_y="300dp"
    android:text="Insert"
    android:textSize="30dp" />

<Button
    android:id="@+id/Delete"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="200dp"
    android:layout_y="300dp"
    android:text="Delete"
    android:textSize="30dp" />

<Button
    android:id="@+id/Update"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="25dp"
    android:layout_y="400dp"
    android:text="Update"
    android:textSize="30dp" />

<Button
    android:id="@+id/View"
    android:layout_width="150dp"
    android:layout_height="wrap_content"
    android:layout_x="200dp"
    android:layout_y="400dp"
    android:text="View"

    android:textSize="30dp" />


<Button
    android:id="@+id/ViewAll"
    android:layout_width="200dp"
    android:layout_height="wrap_content"
    android:layout_x="100dp"
    android:layout_y="500dp"
    android:text="View All"
    android:textSize="30dp" />

</AbsoluteLayout>
```

Code for MainActivity.java:

```
 packagecom.example.exno4;
  import android.app.Activity;
import android.app.AlertDialog.Builder;
import  android.content.Context; import
android.database.Cursor;
```

```
import android.database.sqlite.SQLiteDatabase;
import android.os.Bundle;
import android.view.View;
import android.view.View.OnClickListener;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends Activity implements OnClickListener
{
  EditText Rollno,Name,Marks;
  Button Insert,Delete,Update,View,ViewAll;
  SQLiteDatabase db;
  /** Called when the activity is first created. */
  @Override
  public void onCreate(Bundle savedInstanceState)
  {
    super.onCreate(savedInstanceState);

    setContentView(R.layout.activity_main);

    Rollno=(EditText)findViewById(R.id.Rollno);
    Name=(EditText)findViewById(R.id.Name);
    Marks=(EditText)findViewById(R.id.Marks);
    Insert=(Button)findViewById(R.id.Insert);
    Delete=(Button)findViewById(R.id.Delete);
    Update=(Button)findViewById(R.id.Update);
    View=(Button)findViewById(R.id.View);
    ViewAll=(Button)findViewById(R.id.ViewAll);

    Insert.setOnClickListener(this);
    Delete.setOnClickListener(this);
    Update.setOnClickListener(this);
    View.setOnClickListener(this);
    ViewAll.setOnClickListener(this);

    // Creating database and table
    db=openOrCreateDatabase("StudentDB", Context.MODE_PRIVATE, null);
    db.execSQL("CREATE TABLE IF NOT EXISTS student(rollno VARCHAR,name
    VARCHAR,marks
VARCHAR);");
  }
  public void onClick(View view)
  {
    // Inserting a record to the Student table
    if(view==Insert)
    {
      // Checking for empty fields
      if(Rollno.getText().toString().trim().length()==0||
          Name.getText().toString().trim().length()==0||
```

```
        Marks.getText().toString().trim().length()==0)
    {
      showMessage("Error", "Please enter all values");
      return;
    }
    db.execSQL("INSERT INTO student
        VALUES('"+Rollno.getText()+"','"+Name.getText()+"','"+Marks.getText()+"');");
    showMessage("Success", "Record added");
    clearText();
}
// Deleting a record from the Student table
if(view==Delete)
{
    // Checking for empty roll number
    if(Rollno.getText().toString().trim().length()==0)
    {
      showMessage("Error", "Please enter Rollno");
      return;
    }
    Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
    if(c.moveToFirst())
    {
      db.execSQL("DELETE FROM student WHERE
      rollno='"+Rollno.getText()+"'");showMessage("Success", "Record Deleted");
    }
    else
    {
      showMessage("Error", "Invalid Rollno");
    }
    clearText();
}
// Updating a record in the Student table
if(view==Update)
{
    // Checking for empty roll number
    if(Rollno.getText().toString().trim().length()==0)
    {
      showMessage("Error", "Please enter Rollno");
      return;
    }
    Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
    if(c.moveToFirst()) {
      db.execSQL("UPDATE student SET name='" + Name.getText() + "',marks='" + Marks.getText() +
          "' WHERE rollno='"+Rollno.getText()+"'");
      showMessage("Success", "Record Modified");
    }
    else {
      showMessage("Error", "Invalid Rollno");
```

```
    }
    clearText();
  }
  // Display a record from the Student table
  if(view==View)
  {
    // Checking for empty roll number
    if(Rollno.getText().toString().trim().length()==0)
    {
      showMessage("Error", "Please enter Rollno");
      return;
    }
    Cursor c=db.rawQuery("SELECT * FROM student WHERE rollno='"+Rollno.getText()+"'", null);
    if(c.moveToFirst())
    {
      Name.setText(c.getString(1));
      Marks.setText(c.getString(2));
    }
    else
    {
      showMessage("Error", "Invalid
      Rollno");clearText();
    }
  }
  // Displaying all the records
  if(view==ViewAll)
  {
    Cursor c=db.rawQuery("SELECT * FROM student", null);
    if(c.getCount()==0)
    {
      showMessage("Error", "No records found");
      return;
    }
    StringBuffer buffer=new StringBuffer();
    while(c.moveToNext())
    {
      buffer.append("Rollno: "+c.getString(0)+"\n");
      buffer.append("Name: "+c.getString(1)+"\n");
      buffer.append("Marks: "+c.getString(2)+"\n\n");
    }
    showMessage("Student Details", buffer.toString());
  }
}
public void showMessage(String title,String message)
{
  Builder builder=new
  Builder(this);
  builder.setCancelable(true);
```

```
    builder.setTitle(title);
    builder.setMessage(message);
    builder.show();
  }
  public void clearText()
  {
    Rollno.setText("");
    Name.setText("");
    Marks.setText("");
    Rollno.requestFocus();
  }
}
```

Output:








31% 11:22
Student Details
Student Details
Rollno: 1
Name: devang
Marks: 95
Rollno: 2
Name: akhil
Marks: 90
Rollno: 3
Name: abdul
Marks: 80
VIEW ALL


31% 11:23
Student Details
Enter Rollno:
Enter Name:
Success
Record Deleted
UPDATE
VIEW
VIEW ALL


31% 11:21
Student Details
Enter Rollno:
Enter Name:
Error
No records found
UPDATE
VIEW
VIEW ALL


31% 11:22
Student Details
Student Details
Rollno: 1
Name: devang
Marks: 95
Rollno: 2
Name: akhil
Marks: 90
Rollno: 3
Name: abdul
Marks: 80
VIEW ALL


31% 11:23
Student Details
Enter Rollno:
Enter Name:
Success
Record Deleted
UPDATE
VIEW
VIEW ALL


31% 11:23
Student Details
Student Details
Rollno: 2
Name: akhil
Marks: 90
Rollno: 3
Name: abdul
Marks: 80
VIEW ALL





Result:

Thus a Simple Android Application that makes use of Database is developed and executedsuccessfully.