

github.com/asm0dey/calit — pull request #122, merged

fix(i18n): viewer-local time format + host time-format preference (closes #116) #122

 **Merged** asm0dey merged 19 commits into `main` from `feat/time-format`  3 days ago

 Conversation **1**  Commits **19**  Checks **10**  Files changed **35**

+2,904 -44 

I would have rejected this

the same pull request — the review I would have left

fix(i18n): viewer-local time format + host time-format preference (closes #116) #122

 **Merged** asm0dey merged 19 commits into `main` from `feat/time-format` 3 days ago

 Conversation **1**  Commits **19**  Checks **10**  Files changed **35**

+2,904 -44 

One comment. Mine.

Nobody sent anything back — including me.

2,904 lines. 35 files.

I read the diff, it did what I asked, I said yes.

What I would have written in review:

```
row.timezone    = timezone; ← no guard
row.locale      = AppLocales.isSupported(locale) ? locale : "en";
row.timeFormat  = HOUR_CYCLES.contains(timeFormat) ? timeFormat : "auto";
```

Two of these validate. The one above them trusts the form.

AdminResource:1154 as merged — adjacent lines, three different standards.

Not a bug I could point at. A choice I would have argued with.

Six days later: calit-4whp — `DateTimeException`, 500 on the public booking page.

My Standards, Their Keyboard

Four AI processes, and then there was one

Pasha Finkelshteyn · @asm0dey | #JRush | #AICoding

Pasha Finkelshteyn

@asm0dey · Developer Advocate at BellSoft · ten-plus years in the JVM

These days: production-like open source.

github.com/asm0dey/calit


No particular customer. Only users.

**The model has no preferences.
Mine took ten years.**


**The process is the only channel
my standards travel through.**



Five processes on real work.



**Five processes on real work.
I dropped four.**



Five processes on real work.

I dropped four.

One is still running.

1

Vibe coding

1

Vibe coding

"Build it. Make no mistakes."

Fastest of the five

diskinventory – the first commit

```
7b67e8d 2026-08-10 Disk Inventory: drill-down pie chart over a headless  
disk-usage model
```

```
16 files changed, 1769 insertions(+)
```

```
process artifacts in repo at that commit:  
  matching files: 0
```

**A diff records the what.
My standards live in the why.**

2

Guidelines first

JetBrains Junie · jetbrains.com/junie

One file. Read at the start of every session.

JetBrains Junie · jetbrains.com/junie

attempt two — the tool and its one file

WHAT IT IS JetBrains' coding agent, inside the IDE

THE ARTIFACT [.junie/guidelines.md](#) — numbered rules, plain prose

HOW IT RUNS reads the file at the start of every session

WHAT I WRITE the rules. Nothing else is asked of me.

LINK jetbrains.com/junie

fb2ebup/.junie/guidelines.md

1. Whenever there is a file "plan.md" always follow the plan.
2. When a point of a plan is completed, mark it as finished in plan.md
3. When you need to work with a library/framework use context7 to check if your usage is correct
4. When you need to add a dependency to project - check the latest version at context7
5. Do NOT add `quarkus-resteasy-reactive-multipart`; in Quarkus 3, multipart APIs (`@RestForm`, `FileUpload`) are available via `quarkus-rest` already.
6. To test how fb2c works, you can execute `"/home/finkel/Downloads/fb2c-linux-amd64/fb2c"` binary

One rule. Two files. Hours apart.

Rule 5 said not to add the multipart extension — Quarkus 3 already ships those APIs.

fb2ebup – guideline rule 5, holding in two different files

```
// build.gradle.kts:29 – it tried, then backed off
//     implementation("io.quarkus:quarkus-resteasy-reactive-multipart")

// api/ConversionResource.kt:16 – different file, later in the same
// build
import org.jboss.resteasy.reactive.RestForm
import org.jboss.resteasy.reactive.multipart.FileUpload

@POST
fun convert(@RestForm(FileUpload.ALL) uploads: List<FileUpload>):
UploadResponse {
```

Every guideline satisfied.

Nothing in the file said anything about package names.

fb2ebup/src/main/kotlin/com/github/com/ExampleResource.kt

```
package com.github.com

import jakarta.ws.rs.GET
import jakarta.ws.rs.Path
import jakarta.ws.rs.Produces
import jakarta.ws.rs.core.MediaType

/**
 * Baseline health endpoint (Section 1: clean baseline)
 */
@Path("/health")
class ExampleResource {

    @GET
    @Produces(MediaType.TEXT_PLAIN)
    fun ping() = "OK"
```

**No rationale, so nothing to correct.
Only overrule, session after session.**

3

Specify first, then implement

Intent Integrity Kit · github.com/intent-integrity-chain/kit

Ten phases. The intent is locked before code.

Intent Integrity Kit · github.com/intent-integrity-chain/kit

attempt three — the kit, and what each phase leaves behind

WHAT IT IS Intent Integrity Kit — intent locked before code

THE ARTIFACTS constitution, spec.md, plan.md, tasks.md, contracts/, checklists/, .feature files

HOW IT RUNS constitution → specify → clarify → plan → checklist → testify → tasks →
analyze → implement

WHAT IT LOCKS the .feature files, hashed before implementation — the agent may rewrite code, never
what passing means

INSTALLED AS tessl-labs/intent-integrity-kit 2.1.0

LINK github.com/intent-integrity-chain/kit

It was right about everything.

A gate table, checked before
a line of code was written.

femtocli/specs/001-codegen-parser/plan.md — 1 of 22 files

Constitution Check

GATE: Must pass before Phase 0 research. Re-check after Phase 1 design.

Principle	Status	Notes
-----	-----	-----
I. Minimalism	PASS	No new runtime dependencies; JavaPoet and AutoService are compile-time only
II. API Stability	PASS	Existing annotations unchanged; XParser classes are additive
III. Test Coverage	TBD	Tests must be generated for each user story
IV. Documentation Completeness	TBD	Quickstart.md created; API docs needed during implementation
V. Documentation Reference	PASS	JavaPoet docs not available via tessl, using project knowledge
VI. Java Compatibility	PASS	Target Java 11+ to match existing; JPMS support planned

**It audited itself and
scored 99.5 out of 100.**

Every principle: PASS.

femtocli/specs/001-codegen-parser/analysis.md

Analysis Report: Code-Generated Command Line Parser

Feature: 001-codegen-parser

Date: 2026-02-23

Health Score: 99.5/100

Specification Analysis Report

ID	Category	Severity	Location(s)	Summary	Recommendation
ALIGNED	Constitution	PASS	spec.md, plan.md, tasks.md	All constitutional principles satisfied	
ALIGNED	Coverage	PASS	spec.md, plan.md, tasks.md	All user stories have acceptance criteria	
ALIGNED	Coverage	PASS	spec.md, plan.md, tasks.md	Success criteria are measurable	
ALIGNED	Coverage	PASS	spec.md, tasks.md	All FRs have corresponding tasks	
ALIGNED	Coverage	PASS	spec.md, plan.md	All test scenarios have task references	

Twenty-two files. Two thousand seven hundred lines.

Spec, plan, tasks, contracts,
checklists, feature files.

femtocli/specs/001-codegen-parser — every file the process demanded

analysis.md	141
checklists/requirements-quality.md	121
checklists/requirements.md	53
context.json	8
contracts/option-parsing.md	209
contracts/positional-parameters.md	86
contracts/type-conversion.md	206
data-model.md	176
plan.md	326
quickstart.md	314
research.md	137
spec.md	230
tasks.md	248
tests/features/agent-args-mode.feature	34
tests/features/basic-command-with-options.feature	70
tests/features/custom-spec-implementation.feature	46
tests/features/did-you-mean-suggestions.feature	40
tests/features/help-generation.feature	52
tests/features/java-modules-support.feature	40
tests/features/positional-parameters.feature	64
tests/features/subcommands-and-mixins.feature	46
tests/features/type-conversion-and-validation.feature	82

22 files, before a line of code	2729

I read all of this before
writing any code.

Once.

femtocli/specs/001-codegen-parser — all 22 documents



A process you abandon remembers nothing.

**The cost lands on the one part
of the system that can quit.**

4

Plan everything, then approve it

OpenSpec · github.com/Fission-AI/OpenSpec

Claude via OpenRouter · openrouter.ai

OpenSpec shapes it. Claude runs it.

One proposal to approve.

attempt four — the two tools

OPENSPEC the spec format — one change proposal plus delta specs, approved as a single unit.

github.com/Fission-AI/OpenSpec

CLAUDE the agent that drives it, through OpenRouter.

openrouter.ai

Credit where it is due

A worktree per change.
And an archive I still miss.

spring-git-mcp/openspec – after ten changes

```
specs/                                what is true now
  git-bisect/
  git-interactive-rebase/
  git-log/
  git-reflog/
  tool-service-marker-interface/

changes/archive/                      how it got that way
  2026-03-24-add-git-bisect-tool/
  2026-03-24-add-reflog-support/
  2026-03-24-tool-services-marker-interface/
  2026-03-25-extend-reflog-reset-limit/
  2026-03-25-git-interactive-rebase-tool/
  2026-03-25-git-log-tool/
  2026-03-27-git-log-custom-fields/
  2026-04-17-bisect-actionable-response/
  2026-04-17-bisect-labels-based-state/
  2026-04-17-fix-git-bisect-review-findings/
```

Credit where it is due

A worktree per change.
And an archive I still miss.

spring-git-mcp/openspec – after ten changes

```
specs/                                what is true now
  git-bisect/
  git-interactive-rebase/
  git-log/
  git-reflog/
  tool-service-marker-interface/

changes/archive/                       how it got that way
  2026-03-24-add-git-bisect-tool/
  2026-03-24-add-reflog-support/
  2026-03-24-tool-services-marker-interface/
  2026-03-25-extend-reflog-reset-limit/
  2026-03-25-git-interactive-rebase-tool/
  2026-03-25-git-log-tool/
  2026-03-27-git-log-custom-fields/
  2026-04-17-bisect-actionable-response/
  2026-04-17-bisect-labels-based-state/
  2026-04-17-fix-git-bisect-review-findings/
```

Read all of this.
Approve. Go.

openspec/changes/git-log-custom-fields/proposal.md — 1 of 4

Why

Currently, the `git\_log` tool returns a fixed set of fields for every commit. This can lead to excessive data transfer when only specific information (e.g., just hashes or just messages) is needed. Allowing users to specify fields improves efficiency and flexibility for AI/LLM consumption.

What Changes

- Add an optional `fields` parameter to the `git\_log` tool.
- The `fields` parameter will accept an array of strings representing the desired commit fields.
- Minimal default fields will be returned if the parameter is omitted (to maintain backward compatibility while allowing future optimization).
- The tool will only populate and return the requested fields in the JSON output.
- Optional filters and pagination options are grouped in a separate `filters` object.

Four documents. One yes.

1534 words, 19 scenarios, no second gate.

openspec/changes/git-log-custom-fields – the whole approval

```
openspec/changes/git-log-custom-fields/  
proposal.md          28 lines  why, and what changes  
design.md             43 lines  the technical decisions  
tasks.md             25 lines  14 checkboxes, in 4 groups  
specs/git-log/spec.md 80 lines  1 requirement, 19 scenarios  
-----  
176 lines, 1534 words
```

one approval covers all four. There is no second gate.

**Nobody reviews a lump this size.
They skim it.**

5

What I run today

Claude Code · superpowers · beans · ponytail

grill-with-docs + domain-modeling · github.com/mattpocock/skills

precedent · github.com/asm0dey/precedent

Six tools. I write none of it.

All of it public: github.com/asm0dey/calit

`github.com/asm0dey/calit` — in Claude Code, I talk to

SUPERPOWERS plans the work, then sizes a subagent to each task

github.com/obra/superpowers

GRILL-WITH-DOCS questions me until we agree, then writes the ADR

github.com/mattpocock/skills

DOMAIN-MODELING argues with my words, then records them

github.com/mattpocock/skills

PONYTAIL keeps what gets written small

github.com/DietrichGebert/ponytail

BEANS keeps the work list out of my head

github.com/hmans/beans

PRECEDENT a local graph of what I decided, across every repo

github.com/asm0dey/precedent

The spec is written for me. The plan is written for the agent.

Both name the work item they came from.

calit/docs/superpowers — one change, two documents

SPECS/2026-08-17-PER-MEETING-TYPE-WRITE-TARGET-DESIGN.MD

WRITTEN FOR **me**

SAYS today an owner has exactly one write calendar, and why that is wrong

PLANS/2026-08-17-PER-MEETING-TYPE-WRITE-TARGET.MD

WRITTEN FOR **the agent**

SAYS let each Host give one meeting type its own write override, and how

SUPERPOWERS

One decision, at the moment it comes up

three real calit questions, verbatim – and which step asked

```
# writing-plans · while planning the Google-disconnect fix
When calit can't read your Google calendar (disconnected/token revoked),
what should the public booking page show?
→ Fail-closed (recommended) · Notify-only

# finishing-a-development-branch · right after the merge
How should the booking window be determined?
→ Use type.horizonDays · Bump the constant · Leave as-is

# finishing-a-development-branch · when the PR's quality gate failed
Sonar's duplication + too-many-params failures are the flat-param design
you approved. How do you want to resolve them?
→ Suppress, keep flat params · Adopt a shared view record
```

GRILL-WITH-DOCS

calit/docs/adr/0002-buffers-are-constraints-not-settings.md

```
# Buffers are constraints, so the strictest one governs
```

A buffer expresses a minimum a host requires, not a value someone configures for a meeting. A meeting cannot be created until every participating host's constraints are satisfied, so where several buffers apply to the same booking – a co-host's own override and (once meeting types offer several lengths) the chosen duration's override – the effective buffer is the **maximum** of them, never the most specific one.

GRILL-WITH-DOCS + DOMAIN-MODELING

**Owner. Not user, not
admin, not account.**

calit/CONTEXT.md

****Owner**:**

The user whose time is being booked and who configures the meeting types, availability and settings. Every tenant row belongs to exactly one.

Avoid: user (a login), admin (site-wide privilege), account (a connected Google account)

****Invitee**:**

The person who books an Owner's time. Has no login and no calit row of their own beyond the booking.

Avoid: guest (an extra attendee added to a booking), booker, attendee, customer

****Host**:**

An Owner who participates in a meeting type and whose calendar a booking must fit – the Creator

or an accepted Co-host. The unit availability and buffers are resolved per.

Avoid: participant, organizer (that is the one host whose Google account the event is created on)

PRECEDENT

It remembers what I decided.

Including where I decided otherwise.

WHAT IT IS a skill with a local graph database of my decisions — technical, business, process — each with its why and what I rejected

github.com/asm0dey/precedent

WHAT IT DOES query before choosing · override per project · regret, and it stops counting

precedent check --topic encryption — excerpt, from the calit session

PRINCIPLE Encrypt secrets and PII at rest with Google Tink. Never hand-roll an AES-GCM helper. calit's EncryptedStringConverter predates this and is a known, regretted divergence.

calit stays on EncryptedStringConverter despite the Tink principle
 rejected migrate calit to Tink now · run Tink and the converter side by side
 why A second at-rest crypto stack in the same app is worse than the wrong single one: two key env vars, two rotation stories, and a reader that must guess which scheme a row uses. Recorded so the graph stops proposing Tink for calit specifically while still proposing it everywhere else.

exchange-bot App-level encryption with Tink, identifiers as keyed hashes

More writing than attempt three.

I never stopped opening it.

calit – every process artifact, sixteen weeks in

sixteen weeks, one repo, still running

830	commits	
64	plans	docs/superpowers/plans/
19	specs	docs/superpowers/specs/
138	work items	.beans/ 107 done, 28 open, 3 scrapped
11	decision records	docs/adr/
1	glossary	CONTEXT.md

BEANS

The PR from slide one, backwards.

It is why the stack looks like this.

calit/.beans – the chain behind pull request

calit-0hyn	completed	Issue #116: 24h/locale-correct time format on booking page
calit-184b	completed	Task 3: Persist host's 12h/24h preference
calit-wk3r	completed	Task 4: Settings UI for the preference
calit-syal	completed	Fix no-JS admin fallback + label wording
calit-4whp	completed	Validate OwnerSettings.timezone on save
calit-mhgs	completed	/me pages disagree on which timezone they show

closed by pull request #122 – the one from slide one

2026-08-16	#122 merged	superpowers + beans, nothing else
2026-08-17	glossary + ADRs	grill-with-docs, first run
2026-09-12	precedent	decisions across every repo

BEANS

The PR from slide one, backwards.

It is why the stack looks like this.

calit/.beans – the chain behind pull request

```
calit-0hyn  completed  Issue #116: 24h/locale-correct time format
                                on booking page
calit-184b  completed  Task 3: Persist host's 12h/24h preference
calit-wk3r  completed  Task 4: Settings UI for the preference
calit-syal  completed  Fix no-JS admin fallback + label wording
calit-4whp  completed  Validate OwnerSettings.timezone on save
calit-mhgs  completed  /me pages disagree on which timezone they show
```

closed by pull request #122 – the one from slide one

2026-08-16	#122 merged	superpowers + beans, nothing else
2026-08-17	glossary + ADRs	grill-with-docs, first run
2026-09-12	precedent	decisions across every repo

There will be a sixth.

**Who made this decision —
me, or the process?**

Who made this decision — me, or the process?

It should be me. A good process asks me, then writes my answer down.

Four of them lasted a day.

The fifth is still open.

git log across the five repositories

		first	last	commits	process files
1	diskinventory	2026-08-10	+1 day	23	none
2	fb2ebup	2025-11-09	same day	1	1, under .junie/
3	femtocli	2026-02-23	+1 day	3	22, under specs/
4	spring-git-mcp	2026-03-28	+26 days	2	60, under openspec/
5	calit	2026-06-08	still open	830	growing every week

Four failures, one shape

Four failures, one shape

1 **Junie, no process**

vibe coding

nothing written down — the model made every call

Four failures, one shape

- | | | |
|---|--|--|
| 1 | Junie, no process
vibe coding | nothing written down — the model made every call |
| 2 | Junie + guidelines.md
guidelines first | rules written down, reasons left out |

Four failures, one shape

- | | | |
|---|--|--|
| 1 | Junie, no process
vibe coding | nothing written down — the model made every call |
| 2 | Junie + guidelines.md
guidelines first | rules written down, reasons left out |
| 3 | Intent Integrity Kit
specify first | everything written down — more than I would read |

Four failures, one shape

- | | | |
|---|--|--|
| 1 | Junie, no process
vibe coding | nothing written down — the model made every call |
| 2 | Junie + guidelines.md
guidelines first | rules written down, reasons left out |
| 3 | Intent Integrity Kit
specify first | everything written down — more than I would read |
| 4 | OpenSpec + Claude
plan, then approve | every decision at once, at one gate — so I skimmed |

Four failures, one shape

- | | | |
|---|--|--|
| 1 | Junie, no process
vibe coding | nothing written down — the model made every call |
| 2 | Junie + guidelines.md
guidelines first | rules written down, reasons left out |
| 3 | Intent Integrity Kit
specify first | everything written down — more than I would read |
| 4 | OpenSpec + Claude
plan, then approve | every decision at once, at one gate — so I skimmed |

Each one took a decision out of my hands.

**Open the process you used this morning.
Point at where your standards live in it.**

**Their keyboard,
your standards.**

the same pull request

fix(i18n): viewer-local time format + host time-format preference (closes #116)
#122

Merged asm0dey merged 19 commits into `main` from `feat/time-format` 3 days ago

Conversation 1 Commits 19 Checks 10 Files changed 35

+2,904 -44

Who made this decision — you, or the process?

🌐 asm0dey.site

✉ me@asm0dey.site

🔗 [@asm0dey.site](https://asm0dey.site)

✂ [@asm0di0](https://asm0di0)