

# Types Of Functions

6 Ways

A yellow square containing the letters 'JS' in a bold, black, sans-serif font, representing JavaScript.

JS

Mallikarjun | @CodeBustler



# JS **Functions** | 6 Ways

- **Named Functions**
- **Anonymous Functions**
- **Arrow Functions**
- **Immediately Invoked Function**

## **Expressions (IIFE)**

- **Higher Order Functions**
- **Constructor Functions**

# 1. Named Functions

Lacacy / Traditional way



JS function.js

```
function myFunction() {  
  console.log("CodeBustler");  
}  
  
myFunction();
```



@CodeBustler



## 2. Anonymous Functions

Anonymous Functions | without name, used as function expression or arguments




JS function.js

```
let greet = function (name) {  
  console.log(`Hello ${name}`);  
};  
  
greet("Sai");  
  
// Hello Sai
```

# 3. Arrow Functions

Arrow Functions Introduced in **ES6**,  
Shorter Syntax & one-lined functions



```
let greet = () => console.log("Hello");  
  
greet();  
  
// Hello
```

A yellow star icon is located at the bottom right of the code editor window.



## 4. IIFE Functions

**Immediately Invoked Function Expressions (IIFE)** Executed immediately after their creation. Used to create private scopes and avoid polluting the global namespace.



JS

function.js

```
(function () {  
    let str = "Good Evening";  
    console.log(str);  
})();
```

```
// Good Morning (Immediate Invoked)
```

## 5. Higher Order Func

Functions that take one or more **functions as arguments** or return a function.

eg: `map()`, `filter()`, `reduce()`




Js function.js

```
let ary = [10, 20, 23];  
  
let newArray = ary.map((element) => element + 10);  
console.log(newArray);  
  
// [20, 30, 33]
```



## 6. Constructor Function

Used as blueprints for **creating objects with similar properties** and methods. They are invoked using the **new** keyword to create instances of objects.



```
function Person(name, place) {
  this.name = name;
  this.place = place;
}

let user1 = new Person("CodeBustler", "India");

console.log(`Hello everyone this is ${user1.name},
            and i am from ${user1.place}`);

// Hello everyone this is CodeBustler, and i am from India
```




# Other Posts



To learn **HTML CSS & JavaScript** or  
Front-End Projects, Visit my page all  
concepts & Projects codes are  
available 🔥

@CodeBustler



**@CodeBustler**

Mallikarjun | Web Developer

**Follow For More !**

And i need dopamine ⚡

