

Inline v/s Block

Block Elements

Takes up the full-width available (whole block)


Start from new line



Inline Elements

Takes up only necessary width

Don't start from new line





Am I Inline or Block?

- Heading Element block
- Paragraph Element $\langle p \rangle \equiv \langle /p \rangle$ block
- Anchor Tag inline $\langle p \rangle = \langle /p \rangle$
- Image Element inline



Div Element

content
division
element

API
COLL

Div is a **container** used to hold other HTML elements or group elements together


It is a **block** Element



Div Span Element

Span is also a generic **container** used to hold other HTML elements or group elements together

It is an **inline** Element



Hr Tag


Horizontal Rule Element

<hr>

THIS IS J
WHICH IS

SHRADHA
Khapra

APNA
COLLEGE



Hr Tag

Horizontal Rule Element


<hr>

This is my name
which is

Shradha
I Chopra

asmit.kumarsingh.cse26@heritageit.edu.in

APNA
COLLEGE



Sub & Sup Tag

$a^2 = b^2 + c^2$ ← Superscript

a `<sup> 2 </sup>`




H `<sub> 2 </sub>` O

Subscript



Semantic Markup

it is the markup that relates to the **meaning of content**



Semantic Markup

it is the markup that relates to the **meaning of content**

↓
semantic

<h1>

<p>

↓
non-semantic

<div>

Forward (→)



Semantic Markup

it is the markup that relates to the **meaning of content**

- ① meaningful / layout → structured
- ② seo friendly
↓
search engine optimization
- ③ readable + screen readers
↓

Play (Spacebar)



Semantic Markup

`<header> </header>`



`<main> </main>`

`<footer> </footer>`

`<nav> </nav>`



Semantic Markup

`<article> </article>`

`<section> </section>`

`<aside> </aside>`



HTML Entities

- An HTML entity is a piece of text ("string") that begins with an ampersand (&) and ends with a semicolon (;).
- used to display **reserved characters** (which would otherwise be interpreted as HTML code), and **invisible characters** (like non-breaking spaces).
- can also use in place of characters that are difficult to type with a standard keyboard.
- browser interprets them & renders correct character



HTML Entities

Character	Entity	Note
&	<code>&amp;</code>	Interpreted as the beginning of an entity or character reference.
<	<code>&lt;</code>	Interpreted as the beginning of a tag
>	<code>&gt;</code>	Interpreted as the ending of a tag
"	<code>&quot;</code>	Interpreted as the beginning and end of an attribute 's value.

[Download cheat sheet](#) as printable PDF A5

Syntax

Child: >

```
nav>ul>li
<nav>
  <ul>
    <li></li>
  </ul>
</nav>
```

Sibling: +

```
div+p+bq
<div></div>
<p></p>
<blockquote></blockquote>
```

asmit.kumarsingh.cse26@heritageit.edu.in

Multiplication: *

```
ul>li*5
<ul>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
  <li></li>
</ul>
```

Item numbering: \$

```
ul>li.item$*5
<ul>
  <li class="item1"></li>
  <li class="item2"></li>
```




10:47 / 11:59

Understanding HTML 5

The term HTML5 is essentially a buzzword that refers to a set of modern web technologies. This includes the HTML Living Standard, along with JavaScript APIs to enhance storage, multimedia, and hardware access.

① new features/
upgrades
in
HTML + other things/features
not part of HTML2



How HTML works?

HTML Standard

HTML Standard is a document that tells to the browser how HTML should work.

good read for more details

