




B

A

A

B

FLASH-TECH
SINGLE-PLY ACCESSORIES




Note:
Specific sizing may differ from drawing profile, drawing for vizualization and fitting purposes.

SIZING	8 INCH TOP	6 INCH TOP	4 INCH TOP	CUSTOM/TO ORDER
HOOD LENGTH	12			
HEIGHT	10.5			
FLASHING WIDTH	19			
HOOD WIDTH				



ITEM NO.	DESCRIPTION
1	Steel Hood
2	TPO/PVC Flashing
3	Galvanized Steel Sub Base
4	Steel Hood Caps
5	Stainless Steel Screen

	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES BREAK SHARP EDGES TOLERANCES: ANGULAR: ± 1° ONE PLACE DECIMAL: ± 0.02 TWO PLACE DECIMAL: ± 0.008 THREE PLACE DECIM: ± 0.003 0.02 A B C	DRAWN	WT	7/9/2025	TITLE: T-Top Exhaust			
		CHECKED	AS	7/10/2025				
		ENG APPR.						
		MFG APPR.						
		Q.A.						
PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FLASH TECH MANUFACTURING INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION IS PROHIBITED.	MATERIAL PVC/TPO 26 Gauge Galvanized Steel Stainless Steel 26 Gauge Steel	COMMENTS:			SIZE	DWG. NO.		REV
					B		1	
	DO NOT SCALE DRAWING	SCALE: 1:5		WEIGHT:		SHEET 1 OF 5		

FLASH-TECH
SINGLE-PLY ACCESSORIES




≡ 0.1 A




	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES BREAK SHARP EDGES TOLERANCES: ANGULAR: ± 1° ONE PLACE DECIMAL: ± 0.05 TWO PLACE DECIMAL: ± 0.02 THREE PLACE DECIM: ± 0.005		DRAWN	WT	7/9/2025	TITLE: Hood			
	0.02 A B C		CHECKED	AS	7/10/2025				
			ENG APPR.						
			MFG APPR.						
					Q.A.				
MATERIAL 26 Gauge Steel									
FINISH Standard									
DO NOT SCALE DRAWING									

SIZE	DWG. NO.		REV
B			1
SCALE: 1:5		WEIGHT:	SHEET 2 OF 5

FLASH-TECH
SINGLE-PLY ACCESSORIES




ALL JOINTS WATERPROOFED:
HOT AIR PLASTIC WELDING



1" OVERLAP

R2.00 TYP



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS
DRAWING IS THE SOLE PROPERTY OF
FLASH TECH MANUFACTURING INC. ANY
REPRODUCTION IN PART OR AS A WHOLE
WITHOUT THE WRITTEN PERMISSION IS
PROHIBITED.

UNLESS OTHERWISE SPECIFIED:
DIMENSIONS ARE IN INCHES
BREAK SHARP EDGES
TOLERANCES:
ANGULAR: $\pm 1^\circ$
ONE PLACE DECIMAL: ± 0.05
TWO PLACE DECIMAL: ± 0.02
THREE PLACE DECIM: ± 0.005

0.02 A B C

MATERIAL
TPO

FINISH
Standard

DO NOT SCALE DRAWING

NAME DATE

DRAWN WT 7/9/2025

CHECKED AS 7/10/2025

ENG APPR.

MFG APPR.

Q.A.

COMMENTS:

TITLE:

Flashing

SIZE DWG. NO.

B




REV

1

SCALE: 1:5 WEIGHT:




SHEET 3 OF 5

FLASH-TECH
SINGLE-PLY ACCESSORIES



	UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN INCHES BREAK SHARP EDGES TOLERANCES: ANGULAR: ± 1° ONE PLACE DECIMAL: ± 0.05 TWO PLACE DECIMAL: ± 0.02 THREE PLACE DECIM: ± 0.005		NAME	DATE	TITLE: Sub Base								
	0.02 A B C		DRAWN	WT					7/9/2025				
			CHECKED	AS					7/10/2025				
			ENG APPR.										
			MFG APPR.							COMMENTS:			
Q.A.													
MATERIAL 26 Gauge Galvanized Steel		SIZE B				DWG. NO.		REV 1					
FINISH Standard		SCALE: 1:5				WEIGHT:		SHEET 4 OF 5					
DO NOT SCALE DRAWING													

FLASH-TECH
SINGLE-PLY ACCESSORIES



PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF FLASH TECH MANUFACTURING INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION IS PROHIBITED.

UNLESS OTHERWISE SPECIFIED:		NAME		DATE		TITLE: Hood Caps					
DIMENSIONS ARE IN INCHES		DRAWN		WT						7/9/2025	
BREAK SHARP EDGES		CHECKED		AS						7/10/2025	
TOLERANCES:		ENG APPR.									
ANGULAR: ± 1°		MFG APPR.									
ONE PLACE DECIMAL: ± 0.05		Q.A.						SIZE B			
TWO PLACE DECIMAL: ± 0.02		COMMENTS:									
THREE PLACE DECIM: ± 0.005											
⌒ 0.02 A B C								DWG. NO.			
MATERIAL 26 Gauge Steel								REV 1			
FINISH Standard								SCALE: 1:2			
DO NOT SCALE DRAWING								WEIGHT:			
								SHEET 5 OF 5			