




ASO International, Inc.

Orthodontic Laboratory Services


Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion



After




ASO International, Inc.

Orthodontic Laboratory Services


Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion



Malocclusion




ASO International, Inc.

Orthodontic Laboratory Services


Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Step 1




Step 1



Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion

No.	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
Move																

Teeth	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
Mes.																
Dis.																





ASO International, Inc.

Orthodontic Laboratory Services

Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion -> Step 1

No.	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
Move						0.88	0.91	0.9	0.9	0.9	0.95					

Teeth	18	17	16	15	14	13	12	11	21	22	23	24	25	26	27	28
Mes.																
Dis.																




ASO International, Inc.

Orthodontic Laboratory Services

Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion

No.	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38
Move																

Teeth	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38
Mes.																
Dis.																





ASO International, Inc.

Orthodontic Laboratory Services

Case ID: UCHIDA

Dentist :

Patient: MAX YAFUSO



Malocclusion -> Step 1

No.	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38
Move						0.89	0.92	0.86	0.9	0.88	0.9					

Teeth	48	47	46	45	44	43	42	41	31	32	33	34	35	36	37	38
Mes.																
Dis.																