



Software Product Compatibility Reports  
Related Software

Product

# **Cúram Social Program Management 7.0.10**



# Contents

---

[Included in this report](#)

[Prerequisites](#)

[Supported software](#)

[Glossary](#)

[Disclaimers](#)

---



## Included in this report

---

This report can be generated with filters applied to operating system platforms, components, and/or software capabilities. This section reflects how the report was filtered when it was generated.

### Legend

- The information about this item is included in this report.
  - The information about this item is not included in the report filter.
- 

### Platforms

- Linux
- Windows

### Deployment units

- Server

### Capabilities

#### Prerequisites

- Installation

#### Related Software

- Accessibility
- Application Servers
- Data Integration
- Databases
- Development Tools
- Reporting and Analysis
- Web Browser Plug-Ins
- Web Browsers



## Prerequisites

The Prerequisites section specifies the capabilities that Cúram Social Program Management 7.0.10 requires, and the prerequisite products that can be used to fulfill those capabilities.

### Capabilities

[Installation](#)

#### Deployment Unit Support

- ☒ Full
- ☐ Partial
- ☐ None

## Installation

### Summary

The supported platforms for the IBM Cúram SPM installers are Linux and Windows.

| Prerequisite   | Version                  | Prerequisite minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|--|--------------------------|----------------------|-----------------|--|--------------------------------|--------|
| <a href="#">IBM Runtime Environment, Java Technology Edition</a> | 8                        | 8                    | 7.0.10          | <input checked="" type="radio"/>   | No                             | (2)    |
| <a href="#">Oracle Java SDK/JRE/JDK</a>                          | 8.0 and future fix packs | 8.0                  | 7.0.10          | <input checked="" type="radio"/>   | No                             | (1)    |



## IBM Runtime Environment, Java Technology Edition 8



**Legend:**  Supported  Not supported

---

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

| Deployment unit | 8  | <a href="#">→</a>   |
|-----------------|--|---|
| Server          | <br>(2) |  |



## Oracle Java SDK/JRE/JDK 8.0 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 8.0  | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Installation Notes

1. The base version of the Oracle Java 8 JDK is sufficient.
2. The base version of the IBM JDK 8 is sufficient.



## Supported software

The Supported Software section specifies the additional software that Cúram Social Program Management 7.0.10 supports.

### Capabilities


[Accessibility](#)   [Application Servers](#)   [Data Integration](#)   [Databases](#)  
[Development Tools](#)   [Reporting and Analysis](#)   [Web Browser Plug-Ins](#)  
[Web Browsers](#)

### Deployment Unit Support

- ☒ Full
- ☐ Partial
- ☐ None

## Accessibility

### Summary

| Supported software                                    | Version  | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|---|--|----------------------------|-----------------|--|--------------------------------|--------|
| <a href="#">Apple VoiceOver</a>                       | <a href="#">Any Version and future fix packs</a> | Any Version                | 7.0.10          | <input checked="" type="radio"/>   | No                             | (2)    |
| <a href="#">Freedom Scientific JAWS screen reader</a> | <a href="#">2019 and future fix packs</a>        | 2019                       | 7.0.10          | <input checked="" type="radio"/>   | No                             | (1)    |





## Apple VoiceOver Any Version and Future Fix Packs




**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | Any Version  | Future Versions, Releases  | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(2) |  |  |



## Freedom Scientific JAWS screen reader 2019 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 2019   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |










## Accessibility Notes

1. The combination of Internet Explorer 11 and JAWS 2019 is the only certified screen reader and browser combination. See the Curam Accessibility User Guide manual for supported text resizing and browser zoom settings.
2. Accessibility on tablet: the combination of Google Chrome 80 and VoiceOver on iPad with iOS 13.2.2 is the certified combination with VoiceOver

## Application Servers

### Summary

The prerequisites for the application servers listed below should be consulted to determine the supported platforms for each.

| Supported software                              | Version                       | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|---|-------------------------------|----------------------------|-----------------|--|--------------------------------|--------|
| Oracle WebLogic Server 12cR2                    | (12.2.1) and future fix packs | (12.2.1)                   | 7.0.10          |             | No                             | (6)    |
| WebSphere Application Server                    | 8.5.5                         | 8.5.5.9                    | 7.0.10          |             | No                             | (1)    |
|   | 9.0                           | 9.0.0.5                    | 7.0.10          |           | No                             | (3)    |
|   | 9.0.5                         | 9.0.5                      | 7.0.10          |           | No                             | (2)    |
| WebSphere Application Server - Express          | 8.5.5                         | 8.5.5.9                    | 7.0.10          |           | No                             | (5)    |
| WebSphere Application Server Network Deployment | 8.5.5                         | 8.5.5.9                    | 7.0.10          |           | No                             | (1)    |
|   | 9.0                           | 9.0.0.5                    | 7.0.10          |           | No                             | (3)    |
|   | 9.0.5                         | 9.0.5                      | 7.0.10          |           | No                             | (2)    |
| WebSphere Application Server for z/OS           | 8.5 Enhancer (8.5.5)          | 8.5.5.9                    | 7.0.10          |           | No                             | (1)    |
|   | 9.0                           | 9.0.0.5                    | 7.0.10          |           | No                             | (4)    |
|   | 9.0.5                         | 9.0.5                      | 7.0.10          |           | No                             | (2)    |



## Oracle WebLogic Server 12cR2 (12.2.1) and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | (12.2.1)   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(6) |  |  |



## WebSphere Application Server 8.5.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future →

| Deployment unit | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | 8.5.5 | ... |
|-----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-----|
| Server          |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |       |     |
|                 |       |       |       |       |       |       |       |       |       | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   | (1)   |     |



## WebSphere Application Server 9.0

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 9.0 | 9.0.0.1 | 9.0.0.2 | 9.0.0.3 | 9.0.0.4 | 9.0.0.5 | 9.0.0.6 | 9.0.0.7 | 9.0.0.8 | 9.0.0.9 | 9.0.0.10 | 9.0.0.11 | <a href="#">...&gt;</a> |
|-----------------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|-------------------------|
| Server          |     |         |         |         |         | <br>(3) | <br>(3) | <br>(3) | <br>(3) | <br>(3) | <br>(3)  | <br>(3)  |                         |



## WebSphere Application Server 9.0.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [-->](#)

| Deployment unit | 9.0.5   | 9.0.5.1 | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | <a href="#">--&gt;</a> |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------------------|
| Server          | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) |                        |



# WebSphere Application Server - Express 8.5.5

**Legend:**  Supported  Not supported

## Deployment units

✓ Server

## Product Support for the Prerequisite Maintenance Levels, Current and Future ➡

[illegible]



## WebSphere Application Server Network Deployment 8.5.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future →

| Deployment unit | 8.5.0 | 8.5.0.5 | 8.5.1 | 8.5.1.5 | 8.5.2 | 8.5.2.5 | 8.5.3 | 8.5.3.5 | 8.5.4 | 8.5.4.5 | 8.5.5 | 8.5.5.5 | 8.5.6 | 8.5.6.5 | 8.5.7 | 8.5.7.5 | 8.5.8 | 8.5.8.5 | 8.5.9 | 8.5.9.5 | 8.5.10 | 8.5.10.5 | ... |
|-----------------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|-------|---------|--------|----------|-----|
| Server          |       |         |       |         |       |         |       |         |       |         |       |         |       |         |       |         |       |         |       |         |        |          |     |
|                 |       |         |       |         |       |         |       |         |       | (1)     | (1)   | (1)     | (1)   | (1)     | (1)   | (1)     | (1)   | (1)     | (1)   | (1)     | (1)    | (1)      |     |



## WebSphere Application Server Network Deployment 9.0

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 9.0 | 9.0.0.1 | 9.0.0.2 | 9.0.0.3 | 9.0.0.4 | 9.0.0.5 | 9.0.0.6 | 9.0.0.7 | 9.0.0.8 | 9.0.0.9 | 9.0.0.10 | 9.0.0.11 | <a href="#">...&gt;</a> |
|-----------------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|-------------------------|
| Server          |     |         |         |         |         | <br>(3) | <br>(3) | <br>(3) | <br>(3) | <br>(3) | <br>(3)  | <br>(3)  |                         |



## WebSphere Application Server Network Deployment 9.0.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [-->](#)

| Deployment unit | 9.0.5   | 9.0.5.1 | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | <a href="#">--&gt;</a> |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------------------|
| Server          | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) |                        |



## WebSphere Application Server for z/OS 8.5 Enhancements (8.5.5)

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [-->](#)

| Deployment unit | 8.5 Enh (8.5) | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | 8.5 | ... |
|-----------------|---------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| Server          |               |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |     |
|                 |               |     |     |     |     |     |     |     |     | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) | (1) |     |



## WebSphere Application Server for z/OS 9.0

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 9.0 | 9.0.0.1 | 9.0.0.2 | 9.0.0.3 | 9.0.0.4 | 9.0.0.5 | 9.0.0.6 | 9.0.0.7 | 9.0.0.8 | 9.0.0.9 | 9.0.0.10 | 9.0.0.11 | <a href="#">...&gt;</a> |
|-----------------|-----|---------|---------|---------|---------|---------|---------|---------|---------|---------|----------|----------|-------------------------|
| Server          |     |         |         |         |         | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4)  | <br>(4)  |                         |



## WebSphere Application Server for z/OS 9.0.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [-->](#)

| Deployment unit | 9.0.5   | 9.0.5.1 | 9.0.5.2 | 9.0.5.3 | 9.0.5.4 | 9.0.5.5 | 9.0.5.6 | 9.0.5.7 | 9.0.5.8 | 9.0.5.9 | 9.0.5.1 | 9.0.5.1 | 9.0.5.1 | <a href="#">--&gt;</a> |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------------------------|
| Server          | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) | <br>(2) |                        |



## Application Servers Notes

1. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. The Java versions 6 and 7 which may be specified for this version of WebSphere are not supported. Container and Kubernetes platforms are not supported.
2. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. Container and Kubernetes platforms are not supported.
3. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. Container and Kubernetes platforms are not supported.
4. See the WebSphere Application Server product site for necessary configuration information on this product. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. Container and Kubernetes platforms are not supported.
5. See the WebSphere Application Server product site for necessary configuration information on this product. The Express edition is only supported for use in the development environment to aid application design, development and testing. The JDK (Java Development Kit) version 8 (and future fix packs) supplied with the WebSphere Application Server installation is supported. The Java versions 6 and 7 which may be specified for this version of WebSphere are not supported. Container and Kubernetes platforms are not supported.
6. See the Oracle WebLogic Server product site for necessary configuration information on this product. The JDK (Java Development Kit) is supported and is forward compatible with higher JDK versions as supported by WebLogic Server. Note: Oracle Database is the only database which is supported for usage in combination with Oracle WebLogic Server. Container and Kubernetes platforms are not supported.






## Data Integration

### Summary

IBM Curam Identity Intelligence empowers caseworkers to prevent fraud, waste, and abuse in social programs by providing them with new information that helps them when making eligibility decisions on application cases. IBM Curam Identity Intelligence integrates with the IBM InfoSphere Identity Insight product. For more information see [here](#).

| Supported software                          | Version | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|---|---------|----------------------------|-----------------|---|--------------------------------|--------|
| <a href="#">InfoSphere Identity Insight</a> | 9.0     | 9.0                        | 7.0.10          |  | No                             | No     |



## InfoSphere Identity Insight 9.0

**Legend:**  Supported  Not supported

---

### Deployment units

 Server













Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 9.0   | 9.0.0.1  | <a href="#">...&gt;</a>   |
|-----------------|---|--|---|
| Server          |  |  |  |




## Databases

### Summary

The prerequisites for the specified databases should be consulted to determine the supported platforms for each.

| Supported software                         | Version                   | Supported software minimum    | Product minimum | Components  | Operating system restrictions? | Notes? |
|--|---------------------------|-------------------------------|-----------------|--|--------------------------------|--------|
| DB2 Enterprise Server Edition              | 10.5                      | 10.5                          | 7.0.10          |             | No                             | (4)    |
|  | 11.1.0                    | 11.1.0                        | 7.0.10          |             | No                             | (1)    |
| DB2 Workgroup Server Edition               | 10.5                      | 10.5                          | 7.0.10          |             | No                             | (4)    |
|  | 11.1.0                    | 11.1.0                        | 7.0.10          |           | No                             | (4)    |
| Db2 Express Server Edition                 | 10.5                      | 10.5                          | 7.0.10          |           | No                             | (5)    |
| Db2 for z/OS                               | 12.1                      | 12.1                          | 7.0.10          |           | No                             | (3)    |
| H2 Database                                | 1.3                       | 1.3.176                       | 7.0.10          |           | No                             | (7)    |
| IBM Db2 Advanced Enterprise Server Edition | 10.5                      | 10.5                          | 7.0.10          |           | No                             | (4)    |
|  | 11.1.0                    | 11.1.0                        | 7.0.10          |           | No                             | (1)    |
| Oracle Database 12c Release 2              | (12.2) Enterprise Edition | (12.2.0.1) Enterprise Edition | 7.0.10          |           | No                             | (6)    |
|  | (12.2) Standard Edition   | (12.2.0.1) Standard Edition   | 7.0.10          |           | No                             | (4)    |



| Supported software  | Version  | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|---------------------|--|----------------------------|-----------------|--|--------------------------------|--------|
| Oracle Database 19c | (19.3) and future fix packs                    | (19.3)                     | 7.0.10          |             | No                             | (4)    |
|                     | (19.3) Enterprise Edition and future fix packs | (19.3) Enterprise Edition  | 7.0.10          |             | No                             | (2)    |

















## DB2 Enterprise Server Edition 10.5

**Legend:**  Supported  Not supported

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 10.5   | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.   | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | <a href="#">...&gt;</a>   |
|-----------------|--|--|--|--|--|--|--|---|--|--|--|--|--|---|
| Server          | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) |  |



## DB2 Enterprise Server Edition 11.1.0


**Legend:**  Supported  Not supported

---

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

| Deployment unit | 11.1.0   | <a href="#">→</a>   |
|-----------------|--|---|
| Server          | <br>(1) |  |














## DB2 Workgroup Server Edition 10.5

**Legend:**  Supported  Not supported

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 10.5   | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.   | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | <a href="#">...&gt;</a>   |
|-----------------|--|--|--|--|--|--|--|---|--|--|--|--|--|---|
| Server          | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) |  |



## DB2 Workgroup Server Edition 11.1.0



**Legend:**  Supported  Not supported

---

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

| Deployment unit | 11.1.0   | <a href="#">→</a>   |
|-----------------|--|---|
| Server          | <br>(4) |  |















## Db2 Express Server Edition 10.5

**Legend:**  Supported  Not supported

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 10.5   | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | 10.5.0.  | <a href="#">...&gt;</a>   |
|-----------------|--|--|--|--|--|--|--|--|--|--|--|--|--|---|
| Server          | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) | <br>(5) |  |



## Db2 for z/OS 12.1

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [-->](#)

| Deployment unit | 12.1    | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | 12.1.0.5 | <a href="#">--&gt;</a> |
|-----------------|---------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------------------------|
| Server          | <br>(3) | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  | <br>(3)  |                        |



## H2 Database 1.3


**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 1.3   | 1.3.170   | 1.3.176  | Future Versions, Releases   | Future Fix Packs  |
|-----------------|---|---|--|---|---|
| Server          |  |  | <br>(7) |  |  |



## IBM Db2 Advanced Enterprise Server Edition 10.5

**Legend:** Supported Not supported

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...>](#)

| Deployment unit | 10.5    | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | 10.5.0. | ...> |
|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|------|
| Server          | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) | <br>(4) |      |



## IBM Db2 Advanced Enterprise Server Edition 11.1.0


**Legend:**  Supported  Not supported

---

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [→](#)

| Deployment unit | 11.1.0   | <a href="#">→</a>   |
|-----------------|--|---|
| Server          | <br>(1) |  |



## Oracle Database 12c Release 2 (12.2) Enterprise Edition

**Legend:** Supported Not supported

---

### Deployment units

Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | (12.2)<br>Enterprise<br>Edition | (12.2.0.1)<br>Enterprise<br>Edition | Future<br>Versions,<br>Releases | Future Fix<br>Packs |
|-----------------|---------------------------------|-------------------------------------|---------------------------------|---------------------|
| Server          |                                 | <br>(6)                             |                                 |                     |



## Oracle Database 12c Release 2 (12.2) Standard Edition

**Legend:** Supported Not supported

---

### Deployment units

Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | (12.2) Standard Edition | (12.2.0.1) Standard Edition | Future Versions, Releases | Future Fix Packs |
|-----------------|-------------------------|-----------------------------|---------------------------|------------------|
| Server          |                         | <br>(4)                     |                           |                  |



## Oracle Database 19c (19.3) and Future Fix Packs




**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | (19.3)   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(4) |  |  |





## Oracle Database 19c (19.3) Enterprise Edition and Future Fix Packs

**Legend:** Supported Not supported

---

### Deployment units

Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | (19.3) Enterprise Edition | Future Versions, Releases | Future Fix Packs |
|-----------------|---------------------------|---------------------------|------------------|
| Server          | <br>(2)                   |                           |                  |







## Databases Notes

1. Reporting: - SPM Reporting and Analytics is supported on DB2 version 11.1. - The SPM data warehouse can be built on this version of DB2. - Reporting ETLs can be built using a technology compatible with this version of DB2. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
2. Reporting: - Only the Enterprise Edition of Oracle Database 19c is supported for Curam Reporting. - See the Oracle Database product site for certified configuration information on this product. - Curam Reporting has been certified against the following Oracle versions: •Oracle 19c as a source database hosting the Curam Application database. •Oracle 19c as a target database hosting Reporting database(s). Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
3. The JDBC level associated with this base RSU level is PTF UI39912 (JDBC version 3.69.66). See the DB2 for z/OS product site for necessary configuration information on this product. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
4. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
5. The Express edition is only supported for use in the development environment to aid application design, development and testing. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
6. Reporting: - Only the Enterprise Edition of Oracle Database 12c Release 2 is supported for Curam Reporting. - See the Oracle Database product site for certified configuration information on this product. - Curam Reporting has been certified against the following Oracle versions: •Oracle 12c Release 2 as a source database hosting the Curam Application database. •Oracle 12c Release 2 as a target database hosting Reporting database(s). Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.
7. H2 is only supported for use in the development environment to aid application design, development and testing. The supported platforms are Windows 7 and 10. H2 is not supported for use with IBM Websphere Application Server or Oracle WebLogic Server. Please see the H2 site for further information and technical support. Database-as-a-Service is not supported. Container and Kubernetes Platforms are not supported.

## Development Tools

### Summary

Although technical support is not provided for any Integrated Development Environment (IDE) it should be possible to use any Java IDE for development. Support for IDEs should be sought from the relevant software vendor. The following lists those IDEs which have been tested, and the use of which is described in documentation. It should also be noted that the development of the application is restricted to the Windows platform (Windows 7 and 10) and the tools listed below have only been tested on that platform.

| Supported software                   | Version                     | Supported software minimum | Product minimum | Components<br> | Operating system restrictions? | Notes? |
|--------------------------------------|-----------------------------|----------------------------|-----------------|---|--------------------------------|--------|
| Apache Ant                           | 1.10.6 and future fix packs | 1.10.6                     | 7.0.10          |                | No                             | (1)    |
| Eclipse                              | 4.6                         | 4.6.2                      | 7.0.10          |              | No                             | (3)    |
| Rational Software Architect Designer | 9.5                         | 9.5.0.1                    | 7.0.10          |              | No                             | (2)    |



## Apache Ant 1.10.6 and Future Fix Packs



**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 1.10.6   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Eclipse 4.6

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...](#)

| Deployment unit | 4.6   | 4.6.1   | 4.6.2  | 4.6.3  | <a href="#">...</a>   |
|-----------------|---|---|--|--|---|
| Server          |  |  | <br>(3) | <br>(3) |  |



## Rational Software Architect Designer 9.5

**Legend:** Supported Not supported

---

### Deployment units

Server

Product Support for the Prerequisite Maintenance Levels, Current and Future [...](#)

| Deployment unit | 9.5 | 9.5.0.1 | 9.5.0.2 | 9.5.0.3 | <a href="#">...</a> |
|-----------------|-----|---------|---------|---------|---------------------|
| Server          |     | <br>(2) | <br>(2) | <br>(2) |                     |





## Development Tools Notes

1. Please note that only Apache Ant 1.10.6 is supported. Associated fix packs are not.
2. Supported as a Modeling Environment. Servlet Containers/Application Servers: Apache Tomcat 7.0.65, with Eclipse Tomcat Plugin 9.0.1. Java SE: IBM and Oracle Java SE JDK 8.0 and higher updates. Java EE: Oracle Java EE 6 and 7 and higher updates.
3. Eclipse 4.6.2 and higher maintenance releases . Servlet Containers/Application Servers: Apache Tomcat 7.0.65, with Eclipse Tomcat Plugin 9.0.1. Java SE: IBM and Oracle Java SE JDK 8.0 and higher updates. Java EE: Oracle Java EE 6 and 7 and higher updates .



## Reporting and Analysis

### Summary

| Supported software                                | Version                    | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|---|----------------------------|----------------------------|-----------------|--|--------------------------------|--------|
| Eclipse Business Intelligence and Reporting Tools | 4.4.1 and future fix packs | 4.4.1                      | 7.0.10          |             | No                             | (1)    |





## Eclipse Business Intelligence and Reporting Tools 4.4.1 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 4.4.1  | Future Versions, Releases  | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |








## Reporting and Analysis Notes

1. BIRT (Business Intelligent and Reporting Tools) is an (Eclipse) open source component which provides a development and execution environment for Curam Business Intelligence (BI) content. The use of a second Eclipse instance for BIRT development is recommended as standard Curam development often requires an Eclipse version that is not compatible with the certified BIRT development environment. See the Third Party Tools Guide and BIRT Developer Guide provide for a full explanation. Curam uses the all-in-one installation. For more information please see BIRT versions and platform support

## Web Browser Plug-Ins

### Summary

| Supported software      | Version                   | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|-------------------------|---------------------------|----------------------------|-----------------|--|--------------------------------|--------|
| Microsoft Word          | 2010 and future fix packs | 2010                       | 7.0.10          |             | No                             | (1)    |
|                         | 2013 and future fix packs | 2013                       | 7.0.10          |             | No                             | (1)    |
|                         | 2016 and future fix packs | 2016                       | 7.0.10          |            | No                             | (1)    |
| Oracle Java SDK/JRE/JDK | 8.0 and future fix packs  | 8.0                        | 7.0.10          |           | No                             | (2)    |



## Microsoft Word 2010 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 2010   | Future Versions, Releases  | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Microsoft Word 2013 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 2013   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Microsoft Word 2016 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 2016   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Oracle Java SDK/JRE/JDK 8.0 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 8.0  | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(2) |  |  |



## Web Browser Plug-Ins Notes







1. Required for creating and editing Curam communication documents in Microsoft Word format.
2. Oracle JRE 8.0 is required for Microsoft Word Integration. JRE 8.0 - the most recently released version tested is JRE 1.8 u231. Available as a free download from [here](#).



## Web Browsers

### Summary

**Standard Browser Support** It should be noted that while every effort is made to ensure that the pages specified for the internal case worker application use standard web technologies and formats which should be compatible with all browsers, the browsers identified in the associated notes are the only ones officially supported. Universal Access Browser Support Universal Access has been specifically developed for public facing applications. Therefore browser support has been extended in this area. It should be noted that while every effort is made to ensure that the pages specified for the Universal Access application uses standard web technologies and formats which should be compatible with all browsers, the browsers listed in the notes are the only ones officially supported. Other Notes: The set of browsers listed below are not certified for support on tablet devices. The minimum recommended resolution is 1366x768. The optimum DPI setting is Normal size. Chrome, Firefox, Edge and Safari release new versions more frequently than Internet Explorer, and install updates automatically by default. IBM Cúram Social Program Management releases (V.R.M.F releases only) are generally tested on the latest version (for Chrome, Stable releases only) of these browsers available at the start of our development cycle; if tested with no issues IBM will certify that version. The pre-requisites advise the version that is certified at each new product release. If for any reason, IBM Cúram Social Program Management are unable to certify for that version, it may be necessary to revert back to a version that is previously fully certified. While IBM will support customers on newer versions of these browsers than the last certified version, they should understand that they have not been fully tested.

| Supported software          | Version                 | Supported software minimum | Product minimum | Components  | Operating system restrictions? | Notes? |
|-----------------------------|-------------------------|----------------------------|-----------------|--|--------------------------------|--------|
| Apple Safari                | 13 and future fix packs | 13                         | 7.0.10          |             | No                             | (2)    |
| Google Chrome               | 80 and future fix packs | 80                         | 7.0.10          |             | No                             | (4)    |
| Microsoft Edge              | 44 and future fix packs | 44                         | 7.0.10          |             | No                             | (1)    |
| Microsoft Internet Explorer | 11 and future fix packs | 11                         | 7.0.10          |             | No                             | (3)    |
| Mozilla Firefox             | 73 and future fix packs | 73                         | 7.0.10          |             | No                             | (2)    |



## Apple Safari 13 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 13   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(2) |  |  |



## Google Chrome 80 and Future Fix Packs




**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 80   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(4) |  |  |



## Microsoft Edge 44 and Future Fix Packs




**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 44   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(1) |  |  |



## Microsoft Internet Explorer 11 and Future Fix Packs

**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 11   | Future Versions,<br>Releases   | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(3) |  |  |



## Mozilla Firefox 73 and Future Fix Packs



**Legend:**  Supported  Not supported

---

### Deployment units

 Server

### Product Support for the Prerequisite Maintenance Levels, Current and Future

| Deployment unit | 73   | Future Versions, Releases  | Future Fix Packs  |
|-----------------|--|--|---|
| Server          | <br>(2) |  |  |



## Web Browsers Notes

1. This browser is supported for both the Universal Access and Case Worker applications. Note the Microsoft Word Integration feature is not supported for this browser in the Case Worker application. Arabic (RTL) is not supported in this browser for the Case Worker Application.
2. This browser is supported for the Universal Access application only.
3. This browser is supported for both the Universal Access and Case Worker applications.
4. This browser is supported for both the Universal Access and Case Worker applications. Arabic (RTL) is not supported in this browser for the Case Worker Application.

# Glossary

---

|                                   |  |
|-----------------------------------|--|
| <b>Deployment unit</b>            | <p><b>Deployment Structure</b> identifies pieces of a product that can be independently deployed onto one or more machines in a distributed infrastructure.</p> <ul style="list-style-type: none"><li>• The top level of the deployment structure consists of one or more <b>deployment units</b>. There are four possible deployment units that a product might support: Desktop, Server, Agent or client, Mobile.</li><li>• Deployment units may be further divided into deployable <b>components</b></li></ul> <p><b>Desktop</b> deployment unit: Part of the deployment structure intended for use by a single user, typically installed on the user desktops. Examples of desktop deployment units include development tools, administrative tools, stand-alone business applications.</p> <p><b>Server</b> deployment unit: Part of the deployment structure that can provide services to multiple clients, providing the server in a client-server architecture. Examples of server deployment units include application servers, management servers, database servers and server-based business applications.</p> <p><b>Agent or client</b> deployment unit: Part of the deployment structure that allows remote connection between software. Examples of agent or client deployment units include agents in management system that are installed in the same tier as the managed resources, a remote application, or database clients that are installed with the software accessing the remote services.</p> <p><b>Mobile</b> deployment unit: Part of the deployment structure intended for use by a single user, typically installed on a mobile device. An example of a mobile deployment unit is a mobile application.</p> |
| <b>Prerequisite minimum</b>       | The minimum maintenance level that is required for the prerequisite to work with the product.  |
| <b>Product minimum</b>            | The minimum maintenance level that is required for the product to run on the operating system, on an hypervisor, or work with a prerequisite product or supported software.  |
| <b>Supported software minimum</b> | The minimum maintenance level that is required for the supported software to work with the product.  |

---





---

|  |   |
|--|---|
| <b>Long Term Support Release</b>                               | A Long Term Support Release is a recommended product level for which support, including defect and security updates, will be provided over a specified period of time.  |
| <hr/>  |   |
| <b>Continuous Delivery Product</b>                             | A Continuous Delivery Product delivers new function to clients more frequently.   |
| <hr/>  |   |
| <b>Continuous Delivery Product - Long Term Support Release</b> | A Continuous Delivery Product delivers new function to clients more frequently. Since frequent releases may not be suitable for all client environments, Long Term Support Releases provide a package that will be supported for a longer period of time. |

---

## Disclaimers

**This report is subject to the Terms of Use (<https://www.ibm.com/legal/us/en/>) and the following disclaimers:**

The information contained in this report is provided for informational purposes only. While efforts were made to verify the completeness and accuracy of the information contained in this publication, it is provided AS IS without warranty of any kind, express or implied, including but not limited to the implied warranties of merchantability, non-infringement, and fitness for a particular purpose. In addition, this information is based on IBM's current product plans and strategy, which are subject to change by IBM without notice. IBM shall not be responsible for any direct, indirect, incidental, consequential, special or other damages arising out of the use of, or otherwise related to, this report or any other materials. Nothing contained in this publication is intended to, nor shall have the effect of, creating any warranties or representations from IBM or its suppliers or licensors, or altering the terms and conditions of the applicable license agreement governing the use of IBM software.

References in this report to IBM products, programs, or services do not imply that they will be available in all countries in which IBM operates. Product release dates and/or capabilities referenced in this presentation may change at any time at IBM's sole discretion based on market opportunities or other factors, and are not intended to be a commitment to future product or feature availability in any way. The underlying database used to support these reports is refreshed on a weekly basis. Discrepancies found between reports generated using this web tool and other IBM documentation sources may or may not be attributed to different publish and refresh cycles for this tool and other sources. Nothing contained in this report is intended to, nor shall have the effect of, stating or implying that any activities undertaken by you will result in any specific sales, revenue growth, savings or other results. You assume sole responsibility for any results you obtain or decisions you make as a result of this report.

Notwithstanding the Terms of Use (<https://www.ibm.com/legal/us/en/>), users of this site are permitted to copy and save the reports generated from this tool for such users own internal business purpose. No other use shall be permitted.