



Where the **agentic stack** is being built.

ID-JAG: Connecting agents to work apps


Joey Orlando
Archestra

Aaron Parecki
Okta

Paul Carleton
Anthropic


Bikeshed gets an AI agent


- 1,000 employees, Amsterdam
- ~20 internal systems — mail, calendar, CRM, wiki, tickets
- This year: an AI agent for everyone
- Agents need access to the apps each task uses



First, connect Salesforce

- Ask for an order summary. Stop to connect Salesforce.
- Approve access, return to chat, resume the task.
- The user wanted a summary. Now they're setting up an integration.





Where the **agentic stack** is being built.

Auth is part of shipping an MCP server

~~OAuth~~ Authorization
~~Democracy~~ is the worst form of ~~Government~~
except for all those other forms that have
been tried from time to time

Winston Churchill, probably

What the IdP misses

- SSO records the sign-in, not every downstream grant
- App permissions and tokens live in separate systems
- Disabling a work account doesn't automatically revoke every token

How ID-JAG works


- Identity Assertion JWT Authorization Grant — an IETF OAuth draft
- The IdP approves the client acting for the user
- The app's authorization server decides what access to grant
- Allowed connections can proceed without another consent screen

Getting an access token



Bikeshed with ID-JAG


Before



After



ID-JAG works in practice



Where the **agentic stack** is being built.

Okay: but what do I have to do?

- Adjust your `/token` endpoint
- Map IdP `sub`jects to internal principals
- (maybe) handle tenancy
- Test, test, test

What about agents on their own?

- Check out Workload Authorization Grant (WAG)
- tl;dr: ID-JAG but take out the human

Try it with your own apps



ID-JAG draft



WAG draft



MCP auth guidance



#auth-ig Discord channel



Agentic AI Foundation

AGNTCon + MCPCon Europe

Q&A