

Exploring WebMCP

What happens when AI agents
start using websites?

SYLWIA LASKOWSKA



Agentic AI Foundation

AGNTCon + MCPCon
Europe



HELLO, I'M

Sylwia Laskowska


Senior Software Engineer

10+ years in web development
Atos · European Commission
Frontend, performance & agentic AI
AWS Community Builder

linkedin.com/in/sylwia-laskowska-5a8467131
dev.to/sylwia-lask



The web keeps adapting to changing needs



HTML 4.01 → mobile → accessibility → ?

Today, agents have to guess



The interface has semantics for humans — not an explicit contract for agents.

WebMCP gives agents an explicit contract

WebMCP

Experimental browser API

Works in an open webpage

Websites expose structured tools

Agents discover and call them

Less UI guessing

Is WebMCP ready? Not yet.

EXPERIMENTAL

Chrome Origin Trial
Testing behind a flag
API still evolving

June



September

demo works

**breaking
changes**

Early adopters explore and rewrite.

Two ways to expose tools

DECLARATIVE

HTML attributes

Form-based interactions

or

IMPERATIVE

JavaScript

Custom logic

Declarative WebMCP lives in the form

```
<form toolautosubmit  
  toolname="createSupportTicket"  
  tooldescription="Create a support ticket">
```

```
  <input name="issue" ...>  
</form>
```

Name.
Purpose.
Parameters.

toolautosubmit
controls
who submits the
form.

Imperative WebMCP exposes application logic

```
await document.modelContext.registerTool({  
  name: "something",  
  description: "...",  
  inputSchema: { ... },  
  annotations: {  
    readOnlyHint: false,  
    consequentialHint: true,  
    untrustedContentHint: false  
  },  
  execute: async (args) => { ... }  
});
```

name

description


input schema

execute

Custom logic

So I built an AI CEO simulator

Try it yourself → github.com/sylwia-lask/ai-ceo-webMCP



One prompt can fire half the company



One sentence → several tool calls → unpredictable outcome

We just changed the trust model

HUMAN UI

user chooses
an explicit action

VS.

AGENT-MEDIATED

intent
┆
interpret
┆
plan
┆
select tool(s)
┆
execute

Don't give your agent a loaded gun

MINIMUM CAPABILITY

Narrow tools. Narrow permissions.

VALIDATE EVERYTHING

Agent output is untrusted input.

CONFIRM CONSEQUENCES

Keep humans in the loop.

ENFORCE AUTHORIZATION

Agent $\neq$ extra privileges.

Capabilities don't replace permissions.

Is this the future of frontend?

WEB FOR
HUMANS



WEB FOR
HUMANS +
AGENTS

**Maybe not the final destination.
But possibly a bridge.**

STOP making agents guess.

Build the web for its
next kind of client.

