Page View Columns

Iceberg-based master table: `exp_prod.filtered_page_view_ice`

~~Unloaded to parquet / glue catalog as external_analytics.exp_rpt_filtered_page_view~~
(`exp_prod.filtered_page_view_ice` is the preferred source going forward)

These are for general fields in the FanStreams page view. For specific etag definitions referring to `event_list` column, please refer to FF: Event List Value Definitions (eTags) .

If you try to query get an error please add "SET json_serialization_enable to TRUE;" to the top of the query.

Page Type Glossary: Page Type Glossary (https://github.com/fancom-d2c-web-experience/page-registry/blob/master/src/page-types.js)

MSTR Metrics Glossary: Experimentation KPI [2023 version with Fanstreams]

** Per approval after reviewing with privacy team in Aug 2023, all attributes except IP address can be passed to Tableau.*

	Column Name	FF Event	FF Event Column	Definition	Data Type	Example Values	Link to the Code	Application	Responsible Team	Validation Status/Implementation date
1	`user_agent`	SERVE/VIEW/RENDER.PAGE	`ua`	User Agent header sent from browser	`string`	• `Mozilla/5.0 (Linux; Android 13; SM-S908U) AppleWebKit/537.36 (KHTML,`		VAS	IRIS.CLIENT	6/15/2022

						like Gecko) Chrome/107.0.0.0 Mobile Safari/537.36 • Mozilla/5.0 (Linux; Android 13; SM-S908U) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/107.0.0.0 Mobile Safari/537.36				
2	ip_address	SERVE/VIEW/RENDER.PAGE	v4	IPv4 Address	string	• 12.198.115.229		VAS	IRIS.CLIENT	
3	visitor_id	SERVE/VIEW/RENDER	si	Visitor id	string	• 000199a0-4b5d-11ed-a5f5-		VAS	IRIS.CLIENT	6/1/21

		.PAGE				`b712e369f244`				
4	`session_id`	SERVE/VIEW/RENDER.PAGE	`ss`	Session UUID that changes after session expiration.	`string`	• `535a0510-5ff8-11ed-ae7a-bb60c143ed41`		VAS	IRIS.CLIENT	6/1/21
5	`site_id`	SERVE/VIEW/RENDER.PAGE	`st`	Site ID	`integer`	• `512730`		VAS	IRIS.CLIENT	6/1/21
6	`timestamp` (UTC)	SERVE/VIEW/RENDER.PAGE	`enriched_attrs.message_ts`	Message timestamp is the create time of the event; if create_ts is -1 then it is enrichments. This will be the	`long`	• `1667975577588`		VAS	IRIS.CLIENT	6/1/21 (UTC)

				timestamp set on the producer record when enrichment process sends events to ALL and individual topic						
7	`timestamp_est`	Derived from `timestamp`	Dervied from `timestamp`	`timestamp` in EST	`long`	• `1667957577588`		VAS		6/1/21 (EST)
8	`date_time`	Derived from `timestamp_est`	Dervied from `timestamp_`	ISO format of `timestamp_est`	`string`	• `2022-11-09T01:32:57.588-05:00`		VAS		6/1/21 (EST)

			`est`							
9	`processing_timestamp`	Syte m time at the time of proce ssing	Syt em time at the time of pro ces sing	Time at which event got proces sed by VAS	`long`	• `1667975577901`		VAS		6/1/21. Not 100% on how to validat e this but it seems logical (UTC)
10	`fid`	SERV E/VIE W.PA GE	a.fid	Omnitu re visitor ID in HEXAD ECIMA L	`st ri ng`	• `532F924 79F9852 E6- 3912419 86FFC59 A3`		VAS	IRIS.C LIENT	6/1/21
11	`fuid`	SERV E/VIE W.PA GE	a.fui d	Omnitu re visitor ID in DECIM AL	`st ri ng`	• `5994170 4653713 1287041 1242153 2712327 587`		VAS	IRIS.C LIENT	6/1/21
12	`request_cor relation_i d`	SERV E/VIE W/RE NDER .PAG E	`rq`	Reques t correla tion ID (hex)	`st ri ng`	• `f1f40ed 891c011 d7`		VAS	IRIS.C LIENT	6/1/21
13	`previous_re quest_corre`	SERV E/VIE	`ei`	ID used to	`st ri`	• `a342902 8fee0d3`		VAS	IRIS.C LIENT	6/1/21

	`lation_id`	W/RENDER.PAGE		link multiple fanflow events in the same context	`ng`	`9e`				
14	`site_name`	From MDM Dataset, dervied using `site_id`		Name of the site	`string`	• `NFL Shop`		VAS	MDM	6/1/21
15	`site_type`	From MDM Dataset, dervied using `site_id`		Type of site	`string`			VAS	MDM	Failed. This is always null, can we remove it if we aren't populating?
16	`pod_type`	From MDM Dataset, dervi			`string`	• `League`		VAS	MDM	1/1/23

		ed using `site_id`								
17	`biz_segment_id`	From MDM Dataset, dervied using `site_id`		Business Segment Id	`string`	• `11`		VAS	MDM	Probably not needed, can we remove this?
18	`biz_segment`	From MDM Dataset, dervied using `site_id`		Business Segment Name	`string`	• `NFL Shop`		VAS	MDM	6/1/21
19	`hostname`	From MDM Dataset, dervied using `site_id`		Web URL	`string`	• `www.nflshop.com`		VAS	MDM	6/1/21

20	`partner_site`	From MDM Dataset, dervied using `site_id`			`string`	• `NFL Shop`		VAS	MDM	6/1/21
21	`super_partner`	From MDM Dataset, dervied using `site_id`			`string`			VAS	MDM	Failed. This is always null, can we remove it if we aren't populating?
22	`page_num`	SERVE/VIEW/RENDER.PAGE	Derived using distinct request correleation id, increm	Sequence number of the page within a session	`integer`	• `2`		VAS		12/7/22

			ent if new `request_correlation_id` comes								
23	`is_page_viewed`	VIEW.PAGE	true if VIEW.PAGE is present for given `request_correlation_id`	Flag whether visitor viewed the PAGE	`boolean`	• `true`		VAS		6/1/21

			`n_id`							
24	`is_page_rendered`	RENDER.PAGE	true if RENDER.PAGE is present for given `request_correlation_id`	Flag whether page rendered	`boolean`	• `true`		VAS		6/1/21
25	`is_page_served`	SERVE.PAGE	true if SERVE.PAGE is present for given	Flag whether visitor request to serve the PAGE	`boolean`	• `true`		VAS		6/1/21

			`request_correlation_id`							
26	`page_url`	SERVE/VIEW/RENDER.PAGE	a.url	URL of current page	`string`	• `https://www.nflshop.com/?_s=gppc&utm_campaign=NFL+Shop+-+Brand+-+Core+-+US+-+EN|1467402330 5&utm_medium=ppc&ks_id=6220_kw71184147&utm_term=nfl%20shop&matchtype=e&utm_so`		VAS		6/1/21

						urce=g&target=kwd-45741750&pcrid=546291661125&adposition=&gclid=Cj0KCQiAmaibBhCAARIsAKUlaKRHHjPhyvf7g2XoAJ5FyavS5cDr4VIkZcWjfqtKeg3PdM0apYxMLlwaAv_2EALw_wcB				
27	page_url_hash		Derived from page_url	Hash of current page URL	string	• 1d53eeac402658e482e46bb23e7e8523		VAS		Do we need this?
28	page_path	SERVE/VIEW/RENDER	Derived fr	Path of current page	string	• /cart		VAS		3/29/22

		.PAGE	`om pu rl , us in g UR I ge tP at h fe at ur e`							
29	`page_type`	SERVE/VIEW/RENDER.PAGE	`pn`	Page type (See https://fanaticscorp.atlassian.net/wiki/search/?text=Page_Type_Glossary for list)	`st ri ng`	• `CART`		VAS	IRIS.CLIENT	6/1/21
30	`previous_page_type`	SERVE/VIEW/RE	`rp n`	Previous Page type	`st ri ng`	• `HP`		VAS	IRIS.CLIENT	11/4/22.

		NDER.PAGE		(See https://fanaticscorp.atlassian.net/wiki/search/?text=Page_Type_Glossary for list)						Note : When looking into the tables, there may be cases where this previous page type does not equal the page type as the previous row in the table. This is due to a return to an earlier rc not firing a new row

31	`omn_page_type`		Derived from `page_type`	Page type in omniture format	`string`	• `cart`		VAS		6/1/22
32	`page_title`	SERVE/VIEW/RENDER.PAGE	`pt`	Fanatics HTML Document Title	`string`	• `Men's Mitchell & Ness White/Navy Golden State Warriors Hardwood Classics Paintbrush Snapback Hat`		VAS	IRIS.CLIENT	implemented: 10/12/22 validated : Failed initial validation, fix will be a coalesced page_title, page_url
33	`referer_page_url`	SERVE/VIEW/RENDER.PAGE	a.url	URL of previous page	`string`	• `https://shop.warriors.com/Mens_Mitchell_And_Ness_`		VAS	IRIS.CLIENT	Was changed to “Won’t do” as this is duplic

						White_Navy_Golden_State_Warriors_Hardwood_Classics_Paintbrush_Snapback_Hat/p-4677718?_s=Trigg_HotMarketSender&loc=en-US&cur=USD&utm_medium=email&utm_source=RECSAPI&utm_content=4677718&utm_position=1&SFMC=225924924009_290_de38f4c4d321317619034				ative to channel. Can we remove this column?

						`ccdc658ef8b`				
34	`referer_page_url_hash`		Derived from `referer_page_url`	Hash of previous page URL	`string`	• `4c98f3c493c91db6bdbe644f1947b331`				See referer_page_url
35	`referer_type`		Derived from `referer_page_url`	Referral page URL type	`string`			VAS		See referer_page_url. Also this is always null
36	`referer_domain`		Derived from `referer_page`	Landing Page Domain	`string`	• `google.com`		VAS		Added : 3/29/22 Validated :

			`_url`, identify whether the current URL is landing page, then fetch domain of referral URL							
37	`source_query_param`	SERVE/VIEW/RENDER.PAGE	`s._s`	Source that let visitor to current page	`string`	• `gppc`		VAS	IRIS.CLIENT	2/27/23 This is campaign code. There are some instan

										ces where there is a _s in the URL, but this field won't populate. This is due to poorly built URLs
38	`_ref`		Derived from `page_url` or SERVE.PAGE.a.`icmpgn` Maps	Source that ref visitor to current page	`string`	• `m-TOPNAV`		VAS	IRIS.CLIENT	

			to `_ref` query param value							
39	`user_account_id`	SERVE/VIEW/RENDER.PAGE	`ia`	Identifies an account for a user who is signed in.	`string`	• `68ee1038-54b6-11e8-80d2-005056b701d3`		VAS	IRIS.CLIENT	
40	`http_status_code`	SERVE.PAGE	a. `stc`	HTTP Status code	`integer`	• `200`		VAS	IRIS.CLIENT	1/9/23
41	`visit_num`		Dervied attribute using visitor id and session id	`Counter per visitor for the session on this PageView is part of`	`integer`	• `23`		VAS		6/1/21

42	`experiments`	SERVE/VIEW/RENDER.PAGE	`x`	Experiment Treatment Exposure for a visitor	`string`	• `9014,A,1;9031,A,1;9075,B,1`		VAS	IRIS.CLIENT	6/1/21
43	`cumulative_experiments`		Derived using experiments	All experiment treatment exposure for a visitor within a session	`string`	• `9014,A,1;9031,A,1;9075,B,1`		VAS		6/1/21
44	`event_list`		Derived attribute	Contains all event tag comma seperated	`string`	• `143,144,34,117,121,135,401`		VAS, exp-prep		N/A
45	`promo_code`	SERVE/VIEW/RENDER.PAGE	`a.promo.prc`	Promo code in sliver	`string`	• `NO_COUPON_SET`		VAS	IRIS.CLIENT	Added : 6/1/21 Validated :
46	`promo_type`	SERVE/VIEW/RE	Derived	Type of promo, |	`string`	• `freeShipping`		VAS	IRIS.CLIENT	Added : 6/1/21

		NDER.PAGE	from `a.promo.bmsm` and `a.promo.frshp` and `a.promo.mkd` and `a.promo.pcoff`	seperated if multiple							Validated :
47	`promo_threshold`			Deprecated attribute	`string`	• `24.0`					Added : 6/1/21 Validated :

										Why is this labeled as deprecated?
48	`order_promo_threshold`	SERVE/VIEW/RENDER.PAGE	`a.promo.path`	Coupon Order Discount Threshold	`float`	• `24`		VAS	IRIS.CLIENT	Added: 6/1/21 Validated :
49	`shipping_promo_threshold`	SERVE/VIEW/RENDER.PAGE	`a.promo.psth`	Coupon Shipping Discount Threshold	`float`	• `24`		VAS	IRIS.CLIENT	Added: 6/1/21 Validated :
50	`omn_payment_method`		Derived from `payment_instruments`	Omniture format value for payment instrument	`string`	• `paypal`		VAS		Added: 6/1/21 Validated :

51	`merchandise_vat_total`	`LAND_SHIPPING.CART`	Get the value from session attribute - `a.merchvattot.admCV`	Order merch vat total	`float`	• 24		VAS		
52	`fancash_available`	VIEW.PAGE	`a.fcshavail`	Fancash available to user	`float`	• 24		VAS	IRIS.CLIENT	7/28/22 Issues: Between initial validation and present, there are issues

										in some cases where this field is not populating correctly, see comment here
53	`shipping_upsell_present`			Deprecated	`boolean`	• `true`				Failed. This is correctly labeled as deprecated as it does not work as expected, can we remove this from the

										table to avoid confusion and use the validated e90 or shipping_upsell when this is needed
54	`shipping_upsell`	SERVE.PAGE	`a.shpupsl`	The shipping method user has been upsold into, if they have	`string`	• `4-Days`		VAS	IRIS.CLIENT	7/13/22
55	`device`	SERVE/VIEW/RENDER.PAGE	`d.dvt`	Device visitor using	`string`	• `desktop`		VAS	IRIS.CLIENT	Added: 6/1/21 Validated :

56	`omn_device_id_str`		Derived using `device`	Omniture format device id	`string`	• `0`		VAS		Added: 6/1/21 Validated :
57	`omn_device`		Derived using `device`	Omniture format device name	`string`	• `Desktop`		VAS		Added: 6/1/21 Validated :
58	`bot_context`	SERVE/VIEW/RENDER.PAGE	`bc`	Numeric value representing bot status. "0" is user, any nonzero is a bot	`string`	• `0`		VAS	IRIS.CLIENT	Deprecated, can we remove this?
59	`browser_family`	SERVE/VIEW/RENDER.PAGE	`d.brt`	The users browser	`string`	• `safari`		VAS	IRIS.CLIENT	Added: 6/1/21 Validated :
60	`omn_browser_id_str`				`string`	• 0				Failed. This is always

										null, can we remove it if we aren't populating?
61	`omn_browser_family`		Derived using `browser_family`	Omniture format value for browser	`string`	• `Apple`		VAS		Added: 6/1/21 Validated :
62	`omn_os_id_str`				`string`	• 0				Failed. This is always null, can we remove it if we aren't populating?
63	`os_name`		`d.dvos`	Operating system	`string`	• `macos`		VAS		Added: 6/1/21

				on user device						Validated :
64	`omn_os_name`		Derived using `os_name`	Omniture format value for operating system	`string`	• `MacOS`		VAS		Added : 6/1/21 Validated :
65	`channel_session_id`		Derived using `channel_session_id_code` using MDM dataset	Channel Id	`long`	• 3		VAS		Passed
66	`channel_session_name`		Derived using `chan`	Name of the channel	`string`	• `Email`		VAS		Passed

			`nel_session_code` using MDM dataset							
67	`channel_session_code`	PLACE.ORDER Comes from session	`cl`	Channel session code	`string`	• `ema`		VAS		Passed
68	`channel_30d_id`		Derived using `channel_30d_code` using	Last 30 day channel id	`long`	• 3		VAS		Passed

			MDM dataset							
69	`channel_30d_name`		Derived using `channel_30d_code` using MDM dataset	Last 30 day channel name	`string`	• `Email`		VAS		Passed
70	`channel_30d_code`	PLACE.ORDER Comes from session	`ci`	Last 30 day channel code	`string`	• `ema`		VAS		Passed
71	`sub_channel_name`	Comes from session	Derived attribute	For Logic detail see - @see	`string`	• `League Referral`		VAS		

				https://jira.fanatics.com/browse/FAN-1501						
72	`sub_channel_30d_name`	Comes from session	Derived attribute	For Logic detail see - @see https://jira.fanatics.com/browse/FAN-1501	`string`	• `League Referral`		VAS		
73	`utm_campaign`	SERVE/VIEW/RENDER.PAGE or comes from Session	s.utm_campaign	utm campaign query param	`string`	• `NFL Shop - Brand - Core - US - EN|1467402330 5`		VAS	IRIS.CLIENT	Passed
74	`utm_source`	SERVE/VIEW/RENDER.PAGE	s.utm_source	utm source query param	`string`	• `g`		VAS	IRIS.CLIENT	Passed

		or comes from Session								
75	`utm_medium`	SERVE/VIEW/RENDER.PAGE or comes from Session	s.utm_medium	utm medium query param	`string`	• `ppc`		VAS	IRIS.CLIENT	Passed
76	`utm_content`	SERVE/VIEW/RENDER.PAGE or comes from Session	s.utm_content	utm content query param	`string`	• `4677718`		VAS	IRIS.CLIENT	Passed

77	`utm_position`	SERVE/VIEW/RENDER.PAGE or comes from Session	s.utm_position	utm position query param	`string`	• `1`		VAS	IRIS.CLIENT	Passed
78	`utm_term`	SERVE/VIEW/RENDER.PAGE or comes from Session	s.utm_term	utm term query param	`string`	• `nfl shop`		VAS	IRIS.CLIENT	Passed
79	`utm_type`	SERVE/VIEW/RENDER.PAGE or comes	s.utm_type	utm type query param	`string`	• `Cart_Abandoners_60`		VAS	IRIS.CLIENT	Passed

		from Session								
80	`ks_cmpgn_pub_id`		Kensoo attribute mapped from Kensoo Dataset which is key by utm_campaign		`long`	• `1467402 3305`		VAS		N/A
81	`ks_pub_nm`		Kensoo attribute mapped from		`string`	• `Google`		VAS		N/A

			Kensoo Dataset which is key by utm_campaign							
82	`ks_dim_league`		Kensoo attribute mapped from Kensoo Dataset which is key by utm_campaign		`string`	• `NFL`		VAS		N/A

83	`ks_dim_brand`		Kensoo attribute mapped from Kensoo Dataset which is key by utm_campaign		`string`	• `Brand`		VAS		N/A
84	`ks_dim_hot_mrkt`		Kensoo attribute mapped from Kensoo Dataset		`string`	• `Unknown`		VAS		N/A

			which is key by utm_campaign							
85	`ks_dim_bidding_exclusion`		Kensoo attribute mapped from Kensoo Dataset which is key by utm_campaign		`string`	• `Exclude - Brand`		VAS		N/A
86	`ks_dim_entity`		Kensoo attribut		`string`	• `Leagues`		VAS		N/A

			e mapped from Kensoo Dataset which is key by utm_campaign								
87	`pub_strategy_nm`		Social attribute mapped from Social Dataset which is key		`string`	• `\"\\\"Post: \\\\\\\"Happy Birthday Cristiano Ronaldo`		VAS		Passes based on utm_source validation?

			by utm_source							
88	`pub_domain_nm`		Social attribute mapped from Social Dataset which is key by utm_source		`string`	• `who turns 30...\\\\\\"\\"\"`		VAS		Passes based on utm_source validation?
89	`pub_league_nm`		Social attribute mapped		`string`	• `NBA`		VAS		Passes based on utm_source validation?

			from Social Dataset which is key by utm_source							
90	`evergreen_flg`		Social attribute mapped from Social Dataset which is key by utm_so		`string`	• `UNKNOWN` • `Y`		VAS		Passes based on utm_source validation?

			urce							
91	`adset_id`		Social attribute mapped from Social Dataset which is key by utm_source		`long`	• `23843809631930166`		VAS		Passes based on utm_source validation?
92	`sfmc_tags`	SERVE/VIEW/RENDER.PAGE	Derived from current page url query	Salesforce marketing cloud tag	`string`	• `2259249_24009_290_de38f4c4d32131761 9034ccdc658ef8b`		VAS	IRIS.CLIENT	

			param Tag: - `sfmc`							
93	`google_click_id`	SERVE/VIEW/RENDER.PAGE	Derived from current page url query param Tag: - `gclid`	Google click id	`string`	• `Cj0KCQiAmaibBhCAARIsAKUlaKRHHjPhyvf7g2XoAJ5FyavS5cDr4VIkZcWjfqtKeg3PdM0apYxMLlwaAv_2EALw_wcB`		VAS	IRIS.CLIENT	
94	`twitter_click_id`	SERVE/VIEW/RENDER.PAGE	Derived from current page url query		string			VAS	IRIS.CLIENT	

			param Tag: - `twclid`							
95	`microsoft_click_id`	SERVE/VIEW/RENDER.PAGE	Derived from current page url query param Tag: - `msclkid`		string			VAS	IRIS.CLIENT	
96	`facebook_click_id`	Comes from Session SERVE.PAGE	`a.fbc`	Facebook click id	`string`	• `fb.1.1666795578765.IwAR1Y-J0oDt40ZIoxYZmOAVp93qwbJzC0-2AGUKY9`		VAS	IRIS.CLIENT	

						`DfUAeFVuFJs9QMiyx9s_aem_AaDpmd6CMxMMKvIc1KrHUScvNaXaebxMvOtXaBAfYraGvUiMArojqEHdGiQqY_bp6c3zbZEVqsEsIBox5K9M-fw3SHy3RZYrdZQa2oyYC3mmlZHRu37WHYGG-7-1d6cKwSc`				
97	`facebook_cookie_id`	Comes from Session	`a.fbp`	Facebook cookie id	`string`	• `fb.1.1667629739781.168230599 3`		VAS		
98	`limited_data_usage`	Comes from Session	`a.ldu`	Resistried data usage flag	`string`	• `false`		VAS		
99	`product_id`	SERVE/VIE	From	Product Id	`long`	• `5012196`		VAS	IRIS.CLIENT	Passed

		W/RENDER.PAGE
		if page type is PDP or FPP then SERVE.PRODUCT
			SERVE/VIEW/RENDER.PAGE
			Query param tag: - p or f
			or
			`pd`
			From SERVE.PRODUCT
			`a.pid`
									Horus		

100	`product_name`		Derived from Pro	Name of the product	`string`	• `Men's Post Black Chicago Bulls`		VAS			

			duct id using product dataset build using AM DM and fan house			`Championship Capsule Snapback Hat`				
101	`brand`		Derived from Product id using product dataset build using	Brand associated with product	`string`	• `Post`		VAS		

			AMDM and fanhouse							
102	athlete		Derived from Product id using product dataset build using AMDM and fanhouse	Athlete associated with product	string	• SHOHEI OHTANI		VAS		
103	product_price	VIEW.PAGE	a.prp.adamCV	Price of the product shown	float	• 293.2999877929 6875		VAS	IRIS.CLIENT	

			* admCV holds the minimum price for that product price type	to visitor						
104	`product_stock_status`	SERVE.PAGE	`a.pidcstmessage`	The stock status of a product	`string`	• `Out of Stock`		VAS	IRIS.CLIENT	Passed
105	`available_sizes`	SERVE.PAGE	`a.availaizls zs`	List of available sizes of product	`string`	• `No Size`		VAS	IRIS.CLIENT	Passed

106	`product_event_type`	SERVE.PRODUCT	`a.spev.productType` Only PDP and FPP page	The product type	`string`	• `imed MTO Launch`		VAS	Horus	1/18/2023
107	`product_event_end_ts`	SERVE.PRODUCT	`a.spev.endTime` Only PDP and FPP page	The special event's end time in EST	`long`	• `1670158800000`		VAS	Horus	1/18/2023
108	`product_event_time_remaining`	SERVE.PRODUCT	`a.spev.end`	The special event's time	`long`	• `2200313648`		VAS	Horus	1/18/2023

			`Time-enriched_attrs.message_ts` if < 0 or null then -1 only in PDP and FPP	remaining							
109	`product_event_duration`	SERVE.PRODUCT	`a.spev.endTime-a.sp`	The special event's duration	`long`	• `2512800000`		VAS	Horus	1/18/2023

			`ev.startTime` only in PDP and FPP							
110	`organization_id`	From MDM Dataset, dervied using `site_id` SERVE/VIEW?RENDER.PAGE	PAGE event - `og` or Query param tag: `o`	org associated with product	`long`	• `19`		VAS		
111	`organization_name`	From MDM Dataset, dervied using `sit`	Derived attribute from MD	org associated with product	`string`	• `MLB`		VAS		

		`e_id` or `organization_id`	Mdataset							
112	`team_id`	SERVE/VIEW/RENDER.PAGE or SERVE.PRODUCT	SERVE/VIEW/RENDER.PAGE `tm` or Query param tag: `t` SERVE.PRODUCT `a.team`	team associated with product	`long`	• `3087`		VAS	IRIS.CLIENT Horus	

113	`team_name`		Derived attribute from MDM dataset	Name of the team associated with product	`string`	• `Houston Astros`		VAS		Passed
114	`league_id`	SERVE/VIEW/RENDER.PAGE or SERVE.PRODUCT	SERVE/VIEW/RENDER.PAGE Query param tag: `l` SERVE.PRODUCT `a.league`	league associated with product	`long`	• `19`		VAS	IRIS.CLIENT Horus	

115	`league_name`		Derived attribute from MDM dataset	Name of the league	`string`	• `MLB`		VAS		Passed
116	`department_id`	SERVE/VIEW/RENDER.PAGE	Query param tag: `d`	department associated with product	`long`	• `15636`		VAS	IRIS.CLIENT	d- does not fire in a lot of our product urls. Although this does seem to be working as intended, it doesn't seem like a reliable way to pull department ids for

										products
117	`department_name`		Derived attribute from MDM dataset	Name of the department	`string`	• `Collectibles`		VAS		
118	`sub_department_id`	SERVE/VIEW/RENDER.PAGE	Query param tag: `d`	sub department associated with product	`long`	• `15073`		VAS	IRIS.CLIENT	d- does not fire in a lot of our product urls. Although this does seem to be working as intended, it doesn't seem like a reliable way to pull

										department ids for products
119	`sub_department_name`		Derived attribute from MDM dataset	Name of the sub department	`string`	• `Collages & Art`		VAS		d- does not fire in a lot of our product urls. Although this does seem to be working as intended, it doesn't seem like a reliable way to pull department ids for products
120	`derived_exclusions`	SERV E/VIE	`a.dex`	0- Eligible, 2-	`inte`	• `4`		VAS	IRIS.CLIENT	

		W.PAGE		Smart, 3-Soft, 4-Hard	`ger`					
121	`clearance`	SERVE/VIEW.PAGE	`a.clrn`	0-Non-Clearance, 1-Clearance	`integer`	• `1`		VAS	IRIS.CLIENT	broken in Q4 2022 through 10/23/23
122	`search_term`				`string`					Failed. This is always null, can we remove it if we aren't populating?
123	`search_results_return`				`integer`					Failed. This is always null, can we remove it if we aren't populating?

124	`geo_zip`				`string`					Failed. Currently null, will we be adding this?
125	`geo_city`	VIEW.PAGE SERVE.PAGE	`a.akgeo.city`	Geo Location City name	`string`	• `TUCSON`		VAS	IRIS.CLIENT	Passed
126	`geo_country_code`	Derive from session	`ct` and cast it to Iso 2char		`string`	• `US`		VAS		Passed
127	`geo_country`		Derived attribute from MDM dataset		`string`	• `United States`		VAS		Passed
128	`geo_region`		`a.ak`	ISO Region	`stri`	• `WA`		VAS		Passed

			`geo.rgc`	Code	`ng`					
129	`user_currency`	SERVE/VIEW/RENDER.PAGE	`uc`	User preferred currency	`string`	• `USD`		VAS	IRIS.CLIENT	Passed
130	`order_ref_num`	PLACE.ORDER or Derived from thank you URL in exp-prep	`oi` if not present then derived from thank you URL in exp-prep	Order id	`string`	• `365-2880-0152`		VAS/exp-prep		Passed
131	`list_of_products`			Deprecated	`string`					Failed. This is always null, can

										we remove it if we aren't populating?
132	`language`	SERVE/VIEW/RENDER.PAGE	`lo`	locale	`string`	• `en`		VAS	IRIS.CLIENT	Passed
133	`available_sm_names`				`array<String>`	• [Standard Shipping]				Passed
134	`user_account_state`	SERVE.PAGE	`a.acts tatus`	Logged-in status of user * If interested in recognition rate, need to specify `user_account_state`	`string`	• `guest`		VAS	IRIS.CLIENT	Passed

				in (“logged in”, “recognized”) AND `user_account_id` is not null. This is due due to a long standing bug that was setting account state to recognized when it should have been guest. Fanflow fix was released 9/3/20						

				24. The same logic applies to `base_daily_sessions`						
135	`interstitial_modal_name`				`string`					
136	`special_event_type`	SERVE.PAGE	`a.spcevnt`	Type of special event product	`string`	• `Timed MTO Launch`		VAS	IRIS.CLIENT	1/18/23
137	`us_dma`	SERVE.PAGE	`a.dma`	The designated marketing area as a 3-digit code	`string`	• `618`		VAS	IRIS.CLIENT	Passed
138	`is_jersey_assurance_eligible`	SERVE.PAGE	`a.jaeligible`	Whether or not a product/order is eligible for NBA	`boolean`	• `true`		VAS	IRIS.CLIENT	Good starting 1/1/23. Can also use etag 88

				jersey assurance						
139	`is_price_match_guarantee_eligible`	SERVE.PAGE	`a.prcmtch`	Indicates product is price match eligble	`boolean`	• `true`		VAS	IRIS.CLIENT	1/1/23, but easier to use etag 117
140	`is_free_shipp_eligible`	SERVE.PAGE	`a.fshipelig`	Boolean indicating whether or not a product is eligible for free shipping	`boolean`	• `true`		VAS	IRIS.CLIENT	Passed
141	`is_promo_qualifier_message_shown`	SERVE.PAGE	`a.prmmessage`	Whether or not promo qualifier message is shown	`boolean`	• `true`		VAS	IRIS.CLIENT	Passed, but can use etag 25 or etag 26 for more specific page type

										breakdowns
142	`is_auction_interacted`			Deprecated	`boolean`	• `true`				Remove this, use etag 138
143	`is_cart_threshold_message_shown`	SERVE.PAGE	`a.thrshmsg`	Whether or not remaining to discount threshold message is shown	`boolean`	• `true`		VAS	IRIS.CLIENT	9/1/22, but easier to use etag 31
144	`is_multiple_dc_ship`	SERVE.PAGE	`a.mltshp`	Whether or not an order will be a split shipment	`boolean`	• `true`		VAS	IRIS.CLIENT	Good starting 1/1/23
145	`athlete_id`	SERVE.PRODUCT	`a.actor`	Actor Id	`integer`			VAS	Horus	
146	`reviews`	SERVE.PRODUCT		Review on product	[REVIEW]			VAS	Horus	10/12/22

147	`hr`		Derived attribute from message timestamp	Page view hour	`integer`	• 23				Passed (EST)
148	`timestamp_eastern`		Derived attribute from `timestamp_est`	Converting `timestamp_est` (long) to timestamp format	`timestamp`	• `1.134445361175078500754688e+25`		exp-prep		Passed (EST)
149	`hit_index`		Derived attribute	Sequential number partition by date and visitor	`integer`	`1`		exp-prep		Passed

				id and over timestamp_eastern, page_num and request_correleation_id							
150	`meta`				Meta	• <pre>{ "sess_is_serve_bounce": false, "bot_detail": "ok", "viewed_rcs": 3, "has_prev_rc": true, "sess_has_polite_bot": false, "sess_has_only_bot_ips": false, "sess_has_bot_via_iab_inclusio</pre>					

```
n_rule": false,
"served_rcs": 3,
"bot_ip_hit": false,
"sess_has_bot_ua": false,
"bot_ip_cidr": false,
"sess_has_only_bot_ips_cidr": false,
"total_rcs": 3,
"sess_has_bot_via_iab_exclusion_rule": false,
"rendered_rcs": 3
  }
```

151	`selected_shipping_method`	LAND_SHIPPING.CART and CHANGE_SHIPPING.CART	Get the last latest value of `a.selectedSM.name` among visitor id, session id, and event id	Shipping method name selected by user	`string`	• `Standard Shipping: 6-12 days`		exp-prep	LAND_SHIPPING.CART experience-service order-service CHANGE_SHIPPING.CART order-service	Passed
152	`selected_shipping_price`	LAND_SHIPPING.CART and CHANGE_SHIP	Get the last latest value of `a.se`	Shipping method price selected by user	`float`	• `12.449999809265137`		exp-prep	LAND_SHIPPING.CART experience-service	Passed

		PING.CART	`selectedSM.price` among visitor id, session id, and event id						order-service CHANGE_SHIPPING.CART order-service	
153	`selected_shipping_discounted_price`	LAND_SHIPPING.CART and CHANGE_SHIPPING.CART	Get the last latest value of `a.selectedSM.discounte`	Shipping method discounted price selected by user	`float`	• `12.449999809265137`		exp-prep	LAND_SHIPPING.CART experience-service order-service CHANGE_SHIPPING.CART	Passed

			`dPriceamongvisitorid,sessionid,andeventid`						order-service	
154	`is_coupon_applied_successfully`	`APPLIED.COUPON`	`a.sca`	True/False value depending on whether coupon application is successful or not	`boolean`	• `true`		Event List Generator	promotion-service	
155	`coupon_code_applied`	`APPLIED.COUPON`	`a.prc`	Coupon code the customer used	`string`	• `KICK`		Event List Generator	promotion-service	
156	`successful_coupon_code`	`APPLIED.C`	`a.prc`	Successfully applied	`string`	• `KICK`		Event List	promotion-	

		`OUPON`	when `a.sca` is true	Coupon code				Generator	service	
157	`available_shipping_method`	`LAND_SHIPPING.CART`	Concat all `a.available` separated by `;`	All shipping method shown to user	`string`	• `Standard Shipping: 6-12 days,12.45,12.45;Express Shipping: 3-5 days,49.95,49.95`		Event List Generator	experience-service order-service	Passed

158	`button_engagements`	SELECT.BUTTON	Create struct using a.bid and a.bctx	Contains 10 button engagement done by user	Struct {bid and bctx}	• <pre>[
						  {
						"element": {
						"bctx": "regular-payment-button",
						"bid": "complete-order"
						}
						  }
						]</pre>
								Event List Generator	IRIS.CLIENT
									SPARK.SERVER
										Passed

159	`left_nav_filter`	`UPDATE_FILTER.PRODUCT`	`a.cft`	Left navigation filter	`string`	`- ga`		Event List Generator	IRIS.CLIENT	Passed

160	`link_engagements`	SELECT.LINK	Struct of a.lid and a.lctx	Containts any 10 link engaged by user	Stuct of lid and lctx	<pre>[
						{
						"element": {
						"lid": "herren",
						"lctx": "TLP.r1.c1.r9.c1.side-nav.geschlecht-alter"
						}
						}
						]</pre>
								Event List Generator	IRIS.CLIENT	Passed

161	exit_link_engagements	SELECT.LINK	struct(col("a.lid"), col("a.lctx"), col("a.href"))		struct(col("a.lid"), col("a.lctx"), col("a.href"))			Event List Generator		Passed
162	`top_nav_engagement_identifier`	`SELECT.LINK`	when `a.li`	Top navigation	`string`	• `topnav-group-ga-1`		Event List Generator	IRIS.CLIENT	Passed

			`d` contains `topnav`							
163	`pills_engagement_identifier`	`SELECT.LINK`	when `a.lctx` contains pills	when user engage with pills	`string`	• `hoodies-sweatshirts`		Event List Generator	IRIS.CLIENT	Passed
164	`fancard_applied_identifier`	`SELECT.LINK`	when `a.lid` equals `fancard-promo-apply-now`	When user click of fancard apply link	`string`	• `fancard-promo-apply-now`		Event List Generator	IRIS.CLIENT	

165	`link_engagement`	`SELECT.LINK`	Struct of `a.lid` and `a.lctx`	Deprecated	`string`			Event List Generator	IRIS.CLIENT	If this is now covered by link_engagements can we remove this?
166	`handling_total_user_currency_value`	`LAND_SHIPPING.CART`	`a.hndtot.userCV`	Handling total shown to user	`double`	• `0.899999976158421`		Event List Generator	experience-service order-service	
167	`vat_total_user_currency_value`	`LAND_SHIPPING.CART`	`a.vattot.userCV`	VAT total shown to user	`double`			Event List Generator		

168	`promo_response`	`VIEW_MESSAGES.PROMO`		Response to promo applied by user	Promo Response	<pre>[
						{
						"element": {
						"promo_attempted_code": "KICK",
						"promo_msg": "Shipping</pre>
								Event List Generator	IRIS.CLIENT	

						<pre>Discount Applied!", "promo_msg_time": 4.537701661972191957733708 8e+25, "promo_msg_type": "SUCCESS" } }]</pre>				
169	`interstitial_types`	`VIEW_MODAL.PAGE`	`a.mdv`, `a.mdn`	Interstitial modal name and variant	array					Validated 7/16/2025
170	`interstitial_type` - DO NOT USE	`VIEW_MODAL.PAGE`	`a.mdv`	Interstttial modal name	`string`			Event List Generator	IRIS.CLIENT	~~1/10/23~~ DO NOT USE
171	`account_registration_reasons`	REGISTER.ACCOUNT	a.accountType = `CRM` or `FANID`	When the registration comes from accountType = `CRM` or `FANID`	array	["guestCheckout"]		Event List Generator		5/10/2023

172	value_props_shown	VIEW_VALUEPROP.PAGE	a.type a.viewed	List of vibrancies or badges shown on PDP/DTI	array(string)	[{ "Type": "VIBRANCIES", "Viewed": ["HYPER_SPEED", "TOP_SELLER", "LAST_PURCHASED_TIME", "JERSEY_ASSURANCE"] }]		exp-prep	IRIS.CLIENT	5/25/2023
173	bid_details	PLACE_BID.AUCTION	a.acid a.bamt a.biddwinning a.iid a.qty	Auctions bid details	array(string)	{ "bid_auction_id": "4708925", "bid_amount": 51.0, "bid_winning_flag": false, "bid_item": "201144137", "bid_quantity": 1 }		Event List Generator	IRIS.CLIENT	9/12/2023

174	`accordion_engagements`	`VIEW_DETAILS.PRODUCT`	`a.aid`
			`a.act`
			`a.aos`
				Details related user engagement on product accordion	array(string)	<pre>{
						  "aid": "product-details"
						  "act": "opening",
						  "aos": "initially collapsed"
						}</pre>
								Event List Generator		2/5/2024

175	`open_list_engagements`	`OPEN.LIST`	`a.listId`
			`a.listType`
			`a.listCtx`
				Details related to dropdown list engagement	array(string)	<pre>[
						  {
						"element": {
						“listId”: "sort-by",
						"listType”: "dropdown",
						“listCtx”: "OSLP.r1.c1.r9.c2.product-grid"
						  }
						  }
						]</pre>
								Event List Generator		2/6/2024

176	`default_shipping_method`	LAND_SHIPPING.CART	a.`selectedSM.name`	Default shipping method when users land on the shipping page	string	`Super Bowl Delivery By 02/09`		Event List Generator		2/6/2024

177	default_shipping_price	LAND_SHIPPING.CART	a.selectedSM.price	Default shipping price when users land on the shipping page	float	5.99		Event List Generator		2/6/2024
178	default_shipping_discounted_price	LAND_SHIPPING.CART	a.selectedSM.discountedPrice	Default discounted shipping price when users land on the shipping page	float	5.99		Event List Generator		2/6/2024
179	facets_available	SERVE_FACET.PRODUCT	a.facetType = “navFacets”	Publish when nav facets are available on page * Only for left nav or hambu	struct	[{ "facetTitle": "Women's Sizes", "facetPosition": 1 }, { "facetTitle": "Featured Departments", "facetP		exp-prep		2/29/2024

				rger menu		<pre>osition": 2
						  },
						  {
						"facetTitle": "Kit Type",
						"facetPosition": 3
						  },
						  {
						"facetTitle": "Popular Collections",
						"facetPosition": 4
						  },
						  {
						"facetTitle": "All Departments",
						"facetPosition": 5
						  }
						]</pre>				

180	`event_list_arr`			Cumulative list of event tag happen on given page	array<String>	<pre>[
						  {
						"element": "25"
						  },
						  {
						"element": "64"
						  },
						  {
						"element": "65"
						  },
						  {
						"element": "44"
						  }
						]</pre>
								exp-prep		N/A

181	`cart_id`	`PLACE.ORDER` `CREATE.CART` * 3/15/2024 onwards `GET.CART` * 3/15/2024 onwards	`a.crtid`	Cart id of user	`string`	• `f7e76be0-5f4e-11ed-9ca2-d1a20e762a79`		VAS or Event List Generator	IRIS.SERVER	
182	`cart_summary`		LAND_SHIPPING.CART/CHANGE_SHIPPING.CART/GET.CART/	summarized from the cart table	struct< entry_cart_content [{product_id,item_id,item_quan					

			UPDATE.CART/PLACE.ORDER		tity}] final_cart_content:[{product_id,item_id,item_quantity}] all_products_seen:[product_ids], all_items_seen:[item_ids] entry_c						

					art_net_total:double,final_cart_net_total:double>					
183	`shipping_method`	`PLACE.ORDER`	`a.shpm`	Shipping method used while placing order	`string`	• `Standard Shipping: 6-12 days`		VAS or Event List Generator	IRIS.SERVER	Passed
184	`shipping_discount`	`PLACE.ORDER`	`a.shpdsct`	Shipping discount user get on placing order	`float`	• `0`		VAS or Event List Generator	IRIS.SERVER	
185	`payment_instruments`	`PLACE.ORDER`	`a.pmntinstrmts`	Payment instrument used by user	`string`	• `paypal`		VAS or Event List Generator	IRIS.SERVER	Passed

186	`payment_type`	`PLACE.ORDER`	`a.pmntty pe`	Type of payment	`string`	• `paypal`		VAS or Event List Generator	IRIS.SERVER	* pmnttype will only have primary payment instruments, excluding fancash and giftcard
187	`fancash_earned`	`PLACE.ORDER`	`a.fce.admCV`	Fancash earned by user	`float`	• `0`		VAS or Event List Generator	IRIS.SERVER	
188	`fancash_used`	`PLACE.ORDER`	`a.fcsh`	Fancash used by user	`float`	• `0`		VAS or Event List Generator	IRIS.SERVER	Passed
189	`list_of_products_array`	`PLACE.ORDER`	`a.pids+`	Products ordere	array<integer>	`[ { "element": 13304125 },`		VAS and	IRIS.SERVER	

		GET.CART
		UPDATE.CART
			a.prdtls.pid + prod uct_id	d by user		<pre>{
						"element": 13322206
						}
						]</pre>
								Event List Generator and exp-prep		

190	handling_total	PLACE.ORDER	a.hndtot	Handling total	float	• 0.990000009536 7432		VAS or Event List Generator	IRIS.SERVER	Passed
191	vat_total	PLACE.ORDER	a.vattot	VAT total	float			Event List Generator		
192	shipping_country	CONFIRM.ORDER	a.cty	Country where order will be ship	string	• AU		Event List Generator	order-service	Passed. 7/11/22
193	admin_currency	DRAFT_FINALIZED	a.mercrhprmto	Admin currency	string	• GBP		Event List Generator	olc-api	9/1/22

		.ORDER	t.admCC							
194	promotion_amount	DRAFT_FINALIZED.ORDER	a.mercrhprmto t.admCV	The summation of all LI Merchandise Promotion totals	double	• 0		Event List Generator	olc-api	
195	vat_discounted_total	DRAFT_FINALIZED.ORDER	a.mercrhvatdscntdto t.admCV	The summation of all LI Merchandise VAT Discounted totals	double	• 8.71		Event List Generator	olc-api	
196	exp_arr			Experiment expose to user	array<String>	[{ "element": "8101,A,1" }]		exp-prep		N/A
197	internal_search_term	SELECT	a.us	search terms	string	• leicester city retro		Event List	IRIS.CLIENT	Passed, good

		`.QUERY`	`rch`	submitted captures on the page they searched				Generator		starting 1/1/23
198	`search_result_query`	`SEARCH.PRODUCT`	`a.qrw`	search terms applied captures on the page they land on	`string`	• `leicester city retro`		Event List Generator		
199	`search_result_count`	`SEARCH.PRODUCT`	`a.rpc`	Item count returned for search	`string`	• 98		Event List Generator	IRIS.CLIENT IRIS.SERVER	Passed Note: This fires for both searches and browsing/filtering, so if you

										want to differentiate which it is coming from tie it to a search
200	`unsuccessful_search_terms`		derived attribute from `search_result_count` and `internal_search_`	Unsuccessful query searched by user	`string`	• `Ropa interior termica`		exp-prep		Passed

			`term`							
201	`unavailable_sizes`	`SERVE.PAGE SELECT.PRODUCT`	`a.unavailsizs`	List of unavailable sizes of product	`string`	"S,M,XL"		VAS, Event List Generator, exp-prep		Passed, good starting 1/1/23
202	`browser_width`	`RENDER.PAGE`	`a.scrn.brswrw`	Width of the viewport of the browser	`integer`			VAS		Passed, good starting 1/1/23
203	`browser_height`	`RENDER.PAGE`	`a.scrn.brswrh`	Height of the viewport of the browser	`integer`			VAS		Passed, good starting 1/1/23
204	browser_version	`Browser version: ff_d_brv fro`	`a.brv`	User Device Properties	string			VAS		10/11/2023

		m EVENT.HEADER								
205	almost_gone_variation	SERVE.PRODUCT	a.quantityLevelDetails	It contains the quantity level, configured value at Spark, and the product quantity	struct	{ "quantityLevelDetails": { "quantityLevel": "high", "quantityLevelValue": 40 "productQuantity": 35 } }		VAS		10/11/2023
206	web_go_live_date	SERVE.PRODUCT	a.webGoLiveDate	When a product has webgolivedate from Horus	bigint			Event List Generator		
207	regular_price	SERVE.PRODUCT	a.price.regu	Regular price of a product	float			Event List Generator		

			`larPrice.admCV`							
208	sale_price	`SERVE.PRODUCT`	`a.price.salePrice.admCV`	sale price of a product	float			Event List Generator		
209	page_layout	`VIEW.PAGE`	`a.layyt`	Page layout	string			VAS		3/4/2024
210	typeahead_tag_details	`FIND.PRODUCT`	`a.tar`	Tagging resource that originates from typeahead pipeline, send through typeah	struct	`{ tags=[ a-12227, d-15164 ], hints=[ t-3099 ] }`		Revma		5/25/2024

				ead service to iris, horus and voyager						
211	`click_position`	`SELECT.QUERY`	`a.uslct`	0-based index of the selected typeahead result	`integer`			Event List Generator		Passed, good starting 1/1/23
212	`max_num_suggestions`	`SELECT.QUERY`	`a.tres`	Size of array of strings in the case of rtyp == 1	`integer`			Event List Generator		Passed, good starting 1/1/23

213	`user_query_filters`	`SEARCH.PRODUCT`
		`FIND.PRODUCT`
		`VERTEX`
			`a.uqfl` (SEARCH.PRODUCT)	`User specified Filters/facets applied to search query`	`array[string]`			Event List Generator		Passed, good starting 1/1/23

		_FIND.PRODUCT	a.atp = ‘Browse’, (FIND.PRODUCT)							
214	application_version	EVENT.HEADER	av	Application Version (av)	string			VAS		Passed
215	last_purchased	SERVE.PAGE	a.lstpur	The last purchased vibrancy template if product has a last purchased time,	string			VAS		2/8/23

				`else null`						
216	`fancash_banking_engagements`	`SELECT.CHECKBOX`	Struct(elid, elctx, els)	Contains 10 fancash banking engagements done by user	Deprecated			Event List Generator		If this is no longer in the schema, can we remove it from this wiki?
217	`fancash_banking`		`a.elid" = "saveFanCash"`		`struct(a.elid, a.elctx, a.els)`					3/1/23
218	`fan_id`	`REGISTER.ACCOUNT LOOKUP`	`coalesce(a.fanid,`	ID of a user successfully registered with FBG	string			Event List Generator		

		`.ACCOUNT`	`a.oft`)							
219	offer_amounts_array	VIEW.OFFER	struct(col("a.amt"), col("a.cpid"), col("a.ofid"))	FBG Offer Amount	string			Event List Generator		
220	`offer_status`	VIEW.PAGE VIEW.OFFER	coalesce(a.purmatstc, a.ofstat)	FBG Offer status	string			VAS Event List Generator		
221	team_widget_clicked_team	SELECT.LINK	team id from a.lid where a.lctx con	Team Id	string			Event List Generator		3/21/2023

			tains "TEAM_WIDGET"							
222	team_widget_basis_count	VIEW.TEAM_WIDGET	a.bsl	"userDefined → #of unique teams, lastPurchased → #of unique teams,lastBrowsed → #of unique teams, geo → #of unique teams”	string			Event List Generator		4/13/2023
223	notify_me_sub_details	NOTIFY_ME.ITEM	array("iid:a.iid,pid:a.pid, size:a.size,type:		array(string)			Event List Generator		3/29/2023

			a.type)							
224	alt_images_available_and_shown	VIEW.PAGE SERVE.PRODUCT	Servr eProduct.altImages Count, ViewPage.altImages Count	Available:#, Shown:#	string			VAS		4/14/2023 Validation on 5/17: • to get rid of the nulls make sure to add “is_page_viewed is true” • Availble:1, Shown:1 and Availble:0, Shown:

										0 will both show one picture on site (sum these)
225	`fancash_eligible`	VIEW/SERVE.PAGE	`VIEW/SERVE.PAGE.Egifttwpurch.type = 'FANCASH'`	Eligible fancash to be earned on CART	float			VAS		4/30/2023
226	`ks_server_id`				string					

227	`ks_keyword_id`				string					
228	`match_type`				string					
229	`geo_zip_widget_displayed`	VIEW.PAGE	`a.gloc.mcode`	Publish to capture the zipcode displayed (or changed) related to Hyperspeed	string			VAS		9/29/2023
230	`product_group_id`			List of collection IDs associated with a product	string			product SCD		
231	`shipping_warehouse_id`			ship_details_id from product_scd	string			product SCD		
232	`item_ship_window`	SERVE.PAGE	`a.itemsh`	Estimate ship window	struct	`[ { item_id=207212895,`		exp-prep		10/4/2024

			`ip wi nd ow`	messaging on PDP & CART, FPP (added on 6/20/2025)		`product_id=202127130, ship_window=2, is_ship_window_zero=null }]`				
233	`fankey`	PROFILE.ACTOR	`a. fa n_ ke y`	Fan Key is a unique identifier for a user	string			ELG		11/13/2024
234	`account_id`	PROFILE.ACTOR	`a. ia`	Identifies an account for a user	string			ELG		11/13/2024
235	`subscriber_key_hash`	PROFILE.ACTOR	`a. sk`	SubscriberKey (X-FRG-SK) is an MD5 hash of email id + site id	string			ELG		11/13/2024
236	`hashed_email`	PROFILE.A	`a. ha sh`	SHA256 hash of (	string			ELG		11/13/2024

		CTOR	`ed_email`	email id + salt) from user-service						
237	`fankey_variant_name`	PROFILE.ACTOR	`a.variant_name`	name of the polaris variant	array			ELG		11/13/2024
238	`fankey_basis`	PROFILE.ACTOR	`a.fan_key_basis`	Basis for the fan key	array			ELG		11/13/2024
239	`checkbox_click`	`SELECT.CHECKBOX`	`struct(col("a.elctx"), col("a.e`	checkbox attributes like id and ctx	array of struct			ELG		

			`lid"), col("a.els"))`							
240	`item_click`	`SELECT.ITEM`	`struct(col("a.isz"))`		array of struct			ELG		
241	`item_list_click`	`SELECT_ITEM.LIST`	`struct(col("a.listCtx"), col("a.l`		array of struct			ELG		

			`istId"), col("a.listType"), col("a.listItem"))`							
242	`select_module`	`EXPAND.MODULE COLLAPSE.MODULE`	`struct(col("a.mid"), col("et"))`		array of struct			ELG		

243	`select_field_property`	`SELECT.FIELD`	`struct(col("a.fctx"), col("a.fdid"), col("a.fmnm"))`	• fctx - where the field is located • fdid- field identifier • fmnm - formname On PDP custom MTO	array of struct					AB Validated

244	`visible_placements`	`SCROLL.PAGE`	`a.vis`	Captures placement names and grabs all values and puts in order						
245	`scroll_percentage`	`SCROLL.PAGE`	`a.scrl` scroll percentage	Captures and take the max scroll value						
246	`filter_removed`	`UPDATE_FILTER.PRODUCT`	`a.ftr`	captures the filters removed on a page	String					

Reviews

	Column Name	Data Type	Definition	FF Event	FF Event Column	Application
1	`over_all_rating`	`float`	Average of over all ratings	SERVE.PRODUCT	`a.reviews.overAllRating`	VAS
2	`total_rating`	`long`	Count of total rating	SERVE.PRODUCT	`a.reviews.totalRating`	VAS
3	`summary`	Summary	Summary of total rating	SERVE.PRODUCT		VAS
4	`fit`	`float`	Average of fit rating count	SERVE.PRODUCT	`a.reviews.fit`	VAS
5	`value`	`float`	Average of value rating count	SERVE.PRODUCT	`a.reviews.value`	VAS
6	`quality`	`float`	Average of quality rating count	SERVE.PRODUCT	`a.reviews.quality`	VAS

Summary

	Column Name	Data Type	Definition	FF Event	FF Event Column	Application
1	`star1`	`integer`	Count of one star rating	SERVE.PRODUCT	`a.reviews.summary.star1`	VAS
2	`star2`	`integer`	Count of two star rating	SERVE.PRODUCT	`a.reviews.summary.star2`	VAS
3	`star3`	`integer`	Count of three star rating	SERVE.PRODUCT	`a.reviews.summary.star3`	VAS
4	`star4`	`integer`	Count of four star rating	SERVE.PRODUCT	`a.reviews.summary.star4`	VAS
5	`star5`	`integer`	Count of five star rating	SERVE.PRODUCT	`a.reviews.summary.star5`	VAS

Meta

	Column Name	Data Type	Definition	FF Event	FF Event Column	Application
1	`total_rcs`	`long`	Total distinct request correlation ids among visitor id, session id and site id	Derived attribute		exp-prep
2	`served_rcs`	`long`	Total distinct request correlation ids when page is served to user among visitor id, session id and site id	Derived attribute		exp-prep
3	`rendered_rcs`	`long`	Total distinct request correlation ids when page is rendered to user among visitor id, session id and site id	Derived attribute		exp-prep
4	`viewed_rcs`	`long`	Total distinct request correlation ids when page is viewd by user among visitor id, session id and site id	Derived attribute		exp-prep
5	`has_prev_rc`	`boolean`	true when `previous_request_correlation_id` is present	Derived attribute		exp-prep
6	`sess_is_serve_bounce`	`boolean`	true when not(`rendered_rcs` > 0 or `viewed_rcs` > 0 or (`has_prev_rc and served_rcs > 1`)	Derived attribute		exp-prep
7	`sess_has_bot_ua`	`boolean`	When user agent exist in `"exp_rpt.bot_user_agents"`	Derived attribute		exp-prep
8	`bot_ip_hit`	`boolean`	when user ip exist in `exp_rpt.bot_ips"`	Derived attribute		exp-prep
9	`sess_has_only_bot_ips`	`boolean`	when session contains only bot ips	Derived attribute		exp-prep
10	`sess_has_polite_bot`	`boolean`	when user agent matches with polite bot regex	Derived attribute		exp-prep
11	`sess_has_bot_via_iab_inclusion_rule`	`boolean`	When user agent passes IAB inclusion rule	Derived attribute		exp-prep
12	`sess_has_bot_via_iab_exclusion_rule`	`boolean`	When user agent passes IAB exclusion rule	Derived attribute		exp-prep
13	`bot_detail`	`string`	Summary of bot	Derived attribute		exp-prep
14	`bot_ip_cidr`	`boolean`	When ip part of bot cidr	Derived attribute		exp-prep
15	`sess_has_only_bot_ips_cidr`	`boolean`	when session contains only ips part of bot cidr	Derived attribute		exp-prep

Promo Response

	Column Name	Data Type	Definition	FF Event	FF Event Column	Application
1	promo_msg_type	string	message type (success, error, warning)	VIEW_MESSAGES.PROMO	a.pmsg.type	Event List Generator
2	promo_msg	string	message shown to customer	VIEW_MESSAGES.PROMO	a.pmsg.msg	Event List Generator
3	promo_attempted_code	string	coupon code attempted	VIEW_MESSAGES.PROMO	a.prmcode	Event List Generator
4	promo_msg_time	timestamp	Time at which promo code attempted in EST	VIEW_MESSAGES.PROMO	ts	Event List Generator

promo_summary

For each time a new coupon was added to the cart (`APPLY.PROMO`) - was it `mnul`, how many times did the next subsequent `APPLIED.COUPON` succeed (`a.sca = TRUE`) or fail (`a.sca=FALSE`).

`

	Column Name	Data Type	Definition	FF Event	FF Event Column	Application
1	min_ts	long			a.pmsg.type	Event List Generator
2	is_mnul	bool	coupon code attempted	VIEW_MESSAGES.PROMO	a.prmcode	Event List Generator
3	code	string				
4	successes	long				
5	failures	long				
6	success_messages	{type:string,msg:string}				
7	failure_messages	{type:string,msg:string}				