FF: Event List Value Definitions (eTags)

a.These document the numbers in etag list (aka old event_list). For general fields please refer to Page View Columns .

Event/Tag_List Number	Event/Tag_List Name (FS internal)	Definition	Fanstreams Column Name	FF Event	FF Column	Application	Label
1	INTERNAL_SEARCH	Release this event when user do an internal search (on page where search happens)	event_list	SELECT.QUERY	a.uac = 2	Event List Generator	AB Validated: 08/31/2023
2	ADD_ITEM_TO_CART	Release this event when user add item to cart	event_list	ADD_ITEM.CART		Event List Generator	AB Validated: 05/16/2024
3	HANDLING_FEE	Publish when item has handling fee	event_list			Weekly trading	
4	QUICK_VIEW_OPEN	Publish when a user clicks “Quick View” on Grid	event_list	SELECT.BUTTON	a.bctx contains product-grid AND	Event List Generator	AB Validated: 12/17/2025

					a.bid contains -quick-view		
5	ATC_QUICK_VIEW	Publish when a users adds items to cart from quick view	event_list	SELECT.BUTTON	a.bid contains `add-to-cart-quick-view`	Event List Generator	AB Validated: 12/17/2025
6	QUICK_VIEW_MODAL	Publish when the quick view modal populates	event_list	VIEW_MODAL.PAGE	a.tgv = `product-quick-view`	Event List Generator	AB Validated: 12/17/2025
7	CLICK_ENGAGEMENT	Publish when a user engages with a button or link	event_list	SELECT.BUTTON SELECT.LINK	SELECT.BUTTON or SELECT.LINK exists	Event List Generator	AB Validated 2/9/2026

8	MODAL_CLOSE_BOUNCE	Publish when a user closes a modal	event_list	SELECT.BUTTON	a.bctx contains
					`"modal-close"`
					or
					`"snackbar-close"`
					or
					`"smart-app-banner-close"`
						Event List Generator	AB Validated 2/9/2026

9	ITEMS_SHOWN_ENGAGED	Publish when a user engages with the items shown dropdown on a page	event_list	OPEN.LIST LIMIT.PRODUCT	• et: OPEN.LIST or • LIMIT.PRODUCT	Event List Generator	AB Validated 2/9/2026
10	SIZE_SELECTED	Publish whenever a user engages with a sie	event_list	SELECT.ITEM	a.isz exists		AB Validated 2/9/2026
11	PROMOTION_AMOUNT	Release this event when user get discount due to promotion	event_list	DRAFT_FINALIZED.ORDER	a.merchprmtot.admCV	exp-prep	AB Validated 2/9/2026
12	PRODUCT_DETAILS_ENGAGED	Publish when a user engages with any + on product information	event_list	VIEW_DETAILS.PRODUCT	VIEW_DETAILS.PRODUCT exists	Event List Generator	AB Validated 2/9/2026
13	FANCASH_USED	Publish when user uses fancash	event_list	PLACE.ORDER	a.fcsh	exp-prep	FANCASH
14	QUANTITY_ENGAGED	Publish when a user engaged with the quntity dropdown	event_list	OPEN.LIST SELECT_ITEM.LIST	• et OPEN.LIST or • et SELECT_ITEM.LIST	Event List Generator	AB Validated 2/9/2026

15	COUPON_MODULE_ENGAGED	Publish when a user engages with the coupon “+”	event_list	EXPAND.MODULE	• et EXPAND.MODULE ◦ mid = promo-section	Event List Generator	AB Validated 2/9/2026
16	UPDATED_CART	Publish when a user updates their cart	event_list	UPDATE.CART	UPDATE.CART exists	Event List Generator	AB Validated 2/9/2026
17 NOT CREATED	ABANDONED_CART_REMINDER	Publish when a abandoned cart reminder is sent	event_list	REMIND_ABANDON.CART	REMIND_ABANDON.CART fires	Event List Generator	
18	SALE_TEMP_MARKDOWN	Publish when a product is on sale	event_list	SERVE.PRODUCT	a.price.preCouponDiscountType = "SALE"	Event List Generator	AB Validated Mar 5, 2026
19	CLEARANCE_TEMP_MARKDOWN	Publish when a product is on clearance	event_list	SERVE.PRODUCT	a.price.preCouponDiscountType = "CLEARANCE"	Event List Generator	AB Validated Mar 5, 2026
20	PILLS_VIEWED	Publish when pills are on the page	event_list	VIEW_PILLS.PAGE	VIEW_PILLS.PAGE	Event List Gen	AB Validated

						erator	
21	SMS_CONSENT_CREATED	Publish when SMS consent is created	event_list	SMS_CONSENT_CREATED.ACCOUNT	SMS_CONSENT_CREATED.ACCOUNT	Event List Generator	DO NOT USE
22	VAT_DISCOUNT	Release this event when user get discount on VAT	event_list	DRAFT_FINALIZED.ORDER PLACE.ORDER `LAND_SHIPPING.CART`	a.merchvatdscntdtot.admCV `a.vatot` > 0 `a.vatot.userCV` > 0	Event List Generator exp-prep	
23	ADD_TO_CART_INTERSTITIAL	Release this event when user is shown interstitial while adding item to cart	event_list	VIEW_MODAL.PAGE	a.mdn = atc-interstitial and pn = PDP/FPP	Event List Generator	
24	SMS_ID_AVAILABLE	Publish when smsDirId is available	event_list	SMS_CONSENT_CREATED.ACCOUNT	A.smsDirId EXISTS	Event List Generator	DO NOT USE
25	PROMO_QUALIFIER_MESSAGE_SHOWN_CART	Publish when user is shown promo qualifier message on cart page	event_list	SERVE.PAGE	a.prmmessage =true and ~~page type = CART~~ pn filter removed	VAS	

					since 3/5/2024		
26	PROMO_QUALIFIER_MESSAGE_SHOWN_CHKT	Publish when user is shown promo qualifier message on checkout page	event_list	SERVE.PAGE	a.prmmessage =true and page type = CHKT	VAS	
27	SMID_CREATED	Publish when smid is available	event_list	SMS_CONSENT_CREATED.ACCOUNT	a.smid exists		DO NOT USE
28	SMS_TRUE	Publish when user accepts SMS opt-in	event_list	SMS_CONSENT_UPDATED.ACCOUNT	a.newStatus = “true”		DO NOT USE
29	`OVERSIZED_ITEM_ADDS_EXTRA_SHIPPING_CHARGE`	`Publish when there is an oversized item in cart that adds an extra shipping charge`	event_list	SERVE.PAGE	a. `ovrsze` = true	VAS	NS Validated - 02/15/24
30	SMS_FALSE	Publish when user declines SMS opt-in	event_list	SMS_CONSENT_UPDATED.ACCOUNT	a.newStatus = “false”		DO NOT USE
31	CART_THRESHOLD_MESSAGE_SHOWN	Publish when user is shown cart threshold message	event_list	SERVE.PAGE	a.thrshmsg = TRUE	VAS	*This is a setting in spark setup 

32	SMS_PENDING	Publish when user has not responded to SMS opt-in	event_list	SMS_CONSENT_UPDATED.ACCOUNT	a.newStatus = “pending”		DO NOT USE
33	DAILY_DEALS_ELIGIBLE	Publish when the product displayed on a PDP/FPP is a Daily Deals eligible PID	event_list	SERVE.PAGE	a.ddeligible = TRUE and page type = PDP/FPP	VAS	PRODUCT DISC... • AB Validated 11/28/23
34	SMS_UPDATED_ACCOUNT	Publish when user has not responded to SMS opt-in	event_list	SMS_CONSENT_UPDATED.ACCOUNT	event exists		DO NOT USE
35 NOT CREATED	NEW_ALT_IMAGE_VIEW	Publish whenever a user engages to see a new alt image	event_list	VIEW_ALT_MEDIA.PRODUCT	event exists		
36	PDP_COUPON_PRESENT	Publish when the PDP Coupon checkbox is displayed on the PDP/FPP pages	event_list	SERVE.PAGE	a.pdpcpn = TRUE	VAS	COUPON • AB Validated 11/21/23
37 NOT CREATED	LAST_ALT_IMAGE	Publish when a user views the last alt image	event_list	VIEW_ALT_MEDIA.PRODUCT	a.midx = a.mcount		
38	COUPON_ELIGIBLE_LEVEL	Publish when an item in cart is eligible		GET.CART UPDATE.CART	a.shpgrps.qualifiedRewardContext.ply		AB Validated Apr 20, 2026

		for a coupon to be applied		PLACE.ORDER	typ = "COUPON"		
39	REWARD_CONTEXT	Publish when an item is eligible for a promotion		GET.CART UPDATE.CART PLACE.ORDER	a.shpgrps.qualifiedRewardContext exists		AB Validated `Apr 17, 2026`
40	NOT_ELIGIBLE_CART	Publish when no item has an eligible promotion (entire cart)		GET.CART UPDATE.CART PLACE.ORDER	a.shpgrps.qualifiedReward context does not exists		AB Validated `Apr 17, 2026`
41	NOT_ELIGIBLE_PID_ALERT	Publish when there is one or more items is not eligible		GET.CART UPDATE.CART PLACE.ORDER	true when at least one item in `shpgrps.shpgrpitms` does NOT have any `qualifiedRewardContexts` (field missing or an empty array).		AB Validated `Apr 17, 2026`
42	CONTINUE_CHECKOUT	Publish when a user clicks continue		SELECT.BUTTON	a.bid contain "checkout		AB Validated `May 5, 2026`

		checkout button on cart			-button-cart"		
43	HYPER_SPEED_ELIGIBLE_ON_S3	Publish when user get eligible for Hyper speed on S3 (national)	event_list	LAND_SHIPPING.CART	a.hypselig = TRUE	exp-prep	HYPERSPEED
44	ONSITE_COUPON_USED	Release this event when user uses on site coupon	event_list	APPLY.PROMO	a.pcd not null and a.osp not null and a.pcd = a.osp	Event List Generator	COUPON
45 NOT DEPLOYED	PAYPAL_CART_CONTINUE	Publish when a user clicks continue chkt button or paypal button on cart		SELECT.BUTTON	a.bid contain "checkout-button-cart" or a.bid contains "paypal-button-cart-horizontal" or a.bid contains "paypal-button-cart-vertical"		

46 NOT DEPLOYED	RATING_ABOVE_4.5	Publish when an items ratings is above or equal to 4.5		SERVE.PRODUCT	a.reviews.overAllRating >= 4.5		
47 NOT DEPLOYED	RATINGS_ATLEAST_TEN	Publish when an item have >= 10 reviews		SERVE.PRODUCT	a.reviews.totalRating >= 10		
51	SITE_ERRORS	This includes etags 413 and 414. Etag 51 is a place holder					
52	SEARCH_BOX_ENGAGEMENT	Release this event when user engaged with search box * For search, “trending is shown whenever the search box is engaged, so exposure is 100% when the search box is engaged	event_list	SELECT.QUERY	a.rtyp = 1 OR a.uac = 6	Event List Generator	• AB Validated 10/31/23
57	DTI_PRODUCT_VIEW	Publish when user lands on FPP or DTI page	event_list	SERVE/VIEW/RENDER.PAGE	page type = FPP/DTI	VAS	

63	UNSUCCESSFUL_COUPON_APPLIED	Publish when coupon applied is unsuccessful	event_list	APPLIED.COUPON	ac.a.sca = FALSE	exp-prep	COUPON
64	SUCCESSFUL_COUPON_APPLIED	Publish when coupon is applied successfully	event_list	APPLIED.COUPON	ac.a.sca = TRUE	exp-prep	COUPON AB Validated: 05/16/2024
65	COUPON_CODE_ATTEMPT	Publish when user apply coupon code	event_list	APPLIED.PROMO	when `a.pcd` is not null and `a.osp` is not null	exp-prep	COUPON
71	`FANCASH_REGISTRATION_CLICK`	`Publish when user clicks on Fancash registration`	event_list	`SELECT.BUTTON`	`col("a.bid") == "fancash-register"`	Event List Generator	FANCASH
72	`FANCASH_REGISTRATION_IMPRESSIONS`	`Publish when Fancash registration form is rendered` ***implemented only on THKU	event_list	SERVE.PAGE	a. `fncshreg` = true	VAS	FANCASH
77	`SHIP_TO_BILLING_ADDRESS`	`Publish when user selects`	event_list	`SELECT.CHECKBOX`	`a.elid = billing`	Event List Gen	

		checkbox for shipping to billing address			- address and a.elctx = checkboxShipToBillingAddress	Event List Generator	
78	MULTIPLE_DC_SHIP	Publish when user's order will be ship imultiple shipment	event_list	SERVE.PAGE	a.mltshp = TRUE	VAS	
79	MULTI_STAGE_QUERY	Publish when there is a multi-stage query from user for search	event_list	FIND.PRODUCT	size(a.sptys.spbg) > 0 * a.sptys.spbg will only be populated when a.sptys.ictr = false (unconstrained search)	VAS	
80	FANCASH_BANKING_ENGAGEMENT_CHECKED	Publish when checkbox status is checked for fancash	event_list	SELECT.CHECKBOX	"a.els" = "checked" "a.elid	Event List Generator	FANCASH

		banking engagement			`" = "saveFanCash"`		
81	`FANCASH_BANKING_ENGAGEMENT_UNCHECKED`	Publish when checkbox status is unchecked for fancash banking engagement	event_list	`SELECT.CHECKBOX`	`"a.els" = "unchecked" "a.elid" = "saveFanCash"`	Event List Generator	FANCASH
84	HYPER_SPEED_ELIGIBLE_ON_PDP_FPP	Publish when user get eligible for Hyper speed on PDP/FPP (also fired on grid pages) (national)	event_list	LAND_SHIPPING.PRODUCT	a.hypselig = TRUE and a.hypseligpids contains pdp product id	exp-prep	HYPERSPEED
88	JERSEY_ASSURANCE_ELIGIBLE	Publish when product is eligible for jersey assurance	event_list	SERVE.PAGE	a.jaeligible = TRUE	VAS	
90	SHIPPING_UPSELL_PRESENT	Publish when user is shown shipping upsell	event_list	SERVE.PAGE	a.shpupsl is not null	VAS	
105	PILLS_ENGAGEMENT	Publish when there is Pill Engagement	event_list	SELECT.LINK	lctx contains *pills*	exp-prep	
107	LEFT_NAV_ENGAGEMENT	Publish when user interact with Left	event_list	UPDATE_FILTER.PRODUCT	cft exists	Event List Gen	

		navigation, current when user update product filter ***Any filter being applied, which includes left nav and pills				erator	
112	FANCASH_EARNED	Publish when user earned fancash on placing order	event_list	PLACE.ORDER	a.fce.admCV	exp-prep	FANCASH
114	`FANCARD_PAYMENT`	`Published when user clicks on fancard payment button`	event_list	`SELECT.BUTTON`	a.bid = `"fancard-button"` and a.bctx = `"CARD_LOOKUP"`	Event List Generator	
115	FANCARD_APPLY	Publish when user click on fancard apply button	event_list	SELECT.LINK	lid contains *fancard-promo-apply-now*	Event List Generator	
116	USER_SIGNUP_ACCOUNT_TYPE	Publish when user registration account type is "USER ALL"	event_list	REGISTER.ACCOUNT	a.accountType = USER ALL	Event List Generator	
117	PRICE_MATCH_GUARANTE	Publish when product is	event_list	SERVE.PAGE	a.prcmtch = TRUE	VAS	

	E_ELIGIBLE	eligible under price match guarantee					
118	PRICE_MATCH_GUARANTEE_LEARN_MORE	Release this event when user click on price match learn more button on PDP or FTI page	event_list	SELECT.LINK	a.lid = price-match-learn-more	Event List Generator	
119	CRM_OR_FANID_REGISTRATIONS	Publish when user registration account type is "CRM" or "FANID"	event_list	REGISTER.ACCOUNT	a.accountType = “CRM” or “FANID”	Event List Generator	
121	TOP_NAV_ENGAGEMENT	Publish when there is Top Nav Engagement	event_list	SELECT.LINK	lid contains t*opnav* OR a.bctx contains “navigation-content-surface.navigation-content-body-surface” OR `a.bid` contains	exp-prep	• AB Validated 10/31/23AB Validated 10/31/23

					"topnav"		
135	LOCAL_HYPER_SPEED_ELIGIBLE_ON_PDP_FPP	Publish when user get eligible for local Hyper speed on PDP/FPP (also fired on grid pages)	event_list	LAND_SHIPPING.PRODUCT	a.lochypselig = TRUE and a.hypseligpids contains pdp product id	exp-prep	HYPERSPEED
138	AUCTION_INTERACTION	Publish when user visits auction pdp page	event_list	SERVE.PAGE	a.spcevnt = auction	VAS	AUCTIONS
139	`PRODUCTDROP_INTERACTION`	Whether this PDP is part of a product drop special event	event_list	SERVE.PAGE	a.spcevnt = “productdrop” or “raffle” <tbd: check string casing>	VAS	
140,141, 142,143	DERIVED_EXCLUSION	Publish when user is eligible for derived exclusion DE 0/1: 140 DE 2: 141 DE 3: 142 DE 4: 143	event_list	SERVE/VIEW/RENDER.PAGE	a.dex	VAS	
144,145	CLEARANCE	Publish when item is	event_list	SERVE/VIEW/RENDER.PAG	a.clrn	VAS	PRODUCT DISC...

		eligible under clearance Clearance: 144 Non-Clearance: 145		E			• AB Validated 11/28/23
176	LOCAL_HYPER_SPEED_ELIGIBLE_ON_S3	Publish when user get eligible for local Hyper speed on S3	event_list	LAND_SHIPPING.CART	a.lochypseligible = TRUE	exp-prep	HYPERSPEED
201	USER_LOGGEDIN	Publish when user account state is logged in	event_list	SERVE.PAGE	lower(`user_account_state`) = “ `logged in` “	exp-prep	FANCASH AB Validated: 04/16/2023
202	USER_RECOGNIZED	Publish when user account state is recognized	event_list	SERVE.PAGE	lower(`user_account_state`) = “ `recognized` “	exp-prep	FANCASH AB Validated: 04/16/2023
203	SIGN_IN_ORIGINATION_PAGE	Publish when the current page is sign-in origination page	event_list	SERVE.PAGE	col(`user_account_state`) != “ `logged in` “ && `lead(col(user_account_state)`	exp-prep	FANCASH AB Validated: 04/14/2024

					`, 1)` = “`logged in`“		
204	SIGNED_IN_PAGE	Publish when current page is sing-in event page	event_list	SERVE.PAGE	col(`user_account_state`) = `“logged in" && lag(col(user_account_state), 1)` != “`logged in`“	exp-prep	FANCASH AB Validated: 04/14/2024
205	ALT_IMAGE_AVAILABLE	Publish when a PDP/FPP has alt image available	event_list	SERVE.PRODUCT	a.altImagesCount >0	VAS	
206	PRODUCT_NEW_ARRIVAL_ELIGIBLE	Publish when a product is "New Arrival"	event_list	SERVE.PRODUCT	a.NewArrival	VAS	VIBRANCY/BA...
207	PRODUCT_NEW_ARRIVAL_VIEWED	Publish when a product viewed on PDP/DTI is "New Arrival"	event_list	VIEW/RENDER/SERVE.PAGE	a.`newarrival`	VAS	VIBRANCY/BA...
208	FANCASH_WITH_PURCHASE_ELIGIBLE_CART	Publish when a cart is eligible for “Free Item with Purchase -	event_list	VIEW/SERVE.PAGE	a.`giftwpurch.type` = ‘FANCASH’	VAS	FANCASH AB Validated: 10/30/2023

		FanCash” line item					
211	PRODUCT_COUPON_ELIGIBLE	Publish when a product is eligible for coupon on PDP/DTI	event_list	SERVE.PRODUCT	a.ff_a_cpnelig = true	VAS	PRODUCT DISC... • AB Validated 11/28/23
212	ALT_IMAGE_NOT_AVAILABLE	Publish when alt image count is zero on a PDP/FPP	event_list	SERVE.PRODUCT	a.altImagesCount >0	VAS	
213	COLOR_SWATCH_AVAILABLE	Publish when a product has color swatches available on PDP/DTI	event_list	SERVE.PRODUCT	a.cswatchavail >0	VAS	AB Validated: 10/30/2023
214	JERSEY_ASSURANCE_WITH_PURCHASE_ELIGIBLE_CART	Publish when a cart is eligible for “Free Item with Purchase - JERSEY_ASSURANCE” line item	event_list	VIEW/SERVE.PAGE	a.giftwpurch.type = JERSEY_ASSURANCE	VAS	• AB Validated 07/10/23
215	CART_HAS_DAILY_DEALS_SAVINGS	Publish when the cart has daily deals savings	event_list	GET.CART UPDATE.CART	a.dddisc >0	Event List Generator	CART_SAVINGS AB Validated: 05/16/2024

216	CART_HAS_COUPON_SAVINGS	Publish when the cart has coupon savings	event_list	GET.CART UPDATE.CART	a.cpndisc >0	Event List Generator	CART_SAVINGS AB Validated: 05/16/2024
217	CART_HAS_OTHER_MARKDOWN_SAVINGS	Publish when the cart has other markdown savings * non-daily deals markdown savings	event_list	GET.CART UPDATE.CART	a.othermarkdowndisc >0	Event List Generator	CART_SAVINGS AB Validated: 05/16/2024
218	SIZE_NOT_SELECTED_ERR	Publish when users see the error messaging without having selected size when clicking on ATC on PDP	event_list	ADD_ITEM.CART	a.err = “size required”	Event List Generator	
219	PRE_ORDER_ELIGIBLE_PRODUCT	Publish when a product is Pre-Order eligible	event_list	product SCD		exp-prep	
220	PRODUCT_IS_CUSTOMIZED	Publish when a product from AMDI dataset is customized	event_list	product SCD		exp-prep	

221	ITEM_QUANTITY_ADDED_TO_CART	Publish whenever an Item is added to cart	event_list	UPDATE_ITEM.CART	`a.qtydelta` >0	Event List Generator	
222	ITEM_QUANTITY_REMOVED_FROM_CART	Publish whenever an Item is removed from cart * Removing/decreasing quantity, NOT x-out and dropping the product	event_list	UPDATE_ITEM.CART	`a.qtydelta` <0	Event List Generator	
223	ITEM_SIZE_UPDATED_CART	Publish when size is updated in cart	event_list	UPDATE_ITEM.CART	`a.updtype` contains “size”	Event List Generator	
224	CART_EMPTIED	Publish when cart is completely emptied	event_list	EMPTY.CART	when the event exists	Event List Generator	AB Validated 4/26/24
225	CART_HAS_TOTAL_SAVINGS	Publish when the cart has total savings	event_list	GET.CART UPDATE.CART	`a.svngs` >0	Event List Generator	CART_SAVINGS
226	CART_HAS_MARKDOWN_S	Publish when the cart has	event_list	GET.CART	`a.mkdndisc` >0	Event List	CART_SAVINGS

	AVINGS	markdown savings * total markdown savings		UPDATE.CART		Generator	AB Validated: 05/16/2024
227	CART_HAS_SHIPPING_SAVINGS	Publish when the cart has shipping savings	event_list	GET.CART UPDATE.CART	`a.shpdisc` >0	Event List Generator	CART_SAVINGS AB Validated: 05/16/2024
228	CART_HAS_DISCOUNTS	Publish when the cart has any type of discount savings	event_list	GET.CART UPDATE.CART	`a.svngs` >0 or `a.shpdisc` >0	Event List Generator	CART_SAVINGS AB Validated: 05/16/2024
229	SLIVER_PROMO_MODAL	Publish when user sees the sliver promo modal	event_list	VIEW_MODAL.PAGE	`a.mdn` = "entry-modal" and `a.mdv` = "sliver" and `a.tgv` = “new session”	Event List Generator	
230	TEAM_ID_AVAILABLE	Publish when team_id is available	event_list	SERVE/VIEW/RENDER.PAGE or SERVE.PRODUCT	SERVE/VIEW/RENDER.PAGE.tm or Query param tag: t	Event List Generator	• AB Validated 10/31/23 ◦ DO NOT USE

					SERVE.PRODUCT a.team		
231	DEPARTMENT_ID_AVAILABLE	Publish when department_id is available	event_list	SERVE/VIEW/RENDER.PAGE	Query param tag: d	Event List Generator	
232	BET_AND_GET_JERSEY_SHOWN	Publish when a user sees the Bet & Get Jersey	event_list	VIEW_MODAL.PAGE	`a.mdn` = "fbg-claim-offer" and `a.mdv` = "bet-and-get-offer"	Event List Generator	FBG
233	UTM_PARAMS_HAVE_EXACT_MATCH	Publish when matchtype = "e" (UTM params have exact match) exists in the page_url	event_list		`page_url` contains matchtype = “e”	VAS	
234	FBG_FREE_JERSEY_COUPON_USED_ORDE	Publish when FBG free jersey coupon is used in an order	event_list	DRAFT_FINALIZED.ORDER	`a.prmnm` like “FBG%” OR `a.prmnm` like “PB%”	Event List Generator	
235	FANCASH_AVAILABLE_OVER100	Publish when available fancash meets the	event_list	VIEW.PAGE	`a.fcshavail` >=100	VAS	

		threshold of 100 dollars					
236	DEVICE_TYPE_DESKTOP	Publish when device type is desktop	event_list	SERVE/VIEW/RENDER.PAGE	`d.dvt` = 'desktop'	exp-prep	
237	DEVICE_TYPE_MOBILE	Publish when device type contains mobile	event_list	SERVE/VIEW/RENDER.PAGE	`d.dvt` contains 'mobile'	exp-prep	
238	DEVICE_TYPE_TABLET	Publish when device type is tablet	event_list	SERVE/VIEW/RENDER.PAGE	`d.dvt` = 'tablet'	exp-prep	
239	RETURN_ELIGIBLE_PRODUCT	Publish when a product is return eligible	event_list		when the product_id in `product_scd.shipdetail_id` contains any of the following: 0→ Ohio Warehouse (FROW) 4310 → Commonwealth Warehouse (CW) 4311 → Hybrid Warehous	exp-prep	AB Validated: 08/27/2024

					e (Ohio, CW, LV) 5379 → Las Vegas Warehouse (LV) 7927 → FI, Chaddert on In-Stock, Ships 0 Days 9398 → Demand Made NTP Upsell - (1 day) - controlled via Spark Tool 5494 10441 10542 10539 10537 10540 10541 10538 10927 3721		

					4300 10543		
240	PRODUCT_RATINGS_EXPANDED	Publish when user expand the product ratings component on PDP	event_list	VIEW_DETAILS.PRODUCT	a.act = “opening” AND a.aid = “ratings-summary” AND a.aos = “initially collapsed”	Event List Generator	AB Validated: 11/15/2023
241	WEB_GO_LIVE_DATE_AVAILABLE	Publish when webgolive date is available for a product (* specifically, when a product is eligible for discounts)	event_list	SERVE.PRODUCT	a.webgolivedate is not null, and also has ANY any of the following: e33 (daily deals eligible), or e144 (clearance eligible), or e211 (coupon eligible) or	VAS	PRODUCT DISC... • AB Validated 11/28/23

					e245 (markdown eligible)		
242	PRODUCT_STAR_RATINGS_CLICKED	Publish when user clicks on the product star ratings on PDP	event_list	SELECT.LINK	a.lid = “product-rating” AND a.lctx like “%product-title%”	Event List Generator	
243	HIGH_PROFILE_PRE_ORDER_ELIGIBLE_PRODUCT	Publish when user sees a high profile pre-order eligible product	event_list	VIEW_ATTRIBUTES.PRODUCT	length(a.splpresellpids) >0	Event List Generator	
244	CART_ELIGIBLE_FOR_PDD	Publish when a cart is eligible for PDD (Promised Delivery Date)	event_list	LAND_SHIPPING.CART	a.pddEligSM = true	Event List Generator	
245	MARKDOWN_ELIGIBLE	Publish to identify markdown eligible products	event_list	SERVE.PRODUCT	a.price.markdownAmount.admCV> 0	VAS	PRODUCT DISC... • AB Validated 11/28/23
246	CART_ELIGIBLE_FOR_PDD_NO_HYPERSPEED	Publish when a cart is eligible for PDD (Promised Delivery Date)	event_list	LAND_SHIPPING.CART	a.pddEligSM = true AND a.lochypseligible = false	Event List Generator	

		with no hyperspeed eligible products			AND a.hypselig = false		
247	UNCONSTRAINED_SEARCH	Publish when users see an unconstrained search experience ** If search yields <10 matching products, additional products (similar to keyword searched) are appended to the results. These additional products are unconstrained search results.*	event_list	FIND.PRODUCT	a.sptys.icstr = false	VAS	
248	CONSTRAINED_SEARCH	Publish when users see a constrained search experience ** If search yields 10 or more products then*	event_list	FIND.PRODUCT	a.sptys.icstr = true	VAS	

		additional products aren't appended to the results.					
~~249~~	~~UNCONSTRAINED_SEARCH_PDP~~	~~Publish when users land on a PDP from an unconstrained search result~~	~~event_list~~	~~FIND.PRODUCT~~	~~a.sptys.icstr = false, AND pn = PDP, AND rpn = SRP~~	~~VAS~~	~~**DO NOT USE**~~
~~250~~	~~CONSTRAINED_SEARCH_PDP~~	~~Publish when users land on a PDP from a constrained search result~~	~~event_list~~	~~FIND.PRODUCT~~	~~a.sptys.icstr = true, AND pn = PDP, AND rpn = SRP~~	~~VAS~~	~~**DO NOT USE**~~
251	FULLY_TAGGED_SEARCH_TERM	Publish when a search term is fully tagged	event_list	FIND.PRODUCT	a.sptys.ift = true	VAS	
252	PARTIALLY_TAGGED_SEARCH_TERM	Publish when a search term is partially tagged	event_list	FIND.PRODUCT	a.sptys.ift = false	VAS	
253	PLAYER_TAGGED_SEARCH_TERM	Publish when a search term is tagged with a player	event_list	FIND.PRODUCT	a.sptys.qtfl.fl contains "a-" AND NOT include "ga-"	VAS	AB Validated - 05/08/24

254	SIZE_SELECTED_PDP	Publish when user selects size on a PDP	event_list	SELECT.LINK SELECT.ITEM	a.lid like '%size%' AND a.lctx like '%pdp-buy-box% * Added the following condition on 10/15/2024 to capture missing Fanflow tracking OR SELECT.ITEM exists	exp-prep	
255	PRODUCT_IS_100_PERCENT_OUT_OF_STOCK	Publish when a product is 100% out of stock	event_list	SERVE.PAGE	(lower(available_sizes) like "%out of stock%" , OR available_sizes is null, OR lower(available_sizes) = 'null')	exp-prep	Coming from direct or abandoned session refreshes AB Validated: 08/16/2024

					AND NOT (available_sizes is null AND unavailable_sizes is null)		
256	PRODUCT_IS_100_PERCENT_IN_STOCK	Publish when a product is 100% in stock	event_list	SERVE.PAGE	(unavailable_sizes is null, OR lower(unavailable_sizes) = 'null', OR lower(available_sizes) like "%no size%") AND NOT (available_sizes is null AND unavailable_sizes is null) AND NOT lower(available_sizes) = 'out of stock'	exp-prep	AB Validated: 04/09/2024
257	PRODUCT_AT LEAST_ONE_SIZE_OUT_OF_STOCK	Publish when at least one size of	event_list	SERVE.PAGE	array_length(unavailable_sizes	exp-prep	AB Validated: 04/09/2024

		product is out of stock			) >=1, AND NOT unavailable_sizes is null, OR lower(unavailable_sizes) = 'null', OR lower(available_sizes) like "%no size%"		
258	SUB_DEPARTMENT_PILLS	Publish when users see sub-department pills * Data prior to 4/26 was mostly noise, where SEARCH.PRODUCT included empty search queries	event_list	SEARCH.PRODUCT FIND.PRODUCT VERTEX_FIND.PRODUCT	a.uqfl contains all of `"o-", "t-", "ga-", "d-"`, AND a.ds is null, AND page_type in SRP or contains .*LP in the page_type (which is GRID pages)	Event List Generator	AB Validated: 02/19/2024

259	BREADCRUM_ENGAGEMENT	Publish when users engage with the breadcrumb	event_list	SELECT.LINK	a.lctx like '%breadcrum%' and a.lid like ‘%breadbrum%’	Event List Generator	
260	SUPERBOWL_ELIGIBLE_PRODUCT	Publish when users see superbowl eligible products	event_list		`product_group_id` contains “14432”	Product SCD	
261	CHECKOUT_BUTTON_CLICKED	Publish when users click on the checkout button	event_list	SELECT.BUTTON	a.bid like "%continue-checkout%" OR “%checkout-button%”	Event List Generator	AB Validated: 05/16/2024
262	GENDER_AGE_FEATURED_DEPARTMENTS_FACETS	Publish when "Gender/Age" and "Featured Departments" facets are available to the user	event_list	SERVE_FACET.PRODUCT	• `a.facetType` = “navFacets”, where the following conditions are met (a OR b) a. `lower(`	Event List Generator	AB Validated: 03/13/2024

a.face.faceTitle) like '%gender%age%", AND lower(a.face.faceTitle) like '%featured%department%"

b. lower(a.face.faceTitle) like '%siz

					e%", AND `lower(a.facet.facetTitle)` like '%feature d%department%"		
263	ALL_DEPARTMENTS_FACET	Publish when "All Departments" facet is available to the user	event_list	SERVE_FACET.PRODUCT	`a.faceType` = “navFacets”, AND `lower(a.facet.facetTitle)` like '%all%department%"	Event List Generator	
264	CART_ELIGIBLE_FOR_PDD_NON_LOCAL_HYPERSPEED	Publish when a cart is eligible for PDD (Promised Delivery Date) with non local hyperspeed	event_list	LAND_SHIPPING_CART	a.pddEligSM = true AND a.lochypselig = false	Event List Generator	HYPERSPEED

		eligible products					
265	PRODUCT_THUMBNAIL_CLICKED	Publish when users click on the thumbnail/arrow on product pages	event_list	SELECT.BUTTON	a.bctx contains "image-viewer"	Event List Generator	
266	CART_CREATED	Publish when CREATE.CART event is triggered *This will be the page where the add-to-cart action takes place; the event only gets triggered when a first add-to-cart event happens. You only lose that cart if you check out (place an order) or if it expires by time (which is current week + 7 weeks in the database).	event_list	CREATE.CART			

		This is a FF new event from 2/13/2024 • If you add something to cart today, you're assigned a cart_id (and corresponding CREATE.CART event). • However, even if you empty the cart today and come back tomorrow to cart, you still keep that same cart_id, up until you place an order or the same cart_id reaches the expiration date. In (b), you don't						

		get any CREATE.CART event.					
267	RECENTLY_VIEWED_CAROUSEL	Publish when the “Recently Viewed” carousel is available on page	event_list	VIEW.RECOMMENDATION	`a.agid` = "RECENTLY_VIEWED", AND cardinality(`a.rpids`) >0	Event List Generator	AB validated 9/30 *Note this is dependent on how lazy load is on a page
268	TYPEAHEAD_ARROW_SUGGESTIONS	Publish when user engages with typeahead arrow suggestions	event_list	SELECT.QUERY	a.uac = “7”	Event List Generator	
269	SUB_DEPARTMENT_PILLS_LEAGUE_SPECIFIC	Publish when users see sub-department pills on league specific sites * Data prior to 4/26 was mostly noise, where SEARCH.PRODUCT included empty search queries	event_list	SEARCH.PRODUCT FIND.PRODUCT VERTEX_FIND.PRODUCT	• a.uqfl contains `"t-"`, `"ga-"`, `"d-"` (all conditions present) • a.ds is null • page_type in	Event List Generator	AB Validated `Feb 24, 2026`

					SRP or contains .*LP in the page_type (which is GRID pages)		
270	COOKIE_CONSENT_PREFERENCES	Publish when users save their cookie consent preferences	event_list	SELECT.BUTTON	a.bid = "save-privacy-preferences"	Event List Generator	
271	CART_EMPTY	Publish when a cart becomes empty * 271: there are no products in cart (vs 224: when users explicitly empty their carts)	event_list	GET.CART UPDATE.CART	page_type = 'CART' and coalesce(cardinality(list_of_products_array),0) =0	exp-prep	AB Validated 4/26/24
272	PLAYER_FACET	Publish when the player facet is available to the user	event_list	SERVE_FACET.PRODUCT	a.faceType = “navFacets”, AND lower(a.facet.facetTitle) like “%player%” OR	Event List Generator	

					“%joueur%” OR “%jugadore%”		
273	PLAYER_FACET_MOBILE	Publish when the player facet is available to the user on mobile	event_list	SERVE_FACET.PRODUCT SELECT.LINK	(a.faceType = “navFacets”, AND lower(a.facet.facetTitle) like “%player%” OR “%joueur%” OR “%jugadore%”) AND (a.lctx like “%player%” OR “%joueur%” OR “%jugadore%”)	Event List Generator	
274	SIZE_FACET	Publish when the size facet is available to the user	event_list	SERVE_FACET.PRODUCT VIEW.PAGE	`a.faceType` = "navFacets", AND lower(`a.facet.FacetTitle`) like “%size%” AND	Event List Generator	

					lower(`a.facet.FacetTitle`) like “%plus%” OR “%big%tall%” AND `a.layt` = “PRODUCT_GRID_WITH_SIDE_NAV”		
275	TYPEAHEAD_PRIMARY_TAGS	Publish when primary tags of a typeahead suggestion are shown	event_list	FIND.PRODUCT	a.tar.tags is not null	exp-prep	AB Validated: 07/22/2024
276	TYPEAHEAD_SEARCH_EXISTS	Publish when typeahead search exists * AND also when the typeahead query is accepted	event_list	SEARCH.QUERY SELECT.QUERY	`SELECT.QUERY.uac` = 2 AND `a.uslct` >=0	ELG	
277	`USER_QUERY_FILTER_EXISTS`	Publish when user query filter exists	event_list	SEARCH.PRODUCT FIND.PRODUCT	`a.uqfl` exists	ELG and VAS	AB Validate: `Feb 24, 2026`

				VERTEX_FIND.PRODUCT			
278	TYPEAHEAD_EXISTS_SEARCH	INTERNAL USAGE	N/A	SEARCH.QUERY	Used in conjunction with 278 to identify when 276 should be applied	ELG	
279	TYPEAHEAD_EXISTS_SELECT	INTERNAL USAGE	N/A	SELECT.QUERY	Used in conjunction with 277 to identify when 276 should be applied	ELG	
400	HYPER_SPEED_ELIGIBLE_ON_CAROUSEL_OR_GRID	Publish when user sees hyper speed eligible product on carousel or grid (national)	event_list	LAND_SHIPPING.PRODUCT	a.hypselig = TRUE **and** (if page type is PDP/FPP then a.hypseligpids contains more product or different product than	exp-prep	HYPERSPEED

					product page **or** if page type is any other page)		
401	LOCAL_HYPER_SPEED_ELIGIBLE_ON_CAROUSEL_OR_GRID	Publish when user sees local hyper speed eligible product on carousel or grid	event_list	LAND_SHIPPING.PRODUCT	a.lochypseelig = TRUE **and** (if page type is PDP/FPP then a.hypseligpids contains more product or different product than product page **or** if page type is any other page)	exp-prep	HYPERSPEED
402	AUTO_COUPON_APPLIED	APPLY.PROMO is attempting a	event_list	APPLY.PROMO	a.mnul is FALSE	Event List Gen	COUPON

		promotion based on some automatic source				erator	
403	PDP_COUPON_CHECKBOX_SELECTED	User interacted with PDP coupon checkbox (on PDP or DTI) (as of 2022-10-20, this checkbox is one-way only).	event_list	SELECT.BUTTON	a.bid (button_id) is `pdp-coupon-checkbox` or ff_et: `SELECT.CHECKBOX` • `ff_a_elid` like "%pdp-coupon-checkbox%"	Event List Generator	COUPON
404	TOPPS_NOW_PRODUCT	PDP is a Topps Now product	event_list	SERVE/RENDER/VIEW.PAGE	a.pd points to a product that has `Topps Now` as brand in `product_scd`	Visitor-Activity-Stream and Product-Lookup-	

						Stream	
405	SINGLE_DAY_EVENT	Product Event Single Day Duration	event_list	SERVE.PRODUCT	a.spev.endTime - a.spev.startTime is positive and 1 day or less (inclusive)	Visitor-Activity-Stream	
406	MULTI_DAY_EVENT	Product Event Multi Day Duration	event_list	SERVE.PRODUCT	a.spev.endTime - a.spev.startTime is positive and more than 1 day (strictly greater)	Visitor-Activity-Stream	
407	`ENTER_BIDDING`	Reserved for auctions usage. Intent to enter bid. Both on PDP and the registration funnel.	event_list	SELECT.BUTTON, SERVE.PAGE, VIEW.PAGE, RENDER.PAGE	bid = `"auction-enter-to-bid-cta"` ff_pv = “Auction“, ff_pn = “LOGN“ OR “RGTR“ OR “ADNW“ OR “PYNW“	Event-List-Generator Visitor-Activity-Stream	AUCTIONS

408	`CONFIRM_BID_MODAL`	Reserved for auctions usage.	event_list	`VIEW_MODAL.PAGE`	a.mdn = `"auction-confirmation-modal"`		AUCTIONS
409	`BID_CONFIRMATION`	`Publish when user places a bid`	event_list	PLACE_BID.AUCTION	It is fired for all PLACE_BID.AUCTION events	Event-List-Generator	AUCTIONS
410	ENHANCED_LOCAL_HYPER_SPEED_ELIGIBLE_ON_PDP_FPP	Featured product of PDP/FPP is part of enhanced local hyperspeed	event_list	LAND_SHIPPING.PRODUCT	`a.enlochypseligi` is true AND `a.enhypseligpids` contains pdp product id	Preprocessor	HYPERSPEED
411	ENHANCED_LOCAL_HYPER_SPEED_ELIGIBLE_ON_CAROUSEL_GRID	Some product is part of enhanced local hyperspeed	event_list	LAND_SHIPPING.PRODUCT	`a.enlochypseligi` is true AND `a.enhypseligpids` contains more than just the PDP product id	Preprocessor	HYPERSPEED

412	ENHANCED_LOCAL_HYPER_SPEED_ELIGIBLE_ON_S3	Enhanced local hyperspeed on S3/CART	event_list	LAND_SHIPPING.CART	a. `enloc hypselig` is true	Preprocessor	HYPERSPEED
413	`ADD_ITEM_TO_CART_ERR`	Add to cart errors	event_list	`ADD_ITEM.CART`	`a.err` is not null	Event-List-Generator	
414	`CC_PAYMENT_DECLINE_ERROR`	CC authorization errors	event_list	`AUTH_REJECTED.PAYMENT`	eo = `payment-mgt-service`	Event-List-Generator	
415	`ADD_ITEM_TO_WATCHLIST`	`Publish when user adds products to watchlist`	event_list	ADD_ITEM_TO_WATCHLIST.AUCTION	It is fired for all ADD_ITEM_TO_WATCHLIST.AUCTION events	Event-List-Generator	AUCTIONS
416	`TEAM_IN_CONTEXT_SEARCH`	`Publish when team in-context search is enabled for the user`	event_list	~~SEARCH.PRODUCT~~ `SELECT.QUERY`	~~entry in a.uqfl starting with 't.*' a.purl contains team tag starting with "t."~~ `tm` is not null and	Event-List-Generator	

					`a.uac = 2`		
417	`EXIT_LINK`	`Publish when link domain is different from the domain user is visiting`	event_list	`SELECT.LINK`	`col("a.href").rlike("www") && !col("a.href").rlike("redirect_uri") && HREF_DOMAIN != PURL_DOMAIN`	Event-List-Generator	
418	`DUTY_FEE_EXISTS`	If the user has a duty fee on the order ***Duty fee is only applicable on international sites. Currently, NAOM websites like 510005 do not have fields for `deldutypaidtot` in football database.	event_list	`CREATED.ORDER GET.CART`	~~`a.delduty paidtot.userCV > 0`~~ `a.deldutypaiddspdscntdtot.userCV > 0`	Event-List-Generator	

		Once we move to GOM, even 510005 will start using `deldutypaidtot`.					
419	`GIFT_CARD_PAYMENT_SUCCESS`	`Publish when Gift card transaction payment status is success`	event_list	`GIFT_CARD_APPLIED.PAYMENT`	`a.status = SUCCESS`	Event-List-Generator	
420	`GIFT_CARD_PAYMENT_FAILURE`	`Publish when Gift card transaction payment status is failure`	event_list	`GIFT_CARD_APPLIED.PAYMENT`	`a.status = FAILURE`	Event-List-Generator	
421							
422	`COOKIE_OPTIONS_EXPOSURE`	`Publish when there is an exposure to the cookie consent options`	event_list	`VIEW_MODAL.PAGE`	a.mdn = “marketing cookies consent modal“	Event-List-Generator	
423	`FBG_REGISTRATION_MODAL`	`Publish when users exposed to the registrati`	event_list	`VIEW_MODAL.PAGE`	`a.mdn = "fan-id-registration"`	Event-List-Gen	FBG PURCHASE...

		on start modal in FBG upsell			&& pn = "FRP"	erator	
424	PDP_BADGE_DISPLAY	Publish when the PDP have a badge that displays					
425	EXP_LOCAL_HYPER_SPEED_ELIGIBLE_ON_S3	Publish when user is eligible for hyperspeed with the expansion of regions	event_list	LAND_SHIPPING.CART	a.explochypselig = true && page_type = "CHKT"	Preprocesor	HYPERSPEED
426	EXP_LOCAL_HYPER_SPEED_ELIGIBLE_ON_PDP_FPP	Publish when user is eligible fe63or local Hyper speed on PDP/FPP with the expansion of regions	event_list	LAND_SHIPPING.PRODUCT	a.explochypselig = true && a.exphypseligpids.contains(product_id)	Preprocesor	HYPERSPEED
427	EXP_LOCAL_HYPER_SPEED_ELIGIBLE_ON_CAROUSEL_GRID	Publish when user is eligible for local Hyper speed product on Carousel or grid with the expansion of regions	event_list	LAND_SHIPPING.PRODUCT	a.explochypselig = true && ((a.exphypseligpids.contains(product_id) &&	Preprocesor	HYPERSPEED

					a. `exphy pseligp ids` .size > 1) || !a. `exphy pseligp ids` .con tains(`pro duct_i d`))		
428	TOOLTIP_IMP RESSIONS	`Publish when VIEW_TOOLT IP.PAGE event is triggered to capture tooltip impression s for exposed filters on mobile`	event_ list	VIEW_TOOLT IP.PAGE		Even t list Gen erato r	
429	GIFT_CARD_E LIGIBLE_CAR T	Publish when a CART meets the gift card eligibility threshold (fires on CART/SHPG/ CHKT)	event_ list	GET.CART	a.crnttot.u serCV > 49.99	Even t list Gen erato r	
451	BOLT_USER_D EVICE_AUTHE NTICATED	Publish when bolt user is device authenticated	event_ list	PREFERENCE S_SUBMITTE D.PAYMENT	lower(a.us rt) = "returning _user" && lower(a.p	Even t List Gen erato r	

					mtt) = "bolt" && a.isPrefApr = true && a.isPrefStored = true && pn = "SHPG"		
452	BOLT_USER_DEVICE_NOT_AUTHENTICATED	Publish when bolt user is not device authenticated	event_list	PREFERENCES_SUBMITTED.PAYMENT	lower(a.usrt) = "returning_user" && lower(a.pmtt) = "bolt" && a.isPrefApr = true && a.isPrefStored = false && pn = "SHPG"	Event List Generator	
453	NOTIFY_ME_TRIGGERED	Publish when user subscribes to "notify me" feature for an out of stock item (when NOTIFY_ME.ITEM event is triggered)	event_list	NOTIFY_ME.ITEM	when event is received	Event List Generator	

454	REGISTRATION_WITH_SIGNUP_AND_SAVE	Publish when users register with signup and save reason	event_list	REGISTER.ACCOUNT	a.rsn contains "signUpAndSave"	Event List Generator	FANCASH AB Validated: 05/30/2023
461	`PROMO_UNKNOWN_FAIL`	A promo was added (without explicit logging) and the first application failed.	event_list	APPLY.PROMO, APPLIED.COUPON, SELECT.BUTTON		Preprocessor	
462	`PROMO_UNKNOWN_SUCCESS`	A promo was added (without explicit logging) and the first application failed.	event_list	APPLY.PROMO, APPLIED.COUPON, SELECT.BUTTON		Preprocessor	
463	`PROMO_MANUAL_FAIL`	A promo was added manually (or via checkbox click), and the first application failed.	event_list	APPLY.PROMO, APPLIED.COUPON, SELECT.BUTTON		Preprocessor	

464	`PROMO_MANUAL_SUCCESS`	A promo was added manually (or via checkbox click), and the first application succeeded.	event_list	APPLY.PROMO, APPLIED.COUPON, SELECT.BUTTON		Preprocessor	
465 (Placeholder)	`PROMO_AUTOPDP_FAIL`	Channel added promo for this user and subsequently Failed. Not currently implemented.				Preprocessor	
466 (Placeholder)	`PROMO_AUTOPDP_SUCCESS`	Channel added promo for this user and subsequently succeeded. Not currently implemented.				Preprocessor	
467	MANUAL_COUPON_APPLIED	Publish when manual promo coupon applied	event_list	APPLY.PROMO, APPLIED.COUPON, VIEW_MESSAGES.PROMO	event_list contains `PDP_COUPON_CHECKBOX_SELECTED` (etag 403) || event_list contains `PROMO_MANUAL_S`	Preprocessor	COUPON

					`UCCESS` (etag 464)		
501	`EXPOSE_FILTER_ENGAGEMENT`	Release when user interact with expose facet	event_list	SELECT.BUTTON	a.bid is like `exposed-.*`	Event List Generator	
502	`STATIC_FILTER_SORT_BUTTON`	Release when user engage with static filter and sort button	event_list	SELECT.BUTTON	a.bid equals `static-filter-sort`	Event List Generator	
503	`FLOATING_FILTER_SORT_BUTTON`	Release when user engage with floating filter and sort button	event_list	SELECT.BUTTON	a.bid is like `filter-sort-floating-.*`	Event List Generator	
504	LOGIN_LINK_CLICKED	Publish when user clicks on login link	event_list	SELECT.LINK	a.lid = "account-login"	Event List Generator	FANCASH
505	SIGNUP_LINK_CLICKED	Publish when user clicks on signup link	event_list	SELECT.LINK	a.lid = "account-register"	Event List Generator	FANCASH
506	GEO_SUGGESTED_TEAM_WIDGET_CLICK	Publish when geo suggested team is	event_list	SELECT.LINK	a.lctx contains "TEAM_WIDGET" & a.lid	Event List Generator	DO NOT USE

		clicked from team widget			contains "geo"		
507	NON_GEO_SUGGESTED_TEAM_WIDGET_CLICK	Publish when non-geo suggested team is clicked from team widget	event_list	SELECT.LINK	a.lctx contains "TEAM_WIDGET" & a.lid do not contain "geo"	Event List Generator	DO NOT USE
508	FAVORITED_TEAM_WIDGET_CLICK	Publish when favorited team is clicked from team widget	event_list	SELECT.BUTTON	a.bid contains "save-favorite"	Event List Generator	
509	`FANCASH_BANKING_EXPOSURE`	Publish to indicate Fancash banking exposure/impressions	event_list	SERVE.PAGEVIEW.PAGE	`user_account_state` = “loggedin” or “recognized” AND `fancash_available` > 0 AND page_type = “S3“ or “CART“	Pre Processor	FANCASH AB Validated: 10/30 /2024
510	`SIDE_NAV_ENGAGED`	Publish when Left/ Side nav is engaged	event_list	SELECT.LINK	`a.lctx` contains "side-nav"	Event List Generator	• AB Validated 7/24/23

					AND `a.lctx` does not contain “accordian-title” or “view-more”		
555	`SUCCESSFUL_PRODUCT_SORT`	Release when product are sorted successfully	event_list	SORT.PRODUCT	When event is present	Event List Generator	
556	BET_ELIGIBLE_PRODUCT	Publish when there is Bet eligible PDP (Works on PDP/CART/CHKT pages)	event_list	SERVE.PAGE	a.bet = true	VAS	FBG PURCHASE... • AB Validated 7/30/24
557	`FBG_REGISTER_SUCCESSFUL`	Publish when a user is successfully registered with FBG	event_list	`REGISTER.ACCOUNT`	`a.faind` not null	Event List Generator	FBG PURCHASE...
558	`FBG_REGISTER_ALREADY_REGISTERED`	Publish when a user is already registered with FBG	event_list	`LOOKUP.ACCOUNT`	`a.oft` not null	Event List Generator	FBG PURCHASE...
559	LAST_PURCHASED	Publish when a user sees the last purchased message	event_list	SERVE.PAGE	a. `lstpur` != null and a. `lstpur` != ““	VAS	

560	FREE_BET_AMT_DISPLAYED	Publish when dollar amount of free bets is displayed on S3/CART/THKU pages for users	event_list	`VIEW.OFFER`	`a.amt` != null and `a.amt` != ““	Event List Generator	FBG PURCHASE...
561	ORDER_FBG_ELIGIBLE	Publish when an FBG qualifying order is placed	event_list	PLACE.ORDER	`a.isPurMatch` = true	Event List Generator	FBG PURCHASE...
562	HAMBURGER_MENU_OPEN	Publish when user opens hamburger menu	event_list	SELECT.BUTTON	`a.bctx` = `HAMBURGER_MENU` and `a.bid` = open **OR** `a.bid` = "navigation-control-mobile-trigger"	Event List Generator	ab validated `Apr 1, 2026`
563	HAMBURGER_MENU_CLOSE	Publish when user closes hamburger menu	event_list	SELECT.BUTTON	`a.bctx` = `HAMBURGER_MENU` and `a.bid` = close OR	Event List Generator	AB Validated `Apr 1, 2026`

					`a.bid` = "close-drawer-btn"		
564	`DIGITAL_WALLET_USED`	`Publish when user clicks on digital wallet button`	event_list	SELECT.BUTTON	`a.bid` contains `("paypal-button"` or `"apple-pay"` or `"payment-request"` or `google-pay-button-2`) ~~AND pn = ("CHKT" or "CART" or "SHPG")~~ pn filter removed since 2/19/2024	Event List Generator	AB Validated: 05/16/2024
565	`DIGITAL_WALLET_USED_OR_CHECKOUT_PAGE`	Publish when user clicks on digital wallet button or visit	event_list	SELECT.BUTTON	`a.bid` contains `("paypal-button`	exp-prep	AB Validated: 05/16/2024

		checkout page			`"` or `"apple-pay"` or `"payment-request"` or `google-pay-button-2`) AND pn = `("CHKT"` or `"CART"` or `"SHPG"`), **OR** ~~page_type = 'CHKT'~~ pn filter removed since 2/19/2024		
566	`APPLE_PAY_USED`	Publish when users select Apple Pay during checkout	event_list	SELECT.BUTTON	a.bid contains ("apple-pay") ~~AND pn = ("CHKT" or "CART" or "SHPG")~~	Event List Generator	AB Validated: 05/16/2024

					pn filter removed since 2/19/2024		
567	`APPLE_PAY_USED_WITH_PROMO`	Publish when users select Apple Pay during checkout and applied a promo code	event_list	SELECT.BUTTON	SELECT.BUTTON, where a.bid contains ("apple-pay") ~~AND pn = ("CHKT" or "CART" or "SHPG"),~~ pn filter removed since 2/19/2024 **AND** event_list contains `PDP_COUPON_CHECKBOX_SELECTED` (e403) || event_list contains `PROMO_MANUAL_S`	exp-prep	AB Validated: 05/16/2024

					`UCCESS` (e464)		
568	`SEO_CUSTOM_FACET`	Publish when users see the SEO custom links/facets	event_list	`SERVE_FACET.PRODUCT`	• ff_et: `SERVE_FACE.PRODUCT`, AND • `a.facetType` = "seo_custom_facets"	Event List Generator	DO NOT USE - Feature postponed PST-44
569	`TEAM_SELECTED_JERSEY_ON_GRID_SRP` *Not just jerseys but any department	Publish when users select a Team and department is not null on grid or SRP	event_list	SERVE/VIEW/RENDER.PAGE or SERVE.PRODUCT	event_list contains `TEAM_ID_AVAILABLE` (`230`) AND `DEPARTMENT_ID_AVAILABLE` (231) AND (`PAGE_TYPE` is “SRP“ OR endsWith “LP“)	exp-prep	validated by AB on 4/4/24

570	`ADD_NEW_CREDIT_CARD`	Publish when users add new credit card info	event_list	SELECT.BUTTON	a.bid contains (“`add-new-credit-card`“)	ELG	validated by AB on 4/3/24
571	`PROMO_APPLIED_APPLE_PAY`	`Publish when promo code is enabled on the Apple Pay`	event_list	APPLY.PROMO	a.src contains (“applepay“)	ELG	
572	`NATIONAL_HYPERSPEED_ELIGIBLE`	`Publish when National hyperspeed eligible on PDP/DTI with no Local Hyperspeed eligible`	event_list	LAND_SHIPPING.PRODUCT	`a.hypselig` == true AND `a.lochypselig` == false AND `a.hypseligpids` contains pid	exp_prep	validated by AB on 5/1/24

573	`LOCAL_HPERSPEED_ELIGIBLE`	`Publish when Local hyperspeed eligible on PDP/DTI with no National Hyperspeed eligible`	event_list	LAND_SHIPPING.PRODUCT	`a.hypseligid` == false AND `a.lochypselig` == true AND `a.hypseligpids` contains pid	exp_prep	validated by AB on 5/1/24
575	`SPONSORED_ADS_DISPLAYED_GRID`	`Publish when a user see sponsored listings on grid`	event_list	VIEW.ADS		ELG	validated by AB on 2/13/2025
576	PRE_SELECTED_SIZE_FILTERS	Publish when PDP users have pre-selected size filters from GRID	event_list	SERVE/VIEW.PAGE	regexp_extract(url_extract_query(referer_page_url), '([a-z]s=)',1) is not null page_type = 'PDP' and not regexp_extract(url_extract_query(referer_page_url), '([a-	VAS	AB Validated: 08/27/2024

					z]s=)',1) like '%cs=%'		
577	LEAGUE_OR_TEAM_FACET_WITH_1_OPRION	Publish when a user sees either the league or team facet available contains only 1 facet link	event_list	SERVE_FACET.PRODUCT	a.faceType = ““navFacets” lower(a.facet.facetTitle) like “%team%" OR “%quip%" OR “%league%” OR “%lig%” AND cardinality(lower(a.facet.facetLink)) = 1	ELG	DO NOT USE - Feature postponed PST-52
580	PRODUCT_GRID_WITH_SIDE_NAV	Publish when page layout is “PRODUCT_GRID_WITH_SIDE_NAV”	event_list	VIEW.PAGE	a. layt === "PRODUCT_GRID_WITH_SIDE_NAV"	VAS	
581	DEPARTMENT_GRID_WITH_SIDE_NAV	Publish when page layout is "DEPARTMENT_GRID_WIT	event_list	VIEW.PAGE	a.layt === DEPARTMENT_GRID_WITH_SIDE_NAV	VAS	

		H_SIDE_NAV"					
582	PERSONALIZED_CAROUSEL	Publish when Personalised carousel is available on page	event_list	VIEW.RECOMMENDATION	a.agid === "PERSONALIZED"	ELG	
576	PRE_SELECTED_SIZE_FILTERS	Publish when PDP users have pre-selected size filters from GRID	event_list	VIEW.PAGE/SERVE.PAGE	page_type = 'PDP'	VAS	
585	GEO_BOOSTED_TYPEAHED_SUGGESTION	Publish when a user sees geo-boosted typeahead results	event_list	SEARCH.QUERY	a.qmtc === true	ELG	
586	RECENTLY_SEARCHED_SUGGESTION	Publish when users are exposed to recently searched suggestions	event_list	SEARCH.QUERY	a.qrc is NULL AND a.rcnt > 0	ELG	VALIDATED
587	TRENDING_SEARCHED_SU	Publish when users	event_list	SEARCH.QUERY	a.qrc is NULL	ELG	

	GGESTION	are exposed to trending suggestions			AND a.rcnt > 0		
588	TICKETING_SEARCH_SUGGESTION	Publish when users are exposed to ticketing search suggestions	event_list	SEARCH.QUERY	atleast one of a.tresd.hits has baseSuggestion === 'ticketing'	ELG	
589	GEO_BOOSTED_TYPEAHED_SUGGESTION_ACCEPTED	Publish when a user sees geo-boosted typeahead results and accepted		SEARCH.QUERY SELECT.QUERY	a.gmtc = true AND a.uac = 2 AND a.uslct >=0	ELG	
590	RECENTLY_SEARCHED_SUGGESTION_ACCEPTED	Publish when users are exposed to recently searched suggestions and accept it		SEARCH.QUERY SELECT.QUERY	a.qrc is NULL AND a.rcnt > 0 AND a.uac = 2 AND a.uslc	ELG	VALIDATED

					`t` >=0		
591	`TRENDING_SEARCHED_SUGGESTION_ACCEPTED`	`Publish when users are exposed to recently searched suggestions and accepted the same types of suggestion`		SEARCH.QUERY SELECT.QUERY	`a.qrc` is NULL AND `a.rcnt` > 0 AND `a.uac` = 2 AND `a.uslct` >=0	ELG	
592	`TICKETING_SEARCH_SUGGESTION_ACCEPTED`	`Publish when users are exposed to ticketing search suggestions and accept it`					
593	`UNCONSTRAINED_SEARCH_RESULTS`	Publish when unconstraint search results are shown in lieu of 10 or less constraint matches	event_list	FIND.PRODUCT	• Variant A: `a.sptys.ictr` = false + cardinality(`a.sptys.spbg`) >0	VAS	

					• Variant B: cardinality(`a.pdtls.rprds`) <= 10 and `a.sptys.ictr` = true		
595	`JERSEY_FILTERED_IN_LEFT_NAV`	`Publish when Jersey is filtered in the left nav`	event_list	FIND.PRODUCT VIEW.PAGE	`a.uqfl = 'd-8011' &&` `a.layt = "PRODUCT_GRID_WITH_SIDE_NAV"`	exp-prep	DO NOT USE (Broken)
596	`AUTOFILL_SHIPPING_ADDRESS_FORM`	`Publish when user engages with shiping autofill feature`	event_list	`BROWSER_AUTOFILL.FIELD`	`a.fmnm === "shipping-address-form"`	ELG	
597	`TEAM_FACETS_AVAILABLE`	`Publish when users are exposed to team`	event_list	`SERVE_FACET.PRODUCT` `SELECT.BUTTON`	1. Desktop: ◦ `a.faceTyp`	ELG	

		`facets along with team logos`			`e = ""nav Facets" AND lower(a.facet.facetTitle) like "%team%" OR "%quip%"` 2. Mobile ◦ `a.faceType = ""nav Facets" AND lower(a.facet.facetTitle`		

					) like “%team%" OR “%quip%" ◦ AND regexp_like(a .bid , 'exposed-|static-filter-sort|filter-sort-floating-) *basically eTag 501 OR 502 OR 503)		

598	`EXPOSED_TO_TEAM_FACET`	`emporary tag that supports TEAM_FACETS_AVAILABLE`		`SERVE_FACET.PRODUCT`		ELG	
599	`SIZE_FACET_TITLE`	`Temporary tag that supports SIZE_FACET`		SERVE_FACET.PRODUCT		ELG	
601	`PROMO_FREE_SHIPPING`	`Publish when a user sees freeShipping promo`		SERVE/RENDER/VIEW.PAGE	`a.promo.frshp` = true	VAS	AB Validated 09/17/2024
602	`PROMO_PERCENT_OFF`	`Publish when a user sees percentOff promo`		SERVE/RENDER/VIEW.PAGE	`a.promo.pcoff` = true	VAS	AB Validated 09/17/2024
603	`PROMO_MARKDOWN`	`Publish when a user sees markdown promo`		SERVE/RENDER/VIEW.PAGE	• `a.promo.mkd` = true	VAS	AB Validated 09/17/2024
604	`PROMO_BMSM`	`Publish when a user sees bmsm promo`		SERVE/RENDER/VIEW.PAGE	• `a.promo.bmsm` = true	VAS	NOT WORKING - Needs FF work
605	`SUB_DEPARTMENT_FACET`	`Publish when Sub Department`		SERVE_FACET.PRODUCT	`a.facetType = navFace`	ELG	

		filter title change			ts && exists(a.facet , fd -> lower(f d.facet Type) = 'depart ments')		
606	SALE_ITEM_ FACET	Publish when Separate Sale Item filter is applied		SERVE_FACE T.PRODUCT	a.facet Type = navFace ts && exists(a.facet , fd -> lower(f d.facet Type) rlike 'saleIt ems')	ELG	
607	GENDER_AGE _GROUP_FAC ET	Publish when Size filter without gender selection is shown		SERVE_FACE T.PRODUCT	a.facet Type = navFace ts && exists(a.facet , fd -> lower(f d.facet Type) rlike 'gender	ELG	AB Validated 05/23/25

					`AgeGroups')`		
608	`COLOR_STYLE_FACET`	`Publish when MLB Jerseys Filter Reconfiguration`		SERVE_FACET.PRODUCT	`a.facetType = navFacets && exists(a.facet, fd -> lower(fd.facetType) rlike 'departments|colorStyles')`	ELG	
609	`JERSEY_TYPE_FACET`	`Publish when NFL Jersey Attribute filters is updated`		SERVE_FACET.PRODUCT	`a.facetType = navFacets && exists(a.facet, fd -> lower(fd.facetType) rlike 'colorStyles|jerseyType')`	ELG	
610	`EMBEDDED_SORT`	`Publish when user is exposed to`		PROFILE.ACTOR		ELG	• no longer needed - if

		`embedded sort experienc e`					needed in future will need to validate
611	`REGULAR_SE ARCH_BOX_E NGAGEMENT`	`Publish when users engage with regular search box`		SELECT.QUE RY	`a.uac` = 6 (search box click) AND `a.srche ngid` = 1 (regular search)	ELG	
612	`STICKY_SEA RCH_BOX_EN GAGEMENT`	`Publish when users engage with sticky search box`		SELECT.QUE RY	`a.uac` = 6 (search box click) AND `a.srche ngid` = 2 (sticky search)	ELG	
613	`MAIN_SEARC H_BOX_SUGG ESTION_ACC EPTED`	`Publish when users execute (hit enter or accept suggestion ) search using main search box`		SELECT.QUE RY	`a.uac` = 1 (typing in search box) AND `a.srche ngid` = 1 (regular search)	ELG	
614	`STICKY_SEA RCH_BOX_SU`	`Publish when users execute`		SELECT.QUE RY	`a.uac` = 1 (typing	ELG	

	GGESTION_ACCEPTED	(hit enter or accept suggestion) search using sticky search box			in search box) AND a.srchengid = 2 (sticky search)		
615	TYPEAHEAD_SUGGESTION_ACCEPTED_MAIN_SEARCH	Publish when users accept typeahead suggestion on main search box		SELECT.QUERY	a.uac = 6 (search box click) AND a.srchengid = 1 (regular search) AND a.uslct >=0 (typeahead acceptance)	ELG	
616	TYPEAHEAD_SUGGESTION_ACCEPTED_STICKY_SEARCH	PUBLISH when users accept typeahead suggestion on sticky search box		SELECT.QUERY	a.uac = 2 (search box click) AND a.srchengid = 2 (sticky search) AND a.uslct >=0 (typeahea	ELG	

					d acceptance)		
617	`STICKY_HAMBURGER_MENU_OPEN`	`Publish when users open the sticky hamburger menu`		SELECT.BUTTON	`a.bctx` = “FLOATING_HAMBURGER_MENU” AND `a.bid` = “open”	ELG	
618	`COLLECTION_EXPERIENCE_PRODUCT_DESCRIPTION_PAGE`	`Publish when page layout is "COLLECTION_EXPERIENCE_PRODUCT_DESCRIPTION_PAGE"`		VIEW.PAGE	`a.layout` = "COLLECTION_EXPERIENCE_PRODUCT_DESCRIPTION_PAGE"	VAS	
619	`COLLECTION_EXPERIENCE_PRODUCT_GRID_PAGE`	`Publish when page layout is "COLLECTION_EXPERIENCE_PRODUCT_GRID_PAGE"`		VIEW.PAGE	`a.layout` = "COLLECTION_EXPERIENCE_PRODUCT_GRID_PAGE"	VAS	
620	`AGE_GROUP_FACET`	`Publish when users see ageGroup facet`		SERVE_FACET.PRODUCT	• ff_et: `SERVE_FACET.PRODUCT`	ELG	AB looked at 6/30/25 - Firing but not on all sites. Must be

					◦ AND `a.faceType` = "navFacets" ◦ AND `a.facet.faceTtype` = “ageGroups”		validated within 100/0
621	`LAND_SHIPPING_CART`	Publish when event `LAND_SHIPPING.CART` is triggered		`LAND_SHIPPING.CART`		eTag Generator	1/27/2025 AB validated
623	`APPLE_DEVICE`			`VIEW.PAGE/RENDER.PAGE/SERVE.PAGE`	• os_name in (‘ios’, ‘macos’) OR device = ‘mobile-ios’	eTag Generator	1/9/2025 AB validated
624	`GIFT_ORDER_CHECKED`	Publish when users “check”		SELECT.CHECKBOX		eTag Defi	Need to validate within

		the gift order check box				natio ns	100/0 before using
625	`GIFT_ORDER _UNCHECKED`	Publish when users “check” the gift order check box		SELECT.CHE CKBOX		eTag Defi natio ns	Need to validate within 100/0 before using
626	`ALL_DEPART MENTS_FACE T_MOBLIE`	`Publish when the users are exposed to all department s facet on mobile`		SERVE_FACE T.PRODUCT SELECT.BUT TON	e263 AND (e502 OR e503)	ELG	1/29/2025 AB validated
627	`SUB_DEPART MENT_FACET _MOBILE`	`Publish when the users are exposed to sub department s facet on mobile`		SERVE_FACE T.PRODUCT SELECT.BUT TON	e605 AND (e502 OR e503)	ELG	1/29/2025 AB validated
628	`TEAM_WIDGE T_ELIGIBLE`	Publish when user is exposed to team widget		`VIEW.TEAM_ WIDGET`	`a.bsl` is not empty	eTag Defi natio ns	
629	`JERSEY_TYP E_FACET_MO BILE`	`Publish when NFL Jersey Attribute filters is`		SERVE_FACE T.PRODUCT SELECT.BUT TON	e609 AND (e502 OR e503)	ELG	2/14/2025 AB Validated

		`updated on mobile`					
630	`SALE_ITEM_FILTER_FACET`	`Publish when users are exposed to the Sale Items filters`		SERVE_FACET.PRODUCT	`a.facetType = navFacets` AND `ff_a_facet`.text contains “Sale Items”	ELG	8/05/2025 AB Validated
631	`SALE_ITEM_FILTER_FACET_MOBILE`	`Publish when users are exposed to the Sale Items filters on mobile`		SERVE_FACET.PRODUCT SELECT.BUTTON	e630 AND (e502 OR e503)	ELG	8/05/2025 AB Validated
632	`SHOW_OUT_OF_STOCK`			SERVE.PRODUCT	a.oost = “show”	ELG	• Need revalidation before using - PST - Fake OOS PDPs
633	`SIMULATED_OUT_OF_STOCK`			SERVE.PRODUCT	a.oost = “simulated”	ELG	• Need revalidation before using - PST -

							Fake O OS PD Ps
634	`SIGNIN_ERROR`			SIGNIN_ERROR.ACCOUNT	et	eTag Definations	
635	`SIGNIN_SUCCESS`			SIGNIN.ACCOUNT	et	eTag Definations	
636 (proposed)	SUSPICIOUS_LOGIN_FAIL						
637 (proposed)	SUSPICIOUS_SOURCE						
638	REMOVE_ITEM_CART			REMOVE_ITEM.CART	REMOVE_ITEM.CART exists	eTag Definitions	AB Validated 6/18/25
639	DYNAMIC_PDD			LAND_SHIPPING.CART	**pddEligSM** = TRUE and **dynPDDEligSM** = TRUE		AB Validated 5/6/25
640	MULTI_SELECT_USER						

641	RV_LOGGEDIN_VISIT	Publish when the “Recently Viewed” carousel is available on page AND User account state is logged in	event_list	SERVE.PAGE and VIEW.RECOMMENDATION	`a.agid` = "RECENTLY_VIEWED", AND cardinality(`a.rpids`) >0 AND lower(`user_account_state`) = “ `logged in` “		AB Validated 6/24 *This is dependent on how agid is triggered (page load vs. lazy load scroll)
642	TRENDING_TEAMS_WIDGET	Publish when a user has no favorited or recommended teams in the team widget	event_list	VIEW.TEAM_WIDGET	`a.tlen` = 0		AB Validated 6/20/25 - Firing only on FAN
643	ACCOUNT_ICON_CLICK	Publish when a user click on the account icon	event_list	SELECT.LINK	lid = “account” OR `a.bid` = "sign-in-trigger"		AB Validated `Apr 1, 2026`
644	SAS_ICON_CLICK	Publish when a user click on any SAS content	event_list	SELECT.BUTTON	bid contains "sas-footer" OR "sas-		AB Validated 6/56/25 - (Notes: icon is not

					header" OR "Sign Up & Save"		on FAN mobile, FAN only league bid needs to be updated with “sas”)
645	YMAL_CAROUSEL_VIEWED	Publish when a user see’s the YMAL carousel (User must scroll down on the page)	event_list	VIEW.RECOMMENDATION	agid contains CUSTOMERS_ALSO_VIEWED		AB Validated 6/20/25
646	FC_BANNER_ELIGIBLE	Publish when a user is logged in and has a fancash balance of > $0.01	event_list	SERVE.PAGE/ VIEW.PAGE	`a.actstatus` = ‘recognized’ or ‘loggedin’ AND `a.fcshavail` > $0.01		AB Validated 9/23/25
647	TEAM_ID_AVAILABLE_MOBILE	Publish when a team id is available and the user opens filter and sort	event_list	SERVE/VIEW/ RENDER.PAGE or SERVE.PRODUCT	e230 AND (e501 or e502)		• AB Validated ◦ DO NOT USE
648	RV_SEARCH_BOX	Publish when a user is eligible to see	event_list	SELECT.QUERY	a.rtyp = 1 OR		AB Validated 8/07/2025

		the recently viewed carousel within the search box		VIEW.RECOMMENDATION	a.uac = 6 AND `a.agid` = "RECENTLY_VIEWED", AND cardinality(`a.rpids`) >1		
649	`RV_SEARCH_BOX_TEMP`	`Temporary eTag supports RV_SEARCH_BOX`	event_list				
650	LOGGEDIN_ACCT_ICON_CLICK	Publish when a user is logged in and clicks on the account icon on Mobile	event_list	SELECT.LINK SERVE.PAGE	e643 ACCOUNT_ICON_CLICK (lid = “account”) AND e201 USER_LOGGEDIN (lower(`user_account_state`) = “ `logged in` “)		AB Validated 8/22/2025
651	`FBG_CONTENT`	Publish when FBG content	event_list	SCROLL.PAGE	a.vis like `lower('`	ETagsDefi	AB Validated

		is shown			`fbg-offer|cross-sell-banner')`	nation	9/22/2025
652	`depart_category_facets`	Publish when users are eligible to see departments, featuredDepartmentsBoxes, or allDepartmentsBoxes facets	event_list	SERVE_FACET.PRODUCT	• a.facetType = "navFacets AND • facetType contains departments OR featuredDepartmentsBoxes OR allDepartmentsBoxes		DO NOT USE - Issue to do filtered reload feature

653	`depart_category_facets_mobile`	Publish when users are eligible to see departments, featuredDepartmentsBoxes, or allDepartmentsBoxes facets on mobile	event_list	SERVE_FACET.PRODUCT SELECT.BUTTON	a.facetType = "navFacets AND facetType contains departments OR featuredDepartmentsBoxes OR allDepartmentsBoxes AND (e501 or e502 or e503)		DO NOT USE - Issue to do filtered reload feature
654	`SIZES_FACET`	Publish when users are eligible to see sizes and extended sizes facets	event_list	SERVE_FACET.PRODUCT	a.facetType = "navFacets AND facetType contains sizes or extended Sizes		• AB Validated ◦ DO NOT USE
655	`SIZES_FACET_MOBILE`	Publish when users are eligible to see sizes and	event_list	SERVE_FACET.PRODUCT	a.facetType = "navFacets		• AB Validated

		extended sizes facets on mobile		SELECT.BUTTON	AND facetType contains sizes or extended Sizes		◦ DO NOT USE
656	`META_PROD_EXPOSURE`	Publish when a user comes to our site through a meta prod carousel	event_list	SERVE.PAGE/RENDER.PAGE/VIEW.PAGE	a.purl contains “shown_product_ids”		• AB Validated 09/24/2025
657	`PRODUCT_BROWSE`		event_list	FIND.PRODUCT	atp = ‘Browse’		Validated
658	`in_stock_status`	Publish when item stock status contains in stock option	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	a.items.itemStockStatus contains “IN_STOCK”		Validated
659	`dropship_status`	Publish when item stock status contains in dropship option	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	a.items.itemStockStatus contains “DROPSHIP”		Validated
700	`presell_status`	Publish when item stock status contains in presell option	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	a.items.itemStockStatus contains “PRESELL”		Validated

701	`multi_ship_groups`	Publish when multiship eligible	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	• FF Field: ff_a_multshpgrpelig = true **AND** • FF Field: ff_a_multshpgrpeligcount = 2		Validated
702	`single_ship_groups`	Publish when single ship group eligible	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	• FF Field: ff_a_multshpgrpelig = false **AND** • FF Field: ff_a_multshpgrpeligcount = 1		Validated
703	`multi_ship_group_elig`	Publish when multiship eligible	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	• FF Field: ff_a_multshpgrpelig = true **AND** • FF Field: ff_a_mu		Validated



					ltshpgrpeligcount > 1		
704	`product_review_containers_seen`	Publish when a user scrolls far enough down the page to see product reviews	event_list	SCROLL.PAGE	• `a.vis` contains: "clsnm":"product-reviews-container","plid":"product-reviews"		
705	`out_of_stock_status`	Publish when item stock status contains in out of stock option	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	• a.items.itemStockStatus contains “`OUT_OF_STOCK`”		Validated
706	`mto_stock_status`	Publish when item stock status contains in mto option	event_list	SERVE.PRODUCT/LAND_SHIPPING.CART/GET.CART/UPDATE.CART	• a.items.itemStockStatus contains “`MTO`”		Validated
707	`FULFILLMENT_SITE_SPE`	Publish when fulfillment site	event_list	LAND_SHIPPING.CART/C	`a.shpgrps.shpg`	Event List	AB Validated

	`CIFIC`	id is 601707 or 601737		HANGE_SHIPPING.CART/GET.CART/UPDATE.CART/PLACE.ORDER	`rpitms.fst` = 601707 OR 601737	Generator	11/25/2025
708	`CUSTOM_INVENTORY_PID`	Publish when a components inventory is available for a product	event_list	ATS_COMPONENT.SCHEDULE	a.item.isMtoAtsOosElig = True	Event List Generator	AB Validated 11/25/2025
709	VERTEX_PAGES	Publish when there is a vertex call	event_list	VERTEX_FIND.PRODUCT		Event List Generator	AB Validated 12/16/25
710	VOYAGER_PAGES	Publish when there is a voyager call	event_list	FIND.PRODUCT		Event List Generator	AB Validated 12/16/25
711	FBT_CAROUSEL	Publish when an FBT carousel is on the page	event_list	VIEW.RECOMENDATION	a.agid = “FREQUENTLY_BOUGHT_TOGETHER”	Event List Generator	AB Validated 12/11/25
712	`SCROLL_USER`	Publish whenever a user scrolls	event_list	`SCROLL.PAGE`	event exists	Event List Generator	AB Validated
713	`FIFTY_OR_GREATER_SCROLL`	Publish whenever a user scrolls	event_list	`SCROLL.PAGE`	• a.scrl >= 50	Event List Gen	AB Validated

		greater than 50% of the page				erator	
714	`FULL_PAGE_SCROLL`	Publish whenever a user scrolls the entire page	event_list	`SCROLL.PAGE`	• a.scrl >= 100	Event List Generator	AB Validated
715	`LESS_THAN_FIFTY_SCROLL`	Publish whenever a user scrolls greater than 50% of the page	event_list	`SCROLL.PAGE`	• all a.scrl values for a SERVE/RENDER/VIEW .page are < 50	Event List Generator	AB Validated
716	`NO_SCROLL_USER`	Publish whenever a user does not scroll	event_list		`SCROLL.PAGE` is null	Event List Generator	AB Validated
717	`ALL_LESS_THAN_FIFTY_SCROLL_VISITS`	Publish whenever a user scrolls less than 50% of the page (include no scroll user)	event_list	`SCROLL.PAGE`	`SCROLL.PAGE` is null or a.scrl < 50	Event List Generator	AB Validated

FF Event Shema: https://jaxf-github.fanatics.corp/FanFlow/Schemas/tree/master/schema

To look into event list definitions (example provided for applied coupon):

1. Go to one of:
   a. FF Powered with no other processing: https://github.com/fancom-d2c-analytics/EventListGenerator/blob/master/src/main/scala/com/fanatics/fanflow/eventlistgenerator/utils/EventConstants.scala Connect your Github account
   b. FF Powered with processing needed: https://github.com/fancom-d2c-analytics/exp-prep/blob/master/src/main/scala/com/fanatics/experiment/utils/EventListConstants.scala
   c. Visitor activity stream powered: https://github.com/fancom-d2c-analytics/visitor-activity-stream/blob/master/src/main/java/com/fanatics/streams/vas/utils/EventListConstant.java Connect your Github account
      i.
      ```
      // Publish when user apply coupon code
      val COUPON_CODE_ATTEMPT = "65"
      ```
2. Find the event interested in and search in the search bar
   a. 
3. Click on the documentation for the event:
   a. Example documentation: https://jaxf-github.fanatics.corp/Data-Science-and-Engineering/exp-prep/blob/c8fbff8a973993cd21586bae35f984e39f63586a/src/main/scala/com/fanatics/experiment/enrichers/eventLists/AppliedCouponEvent.scala
      i.
      ```
      .withColumn("event_list_arr",
        when(col("coupon_code_applied").isNotNull && col("coupon_code_applied") =!= "", array_union(col("event_list_arr"),
          array(lit(EventListConstants.COUPON_CODE_ATTEMPT)))).otherwise(col("event_list_arr")))
      ```
4. Search for the column used in the search bar and go to documentation for column:
   a. 
   b. Example Documentation: https://jaxf-github.fanatics.corp/Data-Science-and-Engineering/exp-prep/blob/c8fbff8a973993cd21586bae35f984e39f63586a/src/main/scala/com/fanatics/experiment/enrichers/fanflowEvents/AppliedCoupon.scala

i.
```scala
object AppliedCoupon extends Event {

  val APPLIED_COUPON_EVENT = "APPLIED.COUPON"

  override def readEvent(): DataFrame = {
    val paths = preparePathsBasedOnDateRange(APPLIED_COUPON_EVENT)
    sparkSession.read.json(paths: _*)
      .repartition(config.bucketingSize, col("si"), col("ss"), col("ei"))
  }

  override def enrich(df: DataFrame): DataFrame = {
    val appliedCouponEvent = readEvent()
    df.alias("pv").join(appliedCouponEvent.alias("ac"), col("pv.visitor_id") === col("ac.si")
      && col("pv.session_id") === col("ac.ss") && col("pv.request_correlation_id") === col("ac.ei"), "left")
      .withColumn("is_coupon_applied_successfully", col("ac.a.sca"))
      .withColumn("coupon_code_applied", col("ac.a.prc"))
      .withColumn("successful_coupon_code",
        when(col("ac.a.sca") === lit(true), col("ac.a.prc")).otherwise(null))
      .selectExpr("pv.*", "is_coupon_applied_successfully", "coupon_code_applied", "successful_coupon_code")
  }

}
```

5. Find the Fanflow documentation for the event that populates the event_list:
   a. https://jaxf-github.fanatics.corp/FanFlow/Schemas/blob/029e59da8146d396b16557fae6e35949530a2344/schema/events/PROMO/APPLIED.COUPON.yaml
      i.
```yaml
properties:
  - key: prc
    name: Coupon Code
    description: Coupon code the customer used.
    type: string
```

6. So, this event fires whenever APPLIED.COUPON has a value for prc