# Feedback from Supermetrics team

The overall shape is right and we'd approve it as the direction: Supermetrics as a thin EL layer, one schema per opco, a shared dbt repo, and a single OBT. Most of what follows is about tightening a few claims so nobody gets surprised during the build. A couple of your open questions are answered below.

## Things to keep exactly as is

- **"Intentionally dumb EL" framing.** We agree. It keeps the logic in your dbt repo where your AEs can test and version it. You can still use our custom fields later if a marketer needs something fast, but it shouldn't be the default.
- **Snowflake grants as the isolation boundary.** This is the right call and it matches how we recommend it. Two notes:
    - Each Snowflake schema needs its own destination in Supermetrics. So it's really "one destination per opco schema", and FES gets its own destination anyway since it's a separate Snowflake account. Worth saying explicitly in the Landing section.
    - Since FBG and FMX share a Snowflake account, give each destination its own Snowflake user and role, granted only on its own schema, and use key-pair auth.
- **Not forcing stable pipelines over.** Good. It takes the politics out of it.
- **The Apple point in the Problem section.** That's a good example to keep. Apple Search Ads is already connected in your team for both Sportsbook and Markets, so you can say that one is solved rather than hypothetical.

## Answers to your open questions

**1. "No role manages connections without also adding pipelines."**

That's not quite right, and it actually works in your favour. In our role model, Viewers can add, reconnect and share their own data source connections, but can't create or edit transfers. Editors can do both.

That gives you a clean split if you want it:

- **Marketers = Viewer.** They own the platform auth and reconnect it when tokens expire.
- **DEs/AEs = Editor.** They own transfers, destinations and backfills.

The catch is that it conflicts with your Expected Impact table, which says marketers add new transfers. You'll want to pick one. Our suggestion is that marketers own connections and request transfers, and DE owns transfers. That fits "add sources, don't gate it, we monitor it" without letting anyone point data at a destination.

We can confirm this against your team's current role setup before you lock it in. Custom roles aren't available yet, so if you need anything finer than this, it goes to the product team as a request.

**2. "Cloning a connector to another opco reuses the same schema_id. Do we get identical columns?"**

Yes. Clone/duplicate transfer is supported, both in the UI and via the Management API since the September release. The table group and schema_id stay fixed, so the column set is identical; only the account list changes.

Two caveats:

- The API clone endpoint is currently returning a validation error for Meta and Google Ads transfers. Use the Hub clone for now, or create via the API with the same schema_id. We'll let you know when it's fixed.
- Anything account-specific, like Meta custom conversions, won't line up across opcos. Keep those out of the shared tables or handle them per opco.

**3. "Can we lock an opco to one destination inside Supermetrics?"**

Yes, with workspaces. Each workspace has its own destinations, transfers and table groups, and a transfer in one workspace can't write to another workspace's destination. A workspace per opco plus your Snowflake grants gives you two layers of control.

Two things to plan for:

- Connections aren't shared across workspaces.
- Within a workspace, any Editor can use any destination in that workspace. That's fine as long as each workspace only holds its own opco's destination.

**4. FMX flights under Sportsbook and DV360 accounts.**

Confirmed on our side. Three accounts in your team carry Sportsbook, Casino and Markets campaigns together:

- **Google Ads 7826216690:** campaign names carry a `sportsbook` / `casino` / `fmx` token.
- **Apple Search Ads 7708200:** `_sportsbook` / `_fmx` suffix.
- **DV360 1224948634:** free-text names, so a small campaign ID lookup is safer.

We wouldn't split those at the transfer level. It doubles API calls and you'd still need a rule for what goes where. A small routing step in staging, keyed on campaign naming, is cleaner and keeps the "dumb EL" principle intact.

## Things we'd change or tighten

**OBT grain: "one row per ad, per DMA, per day."**

This is the one we'd push on hardest. It isn't achievable for every source, and it'll bite you in the first week of modelling. What each source can actually give you:

| Source | DMA at ad level? | Notes |
|---|---|---|
| Meta | Yes, but it's Comscore market, not Nielsen DMA | Needs a Comscore → DMA mapping |
| Google Ads | No | Metro area only comes from the geographic report, which doesn't carry ad ID. Ad group level is the finest |
| TikTok | Yes | Via the audience report |
| Snapchat | Yes | Via the DMA report |
| X Ads | Ad group level confirmed | Ad level is supported but runs slowly, so expect long backfills |
| Reddit | Yes, once Reddit enables it | Needs the unlock on Reddit's side, and the connection needs re-authenticating after Reddit's API permission change |

Two options:

- **(a)** Keep one OBT but make DMA nullable and add a geo_grain column (ad / ad_group / campaign / none).
- **(b)** Split it into an ad×day OBT and a geo×day OBT at the finest grain each source supports.

We'd lean (b). It's cleaner for the geolift work and avoids someone summing an ad-group-level Google row against ad-level Meta rows.

**Landing tables and dbt.** A few behaviours worth designing around when you convert the Fivetran models:

1. **How rows are written.** Each run deletes and re-inserts the rows for the dates in the transfer's refresh window. dbt incrementals should be delete+insert on date, with a lookback at least that long.
2. **No load-timestamp column.** Supermetrics doesn't add a `_fivetran_synced` equivalent, so Sugarbee freshness should key on max(date) or the Transfer Runs API.
3. **Don't remove the Date field from a transfer.** Without it the refresh method switches to overwrite and history is lost.

4. **Landing tables get rebuilt on schema change.** When fields are added or removed, Supermetrics rebuilds the landing table, and table-level grants and comments reset.
    - Use future grants on each landing schema.
    - Keep persist_docs on the dbt models rather than the raw tables.
5. **Google Ads installs need their own table.** Adding app install conversions to a campaign- or ad-group-level query throws off how Google reports the other metrics, cost included. Pull Google installs as their own transfer and join in dbt.

**Medallion table.** "Consumption" shows up twice and there's no staging layer, but your Next Steps mention staging. We'd make it Source -> Staging -> Entity -> OBT so the table matches the plan.

**"Everything is set up through Terraform/SSM."** That holds for the Snowflake side. On the Supermetrics side there's no Terraform provider. The equivalent is the Management API: batch transfer creation, clone, table group edits and destination secret rotation are all available, plus the SDK/CLI. We can reword it to "Snowflake via Terraform/SSM; Supermetrics config via Management API scripts in the repo".

**Monitoring.** Transfer Runs is available through the Management API (status, error message, rows and data date per run), so the weekly Airflow job is doable. For "who's adding what", the API lists transfers and destinations but doesn't expose who created them. A weekly diff of transfer lists still gets you what changed, just not who changed it. If that attribution matters, we can raise it with our product team.

**Out of scope: custom connectors built in Airflow.** That's fine as a default. We can just leave the door open for Connector Builder with a documented API. It's usually faster than a new Airflow DAG, and it lands in the same schema pattern as everything else. Your team would still own the connector config when the vendor's API changes.