| | | | | | Va. | - 40 10 | | .// . | Ila | | | 1 | - | | |
|---|-----|-----|------|---------------|---------|---------------|--|-------|-------|-----|-------|------|----|--------------------------|-----|
| | L | 1 | .7 | . / | 401 | wi | WA | 6 | KU | W | W | | // | OC | USS |
| | | | | | | | | | | | | | | | |
| Z | MI | 7 | ,7: | 203 | roce | | | | | | M(7): | - | | | |
| | re | n | ewa | lp | rocc | SS | | | | | | | | Authorise errors constan | |
| | | | | | | | | | | X | | Xz | 1 | X3 | |
| | | X | 1= 7 | im | e best | ren | ewa | ls | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | NZ | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | | ich | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | de | m | 070 | 1 | n Cu | 21,00 | 11) | | | | | | | | |
| | Vac | | 0,0 | | , ,,, | - '5 | | | | | | | | | |
| | | no | WA | nd | pan | ned | de | nin | a) n | 76 | nom | DIAN | 20 | | |
| | | , , | ov W | un | COUC | ree | · un | 0 | 7 | ,,, | | evi | | | |
| | | | CAL | a b | o do | ren | Ann | 00 4 | 2 | 0. | 01 | Y | | | |
| | | | CW | | e ve | Juni | CC U | e 2 | CI P | | 0 1 | | | | |
| | | 11 | 12)- | 51 | (4) Kn | | | | | | | | | | |
| | | 7~ | (7). | | 2=1 | | | | | | | | | | |
| | | | 11 | . 1 | 00 1. 1 | | 1111 | 20.00 | 14 | 1: | | 2 | | | |
| | | | τυπ | w | ewi | and | can | rue | - rey | TU | ner | | | | |
| | | | | | | | | | V | | | | | | |
| | | | 工 | . N= D | ECX |) | | | | | | | | | |
| | | | n n | -10 | # 10 | | | | | | | | | | |
| | | | 此 | 1/2 = | ECR | ~) | | | | | | | | | |
| | | | 20 | | | | | | | | | | | | |
| 1 | ny | 11 | ?3: | | | | | | | | | | | | |
| | - | , , | - 40 | | | | - | | | | | | | | |
| | 4 | - 4 | R. | 100 | 8 1 | XLW | , The | en | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | i. | 4 | in. | KG |) = E | 13 | W/ K | wb | I | | | | | |
| | | | 7 | -200 | 7 | E: | X | | | | | | | | |
| | | | | | | | | | | | | | | | |
| | | ii. | li | m | :1207 | 1) = <u>H</u> | R | | | | | | | | |
| | | | 7. | 200 | 7 | E | X | | | | | | | | |
| | | | | | | | | | | | | | | | |
| 1 | m | 11 | 50 | (i) | | | | | | | | | | | |
| | 0 | 0 | | , | | | | | | | | | | | |
| | li | en | 111 | 2) | lina | > na | lu | MI | 7)]. | lie | 2 | n(x) | Ru | M14 | |
| | 1- | 10 | 7 | remarker rest | 7-200 | 1 | - Committee of the Comm | no | 2) | 2- | 160 | mi | 2) | MG 7 | No. |
| | , | | | | | | | | | | | | | | |
| | | | | | lina | 5 na | 0. | line | m | 2) | E. | 11 | 1 | E | 1 |
| | | | | - 1 | 1-10 | mi | 2 | 1 | 2 2 | - | | 1/1 | CX | = 野 | 7 |
| | | | | 2 | -100 | 100 | 7) | TOX | T | | | T D | 11 | 11/ | 1 |

| time | culle | 1 culle |
|--------------|---------------------|---|
| | 0 | and expected time |
| ENA Ala Sa | | |
| Example: Se | wie | |
| long run | prop of custom | ces that left |
| 9 | | |
| -> Poi(A) | 6 | |
| | Ma 3 | Pa |
| | | |
| I = 5/1 0 | f system huse | P |
| 20 6 | f system busi | |
| | | |
| Cien # of | customers who left | = ECRN = MG |
| 7-360 | 7 | EX MG+ |
| | | 1 |
| H= SULLES | sive austomers | denosi7 |
| those n | ho enter bank | |
| | | |
| 1-10 | alfabit my time t | = E(deposit during cyclo) |
| | | Ethne of yole |
| | | = pla |
| | | = pla 1 |
| | | |
| Example 7.19 | : Can huying mor | lel |
| | | |
| life can n H | here and the second | c. pice of new car |
| pdfh | new T | Cr: (+) itional cost if can h |
| | | |
| long run | ang cost | N I Alica al |
| | curring during used | ocle) X - lifetime of can during albitrary |
| | A | |

```
\frac{E \cos t}{\cos t} = C_1 P(X = T) + (C_1 + C_2) P(X \le T)
cycle
= C_1 + C_2 P(X \le T) = C_1 + C_2 H(T)
                Congith of cycle: SX, XST
T; X>T
E (ength= 5 xh(x)dx + 5 Th(x)dx
                                                               = Soxh(x)dx + T[1-4(T)]
Congrun aug cost: G+Cz HCT)

So xh(x)dx + T [1-H(T)]
              Xr U(0,10)

Find T that minimizes

C1 = 0.5

C2 = 0.5
                               H = \begin{cases} \frac{x}{10}, & 0 \le x \le 10 = x \text{ (1)} = \frac{T}{10} \\ 1 & x \ge 10 \end{cases}
                                               \int_{0}^{T} \frac{x}{10} dx = \frac{1}{10} \left( \frac{x^{2}}{2} \right)^{2} = \frac{1}{10} \left( \frac{T^{2}}{2} \right)^{2} = \frac{T^{2}}{20}
 long run: 3 + \frac{1}{2} \begin{pmatrix} T \\ 40 \end{pmatrix} = \frac{60 + T}{100} = \frac{6
                 H(x) = F(x)
             Q(T) = 60+T
20T-T2
              g'(T)= 1(20T-T2)-(60+T)(20-2T) = 0
                                20T-T2=(60+T)(20-2T)
```

 $20T-T^{2}=1200-120T+20T-2T^{2}$ $20T-T^{2}=1200-100T-2T^{2}$ $T^{2}+120T-12000=0$ $T=\frac{-120\pm\sqrt{120^{2}+4(1200)}}{2}=9.25$