YARN (MR2 Included) (Cluster 1) Actions

Filters

SCOPE

YARN (MR2 Included) (Service-Wide)	55
Gateway	62
JobHistory Server	57
NodeManager	91
ResourceManager	87

CATEGORY

Advanced	56
Compression	1
Logs	13
Main	85
Monitoring	56
Performance	10
Ports and Addresses	16
Proxy	2
Resource Management	38
Security	12
Stacks Collection	5

STATUS

Error	0
Warning	0
Edited	0
Non-default	16
Has Overrides	0

Search

Show All Descriptions

HDFS Service
YARN (MR2 Included) (Service-Wide)
(•) HDFS

ZooKeeper Service
YARN (MR2 Included) (Service-Wide)
(•) ZooKeeper
( ) none

Enable ResourceManager ACLs
yarn.acl.enable
[x] YARN (MR2 Included) (Service-Wide)

Admin ACL
yarn.admin.acl
YARN (MR2 Included) (Service-Wide)
*

Enable Log Aggregation
yarn.log-aggregation-enable
[x] YARN (MR2 Included) (Service-Wide)

Log Aggregation Retention Period
yarn.log-aggregation.retain-seconds
YARN (MR2 Included) (Service-Wide)
3 day(s)

RM-HA Cluster ID
yarn.resourcemanager.cluster-id
YARN (MR2 Included) (Service-Wide)
yarnRM

Node Manager Graceful Decommission Timeout
yarn.resourcemanager.nodemanager-graceful-decommission-timeout-secs
YARN (MR2 Included) (Service-Wide)
0 day(s)

Serve logs over HTTP
hadoop.http.logs.enabled
[x] YARN (MR2 Included) (Service-Wide)

Mapreduce Submit Replication
mapreduce.client.submit.file.replication
Gateway Default Group
3

Feedback

Save Changes

Application Framework
mapreduce.framework.name

Gateway Default Group
- local
- yarn

Maximum Number of Attempts for MapReduce Jobs
mapreduce.am.max-attempts

Gateway Default Group
3

ApplicationMaster Java Opts Base
yarn.app.mapreduce.am.command-opts

Gateway Default Group
-Djava.net.preferIPv4Stack=true

ApplicationMaster Environment
yarn.app.mapreduce.am.admin.user.env

Gateway Default Group
LD_LIBRARY_PATH=$HADOOP_COMMON_HOME/lib/native:$JAVA_LIB

SequenceFile I/O Buffer Size
io.file.buffer.size

Gateway Default Group
64 KiB

Running Job History Location
hadoop.job.history.location

Gateway Default Group
/var/log/hadoop-mapreduce/history

Map Tasks Speculative Execution
mapreduce.map.speculative

Gateway Default Group

Reduce Tasks Speculative Execution
mapreduce.reduce.speculative

Gateway Default Group

JobTracker MetaInfo Maxsize
mapreduce.job.split.metainfo.maxsize

Gateway Default Group
10000000

Number of Map Tasks to Complete Before Reduce Tasks
mapreduce.job.reduce.slowstart.completedmaps

Gateway Default Group
0.8

Default Number of Reduce Tasks per Job
mapreduce.job.reduces

Gateway Default Group
16

Mapreduce Task Timeout
mapreduce.task.timeout

Gateway Default Group
10 minute(s

Map Task Java Opts Base
mapreduce.map.java.opts

Gateway Default Group
-Djava.net.preferIPv4Stack=true

Feedback

Save Changes

Reduce Task Java Opts Base
mapreduce.reduce.java.opts

Gateway Default Group
-Djava.net.preferIPv4Stack=true

I/O Sort Factor
mapreduce.task.io.sort.factor

Gateway Default Group
64

I/O Sort Memory Buffer (MiB)
mapreduce.task.io.sort.mb

Gateway Default Group
256 MiB

I/O Sort Spill Percent
mapreduce.map.sort.spill.percent

Gateway Default Group
0.8

Default Number of Parallel Transfers During Shuffle
mapreduce.reduce.shuffle.parallelcopies

Gateway Default Group
10

Compress MapReduce Job Output
mapreduce.output.fileoutputformat.compress

☐ Gateway Default Group

Compression Codec of MapReduce Job Output
mapreduce.output.fileoutputformat.compress.codec

Gateway Default Group
org.apache.hadoop.io.compress.DefaultCodec

Compression Type of MapReduce Job Output
mapreduce.output.fileoutputformat.compress.type

Gateway Default Group
- ○ NONE
- ◉ BLOCK
- ○ RECORD

Use Compression on Map Outputs
mapreduce.map.output.compress

☑ Gateway Default Group

Compression Codec of MapReduce Map Output
mapreduce.map.output.compress.codec

Gateway Default Group
org.apache.hadoop.io.compress.SnappyCodec

MR Application Classpath
mapreduce.application.classpath

Gateway Default Group
- $HADOOP_MAPRED_HOME/*
- $HADOOP_MAPRED_HOME/lib/*
- $MR2_CLASSPATH

MR Application Framework Path
mapreduce.application.framework.path

Gateway Default Group
/user/yarn/mapreduce/mr-framework/{version}-mr-framework.tar.gz#n

Feedback

Save Changes

MR Application Environment
mapreduce.admin.user.env

Gateway Default Group
LD_LIBRARY_PATH=$HADOOP_COMMON_HOME/lib/native:$JAVA_LIB

Client Failover Sleep Base Time
yarn.client.failover-sleep-base-ms

Gateway Default Group
100 milliseco

Client Failover Sleep Max Time
yarn.client.failover-sleep-max-ms

Gateway Default Group
2 second(s

Alternatives Priority

Gateway Default Group
92

Redacted MapReduce Job Properties
mapreduce.job.redacted-properties

Gateway Default Group
fs.s3a.access.key
fs.s3a.secret.key

ACL for viewing a job
mapreduce.job.acl-view-job

Gateway Default Group

ACL for modifying a job
mapreduce.job.acl-modify-job

Gateway Default Group

MapReduce ApplicationMaster Staging Root Directory
yarn.app.mapreduce.am.staging-dir

JobHistory Server Default Group
/user

Job History Files Maximum Age
mapreduce.jobhistory.max-age-ms

JobHistory Server Default Group
7 day(s)

Job History Files Cleaner Interval
mapreduce.jobhistory.cleaner.interval

JobHistory Server Default Group
1 day(s)

Max Shuffle Connections
mapreduce.jobhistory.loadedjob.tasks.max
Edit Individual Values

NodeManager Default Group ...and 2 others
0
JobHistory Server Default Group
-1

Enable Job ACL.
mapreduce.cluster.acls.enabled

☐ JobHistory Server Default Group

Enable Shuffle Auxiliary Service
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

Feedback

Save Changes

NodeManager Local Directories
yarn.nodemanager.local-dirs
Edit Individual Values

NodeManager Default Group ...and 2 others

/yarn/nm

/data/yarn/nm

NodeManager Container Log Directories
yarn.nodemanager.log-dirs
Edit Individual Values

NodeManager Default Group ...and 2 others

/yarn/container-logs

/mnt/resource/yarn/container-logs

NodeManager Recovery Directory
yarn.nodemanager.recovery.dir
Edit Individual Values

NodeManager Default Group ...and 2 others

/var/lib/hadoop-yarn/yarn-nm-recovery

Containers Environment Variable
yarn.nodemanager.admin-env
Edit Individual Values

NodeManager Default Group ...and 2 others

MALLOC_ARENA_MAX=$MALLOC_ARENA_MAX

Containers Environment Variables Whitelist
yarn.nodemanager.env-whitelist
Edit Individual Values

NodeManager Default Group ...and 2 others

JAVA_HOME,HADOOP_COMMON_HOME,HADOOP_HDFS_HOME,HADC

Container Manager Thread Count
yarn.nodemanager.container-manager.thread-count
Edit Individual Values

NodeManager Default Group ...and 2 others

20

Cleanup Thread Count
yarn.nodemanager.delete.thread-count
Edit Individual Values

NodeManager Default Group ...and 2 others

4

Heartbeat Interval
yarn.nodemanager.heartbeat.interval-ms,
yarn.resourcemanager.nodemanagers.heartbeat-interval-ms
Edit Individual Values

NodeManager Default Group ...and 2 others

100 milliseco

Localizer Cache Cleanup Interval
yarn.nodemanager.localizer.cache.cleanup.interval-ms
Edit Individual Values

NodeManager Default Group ...and 2 others

10 minute(s

Localizer Cache Target Size
yarn.nodemanager.localizer.cache.target-size-mb
Edit Individual Values

NodeManager Default Group ...and 2 others

10 GiB

Localizer Client Thread Count
yarn.nodemanager.localizer.client.thread-count
Edit Individual Values

NodeManager Default Group ...and 2 others

5

Feedback

Save Changes

Localizer Fetch Thread Count
yarn.nodemanager.localizer.fetch.thread-count
Edit Individual Values

NodeManager Default Group ...and 2 others
4

Log Retain Duration
yarn.nodemanager.log.retain-seconds
Edit Individual Values

NodeManager Default Group ...and 2 others
1 day(s)

Remote App Log Directory
yarn.nodemanager.remote-app-log-dir
Edit Individual Values

NodeManager Default Group ...and 2 others
/tmp/logs

Remote App Log Directory Suffix
yarn.nodemanager.remote-app-log-dir-suffix
Edit Individual Values

NodeManager Default Group ...and 2 others
logs

Client Thread Count
yarn.resourcemanager.client.thread-count

ResourceManager Default Group
50

Scheduler Thread Count
yarn.resourcemanager.scheduler.client.thread-count

ResourceManager Default Group
50

Admin Client Thread Count
yarn.resourcemanager.admin.client.thread-count

ResourceManager Default Group
1

ApplicationMaster Monitor Interval
yarn.resourcemanager.amliveliness-monitor.interval-ms

ResourceManager Default Group
1 second(s

ApplicationMaster Monitor Expiry
yarn.am.liveness-monitor.expiry-interval-ms

ResourceManager Default Group
10 minute(s

ApplicationMaster Maximum Attempts
yarn.resourcemanager.am.max-retries,
yarn.resourcemanager.am.max-attempts

ResourceManager Default Group
3

Container Monitor Interval
yarn.resourcemanager.container.liveness-monitor.interval-ms

ResourceManager Default Group
10 minute(s

NodeManager Monitor Interval
yarn.resourcemanager.nm.liveness-monitor.interval-ms

ResourceManager Default Group
1 second(s

Feedback

Save Changes

NodeManager Monitor Expiry
yarn.nm.liveness-monitor.expiry-interval-ms

ResourceManager Default Group

10 minute(s

Resource Tracker Thread Count
yarn.resourcemanager.resource-tracker.client.thread-count

ResourceManager Default Group

50

Scheduler Class
yarn.resourcemanager.scheduler.class

ResourceManager Default Group

- (•) org.apache.hadoop.yarn.server.resourcemanager.scheduler.fair.FairScheduler
- ( ) org.apache.hadoop.yarn.server.resourcemanager.scheduler.fifo.FifoScheduler
- ( ) org.apache.hadoop.yarn.server.resourcemanager.scheduler.capacity.CapacityScheduler

Capacity Scheduler Configuration Advanced Configuration Snippet (Safety Valve)

ResourceManager Default Group

View as XML

Name yarn.scheduler.capacity.root.queues
Value default
Description Description
[ ] Final

Name yarn.scheduler.capacity.root.capacity
Value 100
Description Description
[ ] Final

Name yarn.scheduler.capacity.root.default.capacity
Value 100
Description Description
[ ] Final

Fair Scheduler XML Advanced Configuration Snippet (Safety Valve)

ResourceManager Default Group

Fair Scheduler User As Default Queue
yarn.scheduler.fair.user-as-default-queue

[x] ResourceManager Default Group

Enable Fair Scheduler Preemption
yarn.scheduler.fair.preemption

[ ] ResourceManager Default Group

Feedback

Save Changes

Fair Scheduler Preemption Utilization Threshold
yarn.scheduler.fair.preemption.cluster-utilization-threshold

ResourceManager Default Group
0.8

Fair Scheduler Size-Based Weight
yarn.scheduler.fair.sizebasedweight

☐ ResourceManager Default Group

Fair Scheduler Assign Multiple Tasks
yarn.scheduler.fair.assignmultiple

☑ ResourceManager Default Group

Max Completed Applications
yarn.resourcemanager.max-completed-applications

ResourceManager Default Group
10000

Enable ResourceManager Recovery
yarn.resourcemanager.recovery.enabled

☐ ResourceManager Default Group

ZooKeeper Session Timeout
yarn.resourcemanager.zk-timeout-ms

ResourceManager Default Group
1 minute(s ▾

Enable ResourceManager Proxy User Privileges
yarn.resourcemanager.proxy-user-privileges.enabled

☑ ResourceManager Default Group

System User

YARN (MR2 Included) (Service-Wide)
yarn

System Group

YARN (MR2 Included) (Service-Wide)
hadoop

System User's Home Directory

YARN (MR2 Included) (Service-Wide)
/var/lib/hadoop-yarn

Fair Scheduler Allocations (Deployed)

YARN (MR2 Included) (Service-Wide)

{"defaultFairSharePreemptionThreshold":null,"defaultFairSharePreemptionTimeout":null,"defaultMinSharePreemptionTimeout":null,"defaultQueueSchedulingPolicy":null,"queueMaxAMShareDefault":null,"queueMaxAppsDefault":null,"queuePlacementRules":[{"create":true,"name":"specified","queue":null,"rules":null},

Fair Scheduler Allocations (Staged)

YARN (MR2 Included) (Service-Wide)

Save Changes

Feedback

Fair Scheduler Configuration Rules (Deployed)

YARN (MR2 Included) (Service-Wide)

[]

Fair Scheduler Configuration Rules (Staged)

YARN (MR2 Included) (Service-Wide)

YARN Service Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

YARN (MR2 Included) (Service-Wide)

View as XML

HDFS Replication Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

YARN (MR2 Included) (Service-Wide)

View as XML

HDFS Replication Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

YARN (MR2 Included) (Service-Wide)

View as XML

YARN Service Advanced Configuration Snippet (Safety Valve) for hadoop-policy.xml

YARN (MR2 Included) (Service-Wide)

View as XML

YARN Service MapReduce Advanced Configuration Snippet (Safety Valve)

YARN (MR2 Included) (Service-Wide)

View as XML

YARN Service Advanced Configuration Snippet (Safety Valve) for core-site.xml

YARN (MR2 Included) (Service-Wide)

View as XML

Feedback

Save Changes

YARN Application Classpath
yarn.application.classpath

YARN (MR2 Included) (Service-Wide)

- $HADOOP_CLIENT_CONF_DIR
- $HADOOP_CONF_DIR
- $HADOOP_COMMON_HOME/*
- $HADOOP_COMMON_HOME/lib/*
- $HADOOP_HDFS_HOME/*
- $HADOOP_HDFS_HOME/lib/*
- $HADOOP_YARN_HOME/*
- $HADOOP_YARN_HOME/lib/*

YARN (MR2 Included) Service Advanced Configuration Snippet (Safety Valve) for ssl-server.xml

YARN (MR2 Included) (Service-Wide)

View as XML

YARN (MR2 Included) Service Advanced Configuration Snippet (Safety Valve) for ssl-client.xml

YARN (MR2 Included) (Service-Wide)

View as XML

YARN (MR2 Included) Service Environment Advanced Configuration Snippet (Safety Valve)

YARN (MR2 Included) (Service-Wide)

Gateway Logging Advanced Configuration Snippet (Safety Valve)

Gateway Default Group

Deploy Directory

Gateway Default Group

/etc/hadoop

Client Java Configuration Options

Gateway Default Group

-Djava.net.preferIPv4Stack=true

Gateway Client Environment Advanced Configuration Snippet (Safety Valve) for hadoop-env.sh

Gateway Default Group

Feedback

Save Changes

MapReduce Client Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

Gateway Default Group

View as XML

YARN Client Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

Gateway Default Group

View as XML

Java Configuration Options for JobHistory Server

JobHistory Server Default Group

```
-XX:+UseParNewGC -XX:+UseConcMarkSweepGC -
XX:CMSInitiatingOccupancyFraction=70 -
XX:+CMSParallelRemarkEnabled -Dlibrary.leveldbjni.path=
{{CONF_DIR}}
```

System User

JobHistory Server Default Group

mapred

System Group

JobHistory Server Default Group

hadoop

JobHistory Server Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

JobHistory Server Default Group

View as XML

JobHistory Server Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

JobHistory Server Default Group

View as XML

Hadoop Metrics2 Advanced Configuration Snippet (Safety Valve)

Edit Individual Values

JobHistory Server Default Group ...and 4 others

Automatically Restart Process

Edit Individual Values

- [ ] JobHistory Server Default Group ...and 1 other
- [x] NodeManager Default Group ...and 2 others

Enable Metric Collection

Edit Individual Values

- [x] JobHistory Server Default Group ...and 4 others

Dump Heap When Out of Memory

Edit Individual Values

- [x] JobHistory Server Default Group ...and 4 others

Heap Dump Directory

oom_heap_dump_dir

Edit Individual Values

JobHistory Server Default Group ...and 4 others

/tmp

Feedback

Save Changes

Kill When Out of Memory
Edit Individual Values

☑ JobHistory Server Default Group ...and 4 others

JobHistory Server Environment Advanced Configuration Snippet (Safety Valve)

JobHistory Server Default Group

JobHistory Server Logging Advanced Configuration Snippet (Safety Valve)

JobHistory Server Default Group

Java Configuration Options for NodeManager
Edit Individual Values

NodeManager Default Group ...and 2 others

```
-XX:+UseParNewGC -XX:+UseConcMarkSweepGC -XX:CMSInitiatingOccupancyFraction=70 -XX:+CMSParallelRemarkEnabled -Dlibrary.leveldbjni.path={{CONF_DIR}}
```

Localized Dir Deletion Delay
yarn.nodemanager.delete.debug-delay-sec
Edit Individual Values

NodeManager Default Group ...and 2 others

0

Healthchecker Script Path
yarn.nodemanager.health-checker.script.path
Edit Individual Values

NodeManager Default Group ...and 2 others

Healthchecker Script Arguments
yarn.nodemanager.health-checker.script.opts
Edit Individual Values

NodeManager Default Group ...and 2 others

CGroups Hierarchy
yarn.nodemanager.linux-container-executor.cgroups.hierarchy
Edit Individual Values

NodeManager Default Group ...and 2 others

/hadoop-yarn

NodeManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml
Edit Individual Values

NodeManager Default Group ...and 2 others

View as XML

NodeManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml
Edit Individual Values

NodeManager Default Group ...and 2 others

View as XML

Feedback

Save Changes

Disk Health Checker Frequency
yarn.nodemanager.disk-health-checker.interval-ms
Edit Individual Values

NodeManager Default Group ...and 2 others

2 minute(s

Dish Health Checker Max Disk Utilization Percent
yarn.nodemanager.disk-health-checker.max-disk-utilization-per-disk-percentage
Edit Individual Values

NodeManager Default Group ...and 2 others

90

Disk Health Checker Minimum Health Disk Space
yarn.nodemanager.disk-health-checker.min-free-space-per-disk-mb
Edit Individual Values

NodeManager Default Group ...and 2 others

0 GiB

Disk Health Checker Minimum Health Disks Fraction
yarn.nodemanager.disk-health-checker.min-healthy-disks
Edit Individual Values

NodeManager Default Group ...and 2 others

0.25

NodeManager Environment Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

NodeManager Default Group ...and 2 others

NodeManager Logging Advanced Configuration Snippet (Safety Valve)
Edit Individual Values

NodeManager Default Group ...and 2 others

Java Configuration Options for ResourceManager

ResourceManager Default Group

-XX:+UseParNewGC -XX:+UseConcMarkSweepGC -XX:CMSInitiatingOccupancyFraction=70 -XX:+CMSParallelRemarkEnabled -Dlibrary.leveldbjni.path={{CONF_DIR}}

ResourceManager Advanced Configuration Snippet (Safety Valve) for yarn-site.xml

ResourceManager Default Group

View as XML

ResourceManager Advanced Configuration Snippet (Safety Valve) for mapred-site.xml

ResourceManager Default Group

View as XML

Feedback

Save Changes

ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_allow.txt

ResourceManager Default Group

ResourceManager Advanced Configuration Snippet (Safety Valve) for nodes_exclude.txt

ResourceManager Default Group

ResourceManager Environment Advanced Configuration Snippet (Safety Valve)

ResourceManager Default Group

ResourceManager Logging Advanced Configuration Snippet (Safety Valve)

ResourceManager Default Group

Compression Level of Codecs
zlib.compress.level

Gateway Default Group

- (•) DEFAULT_COMPRESSION
- ( ) NO_COMPRESSION
- ( ) BEST_COMPRESSION
- ( ) BEST_SPEED

Gateway Logging Threshold

Gateway Default Group

INFO

JobHistory Server Log Directory
hadoop.log.dir

JobHistory Server Default Group

/var/log/hadoop-mapreduce

JobHistory Server Logging Threshold

JobHistory Server Default Group

INFO

JobHistory Server Max Log Size

JobHistory Server Default Group

200 MiB

JobHistory Server Maximum Log File Backups

JobHistory Server Default Group

10

NodeManager Log Directory
hadoop.log.dir

NodeManager Default Group ...and 2 others

/var/log/hadoop-yarn

Edit Individual Values

Save Changes

Feedback

NodeManager Logging Threshold
Edit Individual Values

NodeManager Default Group ...and 2 others
INFO

NodeManager Max Log Size
Edit Individual Values

NodeManager Default Group ...and 2 others
200 MiB

NodeManager Maximum Log File Backups
Edit Individual Values

NodeManager Default Group ...and 2 others
10

ResourceManager Log Directory
hadoop.log.dir

ResourceManager Default Group
/var/log/hadoop-yarn

ResourceManager Logging Threshold

ResourceManager Default Group
INFO

ResourceManager Max Log Size

ResourceManager Default Group
200 MiB

ResourceManager Maximum Log File Backups

ResourceManager Default Group
10

Enable Log Event Capture
Edit Individual Values

☑ YARN (MR2 Included) (Service-Wide) ...and 1 other

Log Event Retry Frequency

YARN (MR2 Included) (Service-Wide)
30

Admin Users Applications List Visibility Settings

YARN (MR2 Included) (Service-Wide)
- (•) All
- ( ) Their own only
- ( ) None

Non-Admin Users Applications List Visibility Settings

YARN (MR2 Included) (Service-Wide)
- (•) All
- ( ) Their own only
- ( ) None

Active ResourceManager Role Health Check

☑ YARN (MR2 Included) (Service-Wide)

Standby ResourceManager Health Check

☑ YARN (MR2 Included) (Service-Wide)

Active ResourceManager Detection Window

YARN (MR2 Included) (Service-Wide)
3 minute(s

Feedback

Save Changes

ResourceManager Activation Startup Tolerance

YARN (MR2 Included) (Service-Wide)

3 minute(s

Enable Configuration Change Alerts

Edit Individual Values

YARN (MR2 Included) (Service-Wide) ...and 6 others

Enable Service Level Health Alerts

YARN (MR2 Included) (Service-Wide)

Service Triggers

YARN (MR2 Included) (Service-Wide)

[]

Service Monitor Client Config Overrides

YARN (MR2 Included) (Service-Wide)

View as XML

Name mapreduce.output.fileoutputformat.compress

Value false

Description Description

Final

Name mapreduce.output.fileoutputformat.compress.c

Value org.apache.hadoop.io.compress.DefaultCodec

Description Description

Final

Name io.compression.codecs

Value org.apache.hadoop.io.compress.DefaultCodec,(

Description Description

Final

Service Monitor Derived Configs Advanced Configuration Snippet (Safety Valve)

YARN (MR2 Included) (Service-Wide)

View as XML

JobHistory Server Role Health Test

YARN (MR2 Included) (Service-Wide)

Healthy NodeManager Monitoring Thresholds

YARN (MR2 Included) (Service-Wide)

Warning Specify 95.0

Critical Specify 90.0

Feedback

Save Changes

Rules to Extract Events from Log Files
Edit Individual Values

JobHistory Server Default Group ...and 4 others

View as JSON

- Alert: false Rate: 1 Period: 1 Threshold: FATAL
- Alert: false Rate: 0 Threshold: WARN Content: .* is deprecated. Instead, use .*
- Alert: false Rate: 0 Threshold: WARN Content: .* is deprecated. Use .* instead
- Alert: false Rate: 1 Period: 2 Exception Type: .*
- Alert: false Rate: 1 Period: 1 Threshold: WARN

Enable Health Alerts for this Role
Edit Individual Values

☑ JobHistory Server Default Group ...and 4 others

File Descriptor Monitoring Thresholds

JobHistory Server Default Group

Warning Specify 50.0

Critical Specify 70.0

JobHistory Server Process Health Test

☑ JobHistory Server Default Group

JobHistory Server Host Health Test

☑ JobHistory Server Default Group

Log Directory Free Space Monitoring Absolute Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Specify 10 GiB

Critical Specify 5 GiB

Log Directory Free Space Monitoring Percentage Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Never

Critical Never

Heap Dump Directory Free Space Monitoring Absolute Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Specify 10 GiB

Critical Specify 5 GiB

Heap Dump Directory Free Space Monitoring Percentage Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Never

Critical Never

Unexpected Exits Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Never

Critical Any

Unexpected Exits Monitoring Period
Edit Individual Values

JobHistory Server Default Group ...and 4 others

5 minute(s

Feedback

Save Changes

Role Triggers
Edit Individual Values

JobHistory Server Default Group ...and 4 others

[]

Process Swap Memory Thresholds
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Warning Any

Critical Never

Web Metric Collection

☑ JobHistory Server Default Group

Web Metric Collection Duration

JobHistory Server Default Group

Warning Specify 10 second(s

Critical Never

Garbage Collection Duration Thresholds

JobHistory Server Default Group

Warning Specify 30.0

Critical Specify 60.0

Garbage Collection Duration Monitoring Period

JobHistory Server Default Group

5 minute(s

NodeManager Connectivity Health Check
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

NodeManager Connectivity Tolerance at Startup
Edit Individual Values

NodeManager Default Group ...and 2 others

3 minute(s

NodeManager Health Checker Health Check
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

File Descriptor Monitoring Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify 50.0

Critical Specify 70.0

NodeManager Process Health Test
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

NodeManager Host Health Test
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

Web Metric Collection
Edit Individual Values

☑ NodeManager Default Group ...and 2 others

Feedback

Save Changes

Web Metric Collection Duration
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify ▾ 10 second(s ▾

Critical Never ▾

Garbage Collection Duration Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify ▾ 30.0

Critical Specify ▾ 60.0

Garbage Collection Duration Monitoring Period
Edit Individual Values

NodeManager Default Group ...and 2 others

5 minute(s ▾

NodeManager Local Directories Free Space Monitoring Absolute Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify ▾ 10 GiB ▾

Critical Specify ▾ 5 GiB ▾

NodeManager Local Directories Free Space Monitoring Percentage Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Never ▾

Critical Never ▾

NodeManager Container Log Directories Free Space Monitoring Absolute Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify ▾ 10 GiB ▾

Critical Specify ▾ 5 GiB ▾

NodeManager Container Log Directories Free Space Monitoring Percentage Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Never ▾

Critical Never ▾

NodeManager Recovery Directory Free Space Monitoring Absolute Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Specify ▾ 10 GiB ▾

Critical Specify ▾ 5 GiB ▾

NodeManager Recovery Directory Free Space Monitoring Percentage Thresholds
Edit Individual Values

NodeManager Default Group ...and 2 others

Warning Never ▾

Critical Never ▾

Health Test Startup Tolerance

ResourceManager Default Group

5 minute(s ▾

Feedback

Save Changes

File Descriptor Monitoring Thresholds
ResourceManager Default Group
Warning Specify ▾ 50.0
Critical Specify ▾ 70.0

ResourceManager Process Health Test
☑ ResourceManager Default Group

ResourceManager Host Health Test
☑ ResourceManager Default Group

Web Metric Collection
☑ ResourceManager Default Group

Web Metric Collection Duration
ResourceManager Default Group
Warning Specify ▾ 10 second(s ▾
Critical Never ▾

Garbage Collection Duration Thresholds
ResourceManager Default Group
Warning Specify ▾ 30.0
Critical Specify ▾ 60.0

Garbage Collection Duration Monitoring Period
ResourceManager Default Group
5 minute(s ▾

JHist File Format
mapreduce.jobhistory.jhist.format
Gateway Default Group
○ json
◉ binary

Enable Ubertask Optimization
mapreduce.job.ubertask.enable
☐ Gateway Default Group

Ubertask Maximum Maps
mapreduce.job.ubertask.maxmaps
Gateway Default Group
9

Ubertask Maximum Reduces
mapreduce.job.ubertask.maxreduces
Gateway Default Group
1

Ubertask Maximum Job Size
mapreduce.job.ubertask.maxbytes
Gateway Default Group
0 GiB ▾

Enable Optimized Map-side Output Collector
☐ Gateway Default Group

Job Counters Limit
mapreduce.job.counters.max
Gateway Default Group
120

Feedback

Save Changes

Job Counter Groups Limit
mapreduce.job.counters.groups.max
Gateway Default Group
50

Maximum Process File Descriptors
Edit Individual Values
JobHistory Server Default Group ...and 4 others

Max Shuffle Threads
mapreduce.shuffle.max.threads
Edit Individual Values
NodeManager Default Group ...and 2 others
80

MapReduce JobHistory Server Port
mapreduce.jobhistory.address
JobHistory Server Default Group
10020

MapReduce JobHistory Web Application HTTP Port
mapreduce.jobhistory.webapp.address
JobHistory Server Default Group
19888

MapReduce JobHistory Web Application HTTPS Port (TLS/SSL)
mapreduce.jobhistory.webapp.https.address
JobHistory Server Default Group
19890

MapReduce JobHistory Server Admin Interface Port
mapreduce.jobhistory.admin.address
JobHistory Server Default Group
10033

Bind JobHistory Server to Wildcard Address
JobHistory Server Default Group

NodeManager Web Application HTTP Port
yarn.nodemanager.webapp.address
Edit Individual Values
NodeManager Default Group ...and 2 others
8042

NodeManager Web Application HTTPS Port (TLS/SSL)
yarn.nodemanager.webapp.https.address
Edit Individual Values
NodeManager Default Group ...and 2 others
8044

NodeManager IPC Address
yarn.nodemanager.address
Edit Individual Values
NodeManager Default Group ...and 2 others
8041

Localizer Port
yarn.nodemanager.localizer.address
Edit Individual Values
NodeManager Default Group ...and 2 others
8040

Feedback

Save Changes

ResourceManager Address
yarn.resourcemanager.address

ResourceManager Default Group
8032

Scheduler Address
yarn.resourcemanager.scheduler.address

ResourceManager Default Group
8030

Resource Tracker Address
yarn.resourcemanager.resource-tracker.address

ResourceManager Default Group
8031

Administration Address
yarn.resourcemanager.admin.address

ResourceManager Default Group
8033

ResourceManager Web Application HTTP Port
yarn.resourcemanager.webapp.address

ResourceManager Default Group
8088

ResourceManager Web Application HTTPS Port (TLS/SSL)
yarn.resourcemanager.webapp.https.address

ResourceManager Default Group
8090

Bind ResourceManager to Wildcard Address

☐ ResourceManager Default Group

Llama Proxy User Groups
hadoop.proxyuser.llama.groups

YARN (MR2 Included) (Service-Wide)
*

Llama Proxy User Hosts
hadoop.proxyuser.llama.hosts

YARN (MR2 Included) (Service-Wide)
*

Use CGroups for Resource Management
yarn.nodemanager.linux-container-executor.resources-handler.class

☐ YARN (MR2 Included) (Service-Wide)

Always Use Linux Container Executor
yarn.nodemanager.container-executor.class

☐ YARN (MR2 Included) (Service-Wide)

UNIX User for Nonsecure Mode with Linux Container Executor
yarn.nodemanager.linux-container-executor.nonsecure-mode.local-user

YARN (MR2 Included) (Service-Wide)
nobody

Feedback

Save Changes

Limit Nonsecure Container Executor Users
☑ YARN (MR2 Included) (Service-Wide)

Allow Undeclared Pools
yarn.scheduler.fair.allow-undeclared-pools
☑ YARN (MR2 Included) (Service-Wide)

ApplicationMaster Memory
yarn.app.mapreduce.am.resource.mb
Gateway Default Group
1 GiB

ApplicationMaster Virtual CPU Cores
yarn.app.mapreduce.am.resource.cpu-vcores
Gateway Default Group
1

ApplicationMaster Java Maximum Heap Size
Gateway Default Group
825955249 B ≈787.69 MiB

Map Task Memory
mapreduce.map.memory.mb
Gateway Default Group
0 GiB

Map Task CPU Virtual Cores
mapreduce.map.cpu.vcores
Gateway Default Group
1

Reduce Task Memory
mapreduce.reduce.memory.mb
Gateway Default Group
0 GiB

Reduce Task CPU Virtual Cores
mapreduce.reduce.cpu.vcores
Gateway Default Group
1

Map Task Maximum Heap Size
Gateway Default Group
0 GiB

Reduce Task Maximum Heap Size
Gateway Default Group
0 GiB

Heap to Container Size Ratio
mapreduce.job.heap.memory-mb.ratio
Gateway Default Group
0.8

Client Java Heap Size in Bytes
Gateway Default Group
825955249 B ≈787.69 MiB

Java Heap Size of JobHistory Server in Bytes
JobHistory Server Default Group
1 GiB

Feedback

Save Changes

Cgroup CPU Shares
cpu.shares
Edit Individual Values
JobHistory Server Default Group ...and 4 others
1024

Cgroup I/O Weight
blkio.weight
Edit Individual Values
JobHistory Server Default Group ...and 4 others
500

Cgroup Memory Soft Limit
memory.soft_limit_in_bytes
Edit Individual Values
JobHistory Server Default Group ...and 4 others
-1 MiB

Cgroup Memory Hard Limit
memory.limit_in_bytes
Edit Individual Values
JobHistory Server Default Group ...and 4 others
-1 MiB

Java Heap Size of NodeManager in Bytes
Edit Individual Values
NodeManager Default Group ...and 2 others
1 GiB

Container Memory
yarn.nodemanager.resource.memory-mb
Edit Individual Values
NodeManager Default Group ...and 2 others
35 GiB

Strict CGroup Resource Usage
yarn.nodemanager.linux-container-executor.cgroups.strict-resource-usage
Edit Individual Values
☐ NodeManager Default Group ...and 2 others

Containers CPU Limit Percentage
yarn.nodemanager.resource.percentage-physical-cpu-limit
Edit Individual Values
NodeManager Default Group ...and 2 others
100

Container Virtual CPU Cores
yarn.nodemanager.resource.cpu-vcores
Edit Individual Values
NodeManager Default Group ...and 2 others
10

Java Heap Size of ResourceManager in Bytes
ResourceManager Default Group
1 GiB

Container Memory Minimum
yarn.scheduler.minimum-allocation-mb
ResourceManager Default Group
1 GiB

Container Memory Increment
yarn.scheduler.increment-allocation-mb
ResourceManager Default Group
512 MiB

Container Memory Maximum
yarn.scheduler.maximum-allocation-mb
ResourceManager Default Group
22386 MiB ≈21.86 GiB

Feedback

Save Changes

Container Virtual CPU Cores Minimum
yarn.scheduler.minimum-allocation-vcores

ResourceManager Default Group
1

Container Virtual CPU Cores Increment
yarn.scheduler.increment-allocation-vcores

ResourceManager Default Group
1

Container Virtual CPU Cores Maximum
yarn.scheduler.maximum-allocation-vcores

ResourceManager Default Group
8

Enable Fair Scheduler Continuous Scheduling
yarn.scheduler.fair.continuous-scheduling-enabled

ResourceManager Default Group

Fair Scheduler Node Locality Delay
yarn.scheduler.fair.locality-delay-node-ms

ResourceManager Default Group
2 second(s

Fair Scheduler Rack Locality Delay
yarn.scheduler.fair.locality-delay-rack-ms

ResourceManager Default Group
4 second(s

Fair Scheduler Node Locality Threshold
yarn.scheduler.fair.locality.threshold.node

ResourceManager Default Group

Fair Scheduler Rack Locality Threshold
yarn.scheduler.fair.locality.threshold.rack

ResourceManager Default Group

Kerberos Principal

YARN (MR2 Included) (Service-Wide)
yarn

Enable Kerberos Authentication for HTTP Web-Consoles

YARN (MR2 Included) (Service-Wide)

Hadoop TLS/SSL Server Keystore File Location
ssl.server.keystore.location

YARN (MR2 Included) (Service-Wide)

Hadoop TLS/SSL Server Keystore File Password
ssl.server.keystore.password

YARN (MR2 Included) (Service-Wide)

Hadoop TLS/SSL Server Keystore Key Password
ssl.server.keystore.keypassword

YARN (MR2 Included) (Service-Wide)

Feedback

Save Changes

TLS/SSL Client Truststore File Location
ssl.client.truststore.location

YARN (MR2 Included) (Service-Wide)

TLS/SSL Client Truststore File Password
ssl.client.truststore.password

YARN (MR2 Included) (Service-Wide)

Role-Specific Kerberos Principal

JobHistory Server Default Group

mapred

Container Executor Group
yarn.nodemanager.linux-container-executor.group
Edit Individual Values

NodeManager Default Group ...and 2 others

yarn

Minimum User ID
min.user.id
Edit Individual Values

NodeManager Default Group ...and 2 others

1000

Allowed System Users
allowed.system.users
Edit Individual Values

NodeManager Default Group ...and 2 others

nobody
impala
hive
llama
hbase

Banned System Users
banned.users
Edit Individual Values

NodeManager Default Group ...and 2 others

hdfs
yarn
mapred
bin

Stacks Collection Enabled
stacks_collection_enabled
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Stacks Collection Directory
stacks_collection_directory
Edit Individual Values

JobHistory Server Default Group ...and 4 others

Stacks Collection Frequency
stacks_collection_frequency
Edit Individual Values

JobHistory Server Default Group ...and 4 others

5 second(s

Feedback

Save Changes

Stacks Collection Data Retention
stacks_collection_data_retention
Edit Individual Values

JobHistory Server Default Group ...and 4 others

100 MiB

Stacks Collection Method
stacks_collection_method
Edit Individual Values

JobHistory Server Default Group ...and 4 others

- (•) jstack
- ( ) servlet

Display All **Per Page**

Feedback

Save Changes